

Marketing Bulletin


Brand/product	Schlage Commercial
Date	April 6, 2015
Subject	Price Book Update

1. Updated 11. Shipping information Page 11
2. Removed engineering special pricing clause page 150 and added to respective pages in L section where required
3. Corrected L/LV9485 image page 155
4. Clarified lever dimension drawings page 160, 162, 164, 166
5. Clarified Cylinder Adjustment table page 172
6. Added "180 degree indicator" upgrade kits page 187
7. Updated L583-233 emergency key information page 334
8. Corrected 10-103 strike pricing Page 132, 144
9. Corrected I/C cam L583-255 pricing Page 295, 297, 300
10. Added Everest 29 sections to split key construction inserts Page 334
11. Added in New LM9200 Series Multipoint Section – New addendum pages: addendum 1-24



Price book 2

Effective October 6, 2014 • Rev 4/15



Terms & Conditions	10-28
Allegion General Terms & Conditions	10
Schlage Standard Terms	14
Product Warranties	20
Commercial Applications	20
Residential Applications	20
Distributor Function and Location Policy	21
Cylinder Policies	24
Primus® Sales Policy	24
Everest® Sales Policy	24
Everest Small Format Interchangeable	
Core Key Control Policies	24
Restricted Keyway Policy	24
Construction Core Program Policy	24
Door Labeling Policy	26
Master Key Shipment Policy	26
Hardware Finishes	27
Forms & Examples	29-58
How To Order	30
Ordering Examples	31
Order Forms	32
Using Order Forms	33
Sequential List of Order Forms	34

CYLINDRICAL	59-114
A-Series	59-72
Functions	62
Complete Locks	63
Options	65
Parts	67
AL-Series	73-86
Functions	76
Complete Locks	77
Options	79
Parts	81
D-Series Knobs	87-98
Functions	90
Complete Locks	91
Options	93
Parts	96
ND-Series Levers	99-114
Functions	102
Complete Locks	105
Options	107
Parts	110

DEADBOLT	115-148
B250-Series	115-124
Functions	118
Complete Locks	119
Options	120
Parts	121
B500-Series	125-136
Functions	128
Complete Locks	129
Options	131
Parts	132
B600/700/800-Series	137-148
Functions	140
Complete Locks	141
Options	143
Parts	144

MORTISE	149-194
L-Series	149-194
Functions	152
Complete Locks	160
Options	172
Distributor Pack Program	178
Parts	183

INTERCONNECTED	195-228
CS210-Series	195-204
Functions	198
Complete Locks	199
Options	202
Parts	203
H-Series	205-218
Functions	208
Complete Locks	209
Options	210
Parts	212
S200-Series	219-228
Functions	222
Complete Locks	223
Options	225
Parts	226

Table of Contents

General Terms and Conditions for Sales and Service	Terms-2
Standard Schlage Product Terms and Conditions	Terms-6
Product Warranties	Terms-12
Commercial Applications.....	Terms-12
Residential Applications.....	Terms-13
Distributor Function and Location Policy	Terms-13
Cylinder Policies	Terms-14
Schlage Key Systems.....	Terms-14
Restricted Keyway Policy.....	Terms-15
Construction Core Program Policy	Terms-16
Primus® Sales Policy	Terms-16
Door Labeling Policy	Terms-18
Master Key Shipment Policy	Terms-18
Hardware Finishes	Terms-19
How To Order	Forms and Examples

States, all Products will be sold "Ex-works, Company's factory (Incoterms 2010)." In either instance, title and risk of loss will pass to Customer upon delivery to the carrier at Company's factory, provided, however, as set forth herein, Company shall retain a security interest in the Deliverables until full payment has been made therefore, and Customer agrees, upon request, to do all things and acts necessary to protect Company's interest by adequately insuring the Deliverables against loss or damage from any cause and to have Company named as an additional insured. Customer will promptly provide Company with a copy of the relevant certificate of insurance upon Company's request.

11. SHIPPING.

a. **Freight Charges.** Company will ship all Deliverables in accordance with Company's freight shipment guidelines, which are set forth on the [My Allegion Portal](#) ("Freight Shipping Guidelines"). **WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN.**

b. **Rush Charges.** Expedited order options are available as set forth in Company's freight shipping guidelines.

c. **Packing and Marking.** Company will pack, mark, and ship Deliverables according to its standard procedures for shipment, unless the parties agree, in writing, that Company will comply with any special instructions provided by Customer. Special instructions may result in an increased price.

d. **International Shipments.** For all international orders, a Shipper's letter of instruction must be submitted in writing with the order. Failure to do so will result in the order being rejected. Complete adherence to this order requirement will be strictly enforced. Company will not be held liable for any charges resulting from delays due to lack of complete required information being supplied.

e. **Once received by the Company, a Customer purchase order can only be combined with any other order or combined with Company brands (to qualify for freight allowances) in accordance with the Company's freight shipment guidelines, which are set forth on the My Allegion Portal ("Freight Shipping Guidelines").**

12. CLAIMS. All claims must be submitted in writing to Company as follows: (i) All claims for prices must be submitted within thirty (30) days from the date of invoice; (ii) All claims regarding Deliverable quantity or incorrect orders must be submitted within ten (10) days from the date of delivery; (iii) All claims for damage to Deliverables (while in the care, custody, and control of Company) must be submitted within thirty (30) days from the date of invoice; (iv) All claims for loss or damage to Deliverables while in the care, custody, and/or control of a carrier will be the responsibility of Customer, unless otherwise agreed by the parties.

13. PRODUCT CHANGES. Company's product policy is one of ongoing update and revision, and accordingly, Company reserves the right to change, without notice, the design of, or the process of manufacturing, the Deliverables covered by this Agreement.

14. PRODUCT USAGE LIMITATION. Customer agrees: (i) not to sell or use a Deliverable in any manner contrary to the manner in which the Deliverable is intended to be used; and/or (ii) not to modify the design of any Deliverable for use with another product without the prior written consent of Company.

15. PRODUCT RETURNS. Unless otherwise agreed by the parties in writing, Deliverables that are correctly furnished by Company per the purchase order may not be returned unless Customer receives written authorization from Company. If returns are authorized by Company, a return merchandise authorization ("RMA") number must be provided by Company. Deliverables identified under such RMA must be returned to Company within 90 days of issuance of the RMA. Such RMA number and any accompanying RMA documents, the original invoice number, and a written explanation for the return must be included with the returned Deliverables in order for Company to inspect and approve a credit for the return. **For warranty returns,** a credit in the amount of the original purchase price will only be issued if, after Company's receipt and inspection of the returned Deliverables, Company confirms, in its sole discretion, the defect is valid and approves the return. **For non-warranty returns/convenience returns,** in the event Company approves such a return, in its sole discretion, the following shall apply: (a) the total amount of Deliverables requested to be returned shall be a minimum of \$250.00; (b) a credit will be made to Customer's account in the amount of the original purchase price less freight and a handling charge of 45% of the net material on the original invoice; and (c) only Deliverables that are new, current, standard, non-obsolete, non-specially manufactured, unused, in their original condition as at the time of sale by Company to Customer, in their original packaging and in Customer's inventory less than 180 days from the date of shipment by the Company, and not ordered as part of a master key solution may be considered by Company for return. Such credit will only be issued if, after Company's receipt and inspection of Deliverables, Company approves the return. The amount of final credit will be determined upon receipt at the factory and following Company's inspection and analysis of the condition of the returned material. Company retains the right to deny credit to anyone for any reason.

16. CONFIDENTIAL INFORMATION.

a. **Non-Use And Non-Disclosure.** Customer shall not use the Confidential Information of the Company except for the purpose of performing its obligations under this Agreement or exercising the rights granted herein (the "Purpose"). Customer shall protect Confidential Information of the Company from disclosure and unauthorized use in the same manner that it protects its own Confidential Information, but in no event shall such standard of care be less than reasonable care. Customer may disclose Confidential Information of the Company only to its employees who require such information for the Purpose and who are subject to confidentiality obligations at least as protective as those set forth herein.

b. **Proprietary Information and Advice.** (a) All designs, data, and specifications provided by Company are proprietary and may not be disclosed or reused by Customer without the prior written consent of Company; (b) Company assumes no obligation or liability for any advice given by Company, the results obtained, or damages incurred as a result of such advice, and all such advice is given and accepted at Customer's risk.

c. **Return.** Upon the termination or expiration of a purchase order or this Agreement or upon the request of the Company, the Customer agrees to end all further use of, to immediately return to the Company the original version of, and to delete or destroy all copies of, any and all Confidential Information of the Company.

17. TRADEMARKS. Except as agreed to by Company in writing, Customer agrees not to (a) use Company's name in any form of publicity; or (b) use, create, register or market, directly or indirectly, in whole or in part, Company's names, logos, brands, or any other trademarks, or names that are now or may hereafter be owned by Company, as part of Customer's corporate or business name, as part of an internet domain name, uniform resource locator (URL), or in any way connected with Customer's business, trade address or other designations. Upon termination of this Agreement or upon the request of company for any reason, any use of Company's trademarks or names will be immediately discontinued.

18. LIMITED WARRANTY.

COMPANY MAKES NO OTHER WARRANTIES EXCEPT THOSE STATED IN COMPANY'S LIMITED WARRANTY IN EFFECT ON THE DATE COMPANY ACCEPTS EACH APPLICABLE PURCHASE ORDER ("LIMITED WARRANTY"). THE LIMITED WARRANTY MAY BE FOUND IN THE APPLICABLE PRICE BOOK AND ON THE ALLEGION CUSTOMER WEBSITE, WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE. COMPANY WILL MAIL CUSTOMER A HARD COPY OF THIS WARRANTY UPON CUSTOMER'S WRITTEN REQUEST. IN THE EVENT THAT CERTAIN DELIVERABLE WARRANTIES ARE NOT FURNISHED BY THE COMPANY TO CUSTOMER, COMPANY WARRANTS ONLY TO CUSTOMER THAT THE DELIVERABLES WILL BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP FOR A PERIOD OF 12 MONTHS FROM THE DATE OF SHIPMENT OF THE DELIVERABLES. COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY IS LIMITED TO REPAIRING OR REPLACING, AT COMPANY'S OPTION, THE DEFECTIVE DELIVERABLE, PROVIDED WRITTEN NOTICE OF THE DEFECT OR NONCONFORMANCE IS PROVIDED BY CUSTOMER WITHIN 30 DAYS OF DISCOVERY OF THE DEFECT OR NONCONFORMANCE. COMPANY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE DELIVERABLES, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.

a. **Exclusions.** The provisions of this Limited Warranty do not apply to Deliverables that: (A) are not the proper size for the application; (B) are not installed in accordance with Company's published installation instructions; (C) are installed with improper or incorrect parts and/or are used for purposes for which they are not designed or intended; (D) have been repaired or altered without the Company's prior written consent; (E) have been subjected to misuse, abuse, negligence or accident; (F) have been improperly stored, installed, maintained or operated; (G) have been used in violation of written instructions provided by Company to Customer; (H) have been subjected to improper temperature, humidity, or other environmental conditions, or (I) have been affected by normal wear and tear. In addition, the provisions of this Limited Warranty do not apply to any defects or issues with the design or performance of equipment or products not manufactured by Company, nor does it apply to any code compliance or permit requirements for the assembly, installation, erection or construction of any goods. Company is not responsible for loss or damage resulting from use of Deliverables in conjunction with parts or systems not manufactured by Company. Accessories or products furnished by the Company, but manufactured by others, shall carry whatever warranty the manufacturers have conveyed to the Company and which can be passed to Customer.

b. **Services.** Company warrants that its services will be free from defects in material and workmanship for a period of 12 months from the date of completion of the particular items of service. Company's sole obligation under this service warranty is limited to repair or reperformance, at its option of the service, provided however, if repair or reperformance is either impractical or impossible, the Company will refund to Customer that portion of the price paid to Company for any defective service, provided written notice of the defect or nonconformance is provided by Customer within 30 days of discovery of the nonconformance.

c. **Notification.** Customer agrees to immediately notify Company in writing if any claim is made against Customer for any damages caused by any modules, parts, products, service or other Deliverables which may be the direct result of any defect in the manufacture of such aforementioned products. Customer agrees to cooperate with Company and its counsel in the defense of such claim and Customer agrees not to settle such claim without Company's written consent. If Customer fails to notify Company of such claim or fails to cooperate in such defense as aforesaid, then Company shall be discharged from any obligations under this Section and shall have no further liability to Customer.

d. **Exceptions.** The following costs and expenses are not covered by the provisions of these limited warranties: (i) labor costs for the removal and reinstallation of Deliverables or other manufacturer's products; (ii) shipping and freight expenses required to return Deliverables to Company; (iii) normal maintenance; and (iv) economic losses. In addition, the provisions of this warranty are not applicable to anything other than defects in Company's material (products only) or workmanship.

19. LIMITATION OF REMEDIES.

CUSTOMER'S EXCLUSIVE AND SOLE REMEDY ON ACCOUNT OF, OR IN RESPECT OF, THE FURNISHING OF NON-CONFORMING DELIVERABLES, SHALL BE TO (A) SECURE REPAIR OR REPLACEMENT OF THE PRODUCTS; OR (B) SECURE REPAIR OR RE-PERFORMANCE OF THE SERVICES OR TO OBTAIN A REFUND OF THE PRICE PAID FOR THE DEFECTIVE SERVICE, ALL AT COMPANY'S OPTION. IN NO EVENT WILL THE COMPANY'S MAXIMUM LIABILITY EXCEED THE SELLING PRICE FOR THE DELIVERABLE. THE WARRANTY, OBLIGATIONS AND LIABILITIES OF COMPANY (INCLUDING ITS SUPPLIERS) AND THE RIGHTS AND REMEDIES OF CUSTOMER ARE EXCLUSIVE AND ARE IN LIEU OF AND CUSTOMER HEREBY WAIVES AND RELEASES ALL OTHER WARRANTIES, OBLIGATIONS, REPRESENTATIONS OR LIABILITIES EXPRESS OR IMPLIED ARISING BY LAW, IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE, INCLUDING BUT NOT LIMITED TO (I) ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY IMPLIED THROUGH COURSE OF PERFORMANCE, COURSE OF DEALING, OR USAGE OF TRADE OR (II) CLAIMS ARISING OUT OF THE NEGLIGENCE OF COMPANY OR COMPANY'S SUPPLIERS OR (III) ANY OTHER CLAIM ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE PERFORMANCE OF COMPANY OR FROM THE DESIGN, MANUFACTURE, SALE, REPAIR, LEASE OR USE OF THE DELIVERABLE, OR ANY COMPONENT THEREOF, DELIVERED OR RENDERED HEREUNDER OR OTHERWISE.

20. INDEMNIFICATION AND LIMITATION OF LIABILITY. a. Customer shall indemnify, defend and hold Company, and its officers, directors, employees, customers, Affiliates, suppliers, users and agents, (collectively the "Indemnitees") harmless from and against any and all damages, claims, losses, expenses, costs, obligations, liabilities, including without limiting the generality of the foregoing, liabilities for court costs and attorneys' fees,

TERMS & CONDITIONS · Standard Schlage Product Terms and Conditions

Commercial

The following specific product terms and conditions are applicable only to the extent provided herein. All other terms and conditions contained in the General Terms and Conditions of Sale and Service provided in this Price Book will govern the sale of products identified in this Price Book.

This price list supersedes and cancels all previous price lists. Prices shown are subject to change without notice. All prices may be subject to discount. Products considered “Specials” (“X” designated part numbers) fall outside of standard discount terms. Contact Customer Care for clarification.

Minimum Order Size for Channel Discount:

All orders less than \$500.00 list shall be discounted at book net.

Claims and Returns:

Due to Schlage error:

- Claims for shortages and/or incorrectly filled orders must be filed with Customer Service within 30-days of receipt of material.
- Incorrect order acknowledgments must be changed by emailing request to Customer Care territory email box upon receipt of acknowledgment. Refer to inside cover of this book.
- Invoice adjustments must be faxed to Credit Adjustments @ (317) 810-3048 within 30-days of receipt of invoice.
- Returned goods will not be accepted without prior written approval from Schlage. Credit will be based upon the Return Material Authorization (RMA) issued by Customer Service or the Allegion Consultant and final acceptance by Schlage. Returns must be prominently marked with the RMA number and follow return guidelines on the RMA form.
- Product considered being defective after review by the Allegion Consultant must be returned to the Schlage Lock Company facility in Security, Colorado accompanied by an RMA. Replacement orders for defective product will be entered by Customer Service at the time of notification.

Claims and Returns:

Due to Customer error:

- It is the policy of the Schlage Lock Company to not accept returns of any materials that are correctly furnished as per the dealer's purchase order.
- Return of product due to customer order error or accommodation must be pre-arranged with the Allegion Consultant and approved by Business Unit Manager.
- Returns are subject to a minimum restocking charge of 35% for unopened cases.
- Materials are not returnable.
- Product must be received in original factory condition and certified as such by Schlage Receiving.

Under no circumstances is Schlage liable for incidental or consequential damages. Charge-backs will not be allowed.

this page intentionally left blank

this page intentionally left blank

this page intentionally left blank

A Series

Ordering Procedures

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	A53PD	PLY	626	LEV	613	-	11-085	10-001	178	EE	-	KA

Line Item: Line item number

Qty: Quantity

Product: Product function + Cylinder code

Outside Des: Outside lever design

Outside Fin: Outside finish

Inside Des: Inside lever design: Specify only if different from the outside lever design

Inside Fin: Inside lever finish: Specify only if different from the outside finish

Hand: Hand of door: N/A for A lock

Latch: Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.

Strike: Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.

Dr Thk: Door thickness: Enter door thickness if non-standard. Example: 138=1 3/8", 214=2 1/4"



Ext: Extension: Enter for doors 1 7/8" or greater. Example: EE=extended equally, EI=extended inside, EO=extended outside, ED=extended differently

Dim: Dimension: Enter only for non-standard strike lip length

Additional

Details: Enter additional detail for keying information or special requirements

Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	 denotes a lock or part that requires an extended lead time.
5.	 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

CYLINDRICAL

A-8

AL-Series

D-Series

ND-Series

Locks Less Components		
Description	Specify	Lock Adjustment
Less each knob	LLL for knob design Example: A53PD LLL/PLY x PLY	-7.70
Less each rose or turn	LLL for rose design Example: A53PD PLY x PLY/LLL	-6.10
Less springlatch	LLL for latch Example: A40S PLY 605 LLL 10-004	-9.90
Less deadlatch	LLL for latch Example: A53PD PLY 626 LLL 10-025	-16.50
Less strike	LLL for strike Example: A53PD PLY 612 11-096 LLL	-3.60
Lock chassis and spring cages only	Less all possible components Example: A53LD LLL 626 LLL LLL	Sum of deducts

Non-Standard Door Thickness		
Description	Specify	Lock Adjustment
Extended Inside (EI), 2" thru 2 1/2"	Door thickness and how door is extended. Example: 2 1/2", EI	+51.60

Tamper Resistant Torx® Screws		
Specify/ Part Number	Description	Lock Adjustment
Torx Screws	Screws - Latch and Strike	+15.20

Special Functions - Extended Lead Times/Not Subject to Standard Discounts				
Part Number		Description	Base Lock	Lock Adjustment
Lock Function	"X" Number			
A53PD	XA11-297	A53PD with restoring slide	A53PD	+39.50

AL Series

Ordering Procedures

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	AL53PD	SAT	626	NEP	619	-	11-096	10-025	200	EE	-	-

Line Item: Line item number

Qty: Quantity

Product: Product function + Cylinder code

Outside Des: Outside lever design

Outside Fin: Outside finish

Inside Des: Inside lever design: Specify only if different from the outside lever design

Inside Fin: Inside lever finish: Specify only if different from the outside finish

Hand: Hand of door: N/A for AL lock

Latch: Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.

Strike: Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.

Dr Thk: Door thickness: Enter door thickness if non-standard. Example: 138=1 3/8", 214=2 1/4"



Ext: Extension: Enter for doors 1 7/8" or greater. Example: EE=extended equally, EI=extended inside, EO=extended outside, ED=extended differently

Dim: Dimension: Enter only for non-standard strike lip length

Additional

Details: Enter additional detail for keying information or special requirements

Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	 denotes a lock or part that requires an extended lead time.
5.	 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and O-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or O-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

CYLINDRICAL

Locks Less Components		
Description	Specify	Lock Adjustment
Less each lever	LLL for lever design Example: AL53PD LLL/JUP x SAT	-8.00
Less each rose	LLL for rose design Example: AL53PD SAT x SAT/LLL	-10.00
Less springlatch	LLL for latch Example: ND40S SAT 605 LLL 10-025	-10.00
Less deadlatch	LLL for latch Example: AL53PD SAT 626 LLL 10-025	-16.20
Less strike	LLL for strike Example: AL53PD ATH 612 11-096 LLL	-3.80
Lock chassis and spring cages only	Less all possible components Example: ND53LD LLL 626 LLL LLL, lever chassis	Sum of deducts

A-Series

Non-Standard Door Thickness		
Description	Specify	Lock Adjustment
Extended Equally (EE), over 1 7/8" - 2" (SFIC not available for 1 7/8" - 2" door thickness)	Door thickness and how door is extended. Example: 2", EE	+4.20

AL-8

Miscellaneous Lock Options		
Specify/Part Number	Description	Lock Adjustment
8SA	Tactile Lever - Saturn	+36.60*
Torx Screws	Screws - Latch and Strike	+16.40
	* Per lever	

D-Series

Special Functions - Extended Lead Times/Not Subject to Standard Discounts				
Part Number		Function - Description	Base Lock	Lock Adjustment (Base Lock)
Lock Function	"X" Number			
AL50PD	XA11-297	AL50PD with restoring slide	AL50PD	+37.60
AL53PD	XA11-297	AL53PD with restoring slide	AL53PD	

ND-Series

Levers and Related Components											
Available Finishes - Specify for Listed Parts		605	606	609	612	613	619	625	626	643e	626AM
51-021, 51-023, 51-025, 51-026, 51-022 SAT, 51-024 SAT, A700-041		▪	▪	⌘	▪	▪	▪	▪	▪	▪	⌘
51-022 JUP NEP, 51-024 JUP NEP		▪	▪		▪	▪	▪	▪	▪	▪	⌘
Part Number	Description	Price Each									
51-021*	Closed Lever - JUP NEP OME SAT - locks man. before June 2003	\$72.40									
51-023*	Open Lever - JUP NEP OME SAT - locks man. before June 2003										
51-025*	Closed Lever - JUP NEP OME SAT - locks man. after June 2003										
51-026*	Open Lever - JUP NEP OME SAT - locks man. after June 2003										
51-022*	Full Size Core Lever - JUP NEP SAT	62.10									
51-024*	Small Format Core Lever & lever insert- JUP NEP SAT	68.30									
A700-041	Driver cap, 1 3/8" - 1 7/8" doors - for locks man. after May 2002	3.50									
A700-039	Driver, 1 3/8" - 1 7/8" doors - for locks man. after May 2002	16.70									
A700-045	Lever insert for SFIC	5.80									
A700-052	FSIC Core Driver, Universal	7.60									
A700-021	SFIC Core Retainer	6.00									
C604-381	SFIC Core Throw Member	6.90									
D500-000	SFIC Core Spacer - 2 spacers required for 6-pin, 1 spacer required for 7-pin	1.20									
A700-047	Interchangeable core lever insert, 1 3/8" - 1 7/8" doors	5.80									
A700-044	Lever insert, 1 3/8" - 1 7/8" doors for locks man. after May 2002	5.40									
*	Specify part number, lever style, finish. Ex: 51-025 NEP 626 (closed lever, Jupiter design, 626 finish)										

Roses											
Available Finishes - Specify for Listed Parts		605	606	609	612	613	619	625	626	643e	626AM
04-060		▪	▪	⌘	▪	▪	▪	▪	▪	▪	⌘
C604-402		▪	▪	⌘	▪	▪	▪	▪	▪	▪	
Part Number	Description	Price Each									
04-060**	Outside / Inside Rose - SAT OME	\$83.10									
C604-402	Blank Plate, AL25	85.30									
**	Specify part number, lever style, finish. Ex: 04-060 SAT 626 (Saturn design, 626 finish)										

CYLINDRICAL

A-Series

AL-9

D-Series

ND-Series

CYLINDRICAL

A-Series

AL-12

D-Series

ND-Series

Miscellaneous Parts		Price Each
Part Number	Description	
A100-053	Spring cage, ins. - 4 prong for locks manufactured after May 2002	\$53.80
A100-054	Spring cage, out. - 4 prong for locks manufactured after May 2002	
A201-370	Cam - AL80	7.90
A301-402	Cam - AL40, AL50, AL53, AL85	8.00
A501-167	Threaded rod for mounting AL170s as double dummy set	13.50
A501-305	Hub plate, ins.	6.30
A501-311	Slide spring	6.10
A501-615	Spindle wedge - AL80, AL85	6.00
A501-721	Cam plug - AL70	18.20
A501-791	Cam spacer - AL70	3.70
A501-874	Hub plate, out. - AL25	9.60
A501-901	Hub plate, out. - AL80, AL85	4.20
A508-597	Spring seat - AL50, AL53, AL70, AL80, AL85	6.10
A590-158	Slide - AL85	
A590-159	Slide - AL50, AL53, AL70, AL80	
A590-180	Slide, restoring - AL40	
A590-181	Slide, non-restoring - AL10, AL25	
A700-003	Spindle sleeve - AL85	
A700-004	Hub plate, out. (except AL25, AL80, AL85)	
A700-014	Hub, out. - AL70 - for locks manufactured after May 2003	27.10
A700-015	Lever insert, 1 3/8" - 1 7/8" doors - for locks manufactured before May 2002	5.80
A700-016	Hub, out., 1 3/8" - 1 7/8" doors - AL25	27.10
A700-017	Spiral cam - AL70	9.60
A700-036	Spring - AL40, AL44	8.00
A700-046	Hub, 1 3/8" - 1 7/8" doors - for locks manufactured after May 2003*	5.30
A700-047	Interchangeable core lever insert, 1 3/8" - 1 7/8" doors	5.80
A700-056	Frame, hub - for locks manufactured after May 2003	9.70
A700-057	Housing - for locks manufactured after May 2003	
A710-001	Spindle & catch, out. (except AL10, AL40)	7.90
A710-004	Spindle & catch, ins.	
A710-007	Spindle & hub - AL170	24.80
A710-008	Small Format Interchangeable Core spindle & catch, outside - AL50, AL53, AL70, AL80	20.90
A710-020	Spindle & catch, out. - AL10, AL40	7.90
C503-308	Anchor spring (except AL25)	6.10
C604-273	Rose pin - AL25	1.20
C604-354	Castle nut	14.20
C604-400	Mounting plate - AL170	18.00

Special Parts - Extended Lead Times/Not Subject to Standard Discounts

Available Finishes - Specify for Listed Parts		605	606	609	612	613	619	625	626	643e	626AM
XQ07-351		.	.	∞	
Part Number	Description	Price Each									
XQ07-351*	10-025 Strike, 7/8" flat lip	\$23.80									
	10-025 Strike, lips thru 6" (except 7/8", 1 3/16", 1 3/8", and 1 1/2")	115.00									
	* Specify lip length										



D Series

Ordering Procedures

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	D53PD	ORB	625	PLY	625	-	14-019	10-025	214	EE	-	KA

Line Item: Line item number

Qty: Quantity

Product: Product function + Cylinder code

Outside Des: Outside lever design

Outside Fin: Outside finish

Inside Des: Inside lever design: Specify only if different from the outside lever design

Inside Fin: Inside lever finish: Specify only if different from the outside finish

Hand: Hand of door: N/A for D lock

Latch: Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.

Strike: Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.

Dr Thk: Door thickness: Enter door thickness if non-standard. Example: 138=1 3/8", 214=2 1/4"



Ext: Extension: Enter for doors 2" or greater. Example: EE=extended equally, EI=extended inside, EO=extended outside, ED=extended differently

Dim: Dimension: Enter only for non-standard strike lip length

Additional

Details: Enter additional detail for keying information or special requirements

Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	 denotes a lock or part that requires an extended lead time.
5.	 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

Latches		
Part Number	Backset - Description	Lock Adjustment
Spring Latch		
14-001	2 3/4" - Square corner, 1 1/8" x 2 1/4"	N/C
14-010	3 3/4" - Square corner, 1 1/8" x 2 1/4"	+8.60
Deadlatch		
14-047	2 3/8" - Square corner, 1 1/8" x 2 1/4"	N/C
14-048	2 3/8" - Square corner, 1 x 2 1/4"	N/C
14-019	2 3/4" - Square corner, 1 1/8" x 2 1/4"	N/C
14-042	2 3/4" - Anti-friction fire door latch Square corner, 1 1/8" x 2 1/4", 3/4" throw	+145.00
14-028	3 3/4" - Square corner, 1 1/8" x 2 1/4"	+8.60
43-005	5" - Backset extension link - require reinforcement when used in hollow metal door applications, must be used with 2 3/4" backset latches	+26.40

Strikes		
Part Number	Lip Length - Description	Lock Adjustment
10-013	1 1/8" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
	1 1/2" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	+6.30
10-016	1 1/8" - Square corner, T-strike, deep box, fire door latch	N/C
10-025	1 3/16" - ANSI, no box, 1 1/4" x 4 7/8"	N/C
	1 3/8" - ANSI, no box, 1 1/4" x 4 7/8"	+11.60
	1 1/2" - ANSI, no box, 1 1/4" x 4 7/8"	
K510-066	Box for ANSI strike, must be specified	N/C

Locks Less Components		
Description	Specify	Lock Adjustment
Less each knob	LLL for lever design Example: ND53PD LLL/RHO x ATH	-17.10
Less each rose	LLL for rose design Example: ND53PD RHO x RHO/LLL	-11.90
Less springlatch	LLL for latch Example: ND40S RHO 605 LLL 10-025	-20.50
Less deadlatch	LLL for latch Example: ND53PD SPA 626 LLL 10-025	-27.40
Less strike	LLL for strike Example: ND53PD ATH 612 13-047 LLL	-3.80
Lock chassis and spring cages only	Less all possible components Example: ND53LD LLL 626 LLL LLL, lever chassis	Sum of deducts

Non-Standard Door Thickness		
Description	Specify	Lock Adjustment
Extended Equally (EE), over 2" - 2 1/2"	Door thickness and how door is extended. Example: 2", ED	+56.30
Extended Differently (ED), over 2" - 2 1/2"		+263.00

Note: For door thicknesses not listed, please use the Schlage Innovation Center Process.

Tamper Resistant Torx® Screws		
Specify/ Part Number	Description	Lock Adjustment
Torx Screws	Screws - Latch and Strike	+17.00

Special Functions - Extended Lead Times/Not Subject to Standard Discounts				
Lock Function	Part Number	Function - Description	Base Lock	Lock Adjustment (Base Lock)
D25x80	XC03-543	D25x80 - Blank plate outside, fixed knob inside. Key in knob retracts latch.	D80	+99.70
D60	XC03-928	D60 - Closed outside knob.	D70	N/C
D70x80	XC07-960	D70x80 - Key locks or unlocks outside knob. Key in fixed inside knob retracts latch.	D82	+50.60
D25x70	XC11-577	ND25x70 - Blank plate outside. Key locks or unlocks inside knob.	D70	+99.70

Shaded items are standard components and are furnished with locks unless otherwise specified.

Special Parts - Extended Lead Times/Not Subject to Standard Discounts

Available Finishes		605	606	609	612	613	625	626	629	630	643e
XQ02-309, XQ03-494, XQ07-351, XN12-012, 38-018		▪	⌘	▪	▪	▪	▪	▪	⌘	▪	▪
Part Number	Description	Price Each									
XQ02-309	10-013 Strike, 7/8" flat lip	\$22.50									
XQ03-494*	10-013 Strike, 1 5/8" - 6" lip	95.10									
	10-013 Strike, 6 1/8" - 12" lip	121.00									
XQ07-351*	10-025 Strike, 7/8" flat lip	23.80									
	10-025 Strike, lips thru 6" (except 7/8", 1 3/16", 3/8" and 1 1/2")	115.00									
XC03-069	Backset Link, range: 5" - 42", specify backset (not adjustable)	426.00									
38-018	Thin door extension ring (2 required per lock)	10.50									
* Specify lip length											

Miscellaneous Parts

Part Number	Description	Lock Adjustment
A501-167	Threaded rod for mounting D170s as double dummy set	\$12.70
C100-059	Spindle unit, out and ins - D66	128.00
C100-062	Spindle unit, out - D70, out and ins - D72	
C102-540	Hub and frame - D25	42.70
C102-837	Locking plug, out - D73	61.00
C102-840	Key spindle - D40, D44, D53, D60	52.80
C203-034	Spindle and catch, ins (except D60, D66, D72, D80EL/EU, D82)	41.90
C203-376	Plug - D85	13.60
C203-390	Spindle and key cam, out - D70, D72	52.80
C203-391	Spindle and key cam - D60	
C203-411	Key spindle and spring - D85	43.30
C203-733	Locking plug - D70, D72	
C203-858	Spindle and hammer, ins - D85	52.80
C203-947	Spindle and catch, out - D40, D44	43.30
C203-948	Spindle and catch, out - D53, D60, D73, D80	
C303-006	Slide and roller	50.10
C303-400	Spindle and catch, ins - D80EL/EU	47.20
C303-439	AC Rectifier	55.50
C503-008**	Cotter pin	0.56
C503-019	Slide spring	5.40
C503-308	Anchor spring (except D25, D170)	6.10
C503-314	Slide spring seat	5.90
C503-324	Spindle washer - D60, D70, D72, D85	5.80
C503-334	Plunger hammer - D85	12.30
C503-335	Plunger hammer spring - D85	5.70
C503-339	Key spindle - D80, D82, D85	22.80
C503-359	Key cam - D60	12.40
C503-360	Key cam rider - D60	12.80
C503-361	Key cam pin - D60	5.70
C503-362	Plunger - D60	5.90
C503-368	Key cam sleeve, out - D70, D72	5.70
C503-371	Plunger - D66	5.70
C503-400	Key cam pin - D70, D72	5.70
C503-768	Spacer - D80 EL/EU	2.80
C503-965	Plunger sleeve, out - D40, D44	12.60
C603-500	Housing	12.30
C604-187	Slide catch, restoring - D40, D44, D73, D85	6.00
C604-188	Slide catch, non-restoring - D53	
C604-191	Slide catch spring - D40, D44, D53, D73, D85	
C604-204	Spindle, keyed - D80 EL/EU	22.80
C604-205	Solenoid retaining clip - D80 EL/EU	7.20
C604-273	Rose pin - D25	1.20
C604-312	Anchor (except D25)	5.90
**	Order in multiples of 100	

CYLINDRICAL

A-Series

AL-Series



D-10

ND-Series

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	ND53PD	RHO	606	OME	-	-	13-047	10-025	214	EE	138	KA

- Line Item:** Line item number
- Qty:** Quantity
- Product:** Product function + Cylinder code
- Outside Des:** Outside lever design
- Outside Fin:** Outside finish
- Inside Des:** Inside lever design: Specify only if different from the outside lever design
- Inside Fin:** Inside lever finish: Specify only if different from the outside finish
- Hand:** Hand of door: N/A for ND lock
- Latch:** Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.
- Strike:** Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.
- Dr Thk:** Door thickness: Enter door thickness if non-standard. Example: 138=1 3/8", 214=2 1/4"
- Ext:** Extension: Enter for doors 2 1/8" or greater. Example: EE=extended equally, EI=extended inside, EO=extended outside, ED=extended differently
- Dim:** Dimension: Enter only for non-standard strike lip length
- Additional Details:** Enter additional detail for keying information or special requirements

Common Pricing Information	
1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	 denotes a lock or part that requires an extended lead time.
5.	 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

Latches		
Part Number	Backset - Description	Lock Adjustment
Spring Latch*		
13-048	2 3/4" - Square corner, 1 1/8" x 2 1/4"	N/C
14-010	3 3/4" - Square corner, 1 1/8" x 2 1/4"	+8.60
Deadlatch*		
14-047	2 3/8" - Square corner, 1 1/8" x 2 1/4"	N/C
14-048	2 3/8" - Square corner, 1 x 2 1/4"	N/C
13-047	2 3/4" - Square corner, 1 1/8" x 2 1/4"	N/C
14-042	2 3/4" - Anti-friction fire door latch	+145.00
14-028	3 3/4" - Square corner, 1 1/8" x 2 1/4"	+8.60
43-005	5" - Backset extension link2 - use with 2 3/4" backset latches	+26.40
* All latches and extensions require reinforcement when used in hollow metal door applications		

Strikes		
Part Number	Lip Length - Description	Lock Adjustment
10-013	1 1/8" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
	1 1/2" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	+6.30
10-016	1 1/8" - Square corner, T-strike, deep box, fire door latch	N/C
10-025	1 3/16" - ANSI, no box, 1 1/4" x 4 7/8"	N/C
	1 3/8" - ANSI, no box, 1 1/4" x 4 7/8"	+11.60
	1 1/2" - ANSI, no box, 1 1/4" x 4 7/8"	+11.60
K510-066	Box for ANSI strike, must be specified	N/C

Locks Less Components		
Description	Specify	Lock Adjustment
Less each lever	LLL for lever design Example: ND53PD LLL/RHO x ATH	-18.60
Less each rose	LLL for rose design Example: ND53PD RHO x RHO/LLL	-10.60
Less springlatch	LLL for latch Example: ND40S RHO 605 LLL 10-025	-19.80
Less deadlatch	LLL for latch Example: ND53PD SPA 626 LLL 10-025	-26.00
Less strike	LLL for strike Example: ND53PD ATH 612 13-047 LLL	-3.60
Lock chassis and spring cages only	Less all possible components Example: ND53LD LLL 626 LLL LLL, lever chassis	Sum of deducts

Non-Standard Door Thickness*		
Description	Specify	Lock Adjustment
1 3/8" thick doors - 2 chassis spacers (XN12-012) required; see ND-12	Door thickness and how door is extended. Example: 3", EO	+47.10
Extended Inside (EI)**, over 2" - 6"		+242.00
Extended Outside (EO)**, over 2" - 6"		+398.00
Extended Equally (EE)**, over 2 1/8" - 6"		
Extended Differently (ED)**, over 2" - 6"		
* If not specified orders will default to EE; RX and Competitor Coors options need to be ordered via RFQ.		
** For ND85, EE range is from over 2" to 6". EI, EO and ED ranges are from over 1 7/8" to 6".		

Shaded items are standard components and are furnished with locks unless otherwise specified.

ND Levers - Options

CYLINDRICAL

A-Series

AL-Series

D-Series

ND-10

Indicator Rose (“LOCK” printed on inside rose)

Part Number	Description	Lock Adjustment
XN12-035*	Indicator Rose - Rhodes	+26.90
XN12-045*	Indicator Rose - Omega	
* Available in 626 only; intended for the inside rose on double cylinder applications; standard - 75 & 95; optional - 60 & 93; the \$25.90 adder does not apply to 75 and 95.		

Miscellaneous Lock Options

Specify/ Part Number	Description	Lock Adjustment
8AT	Tactile Lever - Athens	+36.50**
8RO	Tactile Lever - Rhodes	
8SP	Tactile Lever - Sparta	
8TR	Tactile Lever - Tubular	
Torx Screws	Screws - Latch and Strike	+16.40
N123-062	Request to Exit Feature (Available on ND10, ND12, ND80 and ND96 families) Ready to be used in a Normally Open or Normally Closed application.	+155.00
XN12-307	Lead Lining	+212.00
**	Per lever	

Special Functions - Extended Lead Times/Not Subject to Standard Discounts

Part Number		Function - Description	Base Lock	Lock Adjustment (Base Lock)
Lock Function	“X” Number			
ND25x80	XN12-005	ND25x80 - Blank plate outside, fixed lever inside. Key in lever retracts latch.	ND80	+94.80
ND70x80	XN12-006	ND70x80 - Key locks or unlocks outside lever. Key in fixed inside lever retracts latch.	ND82	+49.70
ND25x70	XN12-004	ND25x70 - Blank plate outside. Key locks or unlocks inside lever.	ND70	+94.80
ND60	XN12-001	ND60 - Closed outside lever.	ND70	+134.00
ND72	XN12-002	ND72 - Double cylinder communicating lock.	ND70	+134.00
ND30D	XN12-007	ND30D - Patio lock.	ND40S	+134.00
ND72	XN12-003	ND72 - Vandlgard® levers on inside and outside.	ND94	+134.00
ND45	XN12-317	ND45 - Time out lock.	ND91LD	+51.20

Allegion Connect

Allegion Connect is a molex connector system that allows rapid installation of locks when used with Allegion Connect Harnesses (see page 112) and Allegion Connect Hinges (see lves pricebook). The connectors are not standard, but can be ordered by specifying the designation below. The connector can also be cut off so that the lock can be installed with traditional splicing. For more information visit Allegion.com/us or speak with your sales representative.

Specify	Description	Lock Adjustment
CON	Molex 8+4 pin connections - 12" ND Functions: 10, 12, 12EL/EU, 80, 80EL/EU, 96, 96EL/EU	-

ND Levers - Parts

CYLINDRICAL

Reinforcements — Must be used for hollow metal doors

Part Number	Description	Price Each
37-001	Metal door reinforcer kit, fits both 7/8" and 1" diameter housings. Specify door thickness, includes A501-567 and A501-565 or A501-566.	\$31.50
24483760	Latch Spacer – fits 1" diameter latch housing and 1-3/4" hollow metal doors (steel & aluminum)	\$4.80
A501-565	Reinforcer for 1 3/8" thick non-reinforced metal doors. Fits both 7/8" and 1" diameter housings.	\$15.80
A501-566	Reinforcer for 1 3/4" thick non-reinforced metal doors. Fits both 7/8" and 1" diameter housings.	

Special Parts - Extended Lead Times/Not Subject to Standard Discounts

Available Finishes - Specify for Listed Parts	605	606	612	613	619	625	626	643e	626AM
XQ02-309, XQ03-494, XQ07-351, XN12-012	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description								Price Each
XQ02-309*	10-013 Strike, 7/8" flat lip								\$22.50
XQ03-494*	10-013 Strike, 1 5/8" – 6" lip								95.10
	10-013 Strike, 6 1/8" – 12" lip								121.00
XQ07-351*	10-025 Strike, 7/8" flat lip								23.80
	10-025 Strike, lips thru 6" (except 7/8", 1 3/16", 3/8" and 1 1/2")								115.00
XC03-069	Backset Link, range: 5" - 42", specify backset (not adjustable)								426.00
XN12-012	Chassis Spacer for 1 3/8" door (2 required)								49.10
*	Specify lip length.								

A-Series

AL-Series

Wire Harness - Net Price Shown (No Discount Available)

Model No.	Description	Part #	Net Price
Harness with Molex connectors on both ends (for use with Hollow Metal Doors)			
CON-6	6" Wire Harness	106190	\$9.00
CON-12	12" Wire Harness	106191	\$12.00
CON-26	26" Wire Harness	196192	\$13.50
CON-32	32" Wire Harness	106193	\$14.50
CON-38	38" Wire Harness	106194	\$15.00
CON-44	44" Wire Harness	106195	\$15.50
CON-50	50" Wire Harness	106196	\$16.00
CON-192	192" Wire Harness	106197	\$38.00
Harnesses with Molex Connectors on one end, crimped pins on the other end (for use with Wood Doors)			
CON-6P	6" Wire Harness	106201	\$11.50
CON-12P	12" Wire Harness	106202	\$14.50
CON-26P	26" Wire Harness	106203	\$16.00
CON-32P	32" Wire Harness	106204	\$17.00
CON-38P	38" Wire Harness	106205	\$17.50
CON-44P	44" Wire Harness	106206	\$18.00
CON-50P	50" Wire Harness	106207	\$18.50
CON-192P	192" Wire Harness	106208	\$40.00
Harnesses with Molex Connectors on one end, stripped leads on the other (for connection to power supply)			
CON-6W	6" Wire Extension to power supply	106210	\$11.50
Service Kit			
CON-KIT	Connector Service Kit-contains: - 100 each of male and female terminals - 10 each of male connector 4-pin and 8-pin - 10 each of female connector 4-pin and 8-pin - 1 extraction tool	050823	\$95.00

D-Series

ND-14

CYLINDRICAL

Screws

Available Finishes - Specify for Listed Parts					605	606	612	613	619	625	626	643e	626AM
A501-171, N523-092, L583-133, C603-256, C603-897					▪	▪	▪	▪	▪	▪	▪	▪	
Part Number	Description	Door Thickness	Type	Size	Price Each								
A501-171*	ND170, washer	—	Washer	—	\$0.94								
N523-092*	ND170, mounting screw	1 1/2" – 2"	POH Machine	1/4" 20 x 2 1/2"	1.00								
L583-133*	ND170, mounting surface	—	Sheet Metal	1#8 x 1"	0.72								
C603-256*	ANSI strike	—	PFH Combo	12-24 x 1"	0.84								
C603-897*	Latch and strike	—	PFH Combo	#8 x 3/4"	0.72								
N523-021*	Spring cage screws	1 3/8" – 2"	PFH Machine	#10 x 32 x 2 1/8"	1.40								
* Order in multiples of 100													

A-Series

Screw Packs

Available Finishes - Specify for Listed Parts					605	606	612	613	619	625	626	643e	626AM
B202-517, C203-736, NI23-020, NI23-040					▪	▪	▪	▪	▪	▪	▪	▪	
Part Number	Description	Contents		Price Each									
B202-517	Latch and strike	(4) C603-897		\$6.60									
NI23-020	Mounting, all except ND170	(4) C603-897 (2) C603-256 (2) N523-021 (1) M504-271		7.30									
NI23-040	Mounting, ND170	(2) L583-133 (1) N523-092 (1) A501-171 (1) M504-271		7.90									
C203-736	ANSI strike	(2) C603-256		5.30									

AL-Series

Torx Screw Packs

Available Finishes - Specify for Listed Parts					605	606	612	613	619	625	626	643e	626AM
C203-311, C203-312					▪	▪	▪	▪	▪	▪	▪	▪	
Part Number	Description	Contents		Price Each									
C203-311**	Latch and strike	(4) C503-766 (T-15)		\$17.00									
C203-312**	Latch and ANSI strike	(2) C503-766 (T-15) (2) L583-371 (T-20)											
** Torx screw packs are furnished with appropriate T-xx installation tool(s)													

D-Series

Cylinder Reference Table

Available Finishes - Specify for Listed Parts					606		626	
23-065, 20-765/XP, 20-565/XP, 21-000								
Part Number	Cylinder Mechanism	Function	Design	Price Each				
				Open	Restricted			
23-065	Conventional	Standard Functions	All	\$51.00	\$64.50			
20-765	Primus			113.00				
20-765-XP	Primus XP			139.00				
20-565	Primus UL437							
20-565-XP	Primus UL437 XP							
23-000	Conventional	ND85		76.00	89.50			

ND-16

L-Series

Ordering Procedures

To order Schlage products, descriptive data should be in the sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	L9050P	12A	626	06B	613	RH	09-669	10-072	2	EE	134	KA

Line Item: Line item number

Qty: Quantity

Product: Product function + cylinder code

Outside Des: Outside lever design + rose/escutcheon code

Outside Fin: Outside finish

Inside Des: Inside lever design + rose/escutcheon code, specify only if different from the outside lever design

Inside Fin: Inside lever finish, specify only if different from the outside finish

Hand: Hand of door, specify only for handed lever designs or for LM9300 MultiPoint lock

Latch: Product armor front, leave blank for standard armor or specify part number if non-standard armor is required. LLL = less armor front

Strike: Product strike, leave blank for standard strike or specify part number if non-standard strike is required. LLL = less strike

Dr Thk: Door thickness, leave blank for standard thickness (1 3/4") or specify if non-standard. Example: 138 = 1 3/8", 214 = 2 1/4"

Ext: Extension, enter one of the following when door thicknesses 2" or greater are specified: EE = Extended Equally, EI = Extended Inside, EO = Extended Outside

Dim: Dimension; for locks enter only for non-standard strike lip length, for parts enter for non-standard strike lip length, mortise cylinder or blocking ring length

Additional

Details: Enter additional detail for keying information or special requirements

Common Pricing Information




1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	 denotes a lock or part that requires an extended lead time.
5.	 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

Table of Contents

Functions	L-4
Complete Locks	L-12
Standard Lever Collection A, B or C Rose Trim	L12
Standard Lever Collection Escutcheon Trim	L-14
M Lever Collection A, B or C Rose Trim	L-16
M Lever Collection Escutcheon Trim	L-18
Commercial Lever Suites	L-22
L9000-Series Deadbolt Locks	L-23
L400-Series Deadbolt Locks	L-23
Options	L-24
Cylinder Options	L-24
Armor Fronts and Strikes	L-25
Locks Less Components	L-26
Locks Less Lock Case	L-26
Non-Standard Door Thickness	L-27
Indicators (for Sectional (rose) or N Escutcheon Trim)	L-28
Tamper-resistant screws	L-28
Tactile Warning	L-28
ADA Thumbturn	L-28
Lever Trak	L-28
Special Functions	L-29
Anti-Microbial Coating	L-29
Lead Lining	L-29
RX	L-29
Distributor Pack Program	L-30
Lock Cases	L-31
Trim Packs	L-32
Armor Fronts, Strikes, Cylinders	L-33
Miscellaneous Parts	L-34
Parts	L-35
Levers & Knobs, Roses, Escutcheons	L-35
Outside Lever/Knob Assemblies	L-36
Armor Fronts & Strikes	L-37
Buttons, Thumbturns, Coin Turns, Cylinder Turns	L-38
Occupancy Indicators	L-39
Thru-Bolts	L-40
Mounting Posts	L-40
Springs & Spindles	L-40
L Lock Cases	L-41
Miscellaneous Parts	L-42
Classroom Security Function Conversion Kits	L-44
Vandegard Retrofit kit	L-44
Screw Packs	L-45
Special Parts	L-45
Mortise Cylinders	L-46
Allegion Connect Harnesses	L-47
Complete Cylinders	See Cylinders Section
How To Order	Forms & Examples

BAA/ARRA
Contact your local SSC or
Sales Rep. for ordering details

Product Identification



SFIC = Small Format (Best® Style) Interchangeable Core

Finish Codes and Descriptions

Code		Description
605	(US 3)	Bright Brass
606	(US 4)	Satin Brass
609	(US 5)	Antique Brass
612	(US 10)	Satin Bronze
613	(US 10B)	Oil Rubbed Bronze
619	(US 15)	Satin Nickel
625	(US 26)	Bright Chromium Plated
626	(US 26D)	Satin Chromium Plated
626AM	▲	Antimicrobial Coating on Satin Chromium
629	(US 32)	Bright Stainless Steel
630	(US 32D)	Satin Stainless Steel
630AM	▲	Antimicrobial Coating on Satin Stainless Steel
643e	(US 11)	Aged Bronze

Standard Features

Certifications	L/LV9000: ANSI/BHMA Certified A156.13-2012, Series 1000, Grade 1 Operational, Grade 1 Security, UL Listed for 3-hour fire door (except L9076 and L9077). With SFIC Interchangeable Core Cylinders: Grade 2 Security. With SFIC Interchangeable Core Cylinders: Grade 3 Security. L400: ANSI/BHMA Certified A156.36-2010, Grade 1, UL Listed for 3-hour fire door.
Case Size	L/LV9000: 4 7/16" x 6 1/16" x 1"; L400: 4 7/16" x 3 5/8" x 1"
Armor Front	L/LV9000: 1 1/4" x 8"; L400: 1 1/4" x 5 9/16"
Deadbolt	1" Throw stainless steel
Latchbolt	3/4" Throw stainless steel with anti-friction tongue
Strike	L/LV9000: 1 1/4" x 4 7/8" Square corner, 1 3/16" lip, box; L400: 1 1/8" x 3 5/8" square corner, box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	1 3/4"
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



Cast or Forged Lever Designs with Wrought Roses

MORTISE

L-12

<p>01</p>	<p>02</p>	<p>03</p>	<p>05</p>
<p>06</p> <p>Not available with C Rose</p>	<p>07</p>	<p>12</p> <p>specify hand</p>	<p>17</p>
<p>18</p>	<p>LAT</p>	<p>LON</p>	<p>OME</p>
<p>Accent (ACC)</p> <p>specify hand</p>	<p>Asti (AST)</p> <p>specify hand</p>	<p>Merano (MER)</p> <p>specify hand</p>	<p>St. Annes (STA)</p> <p>specify hand</p>
<p>Ligature Resistant Lever SL1</p>	<p>Ligature Resistant Knob SK1</p>	<p>41</p>	<p>42</p>

Note: Above images shown with A Rose. (except for ligature resistant trim)

Wrought Rose Designs

<p>A</p> <p>2 1/8" (54 mm) diameter</p>	<p>B</p> <p>2 9/16" (65mm) diameter</p>	<p>C (not available 612 or 613 finish)</p> <p>2 5/8" (66mm) diameter</p>	<p>AVA (ACC lever only)</p> <p>2 5/8" (66mm) diameter</p>	<p>MER (MER lever only)</p> <p>2 5/8" (66mm) diameter</p>
--	--	---	--	--

L-Series (A, B or C Rose Trim) - Standard Collection levers

Function	Add \$80 for Vandigard Option	Add \$812 MultiPoint Lock	Description	Lever or Knob Designs and Finishes					
				03	06 07 12 17 OME	03 06 07 12 17 OME	Ligature-Resistant SKI#	Ligature-Resistant SLI#*	
				☒: 01, 02, 05, 18, 41, 42, LAT*, LON* ACC☒†, AST☒†, STA☒†, MER☒† * Not available 612, 613 † Not available 612, 613, 629, 630					
Finishes									
				626	626	605 606 609 612 619 625 643e	613 629 630	630	630

Keyless Functions

L9010		•	Passage	\$441	\$551	\$563	\$581	\$1,341	\$1,561
LM9325			Exit - MultiPoint Lock Only	1297	1407	1419	1437	-	-
L9040		•	Privacy	524	634	646	664	1424	1644
L9044		•	Privacy w/ coin turn	578	688	700	718	-	-
L9090/L9091 EL&EU			Electrified Lock (keyless)	777	887	899	917	1677	1897
L9440		•	Privacy w/ deadbolt	619	729	741	759	1519	1739
L9444		•	Privacy w/ deadbolt and coin turn	672	782	794	812	1572	1792
L0170			Single dummy	141	196	202	212	-	-
L0172			Double dummy	289	399	411	429	-	-
L9175			Single dummy with case	240	295	301	311	-	-
L9176			Double dummy with case	377	487	499	517	-	-

Keyed Single Cylinder Functions

L9050P	•	•	Office and inner entry	\$597	\$707	\$719	\$737	\$1,497	\$1,717
L9056P	•		Office w/ simult. Retraction	661	771	783	801	1561	1781
L9070P	•	•	Classroom	597	707	719	737	1497	1717
L9076P	•		Classroom holdback						
L9080P	•	•	Storeroom						
L9092P/L9093P EL&EU			Electrified Lock (outside cylinder)	847	957	969	987	1747	1967
L9453P	•		Entrance w/ deadbolt	619	729	741	759	1519	1739
L9456P	•		Corridor w/ deadbolt						
L9465P			Closet/Storeroom w/ deadbolt						
L9473P			Dorm/Bedroom w/ deadbolt						
L9480P	•		Storeroom w/ deadbolt	690	800	812	830	1590	1810
L9485P**	•		Faculty Restroom	661	771	783	801	1561	1781

Keyed Double Cylinder Functions

L9060P	•		Apartment entrance	667	777	789	807	1,567	1,787
L9071P	•	•	Classroom security						
L9077P	•		Classroom security holdback						
L9082P	•		Institution						
L9094P/L9095P EL&EU			Electrified Lock (Inside and outside cylinder)	917	1027	1039	1057	1817	2037
L9457P	•		Classroom security w/ deadbolt	688	798	810	828	1,588	1,808
L9458P	•		Classroom security w/ deadbolt & aux latch						
L9466P			Storeroom w/ deadbolt						

* SL1 ligature resistant lever not subject to standard discounts

** Specify door hand for faculty restroom locks. Faculty Restroom locks are furnished 0-bitted with two 6-pin keys unless otherwise specified. Emergency keys must be ordered separately.

Specify XL11-000 in comments when ordering ligature-resistant knob and XL12-482 when ordering ligature-resistant lever. Price includes lever/knob, thumbturn & cylinder ring as appropriate. Not available less components or cylinders; less core is available. Mixed trim ligature resistant knob and lever available - specify both XL11-000 and XL12-482 in comments.

Notes: 1) For the Everest 29 T and Everest D family of restricted keyways (Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus families. See **Terms and Conditions** for more information.

Cast or Forged Lever Designs with Cast, Forged, or Wrought Escutcheons

MORTISE

L-14

<p>01</p>	<p>02</p>	<p>03</p>	<p>05</p>
<p>06</p>	<p>07</p>	<p>12</p> <p>☞ specify hand</p>	<p>17</p>
<p>18</p>	<p>LAT</p>	<p>LON</p>	<p>OME</p>
<p>Accent (ACC)</p> <p>☞ specify hand</p>	<p>Asti (AST)</p> <p>☞ specify hand</p>	<p>Merano (MER)</p> <p>☞ specify hand</p>	<p>St. Annes (STA)</p> <p>☞ specify hand</p>
<p>41</p>	<p>42</p>	<p>Note: Above images shown with L Escutcheon.</p>	

Cast/Forged (L) or Wrought (N)

L

Dimensions:
7 15/16" x 1 3/4" x 7/16"
(202mm x 44mm x 11mm)

N

Dimensions:
7 7/8" x 2 1/2" x 7/16"
(200mm x 64mm x 11mm)

L-Series (L or N Escutcheon) - Standard Collection Levers						
Function	Add \$80 for Vandgard Option	Add \$812 MultiPoint Lock	Description	Lever or Knob Designs and Finishes		
				Standard Lead time: 03, 06, 07, 12 [☞] , 17, OME		
				☞: 01, 02, 05, 18, 41, 42, LAT*, LON*, ACC [☞] †, AST [☞] †, MER [☞] †, STA [☞] †		
				* Not available 612, 613		
				† Not available 612, 613, 629, 630		
				Finishes		
				626	605 606 609 612 619 625 643e	613 629 630
Keyless Functions						
L9010		•	Passage	\$578	\$590	\$608
L9040		•	Privacy	661	673	691
L9090/L9091 EL&EU			Electrified Lock (keyless)	914	926	944
L9440		•	Privacy w/ Deadbolt	756	768	786
L0170			Single Dummy (N Escutcheon Only)	210	216	226
L0172			Double Dummy	426	438	456
L9175			Single Dummy with Case	322	328	338
L9176			Double Dummy with Case	514	526	544
Keyed Single Cylinder Functions						
L9050P		• •	Entrance/Office	\$734	\$746	\$764
L9056P		•	Entrance/Office w/ Auto Unlocking	798	810	828
L9070P		• •	Classroom	734	746	764
L9076P		•	Classroom Holdback			
L9080P		• •	Storeroom			
L9092P/L9093P EL&EU			Electrified Lock (outside cylinder)	984	996	1014
L9453P		•	Entrance/Office w/ Deadbolt	756	768	786
L9456P		•	Corridor w/ Deadbolt			
L9465P			Closet/Storeroom w/ Deadbolt			
L9473P			Dorm/Bedroom w/ Deadbolt			
L9480P		•	Storeroom w/ Deadbolt	827	839	857
L9485P**		•	Faculty Restroom	798	810	828
Keyed Double Cylinder Functions						
L9060P		•	Apartment Entrance	\$804	\$816	\$834
L9071P		• •	Classroom Security			
L9077P		•	Classroom Security Holdback			
L9082P		•	Institution			
L9094P/L9095P EL&EU			Electrified Lock (Inside and outside cylinder)	1054	1066	1084
L9457P		•	Classroom Security w/ Deadbolt	825	837	855
L9458P		•	Classroom Security w/ Deadbolt & Aux Latch			
L9466P			Storeroom w/ Deadbolt	804	816	834
** Specify door hand for faculty restroom locks. Faculty restroom locks are furnished 0-bitted with two 6-pin keys unless otherwise specified. Emergency keys must be ordered separately.						

Notes: 1) For the Everest 29 T and Everest D family of restricted keyways (Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus families. See **Terms and Conditions** for more information.

MORTISE

L-16

Cast or Forged Lever Designs with Wrought Roses

<p>M51</p>	<p>M52</p>	<p>M53</p>
<p>M54</p>	<p>M55</p>	<p>M56</p>
<p>M57</p>	<p>M61</p>	<p>M62</p>
<p>M63</p>	<p>M81</p>	<p>M82</p>
<p>M83</p>	<p>M84</p>	<p>M85</p>

Wrought Rose Designs

<p>A</p> <p>2 1/8" (54 mm) diameter</p>	<p>B</p> <p>2 9/16" (65mm) diameter</p>	<p>C (not available 612 or 613 finish)</p> <p>2 5/8" (66mm) diameter</p>
--	--	---

Note: Above images shown with A Rose.

Cast or Forged Lever Designs with Cast, Forged, or Wrought Escutcheons

MORTISE

L-18

<p>M51</p>	<p>M52</p>	<p>M53</p>
<p>M54</p>	<p>M55</p>	<p>M56</p>
<p>M57</p>	<p>M61</p>	<p>M62</p>
<p>M63</p>	<p>M81</p>	<p>M82</p>
<p>M83</p>	<p>M84</p>	<p>M85</p>

Cast/Forged (L) or Wrought (N)

Note: Above images shown with L escutcheon.

L

Dimensions:
 $7\frac{15}{16}'' \times 1\frac{3}{4}'' \times 7/16''$
 (202mm x 44mm x 11mm)

N

Dimensions:
 $7\frac{7}{8}'' \times 2\frac{1}{2}'' \times 7/16''$
 (200mm x 64mm x 11mm)

L-Series (L or N Escutcheon Trim) - M Collection Levers				
Function	Add \$80 for Vandgard Option	Add \$812 MultiPoint Lock	Description	Lever Designs
				Standard Lead time: M51, M52, M81 ⌘: M54, M56, M61⌘, M63⌘, M83, M84, M85 ⌘: Available 05/2014: M53, M55, M57†, M62⌘†, M82 † Available 629 and 630 only
				Finishes
				605 606 609 619 625 626 629 630 643e
Keyless Functions				
L9010	.	.	Passage	\$608
L9040	.	.	Privacy	691
L9090/L9091 EL&EU			Electrified Lock (keyless)	944
L9440	.	.	Privacy w/ Deadbolt	786
L0170			Single Dummy (N Escutcheon only)	226
L0172			Double Dummy	456
L9175			Single Dummy with Case	338
L9176			Double Dummy with Case	544
Keyed Single Cylinder Functions				
L9050P	.	.	Entrance/Office	\$764
L9056P	.	.	Entrance/Office w/ Auto Unlocking	828
L9070P	.	.	Classroom	764
L9076P	.	.	Classroom Holdback	
L9080P	.	.	Storeroom	
L9092P/L9093P EL&EU			Electrified Lock (outside cylinder)	1014
L9453P	.	.	Entrance/Office w/ Deadbolt	786
L9456P	.	.	Corridor w/ Deadbolt	
L9465P			Closet/Storeroom w/ Deadbolt	
L9473P			Dorm/Bedroom w/ Deadbolt	
L9480P	.	.	Storeroom w/ Deadbolt	857
L9485P**	.	.	Faculty Restroom	828
Keyed Double Cylinder Functions				
L9060P	.	.	Apartment Entrance	\$834
L9071P	.	.	Classroom Security	
L9077P	.	.	Classroom Security Holdback	
L9082P	.	.	Institution	
L9094P/L9095P EL&EU			Electrified Lock (Inside and outside cylinder)	1084
L9457P	.	.	Classroom Security w/ Deadbolt	855
L9458P	.	.	Classroom Security w/ Deadbolt & Aux Latch	
L9466P			Storeroom w/ Deadbolt	834
** Specify door hand for faculty restroom locks. Faculty Restroom locks are furnished 0-bitted with two 6-pin keys unless otherwise specified. Emergency keys must be ordered separately.				


Notes: 1) For the Everest 29 T and Everest D family of restricted keyways (Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus families. See **Terms and Conditions** for more information.

Mortise

L-24



Cylinder Adjustments		
Specify	Description	Lock Price Adjustment (per cylinder)
Concealed Cylinder (L Escutcheon only)		
C Suffix	Concealed cylinder for L escutcheon	\$20.00
Full Size Interchangeable Core (FSIC)		
R Suffix	Full size core (furnished 1-bitted w/ two 6-pin keys unless otherwise specified)	\$59.00
J Suffix	Less full size core	N/C
Full Size Construction Core		
T Suffix	Full size construction core (assessed handling charge 50-231 per core)	\$59.00
Small Format Interchangeable Core (SFIC) (Not available with Hotel Functions L9485 or L9486)		
GD Suffix	Everest patented core (specify key symbol; see Terms & Conditions for more details)	\$67.00
BD Suffix	Less small format core	N/C
Small Format Construction Core & Disposable Core		
HD Suffix	Small format construction core (assessed handling charge 50-231 per core)	\$35.00
BDC Suffix	Small format disposable core	N/C
Construction Core Handling Charge		
50-231	Handling charge for construction core (assessed per core, non-refundable)	\$8.30
Notes	Control keys are not furnished with locks and must be purchased separately. See Keys & Keying . Interchangeable cores are not available with concealed cylinders.	
Ordering instructions: Add suffix to lock function. Ex: L9050J (L9050 function less full size core)		

Primus / Primus XP - available through specific channels based on security levels. See Terms & Conditions for details.		
Specify	Description	Lock Price Adjustment
Full-Face Primus Cylinders		
L Suffix	Order lock less cylinder; order Primus cylinder 20-787 or 20-793 separately	-\$68 per cylinder
20-787	Full-face Primus cylinder w/ compression ring & spring (for use with rose trim)	130.00
20-793	Full-face Primus cylinder only (for use with escutcheon trim)	123.00
Concealed Primus Cylinders		
W Suffix	Order lock less concealed cylinder; order Primus cylinder 20-589 separately	\$21.00
20-589	Concealed Primus cylinder (for use with L escutcheon w/ concealed cylinder only)	164.00
Full-Size Interchangeable Primus Core		
J Suffix	Order lock less full size core; order full-size Primus core 20-740 separately	N/C for J Suffix
20-740	Full-size interchangeable Primus core	\$122.00
Notes	Primus not available for Faculty Restroom function (L9485, L9486)	
Ordering instructions: Add suffix to lock function, order Primus cylinder separately. Ex: L9050W (L9050 function less concealed cylinder) order 20-589 on separate line.		




Emergency Button, Thumbturns, Coin Turns & Cylinder Turns

Available Finishes		605	606	609	612	613	619	625	626	629	630	643e
		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each										
Emergency Button & Emergency Turn Tool												
K510-330	Emergency Button, L9040 and L9440	\$12.20										
L583-233	Emergency turn tool for L9040 and L9440. Specify finish as 458.	15.30										
Thumbturns												
09-509 027	Thumbturn for rose trim, 1 3/8" - 1 7/8" door range, extended equally	56.90										
09-509 033	Thumbturn for rose trim, >1 7/8" - 2 3/8" door range, extended equally											
09-509 040	Thumbturn for rose trim, >2 3/8" - 2 7/8" door range, extended equally											
09-509 047	Thumbturn for rose trim, >2 7/8" - 3 5/8" door range, extended equally											
L583-363 Suffix	ADA thumbturn upgrade, specify thumbturn p/n + L583-363	Add \$13.50 to 09-509 price										
Coin Turns												
L283-124 19	Coin turn, L9044 and L9444, 1 3/8" - 1 1/2" door range, extended equally (EE)	98.60										
L283-124 23	Coin turn, L9044 and L9444, 1 5/8" - 1 7/8" door range, extended equally (EE)											
L283-124 25	Coin turn, L9044 and L9444, >1 7/8" - 2 1/8" door range, extended equally (EE)											
L283-124 31	Coin turn, L9044 and L9444, >2 1/8" - 2 5/8" door range, extended equally (EE)											
L283-124 37	Coin turn, L9044 and L9444, >2 5/8" - 2 7/8" door range, extended equally (EE)											
L283-124 43	Coin turn, L9044 and L9444, >2 7/8" - 3 3/8" door range, extended equally (EE)											
L283-124 48	Coin turn, L9044 and L9444, >3 3/8" - 3 5/8" door range, extended equally (EE)											
L283-056 19	Coin turn w/ torx screws, L9044 and L9444, 1 3/8" - 1 1/2" door range, EE	107.00										
L283-056 23	Coin turn w/ torx screws, L9044 and L9444, 1 5/8" - 1 7/8" door range, EE											
L283-056 25	Coin turn w/ torx screws, L9044 and L9444, >1 7/8" - 2 1/8" door range, EE											
L283-056 31	Coin turn w/ torx screws, L9044 and L9444, >2 1/8" - 2 5/8" door range, EE											
L283-056 37	Coin turn w/ torx screws, L9044 and L9444, >2 5/8" - 2 7/8" door range, EE											
L283-056 43	Coin turn w/ torx screws, L9044 and L9444, >2 7/8" - 3 3/8" door range, EE											
L283-056 48	Coin turn w/ torx screws, L9044 and L9444, >3 3/8" - 3 5/8" door range, EE											
EE = Extended Equally												
Note:	Coin turns not available in 612 or 613 finish											
Cylinder Turns 🗑️,*												
09-487 xx	Cylinder coin turn, specify dimension (xx) as 1 1/8", 1 1/4" or 1 3/8" (replaces XL12-196)	\$100.00										
09-900 xx	Cylinder turn, specify dimension (xx) as 1 1/8", 1 1/4" or 1 3/8"	96.70										
09-900 xx	Cylinder turn, specify dimension (xx) as 1 1/2", 1 5/8" or 1 3/4"	147.00										
09-904 xx	Cylinder turn w/ compression ring, specify dimension (xx) as 1 1/8", 1 1/4" or 1 3/8"	104.00										
09-904 xx	Cylinder turn w/ compression ring, specify dimension (xx) as 1 1/2", 1 5/8" or 1 3/4"	154.00										
09-905	Cylinder turn w/ compression ring and 1/8" blocking ring for 1 3/4" doors	114.00										
09-907	Cylinder turn w/ compression ring and 1/4" blocking ring for 1 3/8" doors											
🗑️	Specify door hand for cylinder turns if used with L463 or L9463.											
*	Cylinder turns not available in 629 or 630 finish											
Ordering instructions: Specify part number, dimension if required, finish, handing. Ex: 09-900 112, 626, RH.												
Note:	Cylinder turns not available in 612 or 613 finish											

Sectional Indicator 	N Escutcheon Indicator 	Available Messages LOCKED/OCCUPIED/DO NOT DISTURB/ lock symbol is white text on red background UNLOCKED/VACANT/unlocked symbol is black text on white background <table border="1" style="width: 100%; text-align: center;"> <tr> <td> LOCKED</td> <td> OCCUPIED</td> <td>DO NOT DISTURB</td> <td></td> </tr> <tr> <td> UNLOCKED</td> <td> VACANT</td> <td></td> <td></td> </tr> </table>	LOCKED	OCCUPIED	DO NOT DISTURB		UNLOCKED	VACANT		
LOCKED	OCCUPIED	DO NOT DISTURB								
UNLOCKED	VACANT									

Occupancy Indicators - 180 degree visibility (for Sectional (rose) or N Escutcheon trim)

Part Number	Description	Available Finishes	
		626	630
Sectional trim - cylinder trim only, for inside or outside of door (other trim styles and finishes available May 2015)			
L283-413	Indicator, Sectional, Cylinder - LOCKED/UNLOCKED	\$90.00	
L283-414	Indicator, Sectional, Cylinder - OCCUPIED/VACANT		
L283-415	Indicator, Sectional, Cylinder - DO NOT DISTURB		
L283-416	Indicator, Sectional, Cylinder - symbols only		
Escutcheon trim - for inside or door only (other trim styles and finishes available May 2015)			
L283-433	Indicator, N Escutcheon, Inside Cylinder - LOCKED/UNLOCKED	\$205.00	
L283-434	Indicator, N Escutcheon, Inside Cylinder - OCCUPIED/VACANT		
L283-435	Indicator, N Escutcheon, Inside Cylinder - DO NOT DISTURB		
L283-436	Indicator, N Escutcheon, Inside Cylinder - symbols only		
L283-437	Indicator, N Escutcheon, Thumbturn - LOCKED/UNLOCKED		
L283-438	Indicator, N Escutcheon, Thumbturn - OCCUPIED/VACANT		
L283-439	Indicator, N Escutcheon, Thumbturn - DO NOT DISTURB		
L283-440	Indicator, N Escutcheon, Thumbturn - symbols only		
ADA Thumbturn			
L583-363 suffix	ADA thumbturn upgrade; specify indicator w/ thumbturn p/n + L583-363	Add \$13.50 to price	
Note:	Addition of indicator may require additional door preparation. See installation instructions on-line for details		
Ordering Instructions: Specify part number and finish. EX: L283-437 L583-363 626 for N Escutcheon Locked/Unlocked indicator w/ ADA thumbturn in 626			



Occupancy Indicator - "old style" (for Sectional (rose) trim)

Available Finishes		605	606	609	612	613	619	625	626	629	630	643e
	
Part Number	Description	Price Each										
09-611	"Do Not Disturb" occupancy indicator for rose trim. Includes driver bar L583-245	\$91.40										
09-611 L583-375	"Occupied" occupancy indicator for rose trim. Includes driver bar L583-245	107.00										
09-611 XL11-986	"Locked" occupancy indicator for rose trim. Includes driver bar L583-245											
L583-245	Occupancy indicator driver bar	4.50										
Ordering instructions: Specify part number and finish. Ex: 09-611 L583-375 626												

Escutcheon Thru-Bolts		605	606	609	612	613	619	625	626	629	630	643e
Available Finishes		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each										
L Escutcheon Thru-bolts: two required per lock												
L583-119	L escutcheon thru bolts for 1 3/8" door thickness	\$4.90										
L583-120	L escutcheon thru bolts for 1 3/4" door thickness											
L583-121	L escutcheon thru bolts for 2" door thickness											
L583-122	L escutcheon thru bolts for 2 1/4" door thickness											
L583-123	L escutcheon thru bolts for 2 1/2" door thickness	5.90										
L583-287	L escutcheon mounting screws for L9175 half-dummy function	4.40										
N Escutcheon Thru-Bolts: two required per lock												
K510-389	N escutcheon thru bolts for 1 3/4" door thickness	5.90										
K510-390	N escutcheon thru bolts for 2" to 2 1/4" door thickness	0.72										
L583-133	N Escutcheon mounting screws for L0170 single dummy function	0.72										
Ordering instructions: Specify part number and finish. Ex: L583-120 626.												

Mounting Posts (Ferrules)												
Part Number	Description	Price Each										
L Mounting Posts (Ferrules): two required per lock												
L583-211	Mounting post for 1 3/8" door thickness	\$9.40										
L583-212	Mounting post for 1 3/4" door thickness											
L583-213	Mounting post for 2" door thickness											
L583-214	Mounting post for 2 1/4" door thickness											
L583-215	Mounting post for 2 1/2" door thickness											
L583-216	Mounting post for 2 3/4" door thickness											
L583-217	Mounting post for 3" door thickness											
L583-218	Mounting post for 3 1/4" door thickness	23.90										
L583-219	Mounting post for 3 1/2" door thickness	23.90										
LV Mounting Posts (Ferrules): two required per lock												
L583-497	LV mounting post for 1 3/4" door thickness	\$19.60										
L583-498	LV mounting post for 2" door thickness											
L583-499	LV mounting post for 2 1/4" door thickness											
L583-500	LV mounting post for 2 1/2" door thickness											
L583-501	LV mounting post for 2 3/4" door thickness											
L583-502	LV mounting post for 3" door thickness											
L583-503	LV mounting post for 3 1/4" door thickness	26.00										
L583-504	LV mounting post for 3 1/2" door thickness	26.00										
Ordering instructions: Specify part number.												

Spindle & Springs												
Part Number	Description	Price Each										
Spindle & Spring Kits (qty two each)												
L283-198	Spindles and springs for 1-3/8" - 1 7/8" doors	\$12.80										
L283-199	Spindles and springs for 2" - 3 1/2" doors	15.10										
Spindles & Springs (qty one each)												
L283-060	Spindle and spring for 1 3/8" - 1 7/8" doors (two required per lock)	\$6.30										
L283-061	Spindle and spring for 2" - 3 1/2" doors (two required per lock)	7.90										
L283-064	Spindle and spring, L0172 full dummy (one required per lock)	11.30										
L283-065	Spindle and spring, L0170 half dummy (one required per lock)	6.10										
Ordering instructions: Specify part number.												

Lock Cases		
Part Number	Lock Function and Description	Price Each
L283-039	L9076, Classroom holdback	\$307
	L9077, Classroom security holdback	
L283-062	L9440, Privacy with deadbolt	278
	L9444, Privacy with deadbolt and coin turn	
L283-085	L9082 EL, Electrically locked	614
L283-086	L9082 EU, Electrically unlocked	614
L283-099	L460, L462, L463, L464, L480, L496, Deadbolt	182
L283-126	L9056, Entrance w/ simultaneous retraction	307
L283-131	L9010, Passage	177
L283-132	L9040, Privacy	260
	L9044 Privacy with Coin turn	
L283-133	L9050, Office	307
	L9060, Apartment entrance	
	L9070, Classroom	
	L9071, Classroom security	
L283-134	L9080, Storeroom	307
L283-137	L9453, Entrance	337
L283-138	L9456, Corridor	451
	L9457, Classroom security	
	L9496, Privacy w/ "Occupied" indicator	
L283-139	L9460, L9462, L9463, L9464, Deadbolt	233
L283-140	L9465, Closet	337
	L9466, Storeroom	
	L9473, Dormitory	
L283-141	L9480, Storeroom with deadbolt	424
	L9485, Faculty Restroom	
	L9486, Faculty Restroom	
L283-144	L9175, Single dummy	262
L283-145	L9176, Double dummy	262
L283-146	L9082, Institution	307
L283-310	L9458, Classroom security w/ deadbolt and aux latch	337
L283-314	LM9310, Passage	\$955
	LM9325, Exit	
L283-316	LM9350, Office and Inner Entry	\$1,119
	LM9370, Classroom	
	LM9371, Classroom Security	
	LM9380, Storeroom	
L283-347	L9090/L9092/L9094 electrified chassis. Specify EL (electrically locking) or EU (electrically unlocking)	\$557
L283-395	L9091/L9093/L9095 electrified chassis. Specify EL (electrically locking) or EU (electrically unlocking)	
Notes	1) Includes lock case only. Armors, strikes, mounting screws, and cylinders must be ordered separately. 2) All lock cases are shipped right hand.	
LV Lock Cases		
Part Number	Lock Function and Description	Price Each
L283-170	LV9050, Office and Inner Entry Lock	\$387
	LV9060, Apartment Entrance Lock	
	LV9070, Classroom Lock	
	LV9071, Classroom Security Lock	
L283-171	LV9040, Bath/Bedroom Privacy Lock	340
	LV9044, Privacy Lock With Coin Turn Outside	
L283-172	LV9076, Classroom Holdback Lock	387
	LV9077, Classroom Security Holdback Lock	
L283-173	LV9080, Storeroom Lock	387
L283-174	LV9080EL, Electrically Locked (Fail Safe)	694
L283-175	LV9080EU, Electrically Unlocked (Fail Secure)	694
L283-176	LV9453, Entrance Lock	417
L283-177	LV9456, Corridor Lock	417
	LV9457, Classroom Security Lock	
	LV9496, L9486 Lock With "OCCUPIED" Indicator	
L283-178	LV9480, Storeroom Lock With Deadbolt	504
	LV9485, Faculty Restroom	
	LV9486, Faculty Restroom w/"Do Not Disturb" Indicator	
L283-180	LV9056, L9050 Lock With Simultaneous Retraction	387
L283-181	LV9440, Privacy Lock With Deadbolt	358
	LV9444, Privacy Lock With Deadbolt and Coin Turn Outside	
L283-182	LV9082, Institution Lock	387
L283-311	LV9458, Classroom security w/ deadbolt and aux latch	417
L283-317	LMV9350, Office and Inner Entry	\$1,199
	LMV9370, Classroom	
	LMV9371, Classroom Security	
	LMV9380, Storeroom	

Miscellaneous Parts		
Part Number	Description	Price Each
36-080	O-ring, L9080 EL/EU	\$2.50
39-042	Plastic lock case cover for display - for locks manufactured after January, 1998	76.00
K110-550	Pack of truarc ring (1), spacer (2), knobs	6.90
K510-320	Wood plug, dummy, L0170, L0172	7.10
K510-842	Electrified lock bushing, L9080 EL/EU	0.98
L283-003	Deadbolt (except L9453, L9465, L9466, L9473)	46.40
L283-004	Entrance deadbolt, L9453	46.40
L283-006	Auxiliary latchbolt assembly	14.70
L283-008	Latchbolt assembly (except L9076)	46.40
L283-010	Locking link, L9076	15.00
L283-029	(2) Spacers for ANSI A115.1 metal door preparations	29.60
L283-030	Pack of 20 truarc rings, levers	17.50
L283-031	Mounting plate, inside lever	16.10
L283-040	Spring cage (1 required per lever)	7.90
L283-049	Latchbolt assembly, L9076	46.40
L283-055	Cylinder retainer plate and screw - for locks manufactured after April, 1994	14.70
L283-057	(2) Mounting Post, (2) Screws, L-Series, OSU	23.10
L283-075	Deadbolt, L9465, L9466, L9473	46.50
L283-112	Lock case, L9000-Series - for locks manufactured after January, 1998.	46.50
L283-127	Lock case and cover, L400-Series	66.70
L283-128	Lock case, L400-Series. See L283-127 for sellable part.	—
L283-150	Mounting plate for inside rose trim on one side of door only	32.30
L283-452	RX Module for L909x series electrified mortise	150
L583-004	Standoff post	2.00
L583-015	Latchbolt guide	3.10
L583-019	Retractor hub (2 required per lock)	3.40
L583-020	Retractor hub spacer	3.60
L583-021	Retractor lever	3.20
L583-022	Retractor rocker	2.50
L583-023	Blocking plates	3.10
L583-024	Retractor link	6.30
L583-025	Retractor crank	6.30
L583-026	Hub spring	1.20
L583-027	Fire door fuse	2.00
L583-028	Fire door catch	2.50
L583-029	Turn hub	15.70
L583-030	Entrance hub	21.90
L583-031	Cam follower	8.50
L583-035	Turn hub spring	3.10
L583-038	Auxiliary bar guide	2.40
L583-043	Locking catch, L9080 EL/EU	15.70
L583-044	Stop spring	1.40
L583-045	Locking catch (except L9080 EL/EU)	16.10
L583-047	Catch spring	3.60
L583-048	Locking link (except L9076)	3.60
L583-049	Entrance link	6.10
L583-050	Link pin	1.40
L583-051	Transfer lever	1.40
L583-053	Simultaneous retractor (except L9040 and L9056)	6.30
L583-056	Catch pin	3.20
L583-057	Spindle anchor	25.20
L583-058	Simultaneous retractor, L9040, L9056	6.70
L583-063	Spring retainer, L9080 EL/EU	7.00
L583-064	Solenoid spring, L9080 EL/EU	2.30

Miscellaneous Parts (cont'd)		
Part Number	Description	Price Each
L583-065	Electrified link, L9080 EL/EU	\$9.80
L583-066	Mounting plate screw (2 required per lock)	1.10
L583-156	Transfer lifter	6.00
L583-174	Holdback dog, L9076	4.90
L583-192	Dog spring, L9076	0.52
L583-196	Auxiliary stop	4.80
L583-286	Mounting bar, L0170, L0172	19.60
L583-290	Mounting plate screw, knob dummy trim, L0170, L9175	1.20
L583-291	Mounting plate screw, lever dummy trim, L0170, L9175	1.20
L583-321	Mounting plate, inside knob	6.00
L583-322	Spacer for fixed levers	3.20
L583-426	Faceplate tab 1 1/4" - for locks manufactured after July, 1994	4.20
L583-427	Faceplate tab 1 1/16" - for locks manufactured after July, 1994	4.80
L583-454	Case cover screw (4 required per L9000-Series lock case; 3 required per L400-Series lock case)	1.20
L583-468	Dummy spindle anchor	107.00
L583-481	Cylinder retainer screw - for locks manufactured after April, 1994	2.30
L583-485	Lock handing screw - for locks manufactured after April, 1994	1.30
L583-490	Cylinder retainer - for locks manufactured after January, 1998	5.80
L583-492	Cylinder retainer screw plate - for locks manufactured after April, 1994	2.80
L583-494	Lock case cover, L400-Series. See L283-127 for sellable part.	20.70
L583-496	Lock case cover, L9000-Series - for locks manufactured after January, 1998	20.70

Anti-Ligature Conversion Kits - for 1-3/4" thick doors only

Part Number	Converts	Contents	Conversion Instructions	Price Each
Convert to Anti-Ligature Knob				
09-155	L9010, L9060, L9070, L9071, L9076, L9077, L9080, L9080EL, L9080EU, L9082, L9082EL, L9082EU, L9176, L9457, L9458, L9465, L9466, L9482, to anti-ligature	(2) anti-ligature knob assemblies (2) anti-ligature blocking rings	See instruction sheet	\$1,000.00
09-156	L9050, L9056, L9412, L9453, L9456, L9460 w/ pull, L9473, L9480, L9485, to anti-ligature	(2) anti-ligature knob assemblies (1) anti-ligature blocking ring (1) anti-ligature thumbturn assembly		1,252.00
09-159	L9040, L9440 to anti-ligature	(2) anti-ligature knob assemblies (1) anti-ligature thumbturn assembly (1) emergency ADA turn (1) emergency button		1,252.00
Convert to Anti-Ligature Lever				
09-138	L9010, L9060, L9070, L9071, L9076, L9077, L9080, L9080EL, L9080EU, L9082, L9082EL, L9082EU, L9176, L9457, L9458, L9465, L9466, L9482, to anti-ligature	(2) anti-ligature lever assemblies (2) anti-ligature blocking rings (2) trim ferrules	See instruction sheet	\$1,303.00
09-139	L9050, L9056, L9412, L9453, L9456, L9460 w/ pull, L9473, L9480, L9485, to anti-ligature	(2) anti-ligature lever assemblies (1) anti-ligature blocking ring (1) anti-ligature thumbturn assembly (2) trim ferrules		1,556.00
09-189	L9040, L9440 to anti-ligature	anti-ligature lever assemblies (1) anti-ligature thumbturn assembly (1) emergency ADA turn (1) emergency button (2) trim ferrules		1,556.00
Deadbolt conversion to anti-ligature				
09-157	L462, L464, L9462, L9464 to anti-ligature	(2) anti-ligature blocking rings		\$119.00
09-158	L460, L480, L9460 to anti-ligature	(1) anti-ligature blocking ring (1) anti-ligature thumbturn assembly		623.00
Notes	1) For 1 3/4" doors w/ sectional trim only. 2) Available in 630 (Satin Stainless Steel) or 630AM (Satin Stainless Steel Anti-Microbial) finish only. 3) If applicable please specify "P" for (P) cylinder types, "R" for (R,J,F,T) cylinder types, and "BD" for (BD, BDC, GD, HD) cylinder types following the part number. Not available with the "L" cylinder option (lock less cylinder).			

MORTISE

L-44

Classroom Security Function Conversion Kits					
Part Number	Converts	Contents	Conversion Instructions		Price Each
Rose Trim					
38-090	L9070P to L9071P L9076P to L9077P	(1) 30-001-118 Cylinder (2) 36-082-018 Blocking Ring	Add cylinder and 1 blocking ring to inside. Add 1 blocking ring to outside.		\$96.10
38-091	L9070R to L9071R L9076R to L9077R	(1) 30-008 Cylinder (2) 36-082-050 Blocking Ring	Add cylinder and 1 blocking ring to inside. Use 1 blocking ring to replace existing outside blocking ring.		154.00
38-092	L9070BD to L9071BD L9076BD to L9077BD	(1) 80-108 Cylinder (2) 36-082-050 Blocking Ring			96.10
L Escutcheon Trim					
38-093	L9070P to L9071P L9076P to L9077P	(1) 30-001-118 Cylinder (includes Compression Spring and Ring) (1) 36-082-012 Blocking Ring (1) 09-635 Escutcheon	Replace existing inside escutcheon. Add cylinder and compression spring only to inside. Add compression ring only to outside.*		\$214.00
38-094	L9070R to L9071R L9076R to L9077R	(1) 30-008 Cylinder (1) 36-082-012 Blocking Ring (1) 09-635 Escutcheon	Replace existing inside escutcheon. Add cylinder and blocking ring to inside.		214.00
38-095	L9070BD to L9071BD L9076BD to L9077BD	(1) 80-108 Cylinder (1) 09-635 Escutcheon	Replace existing inside escutcheon. Add cylinder to inside.		153.00
* Also add blocking ring to outside of 1 5/8" doors. Use compression spring only on outside of 1 7/8" doors.					
Notes	1) Specify finish and keying.				
	2) Subject to same discount as L-Series Locks.				
	3) Use of these kits requires drilling hole in door for inside cylinder.				

Vandlgard Retrofit Kit - Specify door thickness (1 3/4" - 3 5/8") when ordering					
Part Number	Converts	Contents	Conversion Instructions	Note	Price Each
Rose Trim					
39-034	L to LV L9040 L9076 L9496 L9044 L9080 L9060 L9440 L9453 L9071 L9444 L9456 L9077 L9050 L9480 L9082 L9056 L9485 L9457 L9070 L9486	(1) L283-200 Mounting Post Pack (1) L583-345 24061897 Catch Retractor (1) L283-147 Retractor Assembly (1) L583-383 Crank Retractor (1) L583-386 Bottom Hub (1) L583-387 Top Hub (1) P515-528 Handing Label (1) P515-683 Instruction Sheet	Please refer to instruction sheet.	For L9080, L9480, L9485 and L9486 functions, add to kit (1) L283-040 Spring Cage.	\$51.00
39-234	L9082 and L9482 to LV9082 and LV9482	(1) L283-200 Mounting Post Pack (1) L583-346 Spacer (1) L583-386 Bottom Hub (1) L583-387 Top Hub (1) P515-528 Handing Label (1) P515-683 Instruction Sheet	Please refer to instruction sheet. For first time users, an instructional video is available.	Add to kit (2) L283-040 Spring Cages	46.80

Screw Packs												
Available Finishes		605	606	609	612	613	619	625	626	629	630	643e
		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each										
Standard Screw Packs												
C203-736	Lock Case Screws: contains (2) C603-256, #12-24 WMS PFH. Specify 455 Finish.	\$5.30										
C203-736	Strike Screws: Contains: (2) C603-256, #12-24 WMS PFH.											
K110-020	Armor Front Screws: Contains (2) K510-210, #8-32 x 1/4" MS PFH	0.70										
K110-947	Rose Trim Thumbturn screws: Contains: (2) K510-445, #4 x 1/2" POH AB	6.50										
L283-100	Trim Mount Screws & Posts, 1 3/4" door: Contains: (2) L583-066, #8-32 x 1/2" PFH (2) L583-212, 1 3/4" posts. Finish not required.	23.10										
L283-101	L escutcheon thru-bolts, 1 3/4" doors Contains: (2) L583-120	9.20										
MS = Metal Screw WMS = Wood/Metal Screw PFH = Phillips Flat Head POH = Phillips Oval Head												
Torx® Screw Packs*												
L283-121	Rose trim w/o thumbturn. Contains: (2) armor screws, #8-32 x 1/4" (T-15) (2) strike screws, #12-24 x 1/2" (T-20)	\$17.70										
L283-122	Rose trim w/ thumbturn. Contains: (2) armor screws, #8-32 x 1/4" (T-15) (2) strike screws, #12-24 x 1/2" (T-20) (2) thumbturn screws, #4 x 1/2" (T-8)											
L283-123	L Escutcheon for 1 3/4" doors. Contains: (2) armor screws, #8-32 x 1/4" (T-15) (2) esc. screws, 1/4-28 x 2 1/8" (T-30) (2) strike screws, #12-24 x 1/2" (T-20)											
XL11-848 [Ⓢ]	N Escutcheon for 1 3/4" doors. Contains: (2) armor screws, #8-32 x 1/4" (T-15) (2) strike screws, #12-24 x 1/2" (T-20) (2) esc. screws, #8-32 x 1 1/2" (T-20)											
*	Torx screw packs furnished with appropriate T-xx installation tool.											
[Ⓢ]	Extended lead time											
Ordering instructions: Specify part number and finish. Ex: L283-123 626.												
Special Parts - NOT SUBJECT TO STANDARD DISCOUNT TERMS												
Available Finishes		605	606	609	612	613	619	625	626	629	630	643e
		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each										
XL11-422	Solid latchbolt (nylon insert) for use with electric strikes. Finish not required. Price listed is adder to lock	\$60.10										
XB11-720	Mortise cylinder turn unit with ADA complaint style thumbturn. Price listed is adder to 09-900, 09-904, 09-905 or 09-907	33.60										
XK10-992	10-072 strike with >2" thru 6" lip. Specify lip length on order	113.00										
XL11-515	1/8" thick lead plate. Specify lock function and door hand on order	284.00										
XL11-634	Blank inside L escutcheon	177.00										
XL11-636	Blank outside L or N escutcheon. Specify L or N on order.	242.00										
XL11-743	Armor front with cutout to receive deadbolt only, for use with L9110, L9175 and L9176 dummy functions	73.80										
XL11-820	Strike, 1 3/16" lip, one hole for latching functions, RH & LHR doors	23.90										
XL11-821	Strike, 1 3/16" lip, one hole for latching functions, LH & RHR doors											

MORTISE

L-45

Allegion Connect Harnesses - Prices listed are net, discounting does not apply		
Part Number	Description	Price Each
Harnesses with Molex Connectors on both ends (for use with Hollow Metal Doors)		
CON-6	6" Wire Harness (internal p/n 106190)	\$9.00
CON-12	12" Wire Harness (internal p/n 106191)	12.00
CON-26	26" Wire Harness (internal p/n 106192)	13.50
CON-32	32" Wire Harness (internal p/n 106193)	14.50
CON-38	38" Wire Harness (internal p/n 106194)	15.00
CON-44	44" Wire Harness (internal p/n 106195)	15.50
CON-50	50" Wire Harness (internal p/n 106196)	16.00
CON-192	192" Wire Harness (internal p/n 106197)	38.00
Harnesses with Molex Connector on one end, crimped pins on other w/ attachable Molex connector (for use with Wood Doors)		
CON-6P	6" Wire Harness (internal p/n 106201)	\$11.50
CON-12P	12" Wire Harness (internal p/n 106202)	14.50
CON-26P	26" Wire Harness (internal p/n 106203)	16.00
CON-32P	32" Wire Harness (internal p/n 106204)	17.00
CON-38P	38" Wire Harness (internal p/n 106205)	17.50
CON-44P	44" Wire Harness (internal p/n 106206)	18.00
CON-50P	50" Wire Harness (internal p/n 106207)	18.50
CON-192P	192" Wire Harness (internal p/n 106208)	40.00
Harness with Molex Connector on one end, stripped leads on other (for connection to power supply)		
CON-6W	6" extension to power supply (internal p/n 106210)	\$11.50
Service Kit		
CON-KIT	Connector Service Kit (internal p/n 050823-00) contains: -100 each male & female terminals -10 each 4-pin and 8-pin male connectors -10 each 4-pin and 8-pin female connectors - 1 extraction tool"	\$95.00


MORTISE

L-47

LM9200 · Series

Concealed two-point latching system for wood doors

Available May 2015



MULTIPOINT

LM9200-1

NOTE: LM9200 series requires unique factory-prepped doors; please contact sales representative for list of compatible door manufacturers.

LM9200 - Series

Ordering Procedures

To order Schlage products, descriptive data should be in the sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	1	LM9250P	06A	626	17B	643e	RH	LBL	-	134	-	6'8"	KA

Line Item: Line item number

Qty: Quantity

Product: Product function + cylinder code. Product function should include 'F' suffix if fire rating required.

Outside Des: Outside lever design + rose/escutcheon code

Outside Fin: Outside finish

Inside Des: Inside lever design + rose/escutcheon code; specify only if different from outside

Inside Fin: Inside finish; specify only if different from outside

Hand: Hand of door (LH, LR, RH, RR)

Latch: specify LBL (Less Bottom Latch) if top-latch only solution desired

Strike: Not applicable; product ships with standard strikes only

Dr Thk: Door Thickness; leave blank for standard thickness (1 3/4") or specify if non standard. Example: 200 = 2", 214 = 2 1/4"

Ext: Extension, enter one of the following when door thickness 2" or greater are specified: EE = Extended Equally, EI = Extended Inside, EO = Extended Outside

Dim: Height of door (6'8"-10'0" for non-fire rated openings, 6'8"-8'0" for fire rated openings)

Additional Details: Enter additional detail for keying information or special requirements

Common Pricing Information


1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	⌚ denotes a lock or part that requires an extended lead time.
5.	👤 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

Table of Contents

Functions	LM-4
Complete Locks	LM-6
Standard Lever Collection A, B or C Rose Trim	LM-6
Standard Lever Collection Escutcheon Trim	LM-8
M Lever Collection A, B or C Rose Trim	LM-10
M Lever Collection Escutcheon Trim	LM-12
Options	LM-14
Cylinder Options	LM-14
Locks Less Components	LM-15
Non-Standard Door Thickness	LM-15
Indicators (for Sectional (rose) or N Escutcheon Trim) ..	LM-16
Tactile Warning	LM-16
ADA Thumbturn	LM-16
Lever Trak	LM-16
Anti-Microbial Coating	LM-16
Parts	LM-17
Levers & Knobs, Roses, Escutcheons	LM-17
Outside Lever/Knob Assemblies	LM-18
Armor Fronts & Strikes	LM-18
Buttons, Thumbturns, Coin Turns, Cylinder Turns	LM-19
Occupancy Indicators	LM-19
Thru-Bolts	LM-20
Mounting Posts	LM-20
Springs & Spindles	LM-20
Lock Cases	LM-21
Latch Kits	LM-21
Strikes	LM-21
Cables	LM-21
Fire Rated Components	LM-21
Miscellaneous Parts	LM-22
Mortise Cylinders	LM-23
Allegion Connect Harnesses	LM-24
Complete Cylinders	See Cylinders Section
How To Order	Forms & Examples

BAA/ARRA
Contact your local SSC or
Sales Rep. for ordering details

Product Identification



SFIC = Small Format (Best® Style) Interchangeable Core

Finish Codes and Descriptions

Code		Description
605	(US 3)	Bright Brass
606	(US 4)	Satin Brass
609	(US 5)	Antique Brass
612	(US10)	Satin Bronze
613	(US10B)	Oil Rubbed Bronze
619	(US 15)	Satin Nickel
625	(US 26)	Bright Chromium Plated
626	(US 26D)	Satin Chromium Plated
626AM	▲	Antimicrobial Coating on Satin Chromium
629	(US 32)	Bright Stainless Steel
630	(US 32D)	Satin Stainless Steel
630AM	▲	Antimicrobial Coating on Satin Stainless Steel
643e	(US 11)	Aged Bronze

Standard Features

Certifications	Available UL listing for 45 minute fire door with two point latch or 20 minute fire door with top latch only
Case Size	4 7/16" x 12 3/8" x 1"
Armor Front	1 1/4" x 15 7/8"
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different
Door Range	1 3/4"
Keys	Two nickel silver cut keys per lock, 6 pin, S123 section



LM9200 - Series Functions

Electrified Functions


LM9210



Passage Lock

Latches retracted by lever from either side at all times. Inside lever always free for immediate egress.


LM9270



Classroom Lock

Latches retracted by lever from either side unless outside is made inoperative by key outside. Outside lever remains locked until unlocked by key. Inside lever always free for immediate egress.


LM9225



Exit Lock

Latches retracted by lever from inside at all times. No trim on outside.


LM9271



Classroom Security Lock

Latches retracted by lever from either side unless outside is made inoperative by key from either side. Outside lever remains locked until unlocked by key either side. Inside lever always free for immediate egress.


LM9250



Office/Entry Lock

Latches retracted by lever from either side unless outside is made inoperative by key outside or by turning inside thumbturn. Outside lever remains locked until thumbturn is returned to vertical or unlocked by key. Inside lever always free for immediate egress.


LM9280



Storeroom Lock

Latches retracted by outside lever after key inserted and turned 280° or by inside lever. Inside lever always free for immediate egress.

LM9256




Office/Entry with automatic unlocking

Latches retracted by lever from either side unless outside is made inoperative by key outside or by turning inside thumbturn. Outside lever remains locked until thumbturn is returned to vertical, unlocked by key, or rotating inside lever. Inside lever always free for immediate egress.

All electrified locks feature automatic detection and operation with 12 or 24V DC, and a case-mounted switch that allows customer selection of EL (fail safe) or EU (fail secure) operation. Please specify lock function as EL or EU for default switch position. Locks also come standard with Allegion Connect moxex connector with 3" lead. Allegion Connect is a moxex connector system that allows rapid installation of lock when used with Allegion connect harnesses (see last page of this section of pricebook) and Allegion connect Hinges (see lves pricebook). For more information speak to your sales representative. The moxex connector can also be cut off so that the lock can be installed with traditional splicing. Request to Exit (RX) is not an available option for the LM9200 series.


**LM9290EL
LM9290EU**



Electrically locking/unlocking outside lever, no cylinder

Outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. EL is fail safe (power failure allows outside lever to retract latchbolt); EU is fail secure (power failure locks outside lever). Inside lever always free for immediate egress.


**LM9293EL
LM9293EU**



Electrically locking/unlocking both levers, Outside cylinder

Inside and outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Latchbolt retracted by key outside. EL is fail safe (power failure allows either lever to retract latchbolt); EU is fail secure (power failure locks both levers).


**LM9291EL
LM9291EU**



Electrically locking/unlocking both levers, no cylinder

Inside and outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. EL is fail safe (power failure allows either lever to retract latchbolt); EU is fail secure (power failure locks both levers).


**LM9295EL
LM9295EU**



Electrically locking/unlocking both levers, Inside and outside cylinder

Inside and outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Latchbolt retracted by key inside or outside. EL is fail safe (power failure allows either lever to retract latchbolt); EU is fail secure (power failure locks both levers).

**LM9292EL
LM9292EU**



Electrically locking/unlocking outside lever, Outside cylinder

Outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Latchbolt retracted by key outside or lever inside. EL is fail safe (power failure allows outside lever to retract latchbolt); EU is fail secure (power failure locks outside lever). Inside lever always free for immediate egress.

LM9200 - Complete Locks

Standard Lever Collection* A, B or C Rose Trim

Cast or Forged Lever Designs with Wrought Roses

MULTIPOINT

LM9200-6

<p>01</p>	<p>02</p>	<p>03</p>	<p>05</p>
<p>06</p> <p>Not available with C Rose</p>	<p>07</p>	<p>12</p> <p>max. specify hand</p>	<p>17</p>
<p>18</p>	<p>LAT</p>	<p>LON</p>	<p>OME</p>
<p>Accent (ACC)</p> <p>specify hand</p>	<p>Asti (AST)</p> <p>specify hand</p>	<p>Merano (MER)</p> <p>specify hand</p>	<p>St. Annes (STA)</p> <p>specify hand</p>

Note: Above images shown with A Rose. (except for ligature resistant trim)

Wrought Rose Designs

<p>A</p> <p>2 1/8" (54 mm) diameter</p>	<p>B</p> <p>2 9/16" (65mm) diameter</p>	<p>C (not available 612 or 613 finish)</p> <p>2 5/8" (66mm) diameter</p>	<p>AVA (ACC lever only)</p> <p>2 5/8" (66mm) diameter</p>	<p>MER (MER lever only)</p> <p>2 5/8" (66mm) diameter</p>
--	--	---	--	--

LM9200 (A, B or C Rose Trim) - Standard Collection levers

Function	Description	Lever Designs				
		03	06 07 12 17 OME	03 06 07 12 17 OME		
		⚠: 01, 02, 05, 18, LAT*, LON * ACC †, AST †, STA †, MER † * Not available 612, 613 † Not available 629, 630				
		Finishes				
		626	626	605 606 609 612 619 625 643e	613 629 630	Adjustment for Less Bottom Latch (LBL option code)

FOR NON FIRERATED WOOD DOORS (6'8" - 10'0" door range, specify height on order)

Keyless Functions						
LM9210	Passage	\$2,590	\$2,700	\$2,712	\$2,730	-105
LM9225	Exit					
LM9290EL or EU	Electrified lock, no cylinders, outside lever locks	2,920	3,030	3,042	3,060	
LM9291EL or EU	Electrified lock, no cylinders, both levers locks					
Keyed Single Cylinder Functions						
LM9250P	Office/Entry	\$2,740	\$2,850	\$2,862	\$2,880	-105
LM9256P	Office/Entry w/Automatic Unlocking	2,801	2,911	2,923	2,941	
LM9270P	Classroom	2,740	2,850	2,862	2,880	
LM9280P	Storeroom					
LM9292PEL or EU	Electrified lock, outside cylinder, outside lever locks	2,990	3,100	3,112	3,130	
LM9293PEL or EU	Electrified lock, outside cylinder, both levers lock					
Keyed Double Cylinder Functions						
LM9271P	Classroom Security	\$2,807	\$2,917	\$2,929	\$2,947	-105
LM9295P EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,057	3,167	3,179	3,197	

FOR UL FIRERATED WOOD DOORS (6'8" - 8'0" door range, specify height on order)

Keyless Functions						
LM9210F	Passage	\$2,740	\$2,850	\$2,862	\$2,880	-105
LM9225F	Exit					
LM9290FEL or EU	Electrified lock, no cylinders, outside lever locks	3,070	3,180	3,192	3,210	
LM9291FEL or EU	Electrified lock, no cylinders, both levers locks					
Keyed Single Cylinder Functions						
LM9250FP	Office/Entry	\$2,890	\$3,000	\$3,012	\$3,030	-105
LM9256FP	Office/Entry w/Automatic Unlocking	2,951	3,061	3,073	3,091	
LM9270FP	Classroom	2,890	3,000	3,012	3,030	
LM9280FP	Storeroom					
LM9292FPEL or EU	Electrified lock, outside cylinder, outside lever locks	3,140	3,250	3,262	3,280	
LM9293FPEL or EU	Electrified lock, outside cylinder, both levers lock					
Keyed Double Cylinder Functions						
LM9271FP	Classroom Security	\$2,957	\$3,067	\$3,079	\$3,097	-105
LM9295FP EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,207	3,317	3,329	3,347	

Cast or Forged Lever Designs with Cast, Forged, or Wrought Escutcheons

MULTIPOINT

LM9200-8

<p>01</p>	<p>02</p>	<p>03</p>	<p>05</p>
<p>06</p>	<p>07</p>	<p>12</p>	<p>17</p>
<p>18</p>	<p>LAT</p>	<p>LON</p>	<p>OME</p>
<p>Accent (ACC)</p>	<p>Asti (AST)</p>	<p>Merano (MER)</p>	<p>St. Annes (STA)</p>

Note: Above images shown with L Escutcheon.

Cast/Forged (L) or Wrought (N)

L

Dimensions:
 $7 \frac{15}{16}'' \times 1 \frac{3}{4}'' \times \frac{7}{16}''$
 (202mm x 44mm x 11mm)

N
















Dimensions:
 $7 \frac{7}{8}'' \times 2 \frac{1}{2}'' \times \frac{7}{16}''$
 (200mm x 64mm x 11mm)

LM9200 (L or N Escutcheon) - Standard Collection levers					
Function	Description	Lever Designs			
		03 06 07 12 17 OME	03 06 07 12 17 OME		
		☒: 01, 02, 05, 18, LAT*, LON * ACC☒†, AST☒†, STA☒†, MER☒† * Not Available 612, 613 † Not available 629, 630			
		Finishes			
		626	605 606 609 612 619 625 643e	613 629 630	Adjustment for Less Bottom Latch (LBL option code)
FOR NON FIRERATED WOOD DOORS (6'8" to 10'0" door range; specify height on order)					
Keyless Functions					
LM9210	Passage	\$2,727	\$2,739	\$2,757	-105
LM9225	Exit				
LM9290EL or EU	Electrified lock, no cylinders, outside lever locks	3,057	3,069	3,087	
LM9291EL or EU	Electrified lock, no cylinders, both levers locks				
Keyed Single Cylinder Functions					
LM9250P	Office/Entry	\$2,877	\$2,889	\$2,907	-105
LM9256P	Office/Entry w/Automatic Unlocking	2,938	2,950	2,968	
LM9270P	Classroom	2,877	2,889	2,907	
LM9280P	Storeroom				
LM9292PEL or EU	Electrified lock, outside cylinder, outside lever locks	3,127	3,139	3,157	
LM9293PEL or EU	Electrified lock, outside cylinder, both levers lock				
Keyed Double Cylinder Functions					
LM9271P	Classroom Security	\$2,944	\$2,956	\$2,974	-105
LM9295P EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,194	3,206	3,224	
FOR UL FIRERATED WOOD DOORS (6'8" - 8'0" door range; specify height on order)					
Keyless Functions					
LM9210F	Passage	\$2,877	\$2,889	\$2,907	-105
LM9225F	Exit				
LM9290FEL or EU	Electrified lock, no cylinders, outside lever locks	3,207	3,219	3,237	
LM9291FEL or EU	Electrified lock, no cylinders, both levers locks				
Keyed Single Cylinder Functions					
LM9250FP	Office/Entry	\$3,027	\$3,039	\$3,057	-105
LM9256FP	Office/Entry w/Automatic Unlocking	3,088	3,100	3,118	
LM9270FP	Classroom	3,027	3,039	3,057	
LM9280FP	Storeroom				
LM9292FPPEL or EU	Electrified lock, outside cylinder, outside lever locks	3,277	3,289	3,307	
LM9293FPPEL or EU	Electrified lock, outside cylinder, both levers lock				
Keyed Double Cylinder Functions					
LM9271FP	Classroom Security	\$3,094	\$3,106	\$3,124	-105
LM9295FP EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,344	3,356	3,374	




Cast or Forged Lever Designs with Wrought Roses

MULTIPOINT

LM9200-10



Wrought Rose Designs



Note: Above images shown with A Rose.

LM9200 (A, B or C Rose Trim) - M Collection levers			
Function	Description	Lever Designs	
		Standard Lead-time: M51, M52, M81	
		☒: M53, M54, M55, M56, M57†, M61☒, M62☒†, M63☒, M82, M83, M84, M85 † Available 629 and 630 only	
		Finishes	
		605, 606, 609, 619, 625, 626, 629, 630, 643e	Adjustment for Less Bottom Latch (LBL option code)
FOR NON FIRERATED WOOD DOORS (6'8" to 10'0" door range; specify height on order)			
Keyless Functions			
LM9210	Passage	\$2,730	-105
LM9225	Exit		
LM9290EL or EU	Electrified lock, no cylinders, outside lever locks	3,060	
LM9291EL or EU	Electrified lock, no cylinders, both levers locks		
Keyed Single Cylinder Functions			
LM9250P	Office/Entry	\$2,880	-105
LM9256P	Office/Entry w/Automatic Unlocking	2,941	
LM9270P	Classroom	2,880	
LM9280P	Storeroom	3,130	
LM9292PEL or EU	Electrified lock, outside cylinder, outside lever locks		
LM9293PEL or EU	Electrified lock, outside cylinder, both levers lock		
Keyed Double Cylinder Functions			
LM9271P	Classroom Security	\$2,947	-105
LM9295P EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,197	
FOR UL FIRERATED WOOD DOORS (6'8" to 8'0" door range; specify height on order)			
Keyless Functions			
LM9210F	Passage	\$2,880	-105
LM9225F	Exit		
LM9290FEL or EU	Electrified lock, no cylinders, outside lever locks	3,210	
LM9291FEL or EU	Electrified lock, no cylinders, both levers locks		
Keyed Single Cylinder Functions			
LM9250FP	Office/Entry	\$3,030	-105
LM9256FP	Office/Entry w/Automatic Unlocking	3,091	
LM9270FP	Classroom	3,030	
LM9280FP	Storeroom		
LM9292FPPEL or EU	Electrified lock, outside cylinder, outside lever locks	3,280	
LM9293FPPEL or EU	Electrified lock, outside cylinder, both levers lock		
Keyed Double Cylinder Functions			
LM9271FP	Classroom Security	\$3,097	-105
LM9295FP EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,347	
















LM9200 - Complete Locks

M Lever Collection Escutcheon Trim

Cast or Forged Lever Designs with Cast, Forged, or Wrought Escutcheons



MULTIPOINT

LM9200-12



Cast/Forged (L) or Wrought (N)

Note: Above images shown with L escutcheon.



LM9200 (L or N Escutcheon) - M Collection levers			
Function	Description	Lever Designs	
		Standard Lead-time: M51, M52, M81	
		☒: M53, M54, M55, M56, M57†, M61☒, M62☒†, M63☒, M82, M83, M84, M85 † Available 629 and 630 only	
		Finishes	
		605, 606, 609, 619, 625, 626, 629, 630, 643e	Adjustment for Less Bottom Latch (LBL option code)
FOR NON FIRERATED WOOD DOORS (6'8" to 10'0" door range; specify height on order)			
Keyless Functions			
LM9210	Passage	\$2,757	-105
LM9225	Exit		
LM9290EL or EU	Electrified lock, no cylinders, outside lever locks	3,087	
LM9291EL or EU	Electrified lock, no cylinders, both levers locks		
Keyed Single Cylinder Functions			
LM9250P	Office/Entry	\$2,907	-105
LM9256P	Office/Entry w/Automatic Unlocking	2,968	
LM9270P	Classroom	2,907	
LM9280P	Storeroom		
LM9292PEL or EU	Electrified lock, outside cylinder, outside lever locks	3,157	
LM9293PEL or EU	Electrified lock, outside cylinder, both levers lock		
Keyed Double Cylinder Functions			
LM9271P	Classroom Security	\$2,974	-105
LM9295P EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,224	
FOR UL FIRERATED WOOD DOORS (6'8" to 8'0" door range; specify height on order)			
Keyless Functions			
LM9210F	Passage	\$2,907	-105
LM9225F	Exit		
LM9290FEL or EU	Electrified lock, no cylinders, outside lever locks	3,237	
LM9291FEL or EU	Electrified lock, no cylinders, both levers locks		
Keyed Single Cylinder Functions			
LM9250FP	Office/Entry	\$3,268	-105
LM9256FP	Office/Entry w/Automatic Unlocking	3,207	
LM9270FP	Classroom	3,457	
LM9280FP	Storeroom		
LM9292FPPEL or EU	Electrified lock, outside cylinder, outside lever locks	3,280	
LM9293FPPEL or EU	Electrified lock, outside cylinder, both levers lock		
Keyed Double Cylinder Functions			
LM9271FP	Classroom Security	\$3,274	-105
LM9295FP EL or EU	Electrified lock, inside and outside cylinders, both levers lock	3,524	

Cylinder Adjustments		
Specify	Description	Lock Price Adjustment (per cylinder)
Concealed Cylinder (L Escutcheon only)		
C Suffix	Concealed cylinder for L escutcheon	\$20
Full Size Interchangeable Core (FSIC)		
R Suffix	Full size core (furnished 1-bitted w/ two 6-pin keys unless otherwise specified)	\$59.00
J Suffix	Less full size core	N/C
Full Size Construction Core		
T Suffix	Full size construction core (assessed handling charge 50-231 per core)	\$59.00
Small Format Interchangeable Core (SFIC) (Not available with Hotel Functions L9485 or L9486)		
GD Suffix	Everest patented core (specify key symbol; see Terms & Conditions for more details)	\$67.00
BD Suffix	Less small format core	N/C
Small Format Construction Core & Disposable Core		
HD Suffix	Small format construction core (assessed handling charge 50-231 per core)	\$35.00
BDC Suffix	Small format disposable core	N/C
Construction Core Handling Charge		
50-231	Handling charge for construction core (assessed per core, non-refundable)	\$8.30
Notes	Control keys are not furnished with locks and must be purchased separately. See Keys & Keying . Interchangeable cores are not available with concealed cylinders.	
Ordering instructions: Add suffix to lock function. Ex: LM9250J (LM9250 function less full size core)		

Primus / Primus XP - available through specific channels based on security levels. See Terms & Conditions for details.		
Specify	Description	Lock Price Adjustment
Full-Face Primus Cylinders		
L Suffix	Order lock less cylinder; order Primus cylinder 20-787 or 20-793 separately	-\$68 per cylinder
20-787	Full-face Primus cylinder w/ compression ring & spring (for use with rose trim)	130.00
20-793	Full-face Primus cylinder only (for use with escutcheon trim)	123.00
Concealed Primus Cylinders		
W Suffix	Order lock less concealed cylinder; order Primus cylinder 20-589 separately	\$21.00
20-589	Concealed Primus cylinder (for use with L escutcheon w/ concealed cylinder only)	164.00
Full-Size Interchangeable Primus Core		
J Suffix	Order lock less full size core; order full-size Primus core 20-740 separately	N/C for J Suffix
20-740	Full-size interchangeable Primus core	\$122.00
Notes	Primus not available for Faculty Restroom function (L9485, L9486)	
Ordering instructions: Add suffix to lock function, order Primus cylinder separately. Ex: LM9250W (LM9250 function less concealed cylinder) order 20-589 on separate line.		

Locks Less Components		
Description	Specify	Lock Price Adjustment
Less each knob or lever	LLL for knob/lever design Example: LM9250P LLL/03A x 03A	-\$22.00
Less each rose or escutcheon	LLL for rose/escutcheon design Example: LM9250P 03A x 03A/LLL	-22.00
Less complete trim one side*	LLL for complete trim outside Example: LM9250P LLL x 03A	-44.00
Less full face cylinder (rose trim)	L suffix Example: LM9250L 03A	-68.00 per cylinder
Less full face cylinder	L suffix Example: LM9250L 03L	-60.00 per cylinder
Less concealed cylinder (L escutcheon only)	W suffix Example: LM9250W 03L	-60.00 per cylinder





















Non Standard Door Thickness		
Specify	Description	Lock Price Adjustment
Keyless Functions		
thickness & how applied (xx)	For > 1 3/4" - 2 1/2" thick doors, specify (xx) Extended Inside (EI), Outside (EO), Equally (EE) or Differently (ED)	N/C
	For > 2 1/2" - 4" thick doors, specify (xx) Extended Inside (EI), Outside (EO), Equally (EE) or Differently (ED)	\$82.00
Single Cylinder Functions		
thickness & how applied (xx)	For > 1 3/4" - 2 1/2" thick doors	N/C
	For > 2 1/2" - 4" thick doors - specify (xx) Extended Inside (EI)	\$82.00
	For > 2 1/2" - 4" thick doors - specify (xx) Extended Outside (EO), Equally (EE), or Differently (ED)	400.00
Double Cylinder Functions		
thickness & how applied (xx)	For > 1 3/4" - 2 1/2" thick doors	N/C
	For > 2 1/2" - 4" thick doors - specify (xx) Extended Inside (EI) or Extended Outside (EO)	\$400.00
	For > 2 1/2" - 4" thick doors - specify (xx) Extended Equally (EE) or Extended Differently (ED)	716.00
Notes	Price keyed locks less cylinders (L or W suffix) same as keyless locks	
	Locks furnished Extended Equally unless otherwise specified	
	Locks w/ N Escutcheon only available for 1 3/4" - 2 3/8" thick doors	
	Locks with small format interchangeable cores (BD, BDC, GD, HD suffix) only available for 1 3/8" - 2 1/4" thick doors	
Ordering instructions: Include thickness and how extended in order. EX - LM9250P 03A 626 2" EE (LM9250P function, 03A trim, 626, for 2" door extended equally).		

LM9200 - Options

Indicators (for Sectional (rose) or N Escutcheon Trim), Tactile Warning, ADA Thumbturn, Lever Trak

MULTIPOINT

LM9200-16

Sectional Indicator 	N Escutcheon Indicator 	Available Messages LOCKED/OCCUPIED/DO NOT DISTURB/ lock symbol is white text on red background UNLOCKED/VACANT/unlocked symbol is black text on white background								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">  LOCKED </td> <td style="text-align: center;">  OCCUPIED </td> <td style="text-align: center;">DO NOT DISTURB</td> <td style="text-align: center;">  </td> </tr> <tr> <td style="text-align: center;">  UNLOCKED </td> <td style="text-align: center;">  VACANT </td> <td></td> <td style="text-align: center;">  </td> </tr> </table>			 LOCKED	 OCCUPIED	DO NOT DISTURB		 UNLOCKED	 VACANT		
 LOCKED	 OCCUPIED	DO NOT DISTURB								
 UNLOCKED	 VACANT									

Indicators (for Sectional (rose) or N Escutcheon Trim)		
Specify	Description	Lock Price Adjustment
inside indicators available for: LM9250, LM9256, LM9271		
L283-711	LOCKED/UNLOCKED indicator for inside of door	\$90.00
L283-712	VACANT/OCCUPIED indicator for inside of door	\$90.00
L283-713	DO NOT DISTURB indicator for inside of door	\$90.00
L283-714	symbols only indicator for inside of door	\$90.00
outside indicators available for: LM9250, LM9256, LM9270, LM9271		
L283-721	LOCKED/UNLOCKED indicator for outside of door	\$90.00
L283-722	VACANT/OCCUPIED indicator for outside of door	\$90.00
L283-723	DO NOT DISTURB indicator for outside of door	\$90.00
L283-724	symbols only indicator for outside of door	\$90.00
Notes:	1) Indicators available in all finishes except 612 and 613 2) Sectional indicators available for cylinder functions only until May 2015 3) Indicator option available either inside or outside of door only. 4) Cylinder and sectional indicators require additional door preparation.	
Ordering instructions: add part number under "Additional Details" section of order. EX: LM9250P 06N 626 L283-711 adds indicator to the inside (thumbturn side) of lock		

Tactile Warning		
Specify	Description	Lock Price Adjustment
'8' lever prefix	Tactile warning applied to outside lever; available on 01, 03, 05, 06, 07, 12, 17, M51, M52, M81 lever designs	\$38.30
Ordering instructions: Preface lever design code with 8. EX - 803 for 03, 806 for 06, 851 for M51, etc.		

ADA Thumbturn*		
Specify	Description	Lock Price Adjustment
L583-363	ADA Disability thumbturn option	\$13.50
Ordering instructions: include in order under "Additional Details".		

Folger Adam Co[®] Lever Trak[™]		
Specify	Description	Lock Price Adjustment
503 Lever Design	Modified inside and outside 03 lever for Folger Adam Co. [®] Lever Trak [™] . Available rose trim only, not available 629 or 630 finish.	\$83.60
Ordering instructions: Specify lever design as 503.		

Antimicrobial Coating		
Specify	Description	Lock Price Adjustment
626AM or 630AM	Rose Trim: Adds silver-ion based anti-microbial coating to inside lever, bushing, rose & thumbturn and outside lever, bushing, rose, cylinder ring, and cylinder faceplate	\$40.80
626AM or 630AM	Escutcheon Trim: Adds silver-ion based anti-microbial coating to inside lever, bushing, escutcheon & thumbturn and outside lever, bushing, escutcheon, and cylinder face plate	
Ordering instructions: Specify finish as either 626AM or 630AM.		

Levers												
Style	Lever Design	605	606	609	612	613	619	625	626	629	630	643e
Standard	01, 02, 03*, 05, 06, 07, 12, 17, 18, OME	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
	LAT, LON	▪	▪	▪			▪	▪	▪	▪	▪	▪
	ACC, AST, MER, STA	▪	▪	▪			▪	▪	▪			▪
Decorative	M51, M52, M53, M54, M55, M56, M61, M63, M81, M82, M83, M84, M85	▪	▪	▪			▪	▪	▪	▪	▪	▪
	M57, M62									▪	▪	
Extended Factory Lead Time specify handling												
Part Number	Description	Standard Levers					Decorative Levers					
09-401	Outside lever, retaining clip, insertion tool	\$145					\$160					
09-402	Inside lever+bushing, mounting plate, screw pack, spanner wrench											
*	Available modified for Folger Adam Co.® Lever Track™. Specify 503 design and add \$41.80. Not available in 629 or 630 finish.											
Ordering instructions: Specify part number, lever style, finish. Ex: 09-401 03 626.												

Roses												
Style	Rose Design	605	606	609	612	613	619	625	626	629	630	643e
Standard	A, B, C	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Decorative	MER, AVA	▪	▪	▪			▪	▪	▪			▪
Part Number	Description	Standard and Decorative										
09-403	Inside Rose (includes mounting plate and screws)	\$81.40										
09-404	Outside Rose+Bushing											
09-508	Blank Outside Rose (not available MER or AVA)											
Ordering instructions: Specify part number, lever design + rose, finish. Ex: 09-404 03A 626. Lever design must be specified for proper bushing.												


Escutcheons												
Available finishes		605	606	609	612	613	619	625	626	629	630	643e
		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	L Escutcheon					N Escutcheon					
Outside Escutcheon & Bushing												
09-636	Blank x lever	\$145					\$145					
09-637	Emergency turn x lever											
09-638	Concealed cylinder x lever											
09-639	Full face cylinder x lever	166										
09-640*	Concealed cylinder x occupancy indicator x lever											
09-641*	Full face cylinder x occupancy indicator x lever											
Inside Escutcheon												
09-632	Blank x lever	145					145					
09-633**	Thumbturn x lever						145					
09-634**	Thumbturn x blank											
09-635	Full face cylinder x lever						145					
L583-187	Concealed cylinder x lever						145					
*	Available with "occupied" indicator. Specify with L583-375 and add \$15.30											
**	Specify door thickness: 1 3/8" or 1 3/4"											
Ordering instructions: Specify part number, lever + escutcheon style, finish. Ex: 09-639 03L 626 (full face cylinder, 03 lever, L escutcheon, 626 finish).												

MULTIPOINT

LM9200-18

Outside Lever/and Rose/Escutcheon Assemblies													
Style	Lever Design	605	606	609	612	613	619	625	626	629	630	643e	
Standard	01, 02, 03, 05, 06, 07, 12, 17, 18, OME	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	
	LAT, LON	▪	▪	▪			▪	▪	▪	▪	▪	▪	
	ACC, AST, MER, STA	▪	▪	▪			▪	▪	▪			▪	
Decorative	M51, M52, M53, M54, M55, M56, M61, M63, M81, M82, M83, M84, M85	▪	▪	▪			▪	▪	▪	▪	▪	▪	
	M57, M62									▪	▪		
Extended Factory Lead Time specify handling													
Part Number	Description	Standard Levers					Decorative Levers						
With A, B or C rose													
09-506	Outside Lever assembly	\$161					\$186						
With Avanti or Merano Rose													
09-655	Outside lever assembly for AST w/Avanti rose or MER w/Merano rose only	161					N/A						
With L or N Escutcheon													
09-550	Blank	213					228						
09-551	Emergency turn												
09-552	Concealed cylinder (L escutcheon only)												
09-553	Full face cylinder												
09-554*	concealed cylinder w/ indicator (L escutcheon only)												
09-555*	Full face cylinder w/ indicator (L escutcheon only)												
*	Available with "occupied" indicator. Specify with I583-375 and add \$15.30.												
Ordering instructions: Specify part number, lever style, rose/escutcheon, finish. Ex: 09-506 M53A 626 (outside assembly, M53 lever, A rose, 626 finish).													

Armor Fronts, LM9200 Series		
Part Number	Description	Price Each
24647307 605	LM9200 Armor Front - 605 (bright brass) finish	\$60
24647315 606	LM9200 Armor Front - 606 (satin brass) finish	
24647323 609	LM9200 Armor Front - 609 (antique bronze) finish	
24647356 619	LM9200 Armor Front - 619 (satin nickel) finish	
24647364 625	LM9200 Armor Front - 625 (bright chrome) finish	
24647380 629	LM9200 Armor Front - 629 (bright stainless) finish	
24647398 316	LM9200 Armor Front - 643e (aged bronze) finish	
K110-020 xx	Armor front screws; contains (2) K510-210, #8-32 x 1/4" MS PFH; specify finish as xx	0.70

**Emergency Button, Thumbturns, Coin Turns & Cylinder Turns**

Available Finishes		605	606	609	612	613	619	625	626	629	630	643e
		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each										
Emergency Button & Emergency Turn Tool												
K510-330	Emergency Button, L9040 and L9440	\$12.20										
L583-233	Emergency turn tool for L9040 and L9440. Specify finish as 458.	15.30										
Thumbturns												
09-509 027	Thumbturn for rose trim, 1 3/8" - 1 7/8" door range, extended equally	56.90										
09-509 033	Thumbturn for rose trim, >1 7/8" - 2 3/8" door range, extended equally											
09-509 040	Thumbturn for rose trim, >2 3/8" - 2 7/8" door range, extended equally											
09-509 047	Thumbturn for rose trim, >2 7/8" - 3 5/8" door range, extended equally											
L583-363 Suffix	ADA thumbturn upgrade, specify thumbturn p/n + L583-363	Add \$13.50 to 09-509 price										
Coin Turns												
L283-124 19	Coin turn, L9044 and L9444, 1 3/8" - 1 1/2" door range, extended equally (EE)	98.60										
L283-124 23	Coin turn, L9044 and L9444, 1 5/8" - 1 7/8" door range, extended equally (EE)											
L283-124 25	Coin turn, L9044 and L9444, >1 7/8" - 2 1/8" door range, extended equally (EE)											
L283-124 31	Coin turn, L9044 and L9444, >2 1/8" - 2 5/8" door range, extended equally (EE)											
L283-124 37	Coin turn, L9044 and L9444, >2 5/8" - 2 7/8" door range, extended equally (EE)											
L283-124 43	Coin turn, L9044 and L9444, >2 7/8" - 3 3/8" door range, extended equally (EE)											
L283-124 48	Coin turn, L9044 and L9444, >3 3/8" - 3 5/8" door range, extended equally (EE)	107.00										
L283-056 19	Coin turn w/ torx screws, L9044 and L9444, 1 3/8" - 1 1/2" door range, EE											
L283-056 23	Coin turn w/ torx screws, L9044 and L9444, 1 5/8" - 1 7/8" door range, EE											
L283-056 25	Coin turn w/ torx screws, L9044 and L9444, >1 7/8" - 2 1/8" door range, EE											
L283-056 31	Coin turn w/ torx screws, L9044 and L9444, >2 1/8" - 2 5/8" door range, EE											
L283-056 37	Coin turn w/ torx screws, L9044 and L9444, >2 5/8" - 2 7/8" door range, EE											
L283-056 43	Coin turn w/ torx screws, L9044 and L9444, >2 7/8" - 3 3/8" door range, EE											
L283-056 48	Coin turn w/ torx screws, L9044 and L9444, >3 3/8" - 3 5/8" door range, EE											
EE = Extended Equally												
Note:	Coin turns not available in 612 or 613 finish											
Cylinder Turns 🗑️,*												
09-487 xx	Cylinder coin turn, specify dimension (xx) as 1 1/8", 1 1/4" or 1 3/8" (replaces XL12-196)	\$100.00										
09-900 xx	Cylinder turn, specify dimension (xx) as 1 1/8", 1 1/4" or 1 3/8"	96.70										
09-900 xx	Cylinder turn, specify dimension (xx) as 1 1/2", 1 5/8" or 1 3/4"	147.00										
09-904 xx	Cylinder turn w/ compression ring, specify dimension (xx) as 1 1/8", 1 1/4" or 1 3/8"	104.00										
09-904 xx	Cylinder turn w/ compression ring, specify dimension (xx) as 1 1/2", 1 5/8" or 1 3/4"	154.00										
09-905	Cylinder turn w/ compression ring and 1/8" blocking ring for 1 3/4" doors	114.00										
09-907	Cylinder turn w/ compression ring and 1/4" blocking ring for 1 3/8" doors											
🗑️	Specify door hand for cylinder turns if used with L463 or L9463.											
*	Cylinder turns not available in 629 or 630 finish											
Ordering instructions: Specify part number, dimension if required, finish, handing. Ex: 09-900 112, 626, RH.												
Note:	Cylinder turns not available in 612 or 613 finish											
Occupancy Indicators												
Available Finishes		605	606	609	612	613	619	625	626	629	630	643e
		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each										
09-611	"Do Not Disturb" occupancy indicator for rose trim. Includes driver bar L583-245	\$91.40										
09-611	"Occupied" occupancy indicator for rose trim. Includes driver bar L583-245	107.00										
L583-375												
09-611	"Locked" occupancy indicator for rose trim. Includes driver bar L583-245	4.50										
L583-245	Occupancy indicator driver bar											
Ordering instructions: Specify part number and finish. Ex: 09-611 L583-375 626												

MULTIPOINT

LM9200-20

Escutcheon Thru-Bolts												
Available Finishes		605	606	609	612	613	619	625	626	629	630	643e
		▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each										
L Escutcheon Thru-bolts: two required per lock												
L583-119	L escutcheon thru bolts for 1 3/8" door thickness	\$4.90										
L583-120	L escutcheon thru bolts for 1 3/4" door thickness											
L583-121	L escutcheon thru bolts for 2" door thickness											
L583-122	L escutcheon thru bolts for 2 1/4" door thickness											
L583-123	L escutcheon thru bolts for 2 1/2" door thickness	5.90										
L583-287	L escutcheon mounting screws for L9175 half-dummy function	4.40										
N Escutcheon Thru-Bolts: two required per lock												
K510-389	N escutcheon thru bolts for 1 3/4" door thickness	5.90										
K510-390	N escutcheon thru bolts for 2" to 2 1/4" door thickness											
L583-133	N Escutcheon mounting screws for L0170 single dummy function	0.72										
Ordering instructions: Specify part number and finish. Ex: L583-120 626.												

Mounting Posts (Ferrules)											
Part Number	Description	Price Each									
L Mounting Posts (Ferrules): two required per lock											
L583-211	Mounting post for 1 3/8" door thickness	\$9.40									
L583-212	Mounting post for 1 3/4" door thickness										
L583-213	Mounting post for 2" door thickness										
L583-214	Mounting post for 2 1/4" door thickness										
L583-215	Mounting post for 2 1/2" door thickness										
L583-216	Mounting post for 2 3/4" door thickness										
L583-217	Mounting post for 3" door thickness										
L583-218	Mounting post for 3 1/4" door thickness	23.90									
L583-219	Mounting post for 3 1/2" door thickness										
LV Mounting Posts (Ferrules): two required per lock											
L583-497	LV mounting post for 1 3/4" door thickness	\$19.60									
L583-498	LV mounting post for 2" door thickness										
L583-499	LV mounting post for 2 1/4" door thickness										
L583-500	LV mounting post for 2 1/2" door thickness										
L583-501	LV mounting post for 2 3/4" door thickness										
L583-502	LV mounting post for 3" door thickness										
L583-503	LV mounting post for 3 1/4" door thickness										
L583-504	LV mounting post for 3 1/2" door thickness	26.00									
Ordering instructions: Specify part number.											



Spindle & Springs											
Part Number	Description	Price Each									
Spindle & Spring Kits (qty two each)											
L283-198	Spindles and springs for 1-3/8" - 1 7/8" doors	\$12.80									
L283-199	Spindles and springs for 2" - 3 1/2" doors	15.10									
Spindles & Springs (qty one each)											
L283-060	Spindle and spring for 1 3/8" - 1 7/8" doors (two required per lock)	\$6.30									
L283-061	Spindle and spring for 2" - 3 1/2" doors (two required per lock)	7.90									
L283-064	Spindle and spring, L0172 full dummy (one required per lock)	11.30									
L283-065	Spindle and spring, L0170 half dummy (one required per lock)	6.10									
Ordering instructions: Specify part number.											

Lock Cases		
Part Number	Lock Function and Description	Price Each
24759599	LM9210, Passage	\$1,350.00
	LM9225, Exit	
24759623	LM9250, Office/Entry	1,500.00
	LM9270, Classroom	
	LM9271, Classroom Security	
	LM9280, Storeroom	
24616914	LM9256, Office/Entry w/ auto unlock	1,561.00
24759656	LM9290/LM9292/LM9294 Electrified	1,750.00
24759664	LM9291/LM9293/LM9295 Electrified	1,750.00

Cables		
Part Number	Lock Function and Description	Price Each
24665002	Top strike - includes strike, strike shims and screw pack (VD 23945223)	\$37.00
24664997	Bottom strike - includes strike, anchors and screw pack (VD 24664997)	21.00
24647265	LM9200 bottom cable	45.00
24691750	LM9200 top cable, 6'8"-7'0" door opening	45.00
24691768	LM9200 top cable, 7'1"-8'0" door opening	45.00
24691776	LM9200 top cable, 8'1"-9'0" door opening	50.00
24691784	LM9200 top cable, 9'1"-10'0" door opening	50.00

Fire-rated components		
Part Number	Lock Function and Description	Price Each
24750408	Fire barrier	\$128.00
24756504	Intumescent for fire barrier	59.80
24792558	Intumescent for armor front	59.80
48968887	Fire pin kit - includes fire pin, fire pin sleeve, fire pin strike, and screws	135.00

Miscellaneous Parts		
Part Number	Lock Function and Description	Price Each
24616922	Link, top, LM9200	\$14.40
24302960	Electrified locking catch, LM9200	12.60
24511081	Spool assembly, LM9200	60.50
24624892	Hub spring, LM9200	10.50
24625642	Retractor, LM9200	12.30
24683542	Tilting link compression spring, LM9200	1.20
24865057	Faceplate tab, LM9200 1 1/4"	23.60
24869893	Electrified link, LM9200	76.70
24869901	Electrified hub, LM9200	64.90
49001704	Capacitor holder, LM9200	17.00
24616930	Link, bottom, LM9200	13.10
24625667	Bell crank cover, LM9200	61.00
24625717	Tilting link, LM9200	16.90
24641714	Turn hub spring, LM9200	12.90
24653917	Lock Case, Subassembly, LM9200	256.70
24653925	Link subassembly, LM9200	253.90
L283-055	Cylinder retainer plate and screw	14.70
L283-344	L909x/LM929x PCB assembly	175.50
L283-680	L909x/LM929x motor assembly	79.80
L583-015	Latchbolt guide	3.10
L583-019	Retractor hub (2 required per lock)	3.40
L583-020	Retractor hub spacer	3.60
L583-021	Retractor lever	3.20
L583-022	Retractor rocker	2.50
L583-023	Blocking plate	3.10
L583-024	Retractor link	6.30
L583-025	Retractor Crank	6.30
L583-029	Turn Hub	15.70
L583-045	Locking catch	16.10
L583-048	Locking link	3.60
L583-050	Link pin	1.40
L583-454	Case cover screw (7 required)	1.20
L583-485	Lock handing screw	1.30
L583-490	Cylinder retainer	5.80
L283-030	Pack of 20 truarc rings, levers	17.50
L283-031	Mounting Plate, inside lever	16.10
L283-040	Spring Cage (1 required per lever)	7.90
L283-150	Mounting Plate for inside rose trim on one side of door only	32.30
L583-066	Mounting plate screw (2 required per lock)	1.10

Mortise Cylinders					
Cam	Description	Cylinder Mechanism	Complete Cylinder	Price Each	
				Open	Restricted
<p>L583-474 For cyl. length 1 1/8", 1 3/8", 1 5/8"</p>  <p>Dim. X = .261 Y = .644</p> <p>L583-475 For cyl. length 1 1/4", 1 1/2", 1 3/4"</p>  <p>Dim. X = .261 Y = .644</p>	Cylinder Only: L & N Escutcheons	Conventional	30-021	\$60.00	\$73.50
		Primus Controlled Access	20-793	123.00	
		Primus XP Controlled Access	20-793-XP	123.00	
		Primus UL437	20-593	149.00	
		Primus XP UL437	20-593-XP	149.00	
	Cylinder With Compression Ring & Spring: Rose Trim	Conventional	30-001	68.00	81.50
		Primus Controlled Access	20-787	130.00	
		Primus XP Controlled Access	20-787-XP	130.00	
		Primus UL437	20-587	156.00	
		Primus XP UL437	20-587-XP	156.00	
		Primus Lockout	20-717	176.00	
		Primus XP Lockout	20-717-XP	176.00	
		Primus UL437 Lockout	20-517	190.00	
		Primus XP UL437 Lockout	20-517-XP	190.00	

MULTIPOINT

LM9200-23

Allegion Connect Harnesses - Prices listed are net, discounting does not apply		
Part Number	Description	Price Each
Harnesses with Molex Connectors on both ends (for use with Hollow Metal Doors)		
CON-6	6" Wire Harness (internal p/n 106190-00)	\$9.00
CON-12	12" Wire Harness (internal p/n 106191-00)	12.00
CON-26	26" Wire Harness (internal p/n 106192-00)	13.50
CON-32	32" Wire Harness (internal p/n 106193-00)	14.50
CON-38	38" Wire Harness (internal p/n 106194-00)	15.00
CON-44	44" Wire Harness (internal p/n 106195-00)	15.50
CON-50	50" Wire Harness (internal p/n 106196-00)	16.00
CON-192	192" Wire Harness (internal p/n 106197-00)	38.00
Harnesses with Molex Connector on one end, crimped pins on other w/ attachable Molex connector (for use with Wood Doors)		
CON-6P	6" Wire Harness (internal p/n 106201-00)	\$11.50
CON-12P	12" Wire Harness (internal p/n 106202-00)	14.50
CON-26P	26" Wire Harness (internal p/n 106203-00)	16.00
CON-32P	32" Wire Harness (internal p/n 106204-00)	17.00
CON-38P	38" Wire Harness (internal p/n 106205-00)	17.50
CON-44P	44" Wire Harness (internal p/n 106206-00)	18.00
CON-50P	50" Wire Harness (internal p/n 106207-00)	18.50
CON-192P	192" Wire Harness (internal p/n 106208-00)	40.00
Harness with Molex Connector on one end, stripped leads on other (for connection to power supply)		
CON-6W	6" extension to power supply (internal p/n 106210-00)	\$11.50
Service Kit		
CON-KIT	Connector Service Kit (internal p/n 050823-00) contains: -100 each male & female terminals -10 each 4-pin and 8-pin male connectors -10 each 4-pin and 8-pin female connectors - 1 extraction tool"	\$95.00

CS Series

GRADE 2 INTERCONNECT LOCK

INTERCONNECTED

CS210-2

H-Series

S200-Series

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Function	Cyl Type	Outside		Inside		Escutcheon		Dr Thk	Handing	Latch		Strike	
				DES	FIN	DES	FIN	DES	FIN			DES	FIN	DES	FIN
1	10	CS210-B60	P	SAT	626	ACC	605	CAM	605	134	RH	12-339	606	10-0109	605

- Line Item:** Line item number
- Qty:** Quantity
- Product:** Product function + Cylinder code
- Outside Des:** Outside lever design
- Outside Fin:** Outside finish
- Inside Des:** Inside lever design: Specify only if different from the outside lever design
- Inside Fin:** Inside lever finish: Specify only if different from the outside finish
- Hand:** Hand of door: Only one nad allowed per line item. Example: RH=right hand, LH=left hand, RR=right reverse, LR=left reverse
- Latch:** Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.
- Strike:** Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.
- Dr Thk:** Door thickness: Enter door thickness if non-standard. Example: 138=1 3/8"
- Ext:** Extension: Enter for 1 3/8" doors. Example: EE=extended equally, EI=extended inside, EO=extended outside, ED=extended differently
- Dim:** Dimension: Enter only for non-standard strike lip length
- Additional Details:** Enter additional detail for keying information or special requirements

Common Pricing Information	
1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	⌚ denotes a lock or part that requires an extended lead time.
5.	👉 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and O-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or O-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

Finished Trim Subassemblies/Components

Available Finishes - Specify for Listed Parts		605	609	619	625	626	643e
S206-501, S206-516, S206-515, S206-518, S206-517, F206-496, 08-023, F506-864, F206-493 06-242		▪	▪	▪	▪	▪	▪
Part Number	Description	Price Each					
S206-501	Assembly, cylinder, DB, OUTSIDE, CS200	\$48.10					
S206-516	Assembly, housing, cylinder, IC, THIN DOOR, CS200	188.00					
S206-515	Assembly, housing, cylinder, IC, CS200	178.00					
S206-518	Assembly, housing, cylinder, SFIC, THIN DOOR, CS200	120.00					
S206-517	Assembly, housing, cylinder, SFIC, CS200	104.00					
F206-496	Outside Chassis Assy, Interconnect	29.40					
08-023* **	Rose SAT PLY (Snap On Only)	10.30					
F506-864	Escutcheon CAM PLY	75.80					
F206-493	Plate, escutcheon assembly	38.20					
06-242**	Kit, levers	46.80					
*	Rose - Lever Pairs Saturn - Saturn, Neptune, Jupiter Plymouth - Accent, Avanti, Avila, Callington, Champagne, Elan, Flair, Jazz, Jupiter, Latitude, Manhattan, Merano, St. Annes						
**	The CS200 product line transitioned from crimp-on roses (not removeable) to snap on roses (removable) in APRIL 2015. The Rose - Lever combination needs to be considered for buying lever kits for crimp-on roses. Snap-on roses can be identified by two dimples at the base of the rose.						

Miscellaneous Subassemblies/Components

Part Number	Description	Price Each
S206-502	Interconnect assembly, mechanical	\$79.50
F206-494	Inside chassis assembly, interconnect	30.30
A501-945	Ring reinf rose, LUN-ORB-TUL	0.42

Screw/Screw Packs

Available Finishes - Specify for Listed Parts		605	609	619	625	626	643e
B202-578, S206-504		▪	▪	▪	▪	▪	▪
Part Number	Description	Contents		Price Each			
B202-578	Latch and strike	(4) C603-897		\$4.60			
S206-504	Chassis & trim	(2) B600-100 (2) B520-621 (2) F506-278		5.20			
B502-873*	Screw, reinf. strike	-		0.24			
*	Order in multiples of 100						

Cylinder Reference Table

Available Finishes - Specify for Listed Parts				606	626
22-093					
Part Number	Cylinder Mechanism	Function	Design	Price Each Open	Price Each Restricted
22-093	Conventional	Standard Functions	All	\$51.00	\$64.50

H Series

INTERCONNECT LOCK

INTERCONNECTED

CS200-Series



H-2

S200-Series

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	H110PD	ORB	626	PLY	613	-	19-071	10-250	238	EE	-	-

- Line Item:** Line item number
- Qty:** Quantity
- Product:** Product function + Cylinder code
- Outside Des:** Outside lever design
- Outside Fin:** Outside finish
- Inside Des:** Inside lever design: Specify only if different from the outside lever design
- Inside Fin:** Inside lever finish: Specify only if different from the outside finish
- Hand:** Hand of door: N/A for H lock
- Latch:** Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.
- Strike:** Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.
- Dr Thk:** Door thickness: Enter door thickness if non-standard. Example: 138=1 3/8", 214=2 1/4"
- Ext:** Extension: Enter for doors 2" or greater. Example: EE=extended equally, EI=extended inside, EO=extended outside, ED=extended differently
- Dim:** Dimension: Enter only for non-standard strike lip length
- Additional Details:** Enter additional detail for keying information or special requirements

Common Pricing Information	
1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	 denotes a lock or part that requires an extended lead time.
5.	 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and O-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or O-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

S200 Series

INTERCONNECT LOCK

INTERCONNECTED

CS200-Series



H-Series

S200-2

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	S251PD	NEP	626	FLA	613	RH	12-339	10-109	-	-	-	-

- Line Item:** Line item number
- Qty:** Quantity
- Product:** Product function + Cylinder code
- Outside Des:** Outside lever design
- Outside Fin:** Outside finish
- Inside Des:** Inside lever design: Specify only if different from the outside lever design
- Inside Fin:** Inside lever finish: Specify only if different from the outside finish
- Hand:** Hand of door: Only one nad allowed per line item. Example: RH=right hand, LH=left hand, RR=right reverse, LR=left reverse
- Latch:** Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.
- Strike:** Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.
- Dr Thk:** Door thickness: N/A for S200 line
- Ext:** Extension: N/A for S200 line
- Dim:** Dimension: Enter only for non-standard strike lip length
- Additional Details:** Enter additional detail for keying information or special requirements

Common Pricing Information	
1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	 denotes a lock or part that requires an extended lead time.
5.	 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$13.50. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

Deadbolts/Deadlatches				
Combo Part Number	Deadbolt	Deadlatch	Backset - Hsg Dia. - Description	Lock Adjustment
16-481	12-288	16-480	2 3/8" or 2 3/4" - 1" - Square corner, 1" x 2 1/4"	N/C
16-482	12-289	16-204	2 3/8" or 2 3/4" - 1" - Round corner, 1" x 2 1/4"	
16-483	12-291	16-228	2 3/8" or 2 3/4" - 1" - Square corner, 1 1/8" x 2 1/4"	
16-484	12-633	16-132	5" - 1" - Square corner, 1 1/8" x 2 1/4", deadbolt, and square corner, 1" x 2 1/4", deadlatch (Includes G506-815 housing sleeve for latch and bolt for 1 1/8" preparation)	+25.80

Deadbolt Strikes		
Part Number	Lip Length - Description	Lock Adjustment
10-094	N/A - Square corner, 1 1/8" x 2 3/4"	N/C
10-064	N/A - Circular drive-in, thimble strike, 1 3/16" diameter, 494 (626 only)	
10-092	1 1/8" - 1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4"	
10-095	1 1/8" - 1/4" Square corner, full lip, no box, 1 5/8" x 2 1/4"	

Deadlatch Strikes		
Part Number	Lip Length - Description	Lock Adjustment
10-001	1 1/8" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
10-026	1 1/8" - Square corner, full lip, no box, 1 5/8" x 2 1/4"	
10-027	1 1/8" - 1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4"	
10-058	1 7/32" - Circular, adjustable, 1 3/4" diameter (605 & 626 only)	

Strike Combinations			
Deadbolt Strike	Deadlatch Strike	Specify Combo Number	Lock Adjustment
10-094	10-001, 1 1/8" Lip	10-109	N/C
10-064	10-001, 1 1/8" Lip	10-251	
10-094	10-026	10-110	
10-064	10-026	10-253	
10-094	10-027	10-111	
10-064	10-027	10-256	
10-092	10-027	10-257	
10-064	10-058	10-258	
10-095	10-026	10-259	

Locks Less Components		
Description	Specify	Lock Adjustment
Less deadbolt	LLL for deadbolt strike Example: S251PD NEP 626 LLL/16-480 10-109	-16.50
Less deadlatch	LLL for deadlatch strike Example: S251PD NEP 626 12-288/LLL 10-109	-19.00
Less deadbolt strike	LLL for deadbolt strike Example: S251PD NEP 626 16-481 LLL/10-001	-1.90
Less deadlatch strike	LLL for deadlatch strike Example: S251PD NEP 626 16-481 10-094/LLL	-4.20

Shaded items are standard components and are furnished with locks unless otherwise specified.

INTERCONNECTED

CS200-Series

H-Series

S200-8

Levers and Related Parts										
Available Finishes - Specify for Listed Parts				605	606	609	613	619	625	626
08-020, 08-027, 08-030				▪	▪	∞	▪	▪	▪	▪
Part Number	Description	Price Each								
08-020*	Lever - keyed, JUP NEP SAT IFLA	\$62.70								
08-027*	Lever - FSIC, JUP NEP SAT	63.00								
08-030*	Lever - FSIC, driver, retainer (converts PD to JD), JUP NEP SAT	76.10								
S605-242	Full size core driver	7.70								
S605-241	Full size core retainer	3.50								
* Specify part number, style & finish. Ex: 08-020 SAT 626										

Escutcheons										
Available Finishes - Specify for Listed Parts				605	606	609	613	619	625	626
08-032, 36-056				▪	▪	∞	▪	▪	▪	▪
Part Number	Description	Price Each								
08-032	Inside escutcheon assembly SAT	\$92.80								
36-056	Outside trim, tie-in escutcheon MET	40.50								

Trim Combinations										
Available Finishes - Specify for Listed Parts				605	606	609	613	619	625	626
68-001, 68-003, 68-004, 08-034, 08-035				▪	▪	∞	▪	▪	▪	▪
Part Number	Description	Price Each								
68-001*	S210 - Outside Chassis, Rose and Lever JUP NEP SAT IFLA	\$88.50								
68-003*	S251, S270 - Outside Chassis and Rose SAT	68.80								
68-004*	S280 - Outside Chassis and Rose SAT									
08-034*	S210, S270, S280 - Inside Chassis and Lever JUP NEP SAT IFLA	94.10								
08-035*	S251 - Inside Chassis and Lever JUP NEP SAT IFLA	105.00								
* Specify part number, style & finish. Ex: 68-001 JUP 626										

Deadbolts										
Available Finishes - Specify for Listed Parts				605	606	609	613	619	625	626
12-288, 12-289, 12-091, 12-633				▪	▪	∞	▪	▪	▪	▪
39-030				▪				▪		
Part Number	Backset - Description	Price Each								
12-288	2 3/8" or 2 3/4" - Square corner, 1" x 2 1/4"	\$31.00								
12-289	2 3/8" or 2 3/4" - Round corner, 1" x 2 1/4"									
12-291	2 3/8" or 2 3/4" - Square corner, 1 1/8" x 2 1/4"	35.00								
12-633	5" - Square corner, 1 1/8" x 2 1/4"	73.50								
39-030	Rabbeted latch and strike kit - adapts square corner latches and 2 3/4" high square corner strikes to 1/2" rabbeted door and frame preparations.	46.50								

Portable Security - Stocked Parts and Accessories

Portable Security




FEATURES & SPECIFICATIONS

- Must be ordered in box quantity
- Replacement parts and accessories discounted at full lock discount

UPC 720018-	Part #	Description	Box Quantity	Carton Quantity	List Price Each
SERVICE REPAIR KIT - PADLOCK & CABLES - CONVENTIONAL KEY-IN-KNOB & SFIC					
997818	KZ390AL	Service Repair Kit — Includes 10 of each part below except KZ35AC1, KZ35AC2, KZ36EB0 - Qty 20; KZ37000 - Qty 1 and also includes pliers	1	6	\$386.00
PADLOCK PARTS - CONVENTIONAL KEY-IN-KNOB					
998204	KZ32CB1	Key Retaining Locking Cam, 10, 20, 40, 80, 90 Series	30	240	\$2.00
997788	KZ32DA0	Driver	30	240	2.00
PADLOCK PARTS - SFIC					
998259	KZ31CB1	Key Retaining Locking Cam, 10, 20, 40, 80, 90 Series	30	240	\$1.10
998303	KZ31DA0	Throw Member	30	240	2.30
ACCESSORIES					
997900*	KZ200AL	9" Nickel Plated Steel Retaining Chain	6	36	\$6.60

* Fits shackles diameters 1/4" - 3/8".

PS-10



FEATURES & SPECIFICATIONS

- Parts and Accessories discounted at full lock discount.
- Must be ordered in box quantity.

UPC 720018-	Part #	Shackle Dimension			Shackle Dimension (metric)			Box Quantity	Carton Quantity	List Price Each
		A	B	C	A	B	C			
HARDENED STEEL SHACKLES - FOR USE WITH 10 SERIES PADLOCKS										
997214	KZ11A10	1/4"	3/4"	3/4"	6.4mm	19mm	19mm	6	36	\$4.30
997184	KZ11D10	1/4"	1 1/2"	3/4"	6.4mm	38mm	19mm	6	36	5.30
997153	KZ11F10	1/4"	2"	3/4"	6.4mm	51mm	19mm	6	36	5.40
997122	KZ11G10	1/4"	4"	3/4"	6.4mm	102mm	19mm	6	36	7.50
HARDENED STEEL SHACKLES - FOR USE WITH 20 SERIES PADLOCKS										
997207	KZ11A20	5/16"	3/4"	3/4"	8mm	19mm	19mm	6	36	\$5.30
997177	KZ11D20	5/16"	1 1/2"	3/4"	8mm	38mm	19mm	6	36	6.50
997146	KZ11F20	5/16"	2"	3/4"	8mm	51mm	19mm	6	36	6.80
997115	KZ11G20	5/16"	4"	3/4"	8mm	102mm	19mm	6	36	9.50
HARDENED STEEL SHACKLES - FOR USE WITH 40 SERIES PADLOCKS										
997139	KZ11F40	3/8"	2"	3/4"	9.5mm	51mm	19mm	6	36	\$8.50
997108	KZ11G40	3/8"	4"	3/4"	9.5mm	102mm	19mm	6	36	11.70
BRASS SHACKLES - FOR USE WITH 10 SERIES PADLOCKS										
997061	KZ12D10	1/4"	1 1/2"	3/4"	6.4mm	38mm	19mm	6	36	\$5.30
997009	KZ12G10	1/4"	4"	3/4"	6.4mm	102mm	19mm	6	36	7.50
BRASS SHACKLES - FOR USE WITH 20 SERIES PADLOCKS										
997054	KZ12D20	5/16"	1 1/2"	3/4"	8mm	38mm	19mm	6	36	\$6.50
996996	KZ12G20	5/16"	4"	3/4"	8mm	102mm	19mm	6	36	9.50
BRASS SHACKLES - FOR USE WITH 40 SERIES PADLOCKS										
997047	KZ12D40	3/8"	1 1/2"	3/4"	9.5mm	38mm	19mm	6	36	\$8.20
997016	KZ12F40	3/8"	2"	3/4"	9.5mm	51mm	19mm	6	36	8.50
996989	KZ12G40	3/8"	4"	3/4"	9.5mm	102mm	19mm	6	36	11.70
STAINLESS STEEL SHACKLES - FOR USE WITH 10 SERIES PADLOCKS										
001270	KZ13D10	1/4"	1 1/2"	3/4"	6.4mm	38mm	19mm	6	36	\$5.30
001287	KZ13F10	1/4"	2"	3/4"	6.4mm	51mm	19mm	6	36	5.40
STAINLESS STEEL SHACKLES - FOR USE WITH 20 SERIES PADLOCKS										
001294	KZ13D20	5/16"	1 1/2"	3/4"	8mm	38mm	19mm	6	36	\$6.50
001300	KZ13F20	5/16"	2"	3/4"	8mm	51mm	19mm	6	36	6.80
STAINLESS STEEL SHACKLES - FOR USE WITH 40 SERIES PADLOCKS										
001317	KZ13D40	3/8"	1 1/2"	3/4"	9.5mm	38mm	19mm	6	36	\$8.20
001324	KZ13F40	3/8"	2"	3/4"	9.5mm	51mm	19mm	6	36	8.50

FEATURES & SPECIFICATIONS



- Must be ordered in box quantity
- Replacement parts and accessories discounted at full lock discount
- **While supplies last**

Portable Security

PS-12

UPC 720018-	Part #	Description	Box Quantity	Carton Quantity	List Price Each
PADLOCK PARTS - CONVENTIONAL KEY-IN-KNOB & SFIC					
997801	KZ35AA1	Shackle Spring, 10 Series	30	240	\$0.42
997795	KZ35AA2	Shackle Spring, 20, 80 Series	30	240	0.42
996972	KZ35AA3	Shackle Spring, 40, 90 Series	30	240	0.42
996958	KZ35AB1	Shackle Mounting Screw, 10, 20, 40 Series	30	240	1.10
997894	KZ35AC1	Locking Ball Bearing, 10, 20, 40, 80, 90 Series	30	240	0.94
PADLOCK PARTS - CONVENTIONAL KEY-IN-KNOB					
998167	KZ32BB0	Cylinder Housing Screw	30	240	\$0.92
998174	KZ32CA1	Locking Cam, 10, 20, 40, 80, 90 Series	30	240	2.00
998228	KZ32CC0	Key Stop	30	240	0.42
PADLOCK & CABLE PARTS - CONVENTIONAL KEY-IN-KNOB					
998143	KZ38BA1*	Cylinder Housing, 20, 40, 70, 80, 90, KC Series	20	160	\$7.00
PADLOCK PARTS - SFIC					
998235	KZ31CA1	Locking Cam, 10, 20, 40, 80, 90 Series	30	240	\$2.00
998273	KZ31CC1	Steel Retainer Plate, 10, 20, 40, 80, 90 Series	30	240	1.10
998297	KZ31CD0	Steel Retainer Plate Screw	30	240	1.40
998433	KZ37000	Installation Tool	6	36	3.00
CABLE PARTS					
998365	KZ34DA0	Driver, Key-In-Knob	30	240	2.10
997665	KZ34ED0	Cylinder Cap Pin, Key-In-Knob	30	240	0.64

*Cable series can use either Cylinder Housing part KZ38BA1 or KZ38BA2.

Small Format Interchangeable Core (cont'd)					
Cam	Description	Cylinder Mechanism		Complete Cylinder	Price Each
					Open
Adams Rite MS, 4500 and 4700-Series					
K510-711  Dim. X = .187 Y = .562	Cylinder With 7/16" Blocking Ring	Everest & Everest 29 Combined Core		80-303	\$132.00
		Construction Core	Disposable	80-111	64.00
			Keyed	80-133	98.00
		Housing less Core		80-103	64.00
Adams Rite 4070 Series					
B520-378  Dim. X = .323 Y = .627	Cylinder With Compression Ring, Spring & 1/4" Blocking Ring	Everest & Everest 29 Combined Core		80-305	\$132.00
		Construction Core	Disposable	80-113	64.00
			Keyed	80-135	98.00
		Housing less Core		80-105	64.00
Notes:		Housing finishes: 605, 606, 609, 612, 613, 619, 625 and 626.			
		All SFIC cylinders with Adams Rite MS or 4070 cams are furnished with set screw pack B220-050.			
		Cylinder and Blocking Ring combinations are based on 1-3/4" door thickness.			

Interchangeable Core Cams		
Part Number	Description	Price Each
B520-378	Adams Rite 4070	\$10.30
K510-680	L9060 Outside	2.80
K510-711	Adams Rite MS	2.80
K510-730	Straight cam	2.80
L583-255	L-Series (except L9060 outside)	2.80

Other SFIC Mortise Cylinder Parts		
Part Number	Description	Price Each
B520-484	Cam screw (order in multiples of 100)	\$0.32
B520-483	Throw member (driver)	5.00
B220-050	Adams Rite set screw pack	2.20

For pins, springs, etc.,
see **CYL-50**.

CYLINDERS / KEYS / AUXILIARY
CYL-38
Keys
CL-Series

Allegion Compatible Cams					
Description	Cams for Schlage Cylinders				
	Modular Cylinder 1 1/8", 1 3/8", 1 5/8	Modular Cylinder 1 1/4", 1 1/2", 1 3/4	Interchangeable Core SFIC and FSIC	Classic Conventional Not available with cylinder	Everest and Primus non-IC Not available with cylinder
Schlage L-Series, Except L9060 O/S	L583-474	L583-475	L583-255	L583-254	L581-153
Schlage L9060 O/S	L583-476	L583-477	K510-680	B502-191	B502-948
Schlage K-Series (Discontinued)	L583-476	L583-477	K510-730	B502-191	B502-948
Falcon M-Series Non-deadbolt functions (Discontinued)	L593-476	L583-477	K510-730	B502-191	B502-948
Falcon M-Series Deadbolt functions (Discontinued)	B520-738	B520-739	XB12-046	A09894-001-00*	B502-907
Falcon MA-Series except MA381 function	L583-638	L583-639	B520-698	N/A	N/A
Von Duprin mortise exit device	L583-476	L583-477	K510-730	B502-191	B502-948
Von Duprin mortise exit device with dogging	B520-740	B520-741	K510-730 PER XQ11-948	B502-191	B502-948
Glynn-Johnson HL-6, except 9060 O/S	L583-474	L583-475	L583-255	L583-254	L581-153
Glynn-Johnson HL-6 9060 O/S	L583-476	L583-477	K510-680	B502-191	B502-948
Schlage CM5500, CM5600, PRO5500, VIP5500, 650 Keyswitch	L583-476	L583-477	K510-680	B502-191	B502-948
Falcon 718C Trim (Manufactured after 2/28/2011)	B520-730	B520-731	B520-295	B520-254	B520-366
Falcon 24/25 exit device with trims (except 718C and 718NL)	N/A	N/A	N/A	A09897-024-00*	A09897-024-00*
Falcon 24/25 exit device with trims (only 718C and 718NL) Falcon #24 cam	N/A	N/A	N/A	A09894-021-00*	A09894-021-00*

* Falcon cam available through the Falcon price book.

Cam	Price	Cam	Price	Cam	Price
B502-191	\$2.80	K510-680	\$2.80	L583-474	\$2.50
B502-907	2.80	K510-730	2.80	L583-475	
B502-948	2.80	L581-153	2.80	L583-476	
B520-254	9.90	L583-254	2.80	L583-477	
B520-698	10.10	L583-255	2.80	L583-638	9.90
B520-738	9.90			L583-639	
B520-739	9.90			XB12-046	
B520-740	2.80				
B520-741	2.80				
B520-295	9.90				

Falcon Retrofit Cylinder Reference Table								
Side View	Lock Series	Cylinder Mechanism	Complete Cylinder	Price Each	Keyway Type	Plug	Shell	Tailpiece/ Cam
	B611, T381 IS & W, all except 561	Conventional	21-020	\$51.00	Classic	33-137	A508-652	A700-031
					Everest & Everest 29	33-138		
		Primus Primus XP	20-728 20-728-XP	113.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		
	T, all except 381 IS & 571	Conventional	24-031	51.00	Classic	33-137	A508-652	030730-001*
					Everest & Everest 29	33-138		
		Primus Primus XP	24-761 24-761-XP	113.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		
	T571	Conventional	24-032	51.00	Classic	33-137	A508-652	030730-002*
					Everest & Everest 29	33-138		
		Primus Primus XP	24-762 24-762-XP	113.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		
	W561, knobs	Conventional	24-033	51.00	Classic	33-137	A508-652	Q330-252*
					Everest & Everest 29	33-138		
		Primus Primus XP	24-763 24-763-XP	113.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		
	W561, levers	Conventional	24-034	51.00	Classic	33-137	A508-652	Q330-165*
					Everest & Everest 29	33-138		
		Primus Primus XP	24-764 24-764-XP	113.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		
	MA, DB functions	Conventional	24-035	68.00	Classic	33-137	A508-652	See Cam chart on page CYL-38 for proper cam
					Everest & Everest 29	33-138		
		Primus Primus XP	24-765 24-765-XP	130.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		
	MA, Non DB functions	Conventional	20-001	68.00	Classic	33-137	A508-652	
					Everest & Everest 29	33-138		
		Primus Primus XP	20-700 20-700-XP	130.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		
	B, all except 611	Conventional	23-013	51.00	Classic	33-137	A508-652	C604-243
					Everest & Everest 29	33-138		
		Primus Primus XP	20-750 20-750-XP	113.00	Classic	33-136	A508-655	
					Everest & Everest 29	33-119		
					Classic	33-154		
					Everest & Everest 29	33-221		

* These part numbers represent Falcon part numbers and are available to order through Falcon.

CYLINDERS / KEYS / AUXILIARY



CYL-44

Keys

CL-Series

Corbin Russwin® Retrofit Cylinder Reference Table									
Side View	Lock Series	Cylinder Mechanism	Price Each		Complete Cylinder	Keyway Type	Plug (See CYL-53)	Shell (See CYL-55)	Tailpiece
			Open	Restricted					
	CL3300	Conventional	\$51.00	\$64.50	24-022	Classic	33-137	A508-653	N523-022
						Everest & Everest 29	33-138		
		Primus Primus XP	113.00		20-762	Classic	33-136	A508-655	
						Everest & Everest 29	33-119		
		Primus UL437 Primus XP UL437	139.00		20-562	Classic	33-154		
						Everest & Everest 29	33-221		
	CL3400 CL3600	Conventional	\$51.00	\$64.50	24-139	Classic	33-137	A508-653	A301-338
						Everest & Everest 29	33-138		
		Primus Primus XP	113.00		20-739	Classic	33-136	A508-655	
						Everest & Everest 29	33-119		
		Primus UL437 Primus XP UL437	139.00		20-539	Classic	33-154		
						Everest & Everest 29	33-221		
	CK4200 UT5200 (since 1963)	Conventional	\$51.00	\$64.50	24-127	Classic	33-060	A201-690	None
						Everest & Everest 29	33-232	A100-052	
		Primus Primus XP	113.00		20-727	Classic	33-081	A201-690	
						Everest & Everest 29	33-222		
		Primus UL437 Primus XP UL437	139.00		20-527	Classic	33-080		
						Everest & Everest 29	33-223		

Sargent® Retrofit Cylinder Reference Table									
Side View	Lock Series	Cylinder Mechanism	Price Each		Complete Cylinder	Keyway Type	Plug (See CYL-53)	Shell (See CYL-55)	Tailpiece
			Open	Restricted					
	7L, 8L, 10 Line Levers	Conventional	\$51.00	\$64.50	24-119	Classic	33-007	A201-849	C604-243
						Everest & Everest 29	33-231	A100-050	C604-243
		Primus Primus XP	113.00		20-719	Classic	33-163	A201-683	C604-243
						Everest & Everest 29	33-224		
		Primus UL437 Primus XP UL437	139.00		20-519	Classic	33-162		
						Everest & Everest 29	33-225		
	7, 8, 9 Line Knobs	Conventional	\$51.00	\$64.50	24-120	Classic	33-007	A100-045	C303-437 Assembly with cap
						Everest & Everest 29	33-231	A100-049	
		Primus Primus XP	113.00		20-720	Classic	33-163	A100-047	
						Everest & Everest 29	33-224		
		Primus UL437 Primus XP UL437	139.00		20-520	Classic	33-162		
						Everest & Everest 29	33-225		
	6 Line Except 8 Knob	Conventional	\$51.00	\$64.50	24-126	Classic	33-007	A100-046	C604-243
						Everest & Everest 29	33-231	A100-050	C604-243
		Primus Primus XP	113.00		20-726	Classic	33-163	A100-048	C604-243
						Everest & Everest 29	33-224		
		Primus UL437 Primus XP UL437	139.00		20-526	Classic	33-162		
						Everest & Everest 29	33-225		

Yale® Retrofit Cylinder Reference Table									
Side View	Lock Series	Cylinder Mechanism	Complete Cylinder	Price Each		Keyway Type	Plug (See CYL-53)	Shell (See CYL-55)	Tailpiece
				Open	Restricted				
	5300LN 5400LN Levers	Conventional	24-147	\$51.00	\$64.50	Classic	33-007	A201-849	A301-043
						Everest & Everest 29	33-231	A100-050	
		Primus Primus XP	20-747 20-747-XP	113.00		Classic	33-163	A201-683	
						Everest & Everest 29	33-224		
		Primus UL437 Primus XP UL437	20-547 20-547-XP	139.00		Classic	33-162		
						Everest & Everest 29	33-225		
	5300, 5400, 6200 Series Knobs	Conventional	24-123	\$51.00	\$64.50	Classic	33-007	A201-849	B520-409
						Everest & Everest 29	33-231	A100-050	
		Primus Primus XP	20-723 20-723-XP	113.00		Classic	33-163	A201-683	
						Everest & Everest 29	33-224		
		Primus UL437 Primus XP UL437	20-523 20-523-XP	139.00		Classic	33-162		
						Everest & Everest 29	33-225		

Tailpieces and Actuators		
Part Number	Locksets	Price Each
A301-043	Yale Levers	\$4.00
A301-338	Corbin Russwin CL3400/CL3600	1.40
B520-409	Yale Knobs	25.20
C303-437	Sargent 7, 8, 9 (Assembly with cap)	11.10
C604-243	Sargent 6, 7L, 8L, 10 Line	1.40


Miscellaneous		
Part Number	Description	Price Each
A501-783	Blocking disc, Yale levers	\$4.20
B520-408	Sleeve, Yale cylinders	5.00
B520-407	Washer, Sargent	5.30
C607-062	Spacer, Corbin Russwin CL3300	3.00

For pins, springs, etc.,
see **CYL-51**.

Shells, Key-in-Knob/Lever, Deadlock and Mail Box		
Part Number	Description	Price Each
A100-049	Sargent 8 Line Everest & Everest 29 Conventional	\$29.30
A100-050	Sargent 6 Line Everest & Everest 29 Conventional	
A100-051	Mail box 20-033, 20-066, 20-067, 20-069 Everest & Everest 29 Conventional	
C203-726	Corbin Russwin CK4200, UT5200 Everest & Everest 29 Conventional	
A508-655	6-Pin, Body & Cover, Primus / Primus XP	52.10
A201-690	Corbin Russwin CK4200, UT5200 Primus / Primus XP	50.90
A201-691	Corbin Russwin CK4200, UT5200 Classic Conventional	25.40
A508-653	6 Pin, Body & Cover, Classic/Classic, Everest, Everest 29	
A201-848	5-Pin Classic (except F-Series Knobs & Levers)	
A100-045	Sargent 8 Line Classic Conventional	
A100-046	Sargent vertical Conventional	52.10
A100-047	Sargent 8 Line Primus® / Primus XP	
A100-048	Sargent vertical Primus / Primus XP	
C203-726	Mail box 20-033, 20-066, 20-067, 20-069 Classic Conventional	

Shells, Interchangeable Core			
Part Number	Specify Finish	Description	Price Each
B220-006	·	Everest & Everest 29 Conventional	\$29.30
B220-117	·	Everest & Everest 29 hotel function, Schlage logo	
B220-280	·	Primus / Primus XP	59.80
B220-282	·	6-Pin Classic Conventional (except hotel function)	29.30
B220-284	·	Classic hotel function, Schlage logo	
Note:		Finishes: 606 and 626 only.	

Modular cylinders Mortise and Rim cylinders components & Service Kits		
Part Number	Description	Price Each
09-992	Service kit- Back Housing for 1 1/8" length Back Housing B520-721 Mortise 1 1/8", 2 Housing screws B520-693, cam screw B520-690 Order front housing and cam separately	\$7.20
09-993	Service kit-Back Housing for 1 1/4" length B520-722 Mortise 1 1/4", 2 Housing screws B520-693, cam screw B520-690 Order front housing and cam separately	8.30
09-994	Service kit -back housing for 1 3/8" length B520-723 Back Housing Mortise 1 3/8", plug extension B590-298, cam screw B520-691, 2 housing screws B520-693. Order front housing and cam separately	13.10
09-995	Service kit- back housing for 1 1/2" length Back Housing, B520-724 Mortise 1 1/2", 2 Housing screws B520-693, plug extension B590-298, cam screw B520-691. Order front housing and cam separately	34.30
09-996	Service kit- back housing for 1 5/8" length Back Housing, B520-725 Mortise 1 5/8", 2 Housing screws B520-693, plug extension B590-299, cam screw B520-692. Order front housing and cam separately	34.30
09-997	Service kit-back housing for 1 3/4" length Back Housing, B520-726 Mortise 1 3/4", 2 Housing screws B520-693, plug extension B590-299, cam screw B520-692. Order front housing and cam separately	34.30
09-998	Service kit-back housing Rim Cyl Back Housing Rim B520-727, housing screws B520-693, Tail piece B502-899, Driver B502-310, back plate & screws B202-328. Order front housing and cam separately	17.10
Note:		Finishes: 605, 606, 609, 612, 613, 625 and 626.








Standard markings unless otherwise specified. See **Keys-18** for additional key stamping information.

Full Size Everest 29™ Conventional Key Blanks





Description	Part Number	S Family Open Sections	T Family Restricted Sections
Standard embossed key	35-270	Order in multiples of 50	
DO NOT DUPLICATE embossed key	35-268	\$2.80	—
DO NOT DUPLICATE unembossed key	35-272		\$5.80
Control key, DND embossed	35-269	4.60	5.80
Control key, DND, hotel function	35-267		
Emergency key blank, DND	35-271	4.80	5.80

Full Size Everest 29 Conventional Cut Keys

Description	Part Number	S Family Open Sections	T Family Restricted Sections
Standard key	48-270	\$7.30	—
DO NOT DUPLICATE key	48-268		\$13.50
DO NOT DUPLICATE key, unembossed	48-272		
Set-up key	48-034	13.50	—
Master key	49-270		13.50
Master key, DO NOT DUPLICATE	49-268		
Master key, DO NOT DUPLICATE, unembossed	49-272		
Control key DND std., non-factory system	48-269		
Control key DND std., factory system	49-269		
Control key DND, hotel function, non-factory	48-267		
Control key DND, hotel function, factory system	49-267		
Emergency key DND, non-factory system	48-271		
Emergency key DND, factory system	49-271		

Classic 35-104 Key Blank 48-104 Cut Key 	Everest® 35-008 Key Blank 48-008 Cut Key 	Standard 35-110 Classic Blank 48-113 Classic Cut 35-000 Everest Blank 48-000 Everest Cut 	Hotel Cylindrical 35-111 Classic Blank 48-114 Classic Cut 35-001 Everest Blank 48-001 Everest Cut 
35-057 			

Split Key Construction Keys				
Description	Part Number			Price Each
	Classic	Everest	Everest 29	
Key Blanks				
Construction key, standard bow, embossed	35-104	35-008	35-097	\$5.30
Construction insert	35-110	35-000	35-096	7.40
Construction insert, A85, AL85, D85, ND85, or HI85 function	35-111	35-001	35-039	
Extractor tool	35-057			18.00
Cut Keys				
Construction key, standard bow, embossed	48-104	48-008	48-097	5.30
Construction insert	48-113	48-000	48-096	7.40
Construction insert, A85, AL85, D85, ND85, or HI85 function	48-114	48-001	48-039	
Notes:	Split key construction keys are NOT available for interchangeable core cylinders. Split key construction keys are ONLY available in L, Y, 0000 and ZZZZ Classic sections, C000 and D000 Everest sections and S000 and T000 Everest 29 sections.			

35-250 	35-251 	L583-233-458 	M504-271 
--	--	---	--


Special Keys		
Part Number	Description	Price Each
35-250	Emergency key, A40, AL40, or D40 function	\$4.20
35-251	Spanner key, A85, AL85, D85, ND85, or HI85 function	
L583-233-458	Emergency turn, L9040 function <i>(note: for L9040 with outside indicator, a small flathead screwdriver is used instead of an emergency turn)</i>	15.30
M504-271	Emergency key, F40 or S40 function	1.40
61-509	Emergency release key standard size, for occupancy deadbolts (Includes one key, ring, and instruction tag.)	8.70
61-510	Emergency release key large, for occupancy deadbolts (Includes one key, ring, and instruction tag.)	16.80

Installation Tools		
Part Number	Description	Price Each
40-017	AL and D-Series Lever castle nut wrench	\$10.60
40-026	Bushing, 1 1/2", for 40-012 jig	40.10
40-029	Strike marking chisel - full lip strikes	64.20
40-030	Strike marking chisel - 1 1/8" x 2 3/4"	71.00
40-031	Latch marking chisel - 1" x 2 1/4"	61.30
40-032	Latch marking chisel - 1 1/8" x 2 1/4"	61.30
40-049	Tool box, for 40-006 kit	226.00
40-050	Tool box, for 40-055 kit	200.00
40-112	Circular strike bit for machine equipment	699.00
40-149	Universal Clamp	192.00
40-152	Backset Adapter for 1-3/8" doors and/or 2-3/8" Backset	188.00
40-153	Backset Adapter for 5" Backset	131.00
40-154	AL and ND-Series Template	189.00
40-155	L-Series Template (front side)	278.00
40-157	L-Series Template (reverse side)	278.00
40-158	L-Series mortise pocket filler (edge)	139.00
40-159	H-Series Template	239.00
40-035	Strike locator - 7/8"	44.00
40-015	7/8" Boring bit	165.00
40-179	Strike locator - 1"	44.00
40-175	1" Boring bit	85.20
40-176	2-1/8" Multi-spur bit	214.00
40-177	1-1/2" Multi-spur bit	186.00
40-178	Quick change bit adapter	147.00
24002693	ND & L Lever removal tool	18.70
24341471	ND & L Lever removal tool - 20 pack	343.00
M204-198	Boring jig - ND and AL series locks	13.50
M504-271	Tool to remove AL and D-Series levers	1.50
M504-306	Circular faceplate wrench	2.10
021415	Spanner wrench, D-Series Knobs and L-Series	3.40
M504-347	Socket screw key, for 40-012 jig	2.00
M504-413	Installation tool, interchangeable core	14.30
N523-108	Tool to remove AL and D-Series levers	1.30




021415


M504-413




M504-271



N523-108



M204-198



Torx® Tools		
Part Number	Description	Price Each
M504-424	Tool T-8	\$34.60
M504-425	Tool T-15	33.40
M504-426	Tool T-20	
M504-427	Tool T-30	
M504-428	Tool T-10	