

## Marketing Bulletin

---

<b>Brand/product</b>	Schlage Electronic Access Control
<b>Date</b>	August 29, 2016
<b>Subject</b>	October 2016 updates to Schlage® Electronic Security price book

---


In addition to updated pricing in the Electronic Security price book the following changes were made:

All: A standard price increase has been instituted for most products with some exemptions noted here:

- Page 20 9100 aptiQmobile credential is only modestly increased
  - Pages 21-22 XceedID and Schlage proximity credentials did not increase
  - Page 39 NDE-80 has a slightly greater increase @ 5% than other products
  - Page 238 F Series biometric readers EM-801-F3 and EM-803-F3 did not increase
  - Page 239 F Series outdoor option INT-HTR and power options did not increase
  - Page 240 Biometric extended warranty, training courses and support services did not increase
  - Page 241 Biometric power option parts BB-200 and S-BB-BAT did not increase
  - Page 242 Biometric F Series eeprom and platens parts did not increase
  - Page 243 Biometric F Series mounting kit parts did not increase
- 
- Page 19 New item 9691T Proximity and aptiQ Smart fob combo has been added
  - Page 40 New Everest SL keyway has been added as an orderable option for NDE
  - Pages 41-44 Several new part options have been added to the NDE parts pages relating to levers and spring cages
  - Page 86 Pricing for COM300L and COM300 P has been corrected to match previous corrections made elsewhere in the book
  - Pages 105, 111, 117, 143, 149, 155, and 163 XQ07-351-134 and XQ03-494-134 strike plate option have a special notation added to recommend they be ordered separately. When ordered as part of the lock, these strikes will void normal discounts terms for the entire lock.
  - Page 238 F Series communication options EN-200 has been updated to EN-201
  - Page 242 S-KY-TX-ENCL enclosure key part has been added

# Electronic security price book 4

Effective October 3, 2016 • Rev. 10/16  
aptiQ, Schlage and XceedID



**This price list supersedes and cancels all previous price lists. Prices shown are subject to change without notice.**

**Administrative Offices**

Allegion Administrative Office  
11819 N. Pennsylvania St. • Carmel, IN 46032  
allegion.com/us

**Placing orders**

You can place orders with Allegion via the fax numbers or emails listed below:

**Electronic Products**

*(Schlage Credentials, Readers, Keypads, Electronic Locks, Electromagnetic Locks, Power Supplies and System Accessories)*  
Fax#: 1-800-452-0665  
Email: Order\_Entry\_Schlage\_Commercial@allegion.com

**Von Duprin Electronic Products**

*(Power Supplies, Electric Strikes, Delayed Exit System and Electrical Power Transfer)*  
Fax#: 1-800-999-0328  
Email: Order\_VonDuprin@allegion.com

**Biometric Readers**

Fax#: 1-800-452-0665  
Email: Sbsom@allegion.com

**aptiQ™ and XceedID Readers & Credentials**

Fax#: 1-866-954-1779  
Email: Readers.Credentials.Orders@allegion.com

**Customer Care**

Our Customer Care Representatives are available for questions or assistance. You can reach them at **877-671-7011** (Press 1 for Sales Support | Press 2 for Product Support | Press 3 for SSC) or through the email addresses listed below:

**Sales Support**

<p><b>Carolinas</b> <i>(North Carolina, South Carolina, Virginia)</i> Carolinas_Sales_Support@allegion.com</p> <p><b>Central</b> <i>(Arkansas, Illinois, Iowa, Kansas, Missouri, Nebraska, Oklahoma)</i> Central_Sales_Support@allegion.com</p> <p><b>Chicago</b> <i>(Illinois-Northern, Wisconsin)</i> Chicago_Sales_Support@allegion.com</p> <p><b>Florida</b> Florida_Sales_Support@allegion.com</p> <p><b>Great Lakes</b> <i>(New York, Pennsylvania)</i> Great_Lakes_Sales_Support@allegion.com</p> <p><b>Metro New York</b> Metro_New_York_Sales_Support@allegion.com</p>	<p><b>Michigan</b> Michigan_Sales_Support@allegion.com</p> <p><b>Mid Atlantic</b> <i>(Delaware, Maryland, New Jersey)</i> Mid_Atlantic_Sales_Support@allegion.com</p> <p><b>Midwest</b> <i>(Indiana, Kentucky, Ohio, West Virginia)</i> Midwest_Sales_Support@allegion.com</p> <p><b>Mountain States</b> <i>(Colorado, Idaho, Montana, Nevada, Utah, Wyoming)</i> Mountain_States_Sales_Support@allegion.com</p> <p><b>New England</b> <i>(Connecticut, Main, Massachusetts, New Hampshire, Rhode Island, Vermont)</i> New_England_Sales_Support@allegion.com</p> <p><b>North Central</b> <i>(Minnesota, North Dakota, South Dakota)</i> North_Central_Sales_Support@allegion.com</p>	<p><b>Northern California</b> Northern_California_Sales_Support@allegion.com</p> <p><b>Northwest</b> <i>(Alaska, Oregon, Washington)</i> Northwest_Sales_Support@allegion.com</p> <p><b>South</b> <i>(Alabama, Georgia, Louisiana, Mississippi, Tennessee)</i> South_Sales_Support@allegion.com</p> <p><b>Southern California</b> <i>(California-Southern, Hawaii)</i> Southern_California_Sales_Support@allegion.com</p> <p><b>Southwest</b> <i>(Arizona, New Mexico)</i> Southwest_Sales_Support@allegion.com</p> <p><b>Texas</b> Texas_Sales_Support@allegion.com</p> <p><b>Readers and Credentials</b> Readers.Credentials.Sales.Support@allegion.com</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Technical Product Support**

**Schlage Electronic Locks & System Components** (Electromagnetic Locks, Power Supplies and System Accessories)  
Electronic\_Lock\_TechProdSupport@allegion.com

**Readers, Credentials & Biometrics**  
Readers\_Credentials\_Biometrics\_TechProdSupport@allegion.com

**Von Duprin Electronics** (Power Supplies, Electric Strikes, Delayed Exit System, Electrical Power Transfer)  
Phone#: 1-866-422-5547  
Exits\_TechProdSupport@allegion.com

**Request for Quote**

<p><b>Carolinas</b> <i>(North Carolina, South Carolina, Virginia)</i> Carolinas.Quotes@allegion.com</p> <p><b>Central</b> <i>(Arkansas, Illinois, Iowa, Kansas, Missouri, Nebraska, Oklahoma)</i> Central.Quotes@allegion.com</p> <p><b>Chicago</b> <i>(Illinois-Northern, Wisconsin)</i> Chicago.Quotes@allegion.com</p> <p><b>Florida</b> Florida.Quotes@allegion.com</p> <p><b>Great Lakes</b> <i>(New York, Pennsylvania)</i> GreatLakes.Quotes@allegion.com</p> <p><b>Metro New York</b> Metro.Quotes@allegion.com</p>	<p><b>Michigan</b> Michigan.Quotes@allegion.com</p> <p><b>Mid Atlantic</b> <i>(Delaware, Maryland, New Jersey)</i> MidAtlantic.Quotes@allegion.com</p> <p><b>Midwest</b> <i>(Indiana, Kentucky, Ohio, West Virginia)</i> Midwest.Quotes@allegion.com</p> <p><b>Mountain States</b> <i>(Colorado, Idaho, Montana, Nevada, Utah, Wyoming)</i> Mtn.States.Quotes@allegion.com</p> <p><b>New England</b> <i>(Connecticut, Main, Massachusetts, New Hampshire, Rhode Island, Vermont)</i> NewEngland.Quotes@allegion.com</p> <p><b>North Central</b> <i>(Minnesota, North Dakota, South Dakota)</i> NorthCentral.Quotes@allegion.com</p>	<p><b>Northern California</b> NoCal.Quotes@allegion.com</p> <p><b>Northwest</b> <i>(Alaska, Oregon, Washington)</i> Northwest.Quotes@allegion.com</p> <p><b>South</b> <i>(Alabama, Georgia, Louisiana, Mississippi, Tennessee)</i> South.Quotes@allegion.com</p> <p><b>Southern California</b> <i>(California-Southern, Hawaii)</i> SoCal.Quotes@allegion.com</p> <p><b>Southwest</b> <i>(Arizona, New Mexico)</i> Southwest.Quotes@allegion.com</p> <p><b>Texas</b> Texas.Quotes@allegion.com</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Contact Information	2	<b>PARTS</b>	<b>175</b>
Table of Contents	3	AD-Series Parts	175
		CO-Series Parts	189
<b>TERMS AND CONDITIONS</b>	<b>4-7</b>	<b>ELECTROMAGNETIC LOCKS</b>	<b>203</b>
<b>LIMITED LIFETIME WARRANTY</b>	<b>8</b>	M490 Max Security	204
Electromagnetic Locks	8	M450 High Security	205
Networked Readers & Credentials	9	M420 Traffic Control Series	206
Schlage Electric Strikes, System Accessories & Power Supplies	10	M490DE Delayed Egress Series	207
Schlage Electronic Locks	11	40 Full Featured Series	208
		70 Full Featured Series	209
<b>SOLUTIONS OVERVIEW</b>	<b>13-14</b>	M390RFK Retrofit Lock	210
		Filler Plates and Angle Brackets	211
<b>CREDENTIALS</b>	<b>15</b>	M490G Gate Lock	212
SmartCard Credentials	18	320M Mini Mortise Mount	212
Proximity Credentials	21	GF3000 Shear Lock Mortise Series	213
Magnetic Stripe Credentials	22	GF3000 Shear Lock Surface Series	214
		Electromagnetic Lock Parts	215
<b>NETWORKED READERS</b>	<b>25</b>	<b>POWER SUPPLIES</b>	<b>217</b>
aptiQ™ Multi-Technology Readers	28	PS902 Power Supplies + Option Boards	218
aptiQ™ Contactless Smart Card Readers	28	PS904 Power Supplies + Option Boards	219
XceedID Proximity Readers	28	PS906 Power Supplies + Option Boards	220
aptiQ™ Magnetic Stripe Readers	28		
Magnetic Stripe Readers	31	<b>SYSTEM ACCESSORIES</b>	<b>221</b>
iButton Readers	31	8200 Series Consoles	222
Scramble Keypads from Schlage	32	800 Series Remote and Local Monitoring Stations	222
Electronic Keypads	32	672 Touchbar	223
Offline Keypads		692 SmartBar	224
		600 Series Heavy Duty Pushbuttons	225
<b>ENGAGE™ TECHNOLOGY</b>	<b>33</b>	700 Series Entry Level Pushbutton	226
How To Order	35	650 Series Heavy Duty Keyswitches	227
NDE Lever Complete Locks	37	Door Position Switches	228
NDE Lever Options	39	Door Cords	228
NDE Lever Parts	41	Electric Horns	229
		Scanners/PIRs	229
<b>AD-SERIES NETWORKED</b>	<b>45</b>	740 Series Emergency Break Glass	229
How To Order	46	660 Series Surface Mini Box	229
AD-300 Networked Hardwired	60	442S Series Cabinet Lock	230
AD-301 Networked Hardwired (FIPS 201-1 Compliant)	66	PB405/PB405S Power Bolts	230
AD-400 Networked Wireless	72		
AD-401 Networked Wireless (FIPS 201-1 Compliant)	78	<b>VON DUPRIN ACCESS CONTROL PRODUCTS</b>	<b>231</b>
AD-Series 993 Dummy Trim	84	4200/6400 Series Electric Strikes	232
AD-Series Networked Accessories	86	5100/6000 Series Electric Strikes	233
		PS914 Power Supply	233
<b>AD-SERIES STANDALONE</b>	<b>91</b>	Delayed Exit System	234
How To Order	92	Electrical Power Transfer	234
AD-201/AD-301/AD-401 Overview	93		
AD-200 Standalone; Rights on Locks	104	<b>BIOMETRICS</b>	<b>235</b>
AD-201 Standalone (FIPS 201-1 Compliant)	110	General Ordering Information	237
AD-250 Standalone; Rights on Card	116	Biometric Readers	238
AD-Series 993 Dummy Trim	122	Biometric Options	238
CT5000 Offline Controller	124	Biometric Accessories	240
AD-Series Standalone Accessories	126	Biometric Spare Parts	241
<b>CO-SERIES STANDALONE</b>	<b>129</b>	<b>MISCELLANEOUS</b>	<b>245</b>
How To Order	130	Agency Listing	246
Overview	131	Door & Frame Handing Chart	248
CO-100 Standalone; Manually Programmable	142	System Design Guide	251
CO-200 Standalone; Computer or Manually Programmable with user Rights on Locks	148	Key Systems Summary	253
CO-220 Standalone Classroom Lockdown Solution	154	Wiring Diagrams	267
CO-220 Classroom Lockdown Solution - Exit Trim	158	BAA Order Transmittal Cover Letter	271
CO-993DT – Non-Functioning Dummy Trim for Exit	160		
CO-250 Standalone; Computer Programmable with user Rights on Magnetic Stripe Card	162		
CO-993DT Non-functioning Dummy Trim for Exit	168		
CO-Series Accessories	170		
CT5000 Offline Controller	172		

# Terms & Conditions

## Allegion General Terms and Conditions of Sale and Service

**1. GENERAL/ACCEPTANCE.** (a) This Agreement contains the only terms and conditions by which Company will quote and sell Deliverables to Customer; (b) The terms "purchase order" or "order" for the purposes of this Agreement include the term "request for quotation," as appropriate; (c) This Agreement supersedes all pre-printed or boilerplate terms and conditions set forth in any purchase order issued by Customer; (d) No reference herein to Customer's purchase order will in any way incorporate different or additional terms and conditions, all of which Company hereby expressly objects to; (e) **ANY ACCEPTANCE BY COMPANY OF CUSTOMER'S PURCHASE ORDER IS EXPRESSLY CONDITIONED ON THE CUSTOMER'S ASSENT TO AND ACCEPTANCE OF THE TERMS AND CONDITIONS CONTAINED IN THIS AGREEMENT;** (f) Company reserves the right to decline any order, in whole or in part, for any reason.

### 2. ORDERS.

a. **Order Processing.** When Customer wishes to place an order for Deliverables, it will deliver to Company a purchase order. All such purchase orders must (i) be in a written format acceptable to Company, (ii) be legible, (iii) include a purchase order number, (iv) include Customer's account number, invoice address, ship to address, shipping method, shipper's letter of instruction for international shipments, part number, pricing, and designated contact information, (v) include, if applicable, any special configuration ID numbers, necessary programming information, special factory instructions, and requested specifications regarding a particular finish, handling, design, backset, or strike, and (vi) reference any applicable pricing discounts under an ongoing buying program or based on a written quote from Company, along with the applicable buying program number or quotation number.

b. **Minimum Orders.** In the event the order value does not meet any required minimum net Deliverable value, Company may, at its sole discretion, (i) increase the quantity of items in the order to meet the minimum net Deliverable value requirement; (ii) apply a minimum order charge; (iii) reject the order, or (iv) waive the requirement, provided that the waiver of a requirement for one order shall not constitute a waiver of the requirement for any future orders.

c. **Acceptance of Purchase Orders.** Company will endeavor to (i) acknowledge receipt of each purchase order issued in accordance with this Agreement, and (ii) notify Customer whether Company accepts or rejects the purchase order. If Company fails to accept or reject a purchase order within a reasonable time period, such failure to respond will be deemed a rejection of the entire order.

d. **Changes to Order/ Cancellation of Orders.** Additional terms and conditions regarding order changes and cancellations are available on the Allegion customer website, **WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE.** Unless otherwise provided herein, Customer acknowledges that (i) requesting a Change Order may cause a delay in the scheduled shipment date, a longer lead time or result in a new scheduled shipment date; (ii) Orders may not be changed after 48 hours of Company's order acknowledgment; (iii) After 48 hours of Company's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 25% of the net Deliverable value, plus the cost of labor and fabrication or raw material that Company incurred prior to the receipt of the Change Order from Customer, or that may be required due to the Change Order; (iv) the requested change may result in additional charges for labor, fabrication, and raw material, and (v) if Customer cancels an order or portion of an order that includes Deliverables that have been manufactured and prepped for shipping, a 45% restocking fee will apply. Notwithstanding the foregoing, Customer cannot change or cancel credential orders, reader orders, biometrics orders or any non-cataloged, special, Custom or nonstandard items once they have been placed. All cancelled orders for a Non Recurring Expense (NRE), credential orders, reader orders, biometrics orders, and/or Custom orders will be subject to a cancellation charge of 100% of the acknowledged price.

e. **Add-ons.** Add-on orders will not be accepted. Additions to orders will be entered as separate stand-alone orders and must qualify for all terms of sale, including discounts, on an individual basis.

f. **Fast-Track Orders.** No changes or cancellations will be accepted on the 24-Hour Fast Track Program. For 3-day Fast Track orders, changes and cancellations may only be requested by Customer within 24 hours of Company's order acknowledgment if the order has not shipped. For 5-Day Fast Track orders, changes and cancellations may only be requested by Customer if the order has not shipped and if the request is made to Company within 48 hours of Company's order acknowledgment. Return Material Authorization (RMA) for Deliverables must be processed through Fast Track Customer Service.

g. **Steelcraft Orders.** For all Steelcraft orders, changes or cancellations are allowed without penalty only if made within 48 hours of Company's order acknowledgment, and provided that the order has not shipped. Some exceptions do apply – please consult the factory. Changes are not allowed on Rapid Program orders after the order has been entered and acknowledged. After 48 hours of Company's order acknowledgment, all changes or cancellations are subject to a charge of 25% of the order. Unless otherwise specified by Company in writing, any changes to orders acknowledged by Company that affect the delivery date will be deemed a new order and will require acknowledgment by Company as provided in this Section. Additional products, features, terms and conditions regarding the Rapid Program are available on the Allegion customer website, **WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE.**

### 3. PRICES, INVOICES AND PAYMENT.

a. **Prices.** The prices in Company's Price Book are subject to change at any time, without notice to Customer. Company may charge Customer additional amounts if Customer requests special packing, marking, shipment, product modification, or engineering services. Oral prices specified by Company are null and void. Quote numbers must be referenced on Customer's purchase order in order for the Company's quoted pricing to apply. Orders that do not reference a quote number will receive buy program pricing or book net pricing. Quoted prices are for those specific products quoted for a specified job, and are subject to the Price Book in effect at the time the quote was issued by Company.

b. **Taxes.** Prices do not include any present or future federal, state or local property, license, privilege, sales, use, excise, gross receipts or other like taxes or assessments which may result from transactions or any services performed in connection therewith. Any taxes, charges, or duties imposed by any governmental authority on the sale of Deliverables will be paid by Customer, in addition to the selling price specified by Company.

c. **Payment Terms.** Company will deliver to Customer an invoice with each shipment of Deliverables hereunder. Customer will pay all invoiced amounts within 35 days of the invoice date, provided that Customer may take a 2% discount if Customer pays in cash and Company receives said payment within 20 days of the invoice date. For the avoidance of doubt, cash discounts do not apply to credit card payments. Customer will make all payments in United States dollars. Past due invoices will be subject to a late payment service charge of 1.5% per month on any overdue unpaid balance, equivalent to 18% per annum, or the maximum rate permitted by law, whichever is less. Customer shall reimburse Company for all costs of

collection, including, without limitation, reasonable attorneys' fees, for any overdue amount owed by Customer to Company, and such collection costs shall also be subject to interest charges.

### 4. QUOTATIONS.

a. **Project Quotations.** Project or new construction quotes are restricted to the specific project quoted for the quantities, finishes, and series of Deliverables referenced on the quote. Company reserves the right to require proof of sale of Company products for any quoted project.

b. **Stock Quotations.** Deliverables fulfilling stock quotations may only be used for the following: i) Stocking of the Customer's shelves for small, quick-turn, discretionary projects, or ii) Sale to a general contractor or installer for new construction. Stock quotations may not be used for any project containing any Company no-substitution, specified products. Deliverables purchased under Stock Quotations cannot be redistributed to other Customer branch locations or re-sold to other resellers or used for aftermarket sales, end-user annual contracts or sold over the counter to any walk in trade.

c. **General.** All quotes are subject to this Agreement, unless otherwise specified by Company, and are subject to change at any time prior to Company's acceptance of a purchase order referencing the applicable quote number. Company, its representatives and employees reserve the right, in their sole discretion and for any reason, to refuse a Customer's request to quote a price other than the standard list price, regardless of whether Company or its representatives or employees have previously quoted discounted prices to the Customer on some or all of its orders. Customer's failure to comply with this Section 4 will be considered a material breach of this Agreement, and will entitle Company to immediately terminate any purchase orders and/or Customer's ability to distribute Company's products.

**5. SECURITY INTEREST.** Customer grants Company, and Company retains, a purchase money security interest and lien on any and all of Customer's rights, title and interest in each Deliverable sold by Company to Customer, wherever located, until the invoice for the applicable Deliverable(s) is paid in full, including any late charges and costs of collection. Customer authorizes Company to, and will assist Company in, taking all necessary steps to perfect and maintain Company's interest in such Deliverables.

**6. CREDIT TERMS.** Unless Customer pre-pays all of its purchase orders in advance, its purchase orders will be subject to the credit limit and other terms of credit ("Credit Terms") set forth in Company's credit application, which Credit Terms Customer acknowledges are subject to change by Company at any time. Company reserves the right to request payment in advance of shipment or any order or to request adequate assurances for Customer's payment of an order and may withhold or stop shipment, without any liability to Company, until Customer submits payment or adequate assurance of payment.

**7. RESALE OF DELIVERABLES.** Customer agrees and warrants that it will offer Company products in support of Company-written specifications and will maintain sufficient inventory to adequately support End Users, installers, and/or general contractors' needs. Company may implement an MSRP or a resale pricing programs at any time in its sole discretion. Failure to comply with such program(s) will be considered a material breach of this Agreement, and will entitle Company to immediately terminate any purchase order and/or Customer's ability to distribute Company's products. Customer shall, at its own expense, gain and maintain sufficient knowledge of the industry and products competitive with Deliverables so as to be able to (a) explain in detail to End Users, installers, and/or general contractors the differences between the Deliverables and competing products, (b) ensure that an adequate number of trained, capable and qualified technical personnel with sufficient knowledge of the Deliverables and who have obtained all necessary licenses and permits are available to assist End Users, installers, and/or general contractors, and (c) respond to such End Users, installers, and/or general contractors with respect to the general operation and use of the Deliverables including, but not limited to, (1) acting as a liaison between the End Users, installers and/or general contractors and Company in matters requiring Company participation, (2) providing general product information and configuration support on standard protocols and features, (3) collecting relevant technical problem identification information, and (4) posting and distributing any warranty information concerning the Products in accordance with Company's instructions. Customer is responsible for all service and support resulting from the re-sale of any Deliverable to End-Users, installers and/or general contractors, examples of which may include, but are not limited to, support activities such as installation, initialization, software set-up, training, trouble-shooting, technical support and field service. In the event Customer is unwilling or unable to perform said support activities, Company reserves the right to recover from Customer any and all expenses incurred by Company to resolve the aforementioned End-User, installer and/or general contractor issues. Technical product training is recommended for Customer in order to fully service and support Deliverables purchased from Company that are resold to End-Users, installers and/or general contractors.

**8. DEFAULT.** If Customer is in default of payment or otherwise with respect to any purchase order or other contract with Company, Company shall have the right, in addition to all other legal remedies and without prejudice to any of its right hereunder, to defer further shipments under that or any other purchase order until such default is corrected and to declare all outstanding bills of Customer to be immediately due and payable.

### 9. INSPECTION AND DELIVERY.

a. **Inspection.** Customer will inspect all Deliverables immediately after receiving them. Customer will be deemed to have accepted the Deliverables unless Customer notifies Company in writing of any nonconformance within 10 days of delivery and provides Company written evidence reasonably documenting that nonconformance. Inspection of Deliverables at Company's facility is not permitted.

b. **Delivery.** Delivery schedules for Deliverables are based upon current production capacities, material or component availability, and inventory, and may be changed by Company as conditions require. Delivery schedules for services are based upon Company's prompt receipt of, and prompt access to, Customer's equipment and all information necessary to complete the services. In no event will any delivery date be construed as falling within the meaning of "time is of the essence." Partial delivery shall be accepted by Customer and paid for at the price and on the terms stated herein. Any partial delivery shall constitute a separate sale, and payment shall be separately made when due. If any part of a delivery hereunder is not delivered by Company in accordance with Customer's purchase order, this Agreement shall not be affected thereby.

**10. TITLE & RISK OF LOSS.** Unless otherwise specified by Company, (i) where the Customer is located in the United States, all Deliverables will be sold "Uniform Commercial Code, FOB Origin, Company's factory"; and (ii) where the Customer is located outside of the United

States, all Products will be sold "Ex-works, Company's factory (Incoterms 2010)." In either instance, title and risk of loss will pass to Customer upon delivery to the carrier at Company's factory, provided, however, as set forth herein, Company shall retain a security interest in the Deliverables until full payment has been made therefore, and Customer agrees, upon request, to do all things and acts necessary to protect Company's interest by adequately insuring the Deliverables against loss or damage from any cause and to have Company named as an additional insured. Customer will promptly provide Company with a copy of the relevant certificate of insurance upon Company's request.

**11. SHIPPING.**

a. Freight Charges. Company will ship all Deliverables in accordance with Company's freight shipment guidelines, which are set forth on the My Allegion Portal ("Freight Shipping Guidelines"), **WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN.**

b. Rush Charges. Expedited order options are available as set forth in Company's freight shipping guidelines.

c. Packing and Marking. Company will pack, mark, and ship Deliverables according to its standard procedures for shipment, unless the parties agree, in writing, that Company will comply with any special instructions provided by Customer. Special instructions may result in an increased price.

d. International Shipments. For all international orders, a Shipper's letter of instruction must be submitted in writing with the order. Failure to do so will result in the order being rejected. Complete adherence to this order requirement will be strictly enforced. Company will not be held liable for any charges resulting from delays due to lack of complete required information being supplied.

e. Once received by the Company, a Customer purchase order can only be combined with any other order or combined with Company brands (to qualify for freight allowances) in accordance with the Company's freight shipment guidelines, which are set forth on the My Allegion Portal ("Freight Shipping Guidelines").

**12. CLAIMS.** All claims must be submitted in writing to Company as follows: (i) All claims for prices must be submitted within thirty (30) days from the date of invoice; (ii) All claims regarding Deliverable quantity or incorrect orders must be submitted within ten (10) days from the date of delivery; (iii) All claims for damage to Deliverables (while in the care, custody, and control of Company) must be submitted within thirty (30) days from the date of invoice; (iv) All claims for loss or damage to Deliverables while in the care, custody, and/or control of a carrier will be the responsibility of Customer, unless otherwise agreed by the parties.

**13. PRODUCT CHANGES.** Company's product policy is one of ongoing update and revision, and accordingly, Company reserves the right to change, without notice, the design of, or the process of manufacturing, the Deliverables covered by this Agreement.

**14. PRODUCT USAGE LIMITATION.** Customer agrees: (i) not to sell or use a Deliverable in any manner contrary to the manner in which the Deliverable is intended to be used; and/ or (ii) not to modify the design of any Deliverable for use with another product without the prior written consent of Company.

**15. PRODUCT RETURNS.** Unless otherwise agreed by the parties in writing, Deliverables that are correctly furnished by Company per the purchase order may not be returned unless Customer receives written authorization from Company. If returns are authorized by Company, a return merchandise authorization ("RMA") number must be provided by Company. Deliverables identified under such RMA must be returned to Company within 90 days of issuance of the RMA. Such RMA number and any accompanying RMA documents, the original invoice number, and a written explanation for the return must be included with the returned Deliverables in order for Company to inspect and approve a credit for the return. **For warranty returns,** a credit in the amount of the original purchase price will only be issued if, after Company's receipt and inspection of the returned Deliverables, Company confirms, in its sole discretion, the defect is valid and approves the return. **For non-warranty returns/convenience returns,** in the event Company approves such a return, in its sole discretion, the following shall apply: (a) the total amount of Deliverables requested to be returned shall be a minimum of \$250.00; (b) a credit will be made to Customer's account in the amount of the original purchase price less freight and a handling charge of 45% of the net material on the original invoice; and (c) only Deliverables that are new, current, standard, non-obsolete, non-specially manufactured, unused, in their original condition as at the time of sale by Company to Customer, in their original packaging and in Customer's inventory less than 180 days from the date of shipment by the Company, and not ordered as part of a master key solution may be considered by Company for return. Such credit will only be issued if, after Company's receipt and inspection of Deliverables, Company approves the return. The amount of final credit will be determined upon receipt at the factory and following Company's inspection and analysis of the condition of the returned material. Company retains the right to deny credit to anyone for any reason.

**16. CONFIDENTIAL INFORMATION.**

a. Non-Use And Non-Disclosure. Customer shall not use the Confidential Information of the Company except for the purpose of performing its obligations under this Agreement or exercising the rights granted herein (the "Purpose"). Customer shall protect Confidential Information of the Company from disclosure and unauthorized use in the same manner that it protects its own Confidential Information, but in no event shall such standard of care be less than reasonable care. Customer may disclose Confidential Information of the Company only to its employees who require such information for the Purpose and who are subject to confidentiality obligations at least as protective as those set forth herein.

b. Proprietary Information and Advice. (a) All designs, data, and specifications provided by Company are proprietary and may not be disclosed or reused by Customer without the prior written consent of Company; (b) Company assumes no obligation or liability for any advice given by Company, the results obtained, or damages incurred as a result of such advice, and all such advice is given and accepted at Customer's risk.

c. Return. Upon the termination or expiration of a purchase order or this Agreement or upon the request of the Company, the Customer agrees to end all further use of, to immediately return to the Company the original version of, and to delete or destroy all copies of, any and all Confidential Information of the Company.

**17. TRADEMARKS.** Except as agreed to by Company in writing, Customer agrees not to (a) use Company's name in any form of publicity; or (b) use, create, register or market, directly or indirectly, in whole or in part, Company's names, logos, brands, or any other trademarks, or names that are now or may hereafter be owned by Company, as part of Customer's corporate or business name, as part of an internet domain name, uniform resource locator (URL), or in any way connected with Customer's business, trade address or other designations. Upon termination of this Agreement or upon the request of

company for any reason, any use of Company's trademarks or names will be immediately discontinued.

**18. LIMITED WARRANTY.**

**COMPANY MAKES NO OTHER WARRANTIES EXCEPT THOSE STATED IN COMPANY'S LIMITED WARRANTY IN EFFECT ON THE DATE COMPANY ACCEPTS EACH APPLICABLE PURCHASE ORDER ("LIMITED WARRANTY"). THE LIMITED WARRANTY MAY BE FOUND IN THE APPLICABLE PRICE BOOK AND ON THE ALLEGION CUSTOMER WEBSITE, WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE. COMPANY WILL MAIL CUSTOMER A HARD COPY OF THIS WARRANTY UPON CUSTOMER'S WRITTEN REQUEST. IN THE EVENT THAT CERTAIN DELIVERABLE WARRANTIES ARE NOT FURNISHED BY THE COMPANY TO CUSTOMER, COMPANY WARRANTS ONLY TO CUSTOMER THAT THE DELIVERABLES WILL BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP FOR A PERIOD OF 12 MONTHS FROM THE DATE OF SHIPMENT OF THE DELIVERABLES. COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY IS LIMITED TO REPAIRING OR REPLACING, AT COMPANY'S OPTION, THE DEFECTIVE DELIVERABLE, PROVIDED WRITTEN NOTICE OF THE DEFECT OR NONCONFORMANCE IS PROVIDED BY CUSTOMER WITHIN 30 DAYS OF DISCOVERY OF THE DEFECT OR NONCONFORMANCE. COMPANY DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE DELIVERABLES, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.**

a. Exclusions. The provisions of this Limited Warranty do not apply to Deliverables that: (A) are not the proper size for the application; (B) are not installed in accordance with Company's published installation instructions; (C) are installed with improper or incorrect parts and/or are used for purposes for which they are not designed or intended; (D) have been repaired or altered without the Company's prior written consent; (E) have been subjected to misuse, abuse, negligence or accident; (F) have been improperly stored, installed, maintained or operated; (G) have been used in violation of written instructions provided by Company to Customer; (H) have been subjected to improper temperature, humidity, or other environmental conditions; or (I) have been affected by normal wear and tear. In addition, the provisions of this Limited Warranty do not apply to any defects or issues with the design or performance of equipment or products not manufactured by Company, nor does it apply to any code compliance or permit requirements for the assembly, installation, erection or construction of any goods. Company is not responsible for loss or damage resulting from use of Deliverables in conjunction with parts or systems not manufactured by Company. Accessories or products furnished by the Company, but manufactured by others, shall carry whatever warranty the manufacturers have conveyed to the Company and which can be passed to Customer.

b. Services. Company warrants that its services will be free from defects in material and workmanship for a period of 12 months from the date of completion of the particular items of service. Company's sole obligation under this service warranty is limited to repair or reperformance, at its option of the service, provided however, if repair or reperformance is either impractical or impossible, the Company will refund to Customer that portion of the price paid to Company for any defective service, provided written notice of the defect or nonconformance is provided by Customer within 30 days of discovery of the nonconformance.

c. Notification. Customer agrees to immediately notify Company in writing if any claim is made against Customer for any damages caused by any modules, parts, products, service or other Deliverables which may be the direct result of any defect in the manufacture of such aforementioned products. Customer agrees to cooperate with Company and its counsel in the defense of such claim and Customer agrees not to settle such claim without Company's written consent. If Customer fails to notify Company of such claim or fails to cooperate in such defense as aforesaid, then Company shall be discharged from any obligations under this Section and shall have no further liability to Customer.

d. Exceptions. The following costs and expenses are not covered by the provisions of these limited warranties: (i) labor costs for the removal and reinstallation of Deliverables or other manufacturer's products; (ii) shipping and freight expenses required to return Deliverables to Company; (iii) normal maintenance; and (iv) economic losses. In addition, the provisions of this warranty are not applicable to anything other than defects in Company's material (products only) or workmanship.

**19. LIMITATION OF REMEDIES.**

**CUSTOMER'S EXCLUSIVE AND SOLE REMEDY ON ACCOUNT OF, OR IN RESPECT OF, THE FURNISHING OF NON-CONFORMING DELIVERABLES, SHALL BE TO (A) SECURE REPAIR OR REPLACEMENT OF THE PRODUCTS; OR (B) SECURE REPAIR OR RE-PERFORMANCE OF THE SERVICES OR TO OBTAIN A REFUND OF THE PRICE PAID FOR THE DEFECTIVE SERVICE, ALL AT COMPANY'S OPTION. IN NO EVENT WILL THE COMPANY'S MAXIMUM LIABILITY EXCEED THE SELLING PRICE FOR THE DELIVERABLE. THE WARRANTY, OBLIGATIONS AND LIABILITIES OF COMPANY (INCLUDING ITS SUPPLIERS) AND THE RIGHTS AND REMEDIES OF CUSTOMER ARE EXCLUSIVE AND ARE IN LIEU OF AND CUSTOMER HEREBY WAIVES AND RELEASES ALL OTHER WARRANTIES, OBLIGATIONS, REPRESENTATIONS OR LIABILITIES EXPRESS OR IMPLIED ARISING BY LAW, IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE, INCLUDING BUT NOT LIMITED TO (I) ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY IMPLIED THROUGH COURSE OF PERFORMANCE, COURSE OF DEALING, OR USAGE OF TRADE OR (II) CLAIMS ARISING OUT OF THE NEGLIGENCE OF COMPANY OR COMPANY'S SUPPLIERS OR (III) ANY OTHER CLAIM ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE PERFORMANCE OF COMPANY OR FROM THE DESIGN, MANUFACTURE, SALE, REPAIR, LEASE OR USE OF THE DELIVERABLE, OR ANY COMPONENT THEREOF, DELIVERED OR RENDERED HEREUNDER OR OTHERWISE.**

**20. INDEMNIFICATION AND LIMITATION OF LIABILITY.**

a. Customer shall indemnify, defend and hold Company, and its officers, directors, employees, customers, Affiliates, suppliers, users and agents, (collectively the "Indemnitees") harmless from and against any and all damages, claims, losses, expenses, costs, obligations, liabilities, including without limiting the generality of the foregoing, liabilities for court costs and attorneys' fees, suffered directly or indirectly by an Indemnitee by reason of, or arising out of any injury, death or loss to any person, or injury to any property (collectively, "Damages"), received or sustained by any person(s) or property, arising out of, occasioned by, attributable or related to i) any breach of any representation or warranty made by Customer, its officers, directors, employees, affiliates, users, agents, representatives or customers to Company or any third party, (ii) any failure by Customer to perform or fulfill any of its covenants, acts and/or omissions to Company or to any third party, or (iii) any litigation, proceeding

## Terms & Conditions

or claim by any third party relating in any way to the obligations of Customer and/or the Deliverables sold by Company to Customer hereunder. Customer shall not consummate any settlement of any indemnified claim without the Indemnitees' prior written consent. Customer's obligation to indemnify Indemnitees will continue in full force and effect notwithstanding the termination or expiration of any order under this Agreement. In any claim against an Indemnitee by an employee of Customer or any subcontractor or anyone directly or indirectly employed by any of them or anyone for whose acts they may be liable, the indemnification obligations set forth in this Section shall not be limited in any way by or for Customer or any subcontractor under any applicable worker's compensation act, disability or other employee benefit act, or insurance coverage. This provision shall survive termination of any order or Agreement. **IN NO EVENT WILL COMPANY, ITS OFFICERS, DIRECTORS, EMPLOYEES, CUSTOMERS, AFFILIATES, USERS AND AGENTS, (NOR COMPANY'S SUPPLIERS) BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND OR NATURE UNDER ANY CIRCUMSTANCES INCLUDING, BUT NOT LIMITED TO, LOSS OF USE OF THE PRODUCTS, SERVICE INTERRUPTION, LOSS OF PROFITS, LOSS OF REVENUE, LOSS OF INTEREST, LOST GOODWILL, LOSS OF DATA, WORK STOPPAGE, IMPAIRMENT OF OTHER GOODS, LOSS BY REASON OF SHUTDOWN OR NON-OPERATION, INCREASED EXPENSES OF OPERATION, OR CLAIMS OF CUSTOMER'S CUSTOMERS, OR ANY OTHER LOSSES OR DAMAGES ARISING OUT OF ANY LACK OR LOSS OF USE OF THE DELIVERABLES WHETHER BASED ON CONTRACT, WARRANTY, TORT (INCLUDING, BUT NOT LIMITED TO, STRICT LIABILITY OR NEGLIGENCE), PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.**

b) **INTELLECTUAL PROPERTY INDEMNITY.** Company makes no representation or warranty to the Customer that the Deliverables shall not infringe any intellectual property rights including, without limitations, claims arising from patent, copyright, trademark, trade secret, or other intellectual property infringement. Customer agrees to hold Company harmless from and defend the Company against any such claim of intellectual property infringement, including any damages resulting from that claim, the cost of complying with any preliminary or permanent injunction, and all other costs of defense (including the attorneys' fees and costs), in connection with the foregoing.

c) To the extent that applicable law does not permit any limitations set out in this Agreement, such limitation shall not be applied or invoked. Nothing in this Agreement will be interpreted to disclaim liability of Company or the Indemnitees for gross negligence or willful misconduct. The limitations of remedy and liability herein shall not be interpreted to affect Company's obligations, if any, for claims for (i) property damage, (ii) personal injury, or (iii) wrongful death asserted by persons who are not parties to or beneficiaries of this Agreement. Further, the limitations of remedy and liability herein shall not be interpreted to limit Company's or Customer's right, if permitted by applicable law, to assert a claim for contribution among joint tortfeasors in connection with a claim by a person who is not a party to this Agreement.

**21. CERTIFICATIONS.** Certification of Deliverables for compliance with UL and ANSI standards are tested and performed by third-party independent laboratories. Any field modification or alteration of certified Deliverables will void certification and Company is not liable to Customer to certify any modified or altered Deliverable.

**22. TERM FOR CLAIMS, NO ACTION ARISING OUT OF ANY CLAIMED BREACH OF THIS AGREEMENT BY COMPANY MAY BE BROUGHT BY CUSTOMER MORE THAN ONE (1) YEAR AFTER THE CAUSE OF ACTION HAS ARISEN.**

**23. CONSUMER PRODUCTS WITH RESPECT TO "CONSUMER PRODUCTS" AS DEFINED UNDER THE MAGNUSON-MOSS WARRANTY ACT ("MMWA"), THE FOLLOWING STATEMENTS ARE MADE. (A) SOME STATES OR LOCAL LAWS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU; (B) IF ANY IMPLIED WARRANTY IS PROVIDED UNDER THE MMWA, IT IS LIMITED TO THE DURATION OF THE WARRANTY PROVIDED IN SECTION 18 ABOVE. (C) SOME STATES OR LOCAL LAWS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU; AND (D) THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE OR LOCATION TO LOCATION.**

**24. FORCE MAJEURE/EXCUSABLE DELAY.** Any delay or failure of Company to perform its obligations hereunder will be excused to the extent that it is caused by an event or occurrence beyond Company's control such as, by way of example and not by way of limitation, acts of God, acts by any governmental authority (whether valid or invalid), governmental laws and regulations not presently in effect, fires, floods, windstorms, explosions, riots, natural disasters, wars, sabotage, accidents, labor problems (including, without limitation, lockouts, strikes, and slowdowns) at Company's facility, its source plant or their suppliers, inability to obtain power, material, labor equipment, or transportation, or court injunction or order. The delivery date will be extended for a time equal to that of the delay and the schedule for Company's performance will be deemed adjusted to that effect.

**25. ENTIRE AGREEMENT AND AMENDMENT.** This Agreement, together with the attachments, exhibits, webpages, or supplements specifically referenced and incorporated herein, constitute the entire agreement between Company and Customer with respect to the matters contained herein and supersede all previous communications, representations, or agreements, either oral or written between Company and Customer. No agreement or understanding varying or expanding this Agreement will be binding upon either party unless it is in writing and signed by a duly authorized representative of each party hereto.

**26. CONFLICTS.** In the event of any conflict or inconsistency between the terms of any agreement, or any part of an agreement or the various documents (including, but not limited to, electronic documents) between Company and Customer, unless the parties agree otherwise in writing, the various components of the agreements shall be given the following precedence (in descending order of precedence): a) any master agreement or long term agreement between Company and Customer; b) any specific terms, conditions and/or warranties of the individual products or Deliverables; c) the terms and conditions of this Agreement, and d) any purchase order.

**27. UNSATISFACTORY CREDIT/TERMINATION FOR INSOLVENCY OR DEFAULT.** Customer shall furnish Company with statements evidencing Customer's financial condition as Company may, from time to time, reasonably request, and shall notify Company immediately of any and all events that may have a material adverse effect on Customer's business or financial condition. If Company determines, in its sole discretion, that Customer's

financial condition or creditworthiness is inadequate or unsatisfactory, then in addition to Company's other rights, Company may without liability or penalty, take any of the following actions: (i) modify the payment terms for any outstanding and/or future purchases; (ii) cancel any previously accepted orders; (iii) delay any further shipment of Deliverables to Customer; or (iv) any combination of the above.

Company may immediately terminate an order from Customer by giving written notice to Customer in the event of the happening of any of the following or any other comparable event: (i) insolvency of the Customer; (ii) filing of a petition in bankruptcy by or against the Customer; (iii) appointment of a receiver or trustee for the Customer; (iv) execution of an assignment for the benefit of creditors by the Customer, all of which will allow Company to demand reclamation of all affected orders; (v) Customer ceases or threatens to cease to trade; (vi) Company determines that Customer does not meet or no longer meets the credit requirements of Company or Customer's credit account is closed; (vii) any Customer violation of law, specifically including, without limitation, those laws set forth in this Agreement.

In the event of termination in accordance with this section, Company will not be obligated to accept any existing or additional orders from Customer and Company will be released from its obligation to deliver under orders accepted prior to such termination. The rejection or termination of any order by Company will not entitle Customer to any termination or severance compensation, or to any payment in respect to any goodwill established by Customer, or render Company liable for damages on account of the loss of prospective profits, or on account of any loss, expenditure, investment or obligation incurred or made by Customer.

No action taken under this Section 27 by Company (nor any failure of Company to act under this Section 27) will constitute a waiver by Company of any of its rights to enforce Customer's obligations, including the obligation of Customer to make payments as required under this Agreement. Upon termination of any order, all amounts owed by Customer to Company will become immediately due and payable, whether or not otherwise then due or payable.

**28. CREDIT RISK ON RESALE OF DELIVERABLES.** Customer is responsible for all credit risks with respect to, and for collecting payment for, all Deliverables sold to third parties (including End Users, installers, and/or general contractors) whether or not Customer has made full payment to Company for such Deliverables. The inability of Customer to collect payment for any Deliverable shall not affect Customer's obligation to pay Company for any Deliverable.

**29. GOVERNING LAW; VENUE; AND EXPENSES.** Any dispute or claim relating to this Agreement shall be governed by and construed according to the laws of the State of Indiana (excluding its conflict of laws principles); and not by the provisions of the 1980 United Nations Convention on the International Sale of Goods. Any disputes or claims shall be instituted and maintained in the courts of the State of Indiana. Customer consents to the exercise of jurisdiction over it by such courts and agrees that Indiana is not an inconvenient forum for any action arising from or relating to this Agreement. Customer agrees to pay for all expenses (including, but not limited to, collection costs, court costs and attorneys' fees) incurred by Company in enforcing the obligations of Customer under this Agreement.

**30. RELATIONSHIP OF THE PARTIES.** Nothing in this Agreement or any other document creates an employment, partnership, joint venture, or agency relationship between Company and Customer, including that of franchisee/franchisor. No party will have any power or authority to enter into any commitment on behalf of or otherwise bind the any other party on any matter. No employee of Customer will be deemed to be an employee of Company. If any provision of this Agreement is deemed to create a franchise relationship or business opportunity between the Parties, then Company may terminate any purchase order or this Agreement or the Parties shall negotiate in good faith to modify this Agreement so as to effect the original intent of the Parties as closely as possible in a mutually acceptable manner in order that the transactions contemplated hereby are consummated as a reseller agreement and not a franchise or business opportunity agreement.

**31. SETOFF.** Customer does not have the right to setoff or to back charge against any amounts which become payable to Company under this Agreement or otherwise. Company will not accept responsibility for backcharges for the cost of material or labor by Customer or any third party.

**32. ELECTRONIC COMMUNICATIONS AND ELECTRONIC SIGNATURES.** Both parties expressly agree to electronic transactions and acknowledge that documents they sign electronically will bind them to the same extent as a paper signature. Customer represents and warrants to Company that only employees authorized to bind Customer legally shall electronically sign any document under this Agreement. Customer shall comply with any method of electronic communication/payment processing specified by Company, including electronic funds transfer, pay-on-receipt processes/systems, order transmission, releases, electronic signature, and electronic communication systems, including, without limitation, the use of electronic data interchange ("EDI") portals. Notwithstanding the foregoing, e-mails, even those containing a signature block of one of Company's representatives, shall not constitute a signed writing.

### 33. COMPLIANCE WITH APPLICABLE LAWS.

a. General. Company and Customer will comply with all applicable federal, state and municipal laws, regulations, codes, ordinances and orders that pertain to the Deliverables, including but not limited to full compliance with any applicable provisions of The Health Insurance Portability and Accountability Act. Where the Customer is located outside the United States, or where the customer intends to ship the product outside the United States, the Customer shall be responsible for compliance with all U.S. export laws, and for filing all U.S. Electronic Export Information, as applicable.

b. The Customer acknowledges and agrees that: (i) it shall not violate applicable laws and regulations in performing its duties under this Agreement; (ii) it does not and shall not engage in any conduct that shall violate any applicable anti-bribery or anti-corruption laws or regulations; (iii) it (and its owners, officers, directors, employees and agents) shall not pay, offer, promise or authorize the payment of, either directly or indirectly, anything of value (including but not limited to cash, gifts and entertainment) to (a) any government official or employee of any government; (b) any official or employee of any department, agency, or instrumentality of a government; (c) any employee of any corporation or entity owned or controlled by a government; (d) any family member of such officials or employees; (e) any political party, party official, or political candidate; or (f) any other persons, owners, officers, directors, employees and agents of any corporation or entity; to improperly or illegally assist in obtaining or retaining business (including but not limited to any contracts, avoidance of duties or reduction of tariffs, reduction of taxes or to obtain money owed, or to obtain

regulatory approval) or for the purpose of causing, soliciting or inducing the sale and purchase of the Deliverables by any party, and (iv) it has full knowledge of and will comply with the Company's Code of Conduct for Business Partners as set forth on the Allegion customer website, **WHICH IS HEREBY INCORPORATED BY REFERENCE.**

c. The Customer shall indemnify and hold the Company harmless from any claim, demand, expense or cost arising from any breach of this Article.

d. The Customer shall permit the Company to conduct an audit or review of the Customer's financial books and records and business operations at such other times that the Company considers it necessary to confirm compliance with this provision. Such audit may be conducted by representatives of the Company or, at the Company's sole discretion, by a certified public accounting firm selected by the Company. The Customer shall cooperate with any inquiries from the Company's Ethics & Compliance Group.

e. A violation of this provision constitutes a material breach of this Agreement and the Company may terminate any purchase order or this Agreement immediately, with no opportunity to cure, in accordance with Section 27 of this Agreement.

f. Notwithstanding the foregoing provisions of this Section 33, (i) Company is not responsible for obtaining or maintaining any permits for the performance of services or the verification or compliance with any code requirements relative to the performance of services, (ii) to the extent any sale of Deliverables pursuant to this Agreement may require approval of the U.S. Government, Company's obligations under this Agreement are conditioned upon the grant of such approval and upon compliance by Customer with any restrictions imposed by the U.S. Government in connection with such approval, and (iii) in the event the Deliverables are to be used in a nuclear facility, the Customer shall, prior to such use, arrange for insurance or governmental indemnity protecting Company against liability. The Customer hereby releases and agrees to indemnify Company and its suppliers for any nuclear damage including, but not limited to, loss of use, in any manner arising out of the nuclear incident, whether alleged to be due, in whole or in part by Company or its suppliers.

g. **No Inducements.** Each party represents to each other that neither it nor any person acting on its behalf has, in contravention of any applicable law, given or offered to give or will give or offer to give, any sum of money or other material consideration to any person, directly or indirectly, as an inducement to obtain business hereunder or to influence the granting of licenses or other governmental permissions to enter into this Agreement or perform obligations hereunder.

h. **Equal Employment Opportunity.** Company is a U.S. federal contractor that complies with Executive Order 11246, as amended, and applicable regulations in 41 CFR Parts 60-1 through 60-60, 29 U.S.C. § 793 and applicable regulations in 41 CFR § 60-741; and 38 U.S.C. § 4212 and applicable regulations in 41 CFR Part 60-250 and 60-300. **THE FOLLOWING PROVISIONS ARE INCORPORATED HEREIN BY REFERENCE:** Executive Order 11246, as amended by Executive Order 13672, and 41 CFR § 60-4.3(a); Executive Order 11701 and 41 CFR §§ 60-250.5(a), 60-300.5; Executive Order 11758 and 41 CFR § 60-741.5(a); U.S. immigration laws, including the L-1 Visa Reform Act of 2004 and the H-1B Visa Reform Act of 2004; and Executive Order 13496.

i. **Ethical Business Conduct.** Customer shall adopt and comply with Company's Business Partner Code of Conduct which is **EXPRESSLY INCORPORATED HEREIN BY REFERENCE.**

**34. REPRESENTATIONS AND WARRANTIES.** Customer represents, warrants and covenants to Company that: (a) it has the right, power, and authority to enter into this Agreement and fully perform its obligations hereunder; (b) it has all necessary rights in and to its respective Content and Marks for use within the scope of this Agreement, including the licenses granted herein; and (c) it complies, and at all times shall comply, with all laws, rules, and regulations in effect that are applicable to its performance under this Agreement, including obtaining all such approvals and/or permits as may be required hereunder.

**35. NO THIRD-PARTY BENEFICIARY.** Each party is entering into this Agreement solely based on the representations contained herein for its own purposes and not for the benefit of any third party.

**36. NOTICES AND CHANGE OF ADDRESS.** All notices or other communications under this Agreement shall be in writing and delivered in person, or sent by receipted courier, express mail, e-mail, or postage prepaid certified or registered mail, addressed to the party for whom it is intended, at the addresses set forth in this Agreement. Either party may change its address for notice by giving written notice to the other party. Any notice or other communication shall be deemed given no later than the date actually received. Notice by courier, express mail, certified mail, or registered mail shall be deemed given on the date it is officially recorded as delivered and, in the absence of such record of delivery, it shall be rebuttably presumed to have been delivered on the third Business Day after it was deposited. Notices sent by e-mail require tangible confirmation of receipt from addressee.

**37. ASSIGNMENT.** Customer may not assign this Agreement without the prior written consent of Company. Company may assign its rights and delegate its duties under this Agreement, without the prior consent of Customer, to an Affiliate, or to a third party in the event of a spin-off, merger, business combination, consolidation or sale of all, or substantially all, of its assets or business that are related to this Agreement. The rights and duties in this Agreement shall bind and inure to the benefit of any such assignee.

**38. SEVERABILITY.** If any provision of this Agreement is held to be invalid, illegal, or unenforceable under any statute, regulation, ordinance, executive order, or other rule of law, that provision will be deemed severed to the extent necessary to comply with such statute, regulation, ordinance, order, or rule. In the event such provision is deemed severed, the parties will negotiate in good faith to arrive at an alternative arrangement approximating the original business objective of the parties. The remaining terms and conditions of this Agreement will remain in effect.

**39. NO IMPLIED WAIVER.** The failure of either party at any time to require performance by the other party of any provision of this Agreement will in no way affect the right to require such performance at any time thereafter, nor will the waiver of either party of a breach of any provision of this Agreement constitute a waiver of any succeeding breach of the same or any other provision.

**40. MISCELLANEOUS.** (a) This Agreement does not make either party the agent or legal representative of the other party. Neither party is authorized to create any obligation on behalf of the other party including, but not limited to, the obligation for payment of any service or warranty obligation hereunder; (b) The rights and remedies herein reserved to Company are cumulative and additional to any other rights and remedies provided at law or equity; (c) The official text of this Agreement is in the English language. If this Agreement is translated into another language, the English text will govern any question with respect to interpretation; (d) The headings in this Agreement are for convenience of reference only and do not affect the meaning of this Agreement in any manner.

**DEFINITIONS.**

Capitalized terms have the meanings set forth in this Section, or in the Section in which they first appear in this Agreement.

**"Agreement"** means these Allegion Terms and Conditions of Sale and Service, together with any applicable Country Supplement or Region Supplement provided by Company, and all of the documents referenced herein or therein.

**"Affiliate"** means any Person that directly or indirectly, through one or more intermediaries, controls, is controlled by, or is under common control with, the Company. The term "control" (including the terms "controlled by" and "under common control with") means the possession, directly or indirectly, of the power to direct or cause the direction of the management and policies of a Person, whether through the ownership of voting securities, by contract or otherwise.

**"Business Day"** means any day except Saturday, Sunday or any other day on which commercial banks located in the United States are authorized or required by Law to be closed for business.

**"Company"** means Schlage Lock Company, LLC or any subsidiary or affiliate thereof selling products that are part of the Allegion product portfolio. Schlage Lock Company and/or its subsidiary or affiliates will be severally but not jointly liable under the Agreement.

**"Company Marks"** refers to the Marks of Company.

**"Confidential Information"** shall mean any and all information provided by either party to the other party pertaining to the disclosing party's business. Confidential Information shall include, but not be limited to, any bidding lists, formulae for products, manufacturing processes, production techniques, packaging processes, methods, research materials, ideas, marketing plans and related materials, quality standards, test results and data, apparatus, engineering drawings, contract documents, computer software, hardware, or firmware, business activities information such as financial information, reports, projections, books and records, customer and supplier information, and operations, customer and supplier lists and data, specifications, know how, and other Proprietary Information or Trade Secrets (as defined herein) that either party may furnish to the other party. Confidential Information shall not include information that: (a) is or becomes publicly known if such public knowledge or disclosure is not the result of any act or failure to act on the part of the receiving party; (b) is, at the time of disclosure, already known to the Receiving Party without utilizing the Confidential Information; (c) is information disclosed to the Receiving Party by a third party which is not to the Receiving Party's knowledge, after inquiry of the third party, under a duty of confidentiality to the Disclosing Party; or (d) is independently developed by the Receiving Party without the use of Confidential Information. The Receiving Party shall have the burden of proof as to prior knowledge and absence of breach. Confidential Information may be furnished in any tangible or intangible form including, but not limited to, writings, drawings, computer and other electronic media, logic diagrams, component specifications, graphs, prototypes, samples, or verbal communications and regardless of whether such information is marked or designated as "confidential." For the avoidance of doubt, all information, knowledge or data disclosed by Company to Customer, regardless of whether disclosed in written, tangible, oral, visual or other form, including, without limitation, sample products, equipment, software, or other objects or material, provided by Company to Customer, and all information, knowledge or data which was obtained by Customer from visits to Company's facilities, shall be considered "Confidential Information" under this Agreement.

**"Content"** means all information (including without limitation any text, music, sound, photographs, video, graphics, data or software), in any medium, on a particular Company Web page or Website or in Marketing Materials.

**"Customer"** means the purchaser of Deliverables from Company.

**"Deliverables"** means any good or service or both purchased by Customer from Company under these General Terms and Conditions of Sale and Service.

**"End Users"** means the purchaser that (a) has acquired a Deliverable from Customer for (i) its own and its Affiliate's/Affiliates' internal use and not for resale, remarketing or distribution or (ii) incorporation into its own products and (b) is an individual or entity, other than any federal, state or local agency, office or division.

**"IP"** means all intellectual property and industrial property rights comprising or relating to/ of the following: (a) Patents; (b) Trademarks; (c) internet domain names, whether or not Trademarks, registered by any authorized private registrar or Governmental Authority, web addresses, web pages, website and URLs; (d) works of authorship, expressions, designs and design registrations, whether or not copyrightable, including copyrights and copyrightable works, software and firmware, application programming interfaces, architecture, files, records, schematics, data, data files, and databases and other specifications and documentation; (e) Trade Secrets; and (f) all other intellectual property and industrial property rights, and all rights, interests and protections that are associated with, equivalent or similar to, or required for the exercise of, any of the foregoing, however arising, in each case whether registered or unregistered and including all registrations and applications for, and renewals or extensions of, such rights or forms of protection pursuant to the Laws of any jurisdiction throughout in any part of the world.

**"Marketing Materials"** means all marketing brochures, buckslips, pamphlets, emails, text, call scripts or other material, whether in printed format, audio or audiovisual format, or in any other format, that contain any (i) Content relating to the Company Deliverables or (ii) Company Marks.

**"Marks"** means collectively the domain names, trademarks, trade names, service marks, trade dress, logos, and the like used or provided by either party for use in connection with this Agreement.

**"Patents"** means all patents (including all reissues, divisionals, provisionals, continuations and continuations-in-part, re-examinations, renewals, substitutions and extensions thereof), patent applications, and other patent rights and any other Governmental Authority-issued indicia of invention ownership (including inventor's certificates, petty patents and patent utility models).

**"Person"** means a person or entity.

**"Price Books"** mean Company's current Price Book in effect for the applicable Deliverable being purchased by Customer.

**"Trade Secrets"** means and includes business or technical information of either party, including processes, formulas, devices, techniques, compilations and other material that a party attempts to maintain in secret and that derive commercial value for such party from not being generally known to the public or readily ascertainable through independent development or reverse engineering.



# WARRANTY

## Schlage Electromagnetic Locks

### Limited Lifetime Warranty:

**Magnetic Coil Assembly.** Schlage warrants only to the End User of electromagnetic locks that the magnetic coil assembly of the electromagnetic locks will be free from defects in material and workmanship for the lifetime of such electromagnetic lock.

### Limited 12 Month or 18 Month Warranty:

**Electronic Module.** Schlage warrants only to the End User of electromagnetic locks that the electronic module of the electromagnetic locks will be free from defects in material and workmanship for a period of 12 months from the date of shipment of the electromagnetic locks from an authorized seller to the End User or a period of 18 months from the date of shipment of such electromagnetic locks from Schlage to an authorized seller, whichever period is shorter.

### Limitations:

Schlage's sole obligation under this warranty is limited to repairing and replacing, at its option, the defective electromagnetic locks. If Schlage chooses to replace a defective electromagnetic lock as provided herein, Schlage may replace the defective electromagnetic lock with an equal or upgraded electromagnetic lock, at its option.

NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE MADE WITH RESPECT TO THE ELECTROMAGNETIC LOCKS INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SCHLAGE DOES NOT AUTHORIZE ANY PERSON TO CREATE FOR IT ANY OBLIGATION OR LIABILITY IN CONNECTION WITH ELECTROMAGNETIC LOCKS.

This warranty is exclusive and limited to the End User of the electromagnetic locks, and terminates upon the sale or transfer of the electromagnetic locks or the structure for which the electromagnetic locks are attached.

"End User" is defined in this limited warranty as the initial user of the products.

### Exclusions to Warranty:

The provisions of this limited warranty do not apply to electromagnetic locks: (i) used for purposes for which they are not designed or intended; (ii) which have been repaired or altered without Schlage's prior written consent; (iii) which have been subjected to misuse, abuse, negligence, or accident; (iv) which have been improperly stored, installed, maintained, or operated; (v) which have been used in violation of written instructions provided by Schlage to an authorized seller and/or End User; (vi) which have been subjected to improper temperature, humidity, or other environmental conditions; (vii) which have been affected by normal wear and tear; or (viii) which, based on Schlage's or authorized seller's examination, do not disclose to Schlage's or an authorized seller's satisfaction nonconformance to the warranty.

The following costs and expenses are not covered by the provisions of this limited warranty: (i) labor costs for the removal and reinstallation of electromagnetic locks; (ii) shipping and freight expenses required to return electromagnetic locks to Schlage or an authorized seller; (iii) normal maintenance; and (iv) economic losses.

**THE PROVISIONS OF THIS LIMITED WARRANTY ARE NOT APPLICABLE TO ANYTHING OTHER THAN DEFECTS IN SCHLAGE'S MATERIAL OR WORKMANSHIP.**

### End User's Remedies:

END USER'S EXCLUSIVE AND SOLE REMEDY ON ACCOUNT OF, OR IN RESPECT OF, THE FURNISHING OF ELECTROMAGNETIC LOCKS THAT DO NOT CONFORM TO THIS AGREEMENT WILL BE TO SECURE REPAIR OR REPLACEMENT OF THE ELECTROMAGNETIC LOCKS, AT SCHLAGE'S OPTION. IN NO EVENT WILL SCHLAGE'S MAXIMUM LIABILITY EXCEED THE SELLING PRICE FOR THE NON-CONFORMING ELECTROMAGNETIC LOCKS.

### Limitation of Liability:

IN NO EVENT WILL SCHLAGE BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES INCLUDING, BUT NOT LIMITED TO, LOSS OF USE OF THE ELECTROMAGNETIC LOCKS, LOSS OF PROFIT, LOSS OF REVENUE, INTEREST, LOST GOODWILL, WORK STOPPAGE, IMPAIRMENT OF OTHER GOODS, LOSS BY REASON OF SHUTDOWN OR NON-OPERATION, INCREASED EXPENSES OR OPERATION, OR CLAIMS OF END USERS, WHETHER BASED ON CONTRACT, WARRANTY, TORT (INCLUDING, BUT NOT LIMITED TO, STRICT LIABILITY OR NEGLIGENCE), PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

### Statute of Limitations:

NO ACTION ARISING OUT OF ANY CLAIMED BREACH OF THIS AGREEMENT BY SCHLAGE MAY BE BROUGHT BY END USER MORE THAN ONE (1) YEAR AFTER THE CAUSE OF ACTION HAS ARISEN.

### Consumer Products:

With respect to "customer products" as defined under the Magnuson-Moss Warranty Act ("MMWA"), the following statements are made.

(a) Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the End User. (b) This warranty gives the End User specific legal rights and the End User may also have other rights which vary from state to state.

# WARRANTY

## Limited Warranty - Networked Readers & Credentials

### Limited Lifetime Warranty – Credentials

Schlage Lock Company, LLC (hereinafter referred to as “Company”) extends a limited lifetime warranty to the original end-user purchaser (“Original Purchaser”) of our Credential, against defects in materials and workmanship under normal use and service.

### Limited Lifetime Warranty – Networked Readers

Company extends a limited lifetime warranty to the original end-user purchaser (“Original Purchaser”) of our Networked Reader, against defects in materials and workmanship under normal use and service.

### 5-Year Limited Warranty – Networked Reader Keypads

Company extends a five year limited warranty on the Networked Reader Keypad, from the date of shipment, to the original purchaser (“Original Purchaser”) of our Networked Reader, against defects in materials and workmanship under normal use and service.

### 1-Year Limited Warranty – Networked Magnetic Stripe Read Head

Company extends a one year limited warranty on the Networked Magnetic Stripe Read Head, from the date of installation (not to exceed two years from the date of shipment from the factory), to the original purchaser (“Original Purchaser”) of our Networked Reader, against defects in materials and workmanship under normal use and service.

### 1-Year Limited Warranty – Magnetic Stripe Credentials

Company extends a one year limited warranty on our magnetic stripe credentials, from the date of shipment, to the original purchaser (“Original Purchaser”) of our Magnetic Stripe Credential, against defects in materials and workmanship under normal use and service.

“Credential,” “Networked Reader,” “Networked Reader Keypad,” and “Networked Magnetic Stripe Read Head” are collectively referred herein as “Product.”

### What Company Will Do:

If a defect arises and a valid claim is determined by Company sole obligation, at its option, is to either repair or replace the Product covered under this warranty with a new or remanufactured Product. The repair or replacement of the Product, as provided herein, is Original Purchaser’s exclusive remedy.

### Original Purchaser:

This limited warranty only applies to the Original Purchaser of the Products. It is non transferable and does not apply to any subsequent purchaser.

### How to Submit a Claim:

In order to recover under this limited warranty, Original Purchaser must make a claim to Company and, if necessary, present acceptable proof of purchase. To start a claim submission, the Original Purchaser should contact Product Support at 1-877-671-7011 or 1-512-712-1316.

### What Is Not Covered:

The following costs, expenses and damages are NOT COVERED by the provisions of this limited warranty: (1) back charges, labor costs or removal or re-installation of said products; (2) shipping and freight expenses required to return product to Company; (3) failures, defects, or damage (including, but not limited to, any security failure or loss of data) caused by any third party product, service, or system connected or used in conjunction with the Products; and (4) any other incidental, consequential, indirect, special, or punitive damages including, but not limited to, loss of use of the control panel or video recorder, loss of profit, loss of revenue, loss of interest, lost goodwill, work stoppage, impairment of other goods, loss by reason of shutdown or non-operation, damage to property, increased expenses or operation, or third-party claims, arising out of any theory of recovery, including warranty, contract, statutory or tort (including, but not limited to, strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages.

### Exclusions to Warranty:

The provisions of this warranty do not apply to any Product which has been damaged due to conditions in which Company has no control including, but not limited to, catastrophe, improper installation or maintenance, accidents, modification, misuse, abuse, negligence, alteration, tampering or disassembly, undue electrical discharge or lightning strike, improper storage or use outside its intended and normal manner.

### LIMITATION OF LIABILITY:

COMPANY MAKES NO OTHER WARRANTY, CONDITION OR REPRESENTATION OF ANY KIND WHATSOEVER, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, EXCEPT THAT OF TITLE, AND ALL IMPLIED WARRANTIES AND CONDITIONS RELATING TO THE MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED, WHERE ALLOWED BY LAW. IN NO EVENT WILL COMPANY BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND.

### Additional Terms:

Company does not authorize any person to create for it any obligation or liability in connection with the Product. Company’s maximum liability hereunder is limited to the original purchase price of the Product. No action arising of out any claimed breach of this warranty by Company may be brought by the Original Purchaser more than one year after the cause of action has arisen.

### Applicability of Local Laws:

This warranty gives you specific legal rights, and you may also have other rights, permitted by law, which vary from state to state. If this Product is considered a consumer product, please be advised that some local laws do not allow limitations on incidental or consequential damages or how long an implied warranty lasts, so that the above limitations may not fully apply. Refer to your local laws for your specific rights under this warranty.

# WARRANTY

## Schlage Electric Strikes, System Accessories and Power Supplies

### 5-Year Limited Warranty – Electric Strikes:

Schlage Lock Company, LLC (the "Company") extends a five-year limited warranty to the original end-user purchaser ("Original Purchaser") of our electric strikes, against defects in materials and workmanship of the mechanical components under normal use and service and, a one-year limited warranty on the electrical components including the solenoid and wiring.

### 12-18 Month Limited Warranty:

The Company extends a 12-month limited warranty from date of installation on system accessories and power supplies (not to exceed 18 months from the date of shipment from factory), to the original end-user purchaser ("Original Purchaser") of the products manufactured by the Company against defects in material and workmanship under normal use and service.

### What The Company Will Do:

Upon return of the defective Product to the Company or its authorized distributor for inspection, free and clear of all liens and encumbrances and accompanied by the statement of defects and proof of purchase, the Company will repair or replace, at its option, the defective Product.

### Original User:

These warranties only apply to the Original User of Products. These warranties are not transferable.

### What Is Not Covered:

The following costs, expenses and damages are not covered by the provisions of these limited warranties: (i) labor costs including, but not limited to, such costs for the removal and reinstallation of Products; (ii) shipping and freight expenses required to return the Products to the Company; or (iii) any other incidental, consequential, indirect, special and/or punitive damages, whether based on contract, warranty, tort (including, but not limited to strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

The provisions of these limited warranties do not apply to Products: (i) used for purposes for which they are not designed or intended; (ii) which have been subjected to alteration, misuse, abuse, negligence, or accident; (iii) which have been improperly stored, installed, maintained, repaired or operated; (iv) which have been used in violation of written instructions provided by Schlage; (v) which have been subjected to improper temperature, humidity, or other environmental conditions (i.e., corrosion); or (vi) which, based on the Company's examination, do not prove to the Company's satisfaction non-conformance to the warranties.

- (a) THE WARRANTY, OBLIGATIONS AND LIABILITIES OF COMPANY (INCLUDING ITS SUPPLIERS) AND THE RIGHTS AND REMEDIES OF BUYER SET FORTH HEREIN ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, OBLIGATIONS, REPRESENTATIONS OR LIABILITIES EXPRESS OR IMPLIED ARISING BY LAW, IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE, INCLUDING BUT NOT LIMITED TO (I) ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY IMPLIED THROUGH COURSE OF PERFORMANCE, COURSE OF DEALING, OR USAGE OF TRADE OR (II) CLAIMS ARISING OUT OF THE NEGLIGENCE OF COMPANY OR COMPANY'S SUPPLIERS OR (III) ANY OTHER CLAIM ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE DESIGN, MANUFACTURE, SALE, REPAIR, LEASE OR USE OF THE PRODUCT, ANY COMPONENT THEREOF. **Additional Terms:** The Company does not authorize any person to create for it any obligation or liability in connection with the Products. **The Company's maximum liability under these warranties is limited to the purchase price of the Product that gives rise to the claim.** No action arising out of any claimed breach of these warranties by the Company may be brought by the Original User more than one (1) year after the cause of action has arisen.

CONSUMER PRODUCTS: WITH RESPECT TO "CONSUMER PRODUCTS" AS DEFINED UNDER THE MAGNUSON-MOSS WARRANTY ACT ("MMWA"), THE FOLLOWING STATEMENTS ARE MADE. (A) SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU; (B) IF ANY IMPLIED WARRANTY IS PROVIDED UNDER THE MMWA, IT IS LIMITED TO THE DURATION OF THE WARRANTY PROVIDED ABOVE. (C) SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU; AND (D) THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

# WARRANTY

## Schlage Electronic Locks

### 12-24 Month Limited Warranty:

Schlage Lock Company, LLC (the "Company") extends a 12 month limited warranty from date of installation, not to exceed 24 months from the date of shipment from factory, for NDE Series locks, CO-Series locks, AD-Series locks, AD-Series Reader Modules, WPR400, WRI400, WSM400, TK400, CT5000, PIM400, PIB300 to the original user of the products manufactured by the Company (the "Products") against defects in material and workmanship from the date of purchase.

### What The Company Will Do:

Upon return of the defective Product to the Company or its authorized distributor for inspection, free and clear of all liens and encumbrances and accompanied by the statement of defects and proof of purchase, the Company will repair or replace, at its option, the defective Product.

### Original User:

These warranties only apply to the Original User of Products. These warranties are not transferable.

### What Is Not Covered:

The following costs, expenses and damages are not covered by the provisions of these limited warranties: (i) labor costs including, but not limited to, such costs for the removal and reinstallation of Products; (ii) shipping and freight expenses required to return the Products to the Company; or (iii) any other incidental, consequential, indirect, special and/or punitive damages, whether based on contract, warranty, tort (including, but not limited to strict liability or negligence), patent infringement, or otherwise, even if advised of the possibility of such damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you.

The provisions of these limited warranties do not apply to Products: (i) used for purposes for which they are not designed or intended; (ii) which have been subjected to alteration, misuse, abuse, negligence, or accident; (iii) which have been improperly stored, installed, maintained, repaired or operated; (iv) which have been used in violation of written instructions provided by Schlage; (v) which have been subjected to improper temperature, humidity, or other environmental conditions (i.e., corrosion); or (vi) which, based on the Company's examination, do not prove to the Company's satisfaction non-conformance to the warranties.

- (a) THE WARRANTY, OBLIGATIONS AND LIABILITIES OF COMPANY (INCLUDING ITS SUPPLIERS) AND THE RIGHTS AND REMEDIES OF BUYER SET FORTH HEREIN ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, OBLIGATIONS, REPRESENTATIONS OR LIABILITIES EXPRESS OR IMPLIED ARISING BY LAW, IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE, INCLUDING BUT NOT LIMITED TO (I) ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY IMPLIED THROUGH COURSE OF PERFORMANCE, COURSE OF DEALING, OR USAGE OF TRADE OR (II) CLAIMS ARISING OUT OF THE NEGLIGENCE OF COMPANY OR COMPANY'S SUPPLIERS OR (III) ANY OTHER CLAIM ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE DESIGN, MANUFACTURE, SALE, REPAIR, LEASE OR USE OF THE PRODUCT, ANY COMPONENT THEREOF. **Additional Terms:** The Company does not authorize any person to create for it any obligation or liability in connection with the Products. **The Company's maximum liability under these warranties is limited to the purchase price of the Product that gives rise to the claim.** No action arising out of any claimed breach of these warranties by the Company may be brought by the Original User more than one (1) year after the cause of action has arisen.

CONSUMER PRODUCTS: WITH RESPECT TO "CONSUMER PRODUCTS" AS DEFINED UNDER THE MAGNUSON-MOSS WARRANTY ACT ("MMWA"), THE FOLLOWING STATEMENTS ARE MADE. (A) SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU; (B) IF ANY IMPLIED WARRANTY IS PROVIDED UNDER THE MMWA, IT IS LIMITED TO THE DURATION OF THE WARRANTY PROVIDED ABOVE. (C) SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU; AND (D) THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Notes

**For more than 100 years** Allegion brands have been providing innovative access control solutions. We are at the forefront of access control innovation, including contactless smart credentials, wireless security products and biometrics.

Allegion electronic security offers the most extensive range of access control and security management solution on the market today. This comprehensive line of products allow you to build a complete access control system from the ground up. For facilities with existing access control systems, the open architecture design of Allegion electronic security products facilitates easy integration into your existing system. Because Allegion understands that your needs will evolve over time, Allegion also provides the opportunity for an easy migration path as technology advances.

At Allegion, we understand that each facility has unique security requirements. Our extensive line of products, flexible options and ability to adapt to your existing environment make it easy to find a solution that will fit your security needs...whatever they may be.



## Allegion Solutions Overview

Allegion offers comprehensive security solutions for each facility. To help you identify which solution is right for your facility, here are some reader technologies with their compatible credential technologies. Allegion readers and credentials are designed on an open architecture platform. For more details on compatibility, please refer to the data sheets.

		Credential Compatibility						
		PIN	Magnetic Stripe (1,2,3 Track)	Proximity Card (125 kHz)	Smart Card (13.56 MHz)	iButton	Biometric (Hand Geometry)	FIPS 201-1 Compliant
	NDE Series Multi-Technology Reader			X	X			
AD-Series Readers	AD-Series Keypad Reader (KP)	X						
	AD-Series Magnetic Stripe + Keypad Reader (MGK (Insert) or MSK (Swipe))	X	X					
	AD-Series Magnetic Stripe Reader (MG (Insert) or MS (Swipe))		X					
	AD-Series Multi-Technology + Keypad Reader (MTK)	X		X	X			
	AD-Series Multi-Technology Reader (MT)			X	X			
	AD-Series Multi-Technology FIPS 201-1 Compliant Reader (FMK)	X		X	X			X
CO-Series Readers	CO-Series Keypad Reader (KP)	X						
	CO-Series Magnetic Stripe (Swipe) + Keypad Reader (MSK)	X	X					
	CO-Series Magnetic Stripe (Swipe) Reader (MS)		X					
	CO-Series Proximity + Keypad Reader (PRK)	X		X				
	CO-Series Proximity Reader (PR)			X				
Networked Readers	PR10 Proximity Reader - Mini Mullion			X				
	SM10 Contactless Smart Reader - Mini Mullion				X			X
	MT11 Multi-Technology Reader - Mullion			X	X			X
	MT15 Multi-Technology Reader - Wall Mount			X	X			X
	MTK15 Multi-Technology Reader with Keypad - Wall Mount	X		X	X			X
	MTMS15 Multi-Technology Magnetic Stripe Reader - Wall Mount		X	X	X			X
	MTMSK15 Multi-Technology Magnetic Stripe Reader with Keypad - Wall Mount	X	X	X	X			X
	SMR5 Magnetic Stripe Card Reader		X					
	SMR10 Magnetic Stripe Card Reader		X					
	SMR20 Magnetic Stripe Card Reader + Keypad	X	X					
	SRT-100 iButton Mullion Mount Reader					X		
	SERIII-W Scramble Keypad	X						
	SERII-WB Scramble Keypad	X						
	SEKPDMWG Electronic Keypad - Mullion Mount	X						
	SEKPDWG Electronic Keypad	X						
	SEKPD8B Electronic Keypad	X						
Biometrics	HandKey-2 (F Series)	X	X	X	X		X	

<b>CREDENTIALS - TABLE OF CONTENTS</b>	
<b>Credentials Overview</b>	<b>16</b>
<b>How to Order</b>	<b>17</b>
<b>aptiQ™ Smart Credentials</b>	<b>18</b>
aptiQ™ Smart Cards using MIFARE DESFire™ EV1	18
Multi-Technology: Proximity and aptiQ™ Smart Cards using MIFARE DESFire™ EV1	18
aptiQ™ Smart Cards using MIFARE® Classic	19
Multi-Technology: Proximity and aptiQ™ Smart Cards using MIFARE® Classic	19
aptiQ Smart Wristband using MIFARE Classic	19
<b>aptiQmobile™ Credentials</b>	<b>20</b>
aptiQmobile™ Compatible iPhone Cases	20
<b>XceedID Proximity Credentials</b>	<b>21</b>
<b>Schlage Credentials</b>	
Proximity Credentials (37 bit, Facility Code 1462)	22
Magnetic Stripe Credentials	22
iButton Credentials	22
<b>Slot Punch Options</b>	<b>23</b>

**CONTACT INFORMATION FOR APTIQ AND XCEEDID READERS AND CREDENTIALS**

Email Order To: Readers.Credentials.Orders@allegion.com  
 Fax Order To: 866-954-1779  
 Payment Address: XceedID Corporation  
 15934 Collections Center Drive  
 Chicago, IL 60693

**CONTACT INFORMATION FOR SCHLAGE ELECTRONICS CREDENTIALS**

Email Order To: Order\_Entry\_Schlage\_Commercial@allegion.com  
 Payment Address: Schlage Electronic Security  
 15940 Collections Center Drive  
 Chicago, IL 60693  
 Fax Order To: 800-452-0665  
 Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Contact for Customer Service: Readers.Credentials.Sales.Support@allegion.com	Contact For Technical Assistance: Readers_Credentials_Biometrics_TechProdSupport@allegion.com
<b>Inside Sales 855-248-0302</b>	
General Sales Questions, Pre-printed cards, CardTrax Accounts ElectronicInsideSales@allegion.com	

*For Credentials Warranty Information please see pages 9.*

**Pricing/product description subject to change without notice.**



With the latest in smart card technology and traditional proximity technology, we have an option for every budget and business need.

**Smart Credentials**

Ideal for facilities with moderate to high security needs, aptiQ™ smart cards put you in control by delivering smarter solutions. Through the use of either MIFARE® Classic or MIFARE DESFire™ EV1 technology, these credentials protect your most sensitive data by utilizing extra layers of security protection. Smart credentials can be used for many applications beyond access control including transit, cashless vending, and cafeteria point of sale.

**Proximity Credentials**

XceedID® proximity credentials are an excellent solution for facilities with less demanding security needs. Utilizing 125 kHz proximity technology, these credentials are a cost effective solution and are able to interface with many industry leading proximity readers.

**Multi-Technology Credentials**

aptiQ™ multi-technology credentials are extremely flexible. Particularly useful during a transition from proximity technology to smart technology, these cards can be read by both proximity readers and smart readers. This allows your customers to economically migrate to the latest smart technology at their own pace.

**aptiQmobile™ Credentials**

aptiQmobile™ is a new way of delivering mobile credentials to your students' and employees' phones. Through the use of near field communication (NFC), a smartphone app works just like an ID card, providing more for your students and employees while enhancing the security of their credential. Easily assign credentials today using the access control software of one of our developer network partners or use our web-based portal. aptiQmobile™ offers a much higher level of security, based on encrypted smart card technology, featuring a 128 bit AES encrypted credential and utilizing patent-pending anti-playback technology.

For more information, visit [aptiQmobile.com](http://aptiQmobile.com).

## Specify Programming Information

Part Number	Bit Format	Facility Code	Start Number		Quantity	CardTrax™ Number	Special Instructions
			Internal	External			
Please submit orders to Readers.Credentials.Orders@allegion.com with purchase order.							

<b>Programming Information</b>	<b>Part number</b> – Refer to pages 18-21
	<b>Bit Format</b> – Example 26 bit; See bit format chart below. If you have questions, contact your sales representative.
	<b>Facility code</b> - See bit format chart below. If you have questions, contact your sales representative
	<b>Start Number</b> – Specify the internal and external start numbers. By default, the internal number matches the external number; please specify if this is not your desired option.
	<b>No Programming</b> – If you would like your smart cards blank, please make sure include <b>NP</b> in special instructions . If you would like your proximity cards blank, please make sure you include either 88i or initialized as they cannot be non programmed.
	<b>Slot Punch</b> – Punch mark guides are on all ISO cards. Clamshells are punched on the landscape profile. Please specify slot punch orientation.
	<b>Custom Artwork</b> – Please note any custom artwork requests, and contact Inside Sales at 855-248-0302 for further instruction.
<b>CardTrax™</b> - CardTrax format is a unique 40 bit format for smart cards and 35 bit format for prox cards. Cards will automatically be provided as "next in line" unless otherwise specified.	

## Available Bit Formats:

Bit formats	Facility Code Range	Number Range	Prox	Smart
26A (125kHz Standard)	0-255	0-65,535	Y	Y
26A PSK Format* Specify Config ID 00030000	0 - 255	0 - 65,535	Y	N
32X	N/A	0-1,073,741,823	Y	Y
34N	0-255	0-65,535	Y	Y
34S	0-4,095	0-1,048,575	Y	Y
35X	0-4,095	0-1,048,575	Y	Y
35C	0-4,095	0-1,048,575	Y	Y
36X	0-4,095	0-2,097,151	Y	Y
37H	Not Applicable	0-34,359,738,367	Y	Y
37X	0-65,535	0-524,288	Y	Y
40X (13.56MHz Standard)	0-1,023	0-268,435,455	N	Y
48X	0 – 1,048,575	0-1,048,575	N	Y

\*Compatible with HID's 26-A bit Indala brand proximity readers

## Available Form Factors:

	Clamshell	ISO – Glossy White	Keyfob	Adhesive PVC Disk	Adhesive PVC Patch
<b>Dimensions (HWT in inches)</b>	3.37x2.125 x0.075	3.37x2.125x0.033	2x1.24x0.038	35 mm	3.37x2.125x0.075

## aptiQmobile™ Ordering Instructions

The ordering process and channels through which aptiQmobile™ is ordered are identical to physical cards. Be sure to include the customer name on the PO. Credential programming information is not needed on the PO.

Allegion, the Allegion logo, and XceedID are trademarks of Allegion plc, its subsidiaries and/or affiliates in the United States and other countries. All other trademarks are the property of their respective owners.

HID and Indala are both ® registered.

Pricing/product description subject to change without notice.

**aptiQ™ Smart Cards using MIFARE DESFire™ EV1 Technology**

- 13.56 MHz smart technology
- Uses MIFARE DESFire EV1 Technology
- Meets ISO standard 14443A

(Minimum order is 100)

<b>8420</b>	aptiQ™ Smart Card 2K byte/16k bit Clamshell	<b>\$7.10</b>
<b>8440*</b>	aptiQ™ Smart Card 4K byte/32k bit Clamshell	<b>\$8.00</b>
<b>8480*</b>	aptiQ™ Smart Card 8K byte/64k bit Clamshell	<b>\$9.80</b>
<b>8520</b>	aptiQ™ Smart Card 2K byte/16k bit ISO Glossy White	<b>\$7.70</b>
<b>8540</b>	aptiQ™ Smart Card 4K byte/32k bit ISO Glossy White	<b>\$8.60</b>
<b>8580</b>	aptiQ™ Smart Card 8K byte/64k bit ISO Glossy White	<b>\$10.40</b>
<b>8520M1</b>	aptiQ™ Smart Card 2K byte/16k bit with Magnetic Stripe ISO Glossy White	<b>\$8.40</b>
<b>8540M1</b>	aptiQ™ Smart Card 4K byte/32k bit with Magnetic Stripe ISO Glossy White	<b>\$9.30</b>
<b>8580M1*</b>	aptiQ™ Smart Card 8K byte/64k bit with Magnetic Stripe ISO Glossy White	<b>\$11.10</b>
<b>8620</b>	aptiQ™ Smart Card 2K byte/16Kbit KEYFOB (minimum order of 50)	<b>\$8.00</b>
<b>8640**</b>	aptiQ™ Smart Card 4K byte/32Kbit KEYFOB (minimum order of 50)	<b>\$8.90</b>
<b>8680**</b>	aptiQ™ Smart Card 8K byte/64Kbit KEYFOB (minimum order of 50)	<b>\$10.50</b>
<b>8720*</b>	aptiQ™ Smart Card 2K byte/16k bit PVC Patch	<b>\$7.00</b>
<b>8740*</b>	aptiQ™ Smart Card 4K byte/32k bit PVC Patch	<b>\$7.90</b>
<b>8780*</b>	aptiQ™ Smart Card 8K byte/64k bit PVC Patch	<b>\$9.60</b>

**Dual Technology: Proximity and aptiQ™ Smart Cards using MIFARE DESFire™ EV1**

(Minimum order is 100)

<b>8920*</b>	Proximity and aptiQ™ Smart Card Combo 2K byte/16k bit ISO Glossy White	<b>\$11.30</b>
<b>8940*</b>	Proximity and aptiQ™ Smart Card Combo 4K byte/32k bit ISO Glossy White	<b>\$12.30</b>
<b>8980*</b>	Proximity and aptiQ™ Smart Card Combo 8K byte/64k bit ISO Glossy White	<b>\$14.20</b>
<b>8920M1 *</b>	Proximity and aptiQ™ Smart Card Combo 2K byte/16k bit with Magnetic Stripe ISO Glossy White	<b>\$11.70</b>
<b>8940M1 *</b>	Proximity and aptiQ™ Smart Card Combo 4K byte/32k bit with Magnetic Stripe ISO Glossy White	<b>\$12.70</b>
<b>8980M1 *</b>	Proximity and aptiQ™ Smart Card Combo 8K byte/64k bit with Magnetic Stripe ISO Glossy White	<b>\$14.60</b>

\* Lead Time: 4-6 weeks

\*\* Lead Time: 6-8 weeks

Custom Artwork and Laser Engraving is available for all ISO and Clamshell cards.  
Contact Inside Sales at 855-248-0302 or [ElectronicInsideSales@allegion.com](mailto:ElectronicInsideSales@allegion.com) for more information.

If there is a specific card combination that you do not see listed in the price book,  
please contact your sales representative for information on special orders.

**aptiQ™ Smart Cards using MIFARE® Classic**

- 13.56 MHz smart technology
- Uses MIFARE Technology
- Meets ISO standard 14443A

(Minimum order is 100)

<b>9420</b>	aptiQ™ MIFARE Classic Smart Card 2.5k bit Clamshell	<b>\$4.30</b>
<b>9451</b>	aptiQ™ MIFARE Classic Smart Card 1K byte/8k bit Clamshell	<b>\$6.60</b>
<b>9520</b>	aptiQ™ MIFARE Classic Smart Card 2.5k bit ISO Glossy White	<b>\$5.30</b>
<b>9551</b>	aptiQ™ MIFARE Classic Smart Card 1K byte/8k bit ISO Glossy White	<b>\$6.50</b>
<b>9558</b>	aptiQ™ MIFARE Classic Smart Card 4K byte/32k bit ISO Glossy White	<b>\$9.10</b>
<b>9520M1</b>	aptiQ™ MIFARE Classic Smart Card 2.5k bit with Magnetic Stripe ISO Glossy White	<b>\$5.90</b>
<b>9551M1</b>	aptiQ™ MIFARE Classic Smart Card 1K byte/8k bit and Magnetic Stripe ISO Glossy White	<b>\$7.10</b>
<b>9558M1</b>	aptiQ™ MIFARE Classic Smart Card 4K byte/32k bit and Magnetic Stripe ISO Glossy White	<b>\$9.80</b>
<b>9651</b>	aptiQ™ MIFARE Smart 1K bit Keyfob (minimum order is 50)	<b>\$7.40</b>
<b>9651T</b>	aptiQ MIFARE Classic 1k byte Thin Keyfob (Minimum order is 50)	<b>\$7.60</b>
<b>9751*</b>	aptiQ™ MIFARE Classic Smart Cards 1K byte/8k bit PVC Patch	<b>\$6.70</b>
<b>9758*</b>	aptiQ™ MIFARE Classic Smart Cards 4K byte/32k bit PVC Patch	<b>\$10.00</b>

**Dual-Technology: Proximity and aptiQ™ Smart Cards using MIFARE® Classic**

(Minimum order is 100)

<b>9691T</b>	Proximity and aptiQ™ Smart Fob Combo 1k byte - Thin Keyfob (Minimum order is 50)	<b>\$9.95</b>
<b>9951*</b>	Proximity and aptiQ™ Smart card combo 1K byte/8k bit ISO Glossy White	<b>\$8.90</b>
<b>9958*</b>	Proximity and aptiQ™ Smart card combo 4K byte/32k bit ISO Glossy White	<b>\$10.60</b>
<b>9951M1*</b>	Proximity and aptiQ™ Smart card combo 1K byte/8k bit with Magnetic Stripe ISO Glossy White	<b>\$9.20</b>
<b>9958M1*</b>	Proximity and aptiQ™ Smart card combo 4K byte/32k bit with Magnetic Stripe ISO Glossy White	<b>\$11.00</b>

\* Lead Time: 4-6 weeks

**iButton Keyfobs using MIFARE® Classic Technology**

(Minimum order is 100)

<b>IBF-151</b>	Combo Keyfob, 13.56 MHz MIFARE Classic (1K byte/8k bit) and iButton (minimum order is 50)	<b>\$16.30</b>
<b>IBWB-151</b>	Combo Keyfob, 13.56 MHz MIFARE Classic (1K byte/8k bit) without iButton (minimum order is 50)	<b>\$9.40</b>

**AptiQ™ Wristbands Using MIFARE Class Technology**

(Minimum order is 100)

<b>9351-XXX</b>	Silicone Wristband 1K byte/8k bit aptiQ MIFARE Classic 1k byte Silicone Wristband (Minimum order is 100) Available in eleven colors BLK = Black      BLU = Blue      PNK = Pink PLE = Purple      CYN = Light Blue      ONG = Orange GRN = Green      YEL = Yellow      RED = Red LME = Lime      WHI = White	<b>\$9.60</b>
-----------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------

Custom Artwork and Laser Engraving is available for all ISO and Clamshell cards.  
Contact Inside Sales at 855-248-0302 or [ElectronicInsideSales@allegion.com](mailto:ElectronicInsideSales@allegion.com) for more information.

If there is a specific card combination that you do not see listed in the price book,  
please contact your sales representative for information on special orders.

**aptiQmobile™ Credentials**

- Uses 13.56 MHz smart technology via near field communication (NFC)
- Compatible with NFC-enabled phones and iPhones with an aptiQmobile™ case (sold separately).  
For a list of compatible phones, visit [aptiQmobile.com](http://aptiQmobile.com)
- For a list of available bit formats, contact your sales representative.
- Standardized discount structure to align with electronic credentials

**(Minimum order is 25)**

<b>9100*</b>	aptiQmobile™ Virtual Credential	<b>\$9.00</b>
--------------	---------------------------------	---------------

**aptiQmobile™ Compatible iPhone Cases**

<b>KIT420B</b>	aptiQmobile™ compatible iPhone 4 Case Black	<b>\$136.00</b>
<b>KIT420W</b>	aptiQmobile™ compatible iPhone 4 Case White	<b>\$136.00</b>
<b>KIT520B</b>	aptiQmobile™ compatible iPhone 5 Case Black	<b>\$136.00</b>
<b>KIT520W</b>	aptiQmobile™ compatible iPhone 5 Case White	<b>\$136.00</b>

## Proximity Credentials

- 125kHz proximity technology
- Compatible with most HID Proximity formats up to 37 bits
- Compatible with most HID readers

(Minimum order is 100)

<b>7410</b>	Proximity Card Clamshell	<b>\$3.35</b>
<b>7510</b>	Proximity Card ISO Glossy White	<b>\$5.75</b>
<b>7510M1</b>	Proximity and Magnetic Stripe Card ISO Glossy White	<b>\$6.40</b>
<b>7610</b>	Proximity Keyfob (minimum order is 50)	<b>\$5.90</b>
<b>7610T</b>	Proximity Thin Keyfob (Minimum order is 50)	<b>\$6.30</b>
<b>7010</b>	Proximity Sticky Disk (35 mm Disk) (minimum order is 50)	<b>\$5.40</b>
<b>IBF-110</b>	Combo Keyfob, 125 kHz Proximity and iButton (minimum order is 50)	<b>\$13.35</b>
<b>IBWB-110</b>	Combo Keyfob, 125 kHz Proximity without iButton (minimum order 50)	<b>\$7.05</b>

## Proximity Credentials Comparison Guide

XceedID Product Number	HID Product Number
<b>125kHz Proximity Cards</b>	
7410	1326
7510M1	1336/1536
7610	1346
7510	1386/1586
7010	1391

**Please Note:**

*This chart offers comparable part numbers, these are not direct replacements. Please use this chart as a guide and reference the spec sheet for the part specified to determine compatibility.*

Custom Artwork and Laser Engraving is available for all ISO and Clamshell cards.  
 Contact Inside Sales at 855-248-0302 or [ElectronicInsideSales@allegion.com](mailto:ElectronicInsideSales@allegion.com) for more information.

If there is a specific card combination that you do not see listed in the price book, please contact your sales representative for information on special orders.

Allegion, the Allegion logo, and XceedID are trademarks of Allegion plc, its subsidiaries and/or affiliates in the United States and other countries. All other trademarks are the property of their respective owners.

HID and Indala are both ® registered.

Pricing/product description subject to change without notice.

## Schlage Credentials



### Proximity Credentials (37 bit, Facility Code 1462)

<b>PRX1</b>	Proximity Card - .075" thick Clamshell	<b>\$5.20</b>
<b>PRX3</b>	Proximity Card - Credit card size and .033" thick ISO Glossy White	<b>\$8.30</b>
<b>PRX4</b>	Proximity Card - Dual Technologies - magnetic stripe and Prox .033" thick	<b>\$9.40</b>
<b>PRX5</b>	PVC disk with adhesive back .042" thick	<b>\$9.40</b>
<b>PF1</b>	Proximity Keyfob	<b>\$9.40</b>

### 100-pack Proximity Credentials (37 bit, Facility Code 1462)

<b>PRX1-100</b>	Proximity Card - .075" thick Clamshell	<b>\$338.00</b>
<b>PRX3-100</b>	Proximity Card - Credit card size and thickness .033" thick ISO Glossy White	<b>\$575.00</b>
<b>PRX4-100</b>	Proximity Card - Dual Technologies - magnetic stripe and Prox .033" thick	<b>\$640.00</b>
<b>PRX5-100</b>	PVC patch with adhesive back .042" thick	<b>\$541.00</b>
<b>PF1-100</b>	Proximity Keyfob	<b>\$593.00</b>

### Magnetic Stripe Credentials

<b>MAG1</b>	Magnetic Stripe Card - not encoded, no logo. (minimum order is 100)	<b>\$2.80</b>
<b>MAG2</b>	Magnetic Stripe Card - Encoded (track 2 and track 3) with Schlage Logo. (minimum order is 100)	<b>\$3.80</b>
<b>MAG3</b>	Magnetic Stripe Card - Encoded, no printing. Must have an enrollment reader to use this credential. (minimum order is 100)	<b>\$3.80</b>

### iButton Credentials

<b>IBA</b>	iButton (Adhesive Back)	<b>\$7.60</b>
<b>IBF</b>	iButton on Fob - Black	<b>\$11.90</b>
<b>IBF-100</b>	100 pack - iButton on keyfob - black	<b>\$972.00</b>

**Slot Punch Options**

*Slot punching options available for all credentials*

<b>SPV</b>	Vertical Slot Punch for ISO and Magstripe Credentials MUST BE ORDERED WITH CARDS.	<b>\$0.44 per card</b>
<b>SPH</b>	Horizontal Slot Punch for ISO and Magstripe Credentials MUST BE ORDERED WITH CARDS.	<b>\$0.44 per card</b>

Pricing/product description subject to change without notice.



Notes

<b>NETWORKED READERS - TABLE OF CONTENTS</b>	
<b>Readers Overview</b>	<b>26</b>
<b>How to Order</b>	<b>27</b>
<b>aptiQ™ and XceedID Readers</b>	<b>28</b>
Multi-Technology Readers	28
Multi-Technology Magnetic Stripe Readers	28
Smart Card Readers	28
Proximity Readers	28
New Product Conversion Chart	28
<b>aptiQ™ and XceedID Reader Parts</b>	
Reader Replacement Parts	29
Reader Covers	29
<b>Enrollment Readers</b>	<b>30</b>
<b>Schlage Electronics Readers and Keypads</b>	
Magnetic Stripe Readers	31
Enrollment Readers for Schlage Express	31
iButton Readers	31
Scramble Keypads	32
Electronic Keypads	32

**CONTACT INFORMATION FOR APTIQ AND XCEEDID READERS AND CREDENTIALS**

Email Order To: Readers.Credentials.Orders@allegion.com  
 Fax Order To: 866-954-1779  
 Payment Address: XceedID Corporation  
 15934 Collections Center Drive  
 Chicago, IL 60693

**CONTACT INFORMATION FOR SCHLAGE ELECTRONICS READERS AND KEYPADS**

Email Order To: Order\_Entry\_Schlage\_Commercial@allegion.com  
 Fax Order To: 800-452-0665  
 Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Contact For Customer Service: Readers.Credentials.Sales.Support@allegion.com	Contact For Technical Assistance: Readers_Credentials_Biometrics_TechProdSupport@allegion.com
<b>Inside Sales 855-248-0302</b>	
General Sales Questions, Pre-printed cards, CardTrax Accounts ElectronicInsideSales@allegion.com	

For Credentials Warranty Information please see page 9.

Pricing/product description subject to change without notice.

With our versatile multi-technology, smart and proximity reader options, we have a solution for any physical access control need. Our comprehensive, yet simple reader line-up is suitable for any new smart or proximity installation.

### aptiQ™ Multi-Technology Readers

aptiQ™ multi-technology readers are ideal for any new smart, proximity, or magnetic stripe installation—or as a cost effective way to migrate from existing magnetic stripe or proximity to smart technology.

- 125 kHz proximity and 13.56 MHz contactless smart card technology in one reader
- Magnetic stripe option, reads track 2 default, tracks 1 and 3 configurable
- Reads ISO 14443 A/B and 15693 credentials
- Compatible with:
  - aptiQ™ smart credentials using MIFARE® Classic and MIFARE DESFire™ EV1
  - aptiQmobile™ credentials using NFC technology
  - Most popular proximity credentials including XceedID, Schlage, HID®, GE/Casi ProxLite®, AWID®, and LenelProx®
  - CSN of most existing 13.56 MHz credentials
  - Magnetic stripe
- Wiegand interface (RS-485 available)
- FIPS 201-1 compliant
- Tri-state LED (red, green, amber) and audible status alert
- Standard color is black. Gray, brown and cream colors are available, longer lead times may apply.

### aptiQ™ Smart Readers

The aptiQ™ smart mini-mullion reader is an excellent option for a smart-only installation.

- 13.56 MHz single frequency contactless smart card technology
- Reads ISO 14443 A/B and 15693 credentials
- Compatible with:
  - aptiQ™ smart credentials using MIFARE® Classic and MIFARE DESFire™ EV1
  - aptiQmobile™ credentials using NFC technology
  - CSN of most existing 13.56 MHz credentials
- Wiegand interface
- FIPS 201-1 compliant
- Tri-state LED (red, green, amber) and audible status alert
- Standard color is black. Gray, brown and cream colors are available, longer lead times may apply.

### XceedID Proximity Readers

This mini-mullion reader is a great solution for proximity-only facilities.

- 125 kHz single frequency proximity technology
- Compatible with:
  - Most popular proximity credentials including XceedID, Schlage, HID®, GE/Casi ProxLite®, AWID®, and LenelProx®
- Tri-state LED (red, green, amber) and audible status alert
- Wiegand interface
- Standard color is black. Gray, brown, and cream colors are available, longer lead times may apply.

Allegion, the Allegion logo, and XceedID are trademarks of Allegion plc, its subsidiaries and/or affiliates in the United States and other countries. All other trademarks are the property of their respective owners.

## How to Order:

Follow the steps below to build the full part number for the reader you wish to order. Use the sample below to determine how to write your part number on your PO.

Sample Part Number: **MTK15 - 485 - C - PIV8**

**1. Reader Model Number**

**2. RS-485**

(optional – Multi-Tech Readers Only)

**3. Color Option**

Black (standard) – leave blank  
 Cream – add “C”  
 Warm Tone Brown – add “BN”  
 Cool Tone Gray – add “G”

**4. PIV Format**

(optional; see chart below for formats)

### 1. Choose Your Reader Model

See page 28 for available models.

### 2. RS-485 Capability

aptiQ™ readers (multi-technology only) have been designed with an option to interface directly with controllers that utilize RS-485 protocol. RS-485 is a communication protocol that allows a two way communication between the reader and the panel, for example OSDP protocol.

To order readers with RS-485 capability, add “-485” after the reader model number. If you are using the standard Wiegand protocol, do not add a suffix (leave blank).

### 3. Reader Color Options

aptiQ™ and XceedID Readers are available in four color options. Add the appropriate suffix after the reader model number and RS-485 option (if applicable).

Black (standard) – do not add a color suffix, **leave blank**  
 Cream – **add “C”**  
 Warm Tone Brown – **add “BN”**  
 Cool Tone Gray – **add “G”**

If the RS-485 option is chosen, add the color suffix after “-485.” If the RS-485 option is not chosen, add the color suffix after the reader part number (ex: MT11BN).

### 4. PIV Format

75-bit PIV is the default format for all aptiQ™ and XceedID readers. Other format requirements are determined by the access control system, agency requirements, and customer specifications. The other available formatting options are listed below. Add “PIV” and the format number after the reader model number, RS-485 option (if applicable), and color suffix (if applicable).


Format Number	Bit Information
1	75-bit PIV
2	58-bit TWIC/CAC
3	200-bit FASC-N
4	64-bit (BCD) TWIC/CAC
5	83-bit TWIC/CAC
6	66-bit (58-bit format + TSM) TWIC/CAC
7	64-bit (58-bit format (no parity) + TSM) TWIC/CAC
8	91-bit (83 bit format + TSM) TWIC/CAC
9	40-bit BCD
10	40-bit reversed BCD
11	64-bit BCD
12	64-bit reversed BCD
13	128-bit BCD
14	128-bit reversed BCD
15	58-bit HSE

If you need assistance in determining the PIV format for your facility, please contact your Allegion sales representative directly.

### 5. Special Instructions

Please specify any other special instructions directly on your PO.


Pricing/product description subject to change without notice.



**aptiQ™ Multi-Technology Readers**

<b>MT11</b>	<b>Multi-Technology Reader – Mullion Mount</b> Dimensions: 5.91" x 1.72" x 0.81". Power required: 5-16 VDC	<b>\$311.00</b>
<b>MT15</b>	<b>Multi-Technology Reader – Wall Mount</b> Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-16 VDC	<b>\$311.00</b>
<b>MTK15</b>	<b>Multi-Technology Reader – Wall Mount with Keypad</b> Dimensions: 5.1" x 3.25" x 0.76". Power required: 5-16 VDC	<b>\$508.00</b>

*For RS-485 capability add -485 to part number.*



**aptiQ™ Multi-Technology Magnetic Stripe Readers**

<b>MTMS15</b>	<b>Multi-Technology Magnetic Stripe Reader – Wall Mount</b> Dimensions: 4.43" x 5.17" x 1.15". Power required: 5-16 VDC	<b>\$564.00</b>
<b>MTMSK15</b>	<b>Multi-Technology Magnetic Stripe Reader – Wall Mount with Keypad</b> Dimensions: 4.43" x 5.17" x 1.15". Power required: 5-16 VDC	<b>\$761.00</b>

*For RS-485 capability add -485 to part number.*



**aptiQ™ Contactless Smart Card Readers**

<b>SM10</b>	<b>aptiQ™ Contactless Smart Card Reader – Mini-Mullion Mount</b> Dimensions: 4.26" x 1.72" x 0.81". Power required: 5-16 VDC	<b>\$151.00</b>
-------------	---------------------------------------------------------------------------------------------------------------------------------	-----------------



**XceedID Proximity Readers**

<b>PR10</b>	<b>Proximity Reader – Mini-Mullion Mount</b> Dimensions: 4.26" x 1.72" x 0.81". Power required: 5-16 VDC	<b>\$151.00</b>
-------------	-------------------------------------------------------------------------------------------------------------	-----------------

### Reader Replacement Parts

<b>23846462</b>	Pigtail – 18 inch	<b>\$39.50</b>
<b>23933104</b>	Screw pack	<b>\$11.30</b>
<b>21074009</b>	Magnetic Stripe Read Head	<b>\$113.00</b>
<b>23846355</b>	Mini-Mullion Backplate	<b>\$22.50</b>
<b>23846439</b>	Single Gang Backplate	<b>\$22.50</b>
<b>23846397</b>	Mullion Backplate	<b>\$22.50</b>
<b>24152654</b>	Magnetic Stripe Backplate	<b>\$45.10</b>
<b>CP-11</b>	Cosmetic Backplate Cover – Mini Mullion /Mullion (6.70" x 2.50")	<b>\$28.20</b>
<b>CP-15</b>	Cosmetic Backplate Cover – Single Gang (5.65" x 3.85")	<b>\$28.20</b>
<b>CP-21</b>	Cosmetic Backplate Cover – Mid-Range (6.45" x 5.50")	<b>\$28.20</b>

### Reader Covers

*Standard color for readers is black. Gray, brown and cream colors are available, longer lead times may apply.*

<b>23846520</b>	Mini-Mullion – Black	<b>\$22.50</b>
<b>23846546</b>	Mini-Mullion – Warm-Tone Brown	<b>\$22.50</b>
<b>23846538</b>	Mini-Mullion – Cool-Tone Gray	<b>\$22.50</b>
<b>23920648</b>	Mini-Mullion – Cream	<b>\$22.50</b>
<b>23846553</b>	Mullion – Black	<b>\$22.50</b>
<b>23846579</b>	Mullion – Warm-Tone Brown	<b>\$22.50</b>
<b>23846561</b>	Mullion – Cool-Tone Gray	<b>\$22.50</b>
<b>23920655</b>	Mullion – Cream	<b>\$22.50</b>
<b>23846587</b>	Single Gang – Black	<b>\$22.50</b>
<b>23846603</b>	Single Gang – Warm-Tone Brown	<b>\$22.50</b>
<b>23846595</b>	Single Gang – Cool-Tone Gray	<b>\$22.50</b>
<b>23920598</b>	Single Gang – Cream	<b>\$22.50</b>
<b>23846611</b>	Single Gang with Keypad – Black	<b>\$22.50</b>
<b>23846637</b>	Single Gang with Keypad – Warm-Tone Brown	<b>\$22.50</b>
<b>23846629</b>	Single Gang with Keypad – Cool-Tone Gray	<b>\$22.50</b>
<b>23920606</b>	Single Gang with Keypad – Cream	<b>\$22.50</b>
<b>24064149</b>	Magnetic Stripe – Black	<b>\$45.10</b>
<b>24064156</b>	Magnetic Stripe – Warm-Tone Brown	<b>\$45.10</b>
<b>24064172</b>	Magnetic Stripe – Cool-Tone Gray	<b>\$45.10</b>
<b>24064164</b>	Magnetic Stripe – Cream	<b>\$45.10</b>
<b>24064198</b>	Magnetic Stripe with Keypad – Black	<b>\$45.10</b>
<b>24064206</b>	Magnetic Stripe with Keypad – Warm-Tone Brown	<b>\$45.10</b>
<b>24064222</b>	Magnetic Stripe with Keypad – Gray	<b>\$45.10</b>
<b>24064214</b>	Magnetic Stripe with Keypad – Cream	<b>\$45.10</b>

Pricing/product description subject to change without notice.

## Enrollment Readers

### Enrollment Readers

<b>SSRL89</b>	Serial MIFARE/EV1/PIV Enrollment Reader	<b>\$468.00</b>
<b>MT20</b>	USB/MIFARE/EV1 Enrollment Reader	<b>\$521.00</b>

Pricing/product description subject to change without notice.

## Magnetic Stripe Readers

<b>SMR5</b>	<b>Magnetic Stripe Card Reader</b> Weatherized for outdoor use with a cast metal housing and optional wall plate. The SMR5 has one LED. Standard color is black, also available in Beige. Standard is 5 VDC. Must specify for 12 VDC.	<b>\$400.00</b>
<b>SMR10</b>	<b>Magnetic Stripe Card Reader</b> Weatherized for outdoor use with a cast metal housing and optional wall plate. The SMR10 has two LED's. Standard color is black, also available in Beige. Standard is 5 VDC. Must specify for 12 VDC.	<b>\$536.00</b>
<b>SMR20</b>	<b>Magnetic Stripe Card Reader with Keypad</b> Weatherized for outdoor use with a cast metal housing and optional wall plate. The SMR20 has integrated membrane keypad. AVAILABLE IN BEIGE ONLY. Standard is 5 VDC. Must specify for 12 VDC.	<b>\$779.00</b>
<b>SWP10</b>	<b>Wall Plate for Mercury Magnetic Stripe Card Reader</b> Metal Wall Plate (Beige or Black) for MR5, MR10 and MR20 magnetic card readers.	<b>\$22.90</b>
<b>SWS10</b>	<b>Weather Shield for SMR5, SMR10 and SMR20 Readers</b> Brushed Stainless vertical mount.	<b>\$87.60</b>

## Enrollment Readers for Schlage Express

<b>CRM2</b>	<b>Magstripe Enrollment Reader for Schlage Express</b>	<b>\$615.00</b>
<b>CRP2</b>	<b>Proximity Enrollment Reader for Schlage Express</b>	<b>\$496.00</b>

## iButton Readers

<b>SRT-100</b>	<b>iButton Mullion Mount Reader</b> The SRT100 iButton Mullion-Mount Reader provides solid construction with a 1/4" thick brushed anodized aluminum face plate and stainless steel read head. Bi-color LED and Sonalert provide users with both visual and audible indicators. 26 bit Wiegand output.	<b>\$809.00</b>
----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------



### Scramble Keypads from Schlage

<b>SERIII-W-GR</b>	<b>Scramble Keypad (Gray)</b> The keypad is designed to prevent onlookers from detecting the code being entered. Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand output. Power requirements: 8-14 VDC. Standard color is gray. Also available in black (SERIII-W-BLK).	<b>\$1,935.00</b>
<b>SMK-2-GR</b>	<b>Scramble Keypad Surface Mount Kit (Gray)</b> Surface Mount Kit and tamper proof screws. Standard color is gray. Also available in black (SMK-2-BLK).	<b>\$252.00</b>
<b>SSMK-2-ADA</b>	<b>Scramble Keypad Surface Mount Kit (ADA Compliant)</b> Surface Mount Kit and tamper proof screws. ADA compliant.	<b>\$485.00</b>
<b>PMK-2-GR</b>	<b>Panel Mount Kit (Gray)</b> Standard color is gray. Also available in black (PMK-2-BLK).	<b>\$204.00</b>
<b>SPMK-2-GR</b>	<b>Panel Mount Kit w/ Steel Back Box (Gray)</b> Steel back box with tamper proof screws. Standard color is gray. Also available in black (SPMK-2-BLK).	<b>\$221.00</b>

**Note:** Mounting Kits are sold separately and required for usage with Scramble Keypads.

### Electronic Keypads

<b>SEKPDMWG</b>	<b>Electronic Keypad (Mullion Mount)</b> Stainless faceplate with keypad. Weatherized for outdoor use - 2x6 Matrix (5 or 12 VDC) Wiegand output.	<b>\$509.00</b>
<b>SEKPDWG</b>	<b>Electronic Keypad</b> Stainless faceplate with keypad. Weatherized for outdoor use - 3x4 Matrix (5 or 12 VDC) Wiegand output.	<b>\$738.00</b>
<b>SEKPD8B</b>	<b>Electronic Keypad</b> Stainless faceplate with keypad. Weatherized for outdoor use - 3x4 Matrix (5 or 12 VDC) Wiegand output, 8 bit word.	<b>\$722.00</b>

### Offline Keypads

<b>KP232</b>	<b>Mullion-mount Keypad</b> Mullion style, back lighted hard plastic keys, weather resistant; indoor/outdoor, doorbell key, main relay and three independent outputs, secured installation, aluminum finish.	<b>\$753.00</b>
<b>KP212</b>	<b>Mullion-mount Keypad</b> Back lighted hard plastic keys, weather resistant; indoor/outdoor, doorbell key and relay, secured installation, aluminum finish.	<b>\$655.00</b>
<b>KP2000E</b>	<b>Flush-mount Backlit Access Control Keypad</b> Indoor/outdoor design, single gang, illuminated backlit keys, and sounder, Wiegand and Secured Series outputs, for stand-alone applications, 5 year warranty.	<b>\$430.00</b>
<b>KP2000EM</b>	<b>Flush-mount Durable Metal Access Control Keypad</b> Indoor/outdoor single gang, durable metal trim, heavy duty metal keys with Braille, and sounder, Wiegand and Secured Series outputs, for stand-alone applications, 5 year warranty.	<b>\$600.00</b>

Pricing/product description subject to change without notice.

**NDE-Series with ENGAGE Technology - TABLE OF CONTENTS**

<b>Product Identification</b>	<b>33</b>
<b>Finish Codes and Descriptions</b>	<b>33</b>
<b>Standard Features</b>	<b>33</b>
<b>Exploded View</b>	<b>34</b>
<b>How to Order</b>	<b>35</b>
<b>NDE Functions</b>	<b>36</b>
<b>NDE Series Wireless Lock - Cylindrical</b>	<b>39</b>
<b>NDE Parts</b>	41
Inside Escutcheon Subassembly	41
Battery Holder Kit	41
Outside Escutcheon Subassembly	41
Reader PCBA	41
Levers and Related Components	41
Latches and Related Components	41
Strikes	42
Competitor Core/Compatibility Parts	42
Reinforcements — Must be used for hollow metal doors	43
Motorized Chassis Assembly	43
Main Wire Harness	43
Miscellaneous Parts	43
Screws	44
Screw Packs	44
Torx Screw Packs	44
Cylinder Reference Table	44

**Finish Codes and Descriptions**

<b>Code</b>		<b>Description</b>
605	(US 3)	Bright Brass
606	(US 4)	Satin Brass
612	(US 10)	Satin Bronze
619	(US 15)	Satin Nickel
625	(US 26)	Bright Chromium Plated
626	(US 26D)	Satin Chrome
626AM	▲	Antimicrobial Coating on Satin Chromium
643e	(US 11)	Aged Bronze

**CONTACT INFORMATION FOR AD-SERIES NETWORKED LOCKS & DEVICES**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

Pricing/product description subject to change without notice.

## How to Order:

	REQUIRED FIELDS					FACTORY DEFAULT AND OPTIONS							
	NDE	80	PD	ATH	626	SPA			13-047	10-130	138	S123	
<b>1. Series:</b>													
<b>2. Function:</b> 80 Storeroom with Vandlgard													
<b>3. Cylinder Type:</b> PD Schlage 6-pin Full Cylinder For options see individual Class/Chassis page													
<b>4. Outside Lever:*</b> LLL Less interior and exterior levers SPA Sparta RHO Rhodes ATH Athens *To add tactile warning, use prefix 8. Example: 8SPA													
<b>5. Outside Finish:</b> 626 Satin Chrome 605 Bright Brass 606 Satin Brass 612 Satin Bronze 619 Satin Nickel 625 Bright Chrome 643e Aged Bronze 626AM Satin Chrome (Antimicrobial Coating)													
<b>6. Inside Lever:*</b> Specify only if different from outside lever SPA Sparta RHO Rhodes ATH Athens *To add tactile warning, use prefix 8. Example: 8SPA													
<b>7. Inside Finish:</b> Specify only if different from outside finish 626 Satin Chrome 605 Bright Brass 606 Satin Brass 612 Satin Bronze 619 Satin Nickel 625 Bright Chrome 643e Aged Bronze 626AM Satin Chrome (Antimicrobial Coating)													
<b>8. Backset and Latchbolt:</b> 13-047 2-3/4" Backset, Deadlatch, Square Corner, 1-1/8" x 2-1/4" (Standard) For options see individual Class/Chassis page													
<b>9. Strike Plate:</b> 10-130 1-3/16" Lip, ANSI, DPS magnets, no box, 1-1/4" x 4-7/8" (Standard) For options see individual Class/Chassis page													
<b>10. Strike Lip Dimension:</b> Specify only if different from options 10-130 or 10-132 dimensions 138 1-3/8" lip length option available on 10-130 and 10-131 strike plates (normally 1-3/16") 112 1-1/2" lip length option available on 10-132 strike plate (normally 1-1/8")													
<b>11. Keyway Type:</b> S123 Everest 29 S (Standard) For options see individual Class/Chassis page													
<b>12. Additional Options</b>													



**Standard Features**

Certification	ANSI/BHMA Certified A156.25-2013, A156.2-2011, Series 4000, Grade 1, UL 294, UL 10C
Latch	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1/2" throw
Strike	1 1/4" x 4 7/8", ANSI Square corner, with DPS magnets, no box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	Comes set for 1-3/4" thick doors. Can be field adjusted for doors 1-5/8"-2" thick.
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section

**Common Pricing Information**

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4"
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	Engineering specials are denoted by a part number beginning with "X" and are not subject to standard discounting.
5.	denotes a lock or part that requires an extended lead time.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$14.00. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.


Pricing/product description subject to change without notice.

**ANSI/BHMA Certified A156.25-2013, A156.2-2011, Series 4000, Grade 1, UL 294, UL 10C**

**Keyed Locks**




SCHLAGE      ANSI

**NDE80PD      F86**



**Storeroom Lock with Vandlgard**


Lockset is normally secure with outside lever disengaged. Valid credential or key momentarily unlocks door. Valid credential may be used to change to a passage or secured state. Inside lever always allows free egress.

<b>Athens (ATH)</b>	<b>Sparta (SPA)</b>	<b>Rhodes (RHO)</b>
		

**Commercial Lever Suite**





NDE Levers	AD/CO Levers	ND Levers	L Lock Levers	98/99 Exit	AL Lock	S Lock	F Lock
Athens	Athens	Athens	07	07	Jupiter	Jupiter	
Sparta	Sparta	Sparta	17	17	Neptune	Neptune	Jazz
Rhodes	Rhodes	Rhodes	06	06	Saturn	Saturn	Elan
	Tubular						

**Tactile Options**







**Rhodes Lever Shown**  
(also available on Athens and Sparta)

**Latches**

<b>Deadlatch, 13-247</b>	<b>Anti-Friction Fire Door Deadlatch, 14-042</b>	<b>Deadlatch, 14-047</b>	<b>Deadlatch, 14-048</b>
			






**Strikes**

<b>ANSI Strike, 10-130</b>	<b>ANSI Strike, standard box 10-131</b>	<b>T Strike, 10-132</b>	<b>Square corner, T-strike, deep box, fire door latch, 10-133</b>
			

## NDE Series Wireless Lock - Cylindrical



### Cylinder

<b>PD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Key-in-Lever (KIL) Keyed different as standard with two keys	
<b>ZD</b>	With cylinder Schlage Everest SL 6-pin Key-in-Lever - factory keyed only	
<b>LD</b>	Less cylinder Schlage, Falcon 6 Pin Key-in-Lever (KIL)	
<b>RD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Full Size Interchangeable Core (FSIC) Keyway one bitted as standard with two keys	
<b>JD</b>	Less cylinder Schlage 6 Pin Full Size Interchangeable Core (FSIC)	
<b>GD</b>	With cylinder Schlage Everest 29 R 7 Pin Small Format Interchangeable Core (SFIC) Factory master keyed with two keys as standard, master keying must be specified	
<b>BD</b>	Less cylinder Schlage, Falcon, Competitive OEM's 7 Pin Small Format Interchangeable Core (SFIC)	
<b>LD SAR</b>	Less cylinder Sargent (10L+11L) 6 Pin Key-in-Lever (KIL)	 *Less Core
<b>JD SAR</b>	Less cylinder Sargent 6300 6 Pin Full Size Interchangeable Core (FSIC)	 *Less Core
<b>JD C06</b>	Less cylinder Corbin 8000 6 Pin Full Size Interchangeable Core (FSIC)	
<b>JD YA6</b>	Less cylinder Yale 1210 or Medeco 31*0100 6 Pin Full Size Interchangeable Core (FSIC)	

- Notes:**
1. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead-times.
  2. For PD, RD and GD -Master Keyed cylinders can be specified and will be shipped in lock packaging.
  3. For Master Key System Summary form which should accompany the master keyed order, see pages 253-263.
  4. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
  5. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
  6. Spring cages & tail pieces are different based on the type of cylinder and chassis selected. Please see the NDE-Series parts guide for more information.
  7. The NDE-Series accepts many popular models of standard, SFIC, and FSIC cylinders. See pricebook for specific configurations.
  8. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.




**1-2. Select Chassis/Function**

<b>NDE-80</b>	Cylindrical Storeroom Lock with Vandlgard	<b>\$796.00</b>
---------------	-------------------------------------------	-----------------




NDE-80


Full Cylinder  
PD LD LD SAR



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6



Small Format  
Interchangeable Core  
GD BD



**3. Select Cylinder Type**

<b>PD</b> ●	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>ZD</b>	With Cylinder, Schlage- Everest SL, 6 Pin KIL (factory keyed only)	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>\$55.00</b>
<b>RD</b> ● □	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● □	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b> ⌘	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b> ⌘	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b> ⌘	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA6</b> ⌘	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.

⌘ Extended lead time on all finishes except 626

**4. Select Outside Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.60</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes and 8SP for Sparta. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**5. Select Outside Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$59.00</b>
<b>606</b>	Satin Brass	<b>\$59.00</b>
<b>612</b>	Satin Bronze	<b>\$59.00</b>
<b>619</b>	Satin Nickel	<b>\$59.00</b>
<b>625</b>	Bright Chrome	<b>\$59.00</b>
<b>643e</b>	Aged Bronze	<b>\$59.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$80.90</b>

**6. Select Inside Lever\*** (Specify only if different from Outside Lever)

<b>LLL</b>	Less interior and exterior levers	<b>N/C</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes and 8SP for Sparta. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Inside Finish** (Specify only if different from Outside Finish)

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$59.00*</b>
<b>606</b>	Satin Brass	<b>\$59.00*</b>
<b>612</b>	Satin Bronze	<b>\$59.00*</b>
<b>619</b>	Satin Nickel	<b>\$59.00*</b>
<b>625</b>	Bright Chrome	<b>\$59.00*</b>
<b>643e</b>	Aged Bronze	<b>\$59.00*</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$80.90*</b>

\* Charge only applies if outside finish is 626 and you are specifying a different inside finish.



**8. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-047</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-042</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner,	<b>\$157.00</b>
<b>14-047</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-048</b>	2-3/8" Backset, Deadlatch Square corner, 1" x 2-1/4"	<b>N/C</b>

**9-10. Select Strike Plate and Strike Lip Length**

<b>10-130*</b>	1-3/16" Lip, ANSI, DPS magnets, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-131*</b>	1-3/16" ANSI, DPS magnets, Standard box, 1-1/4" x 4-7/8"	<b>N/C</b>
<b>10-132**†</b>	1-1/8" Lip, Square Corner, T-strike, DPS magnets, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-133 †</b>	1-1/8" Lip, Square Corner, T-strike, DPS magnets, deep box, fire door latch	<b>\$14.10</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.70, 1-1/2" Lip available, must specify 1-1/2" Lip \$12.70

\*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90

† DPS magnet requires prep and install beneath strike

**11. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>29R</b>	Everest 29 R (Everest SL)	<b>\$15.00</b>
<b>B</b>	Everest B (Everest SL)	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

Credentials available, see pages 15-24.

### Inside Escutcheon Subassembly

Available Finishes - Specify for Listed Parts			605	606	612	619	625	626	643e	626AM
			▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Contents	Price Each							
N223-047	Inside Escutcheon Subassembly (without Main PCBA)	(3) #4-40 x .25 PH PD Taptite Screw (1) Inside Escutcheon (1) RF Window (1) Inside Battery Cover	<b>\$108.00</b>							
N223-048	Inside Escutcheon Assembly (with Main PCBA)	(3) #4-40 x .25 PH PD Taptite Screw (1) Inside Escutcheon (1) RF Window (1) Inside Battery Cover (1) Main PCB Module (1) Inside Label	<b>\$422.00</b>							

### Battery Holder Kit

Part Number	Description	Contents	Price Each
N223-044	Battery Holder Kit	(1) Battery Tray Assembly (1) Battery Strap	<b>\$21.60</b>

### Outside Escutcheon Subassembly

Available Finishes - Specify for Listed Parts			605	606	612	619	625	626	643e	626AM
			▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Contents	Price Each							
N223-045	Outside Escutcheon Subassembly (without reader PCBA)	(3) #6-32 x .25 FH PD TC Screw (1) Outside Escutcheon (1) Outside RF Window Assembly (1) Adjustment Spring (1) Outside Backplate	<b>\$89.00</b>							

### Reader PCBA

Part Number	Description	Price Each
N223-046	Reader PCBA	<b>\$300.00</b>

### Levers and Related Components

Available Finishes - Specify for Listed Parts			605	606	612	619	625	626	643e	626AM
			▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description		Price Each							
N523-127	FSIC Core Driver		<b>\$2.60</b>							
N523-091	SFIC Core Driver		<b>\$11.70</b>							
09-774	SFIC Core Driver and Spacer		<b>\$13.00</b>							
D500-000	SFIC Core Spacer - Spacer required for 6-pin, no spacer required for 7-pin		<b>\$1.40</b>							
New product manufactured on or after November 1, 2016 (reference serial number label on product)										
03-230*	Lever - Closed; ATH, RHO, SPA		<b>\$118.00</b>							
03-231*	Lever - Cylinder - Schlage KIL; ATH, RHO, SPA									
03-232*	Lever - Cylinder - Schlage FSIC; ATH, RHO, SPA									
03-200*	Lever - Cylinder - Schlage SFIC; ATH, RHO, SPA									
Original product manufactured before November 1, 2016 (reference serial number label on product)										
03-030*	Lever - Closed; ATH, RHO, SPA		<b>\$118.00</b>							
03-031*	Lever - Cylinder - Schlage KIL; ATH, RHO, SPA									
03-032*	Lever - Cylinder - Schlage FSIC; ATH, RHO, SPA									
03-000*	Lever - Cylinder - Schlage SFIC; ATH, RHO, SPA									
* Specify part number, lever style, finish. Ex: 03-031 ATH 626 (open lever, Athens design, 626 finish)										

### Latches and Related Components

Available Finishes - Specify for Listed Parts			605	606	612	619	625	626	643e	626AM
			▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Backset - Description		Price Each							
<b>Dead Latch***</b>										
14-047	2 3/8" - Square corner, 1 1/8" x 2 1/4"		<b>\$102.00</b>							
14-048	2 3/8" - Square corner, 1" x 2 1/4"		<b>\$102.00</b>							
13-247	2 3/4" - Square corner, 1 1/8" x 2 1/4"		<b>\$78.30</b>							
14-042	2 3/4" - Anti-friction Fire Door Latch 1" Square corner, 1 1/8" x 2 1/4", 3/4" Throw		<b>\$311.00</b>							
*** All latches require reinforcement when used in hollow metal door applications										

Pricing/product description subject to change without notice.

<b>Strikes</b>				605	606	612	619	625	626	643e	626AM
<b>Available Finishes - Specify for Listed Parts</b>				▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Description	Contents	Price Each								
10-130-1316	1 3/16" - ANSI, no box, 1 1/4" x 4 7/8"	(1) ANSI strike (2) C603-256 screws (1) ANSI strike magnet tray (2) DPS magnet	<b>\$25.00</b>								
10-130-138	1 3/8" - ANSI, no box, 1 1/4" x 4 7/8"	1) ANSI strike (2) C603-256 screws (1) ANSI strike magnet tray (2) DPS magnet	<b>\$48.80</b>								
10-130-112	1 1/2" - ANSI, no box, 1 1/4" x 4 7/8"	(1) ANSI strike (2) C603-256 screws (1) ANSI strike magnet tray (2) DPS magnet	<b>\$48.80</b>								
10-131-1316	1 3/16" - ANSI, standard box, 1 1/4" x 4 7/8"	(1) ANSI strike (2) C603-256 screws (1) Standard box (1) ANSI strike magnet tray (2) DPS magnet	<b>\$31.40</b>								
10-131-138	1 3/8" - ANSI, standard box, 1 1/4" x 4 7/8"	(1) ANSI strike (2) C603-256 screws (1) Standard box (1) ANSI strike magnet tray (2) DPS magnet	<b>\$55.00</b>								
10-131-112	1 1/2" - ANSI, standard box, 1 1/4" x 4 7/8"	(1) ANSI strike (2) C603-256 screws (1) Standard box (1) ANSI strike magnet tray (2) DPS magnet	<b>\$55.00</b>								
10-132-118	1 1/8" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	(1) T-strike (1) Standard box (1) Door position magnet	<b>\$22.80</b>								
10-132-112	1 1/2" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	(1) T-strike (1) Standard box (1) Door position magnet	<b>\$26.80</b>								
10-133-118	1 1/8" - Square corner, T-strike, deep box, 1 1/8" x 2 3/4" Use with fire door latch	(1) T-strike (1) Deep box (1) Door position magnet	<b>\$26.80</b>								
10-133-112	1 1/2" - Square corner, T-strike, deep box, 1 1/8" x 2 3/4" Use with fire door latch	(1) T-strike (1) Deep box (1) Door position magnet	<b>\$26.60</b>								
K510-066	Box for ANSI strike	(1) Standard box	<b>\$6.50</b>								

<b>Competitor Core/Compatibility Parts</b>				605	606	612	619	625	626	643e	626AM
<b>Available Finishes - Specify for Listed Parts</b>				⌘	⌘	⌘	⌘	⌘	▪	⌘	
Part Number	Description	Price Each									
<b>New product manufactured on or after November 1, 2016 (reference serial number label on product)</b>											
03-234*	Lever - Cylinder - Corbin Russwin KIL (L-CO6); ATH, RHO, SPA	<b>\$219.00</b>									
03-235*	Lever - Cylinder - Corbin Russwin 7-pin FSIC (J-CO7); RHO										
03-236*	Lever - Cylinder - Yale 7-pin FSIC (J-YA7); RHO										
03-237*	Lever - Cylinder - Medeco 32 (J-MED); ATH, RHO, SPA										
03-244*	Lever - Cylinder - Sargent KIL (L-SAR); ATH, RHO, SPA										
03-255*	Lever - Cylinder - Medeco 31 or Yale 1210 6-pin FSIC (J-YA6); ATH, RHO, SPA										
03-266*	Lever - Cylinder - Corbin Russwin 6-pin FSIC (J-CO6); ATH, RHO, SPA										
03-277*	Lever - Cylinder - Sargent FSIC (J-SAR); ATH, RHO, SPA										
N523-218	Springcage & Lever Catch Assy. - Outside Standard (PD, LD, ZD, RD, JD, TD, BD, BDC, GD, HD, LD SAR, LD CO6, JD CO6, JD SAR, JD CO7)	<b>\$60.30</b>									
N523-224	Springcage & Lever Catch Assy. - Outside Competitor Cores (JD YA6, JD YA7, JD MED)	<b>\$125.00</b>									
<b>Original product manufactured before November 1, 2016 (reference serial number label on product)</b>											
03-044*	Lever - Cylinder - Sargent KIL (L-LAR); ATH, RHO, SPA	<b>\$219.00</b>									
03-055*	Lever - Cylinder - Medeco 31 or Yale 1210 6-pin FSIC (J-YA6); ATH, RHO, SPA										
03-066*	Lever - Cylinder - Corbin Russwin 6-pin FSIC (J-CO6); ATH, RHO, SPA										
03-077*	Lever - Cylinder - Sargent FSIC (J-SAR); ATH, RHO, SPA										
N123-064	Outside spring cage for Sargent key in lever	<b>\$273.00</b>									
N123-065	Outside spring cage for Yale (6 pins)full size removable core										
N123-066	Outside spring cage for Corbin-Russwin (6 pins) or Sargent full size removable core										
N523-146	Tail piece Sargent KIL	<b>\$2.50</b>									
N523-147	Tail piece Yale FSIC	<b>\$20.80</b>									
N523-148	Tail piece Sargent and Corbin Russwin FSIC	<b>\$11.20</b>									
XN12-292	Tail piece Sargent XC FSIC										
*	Specify part number, lever style, finish. Ex: 03-055 RHO 613 (Yale lever, Athens design, 613 finish)										

Pricing/product description subject to change without notice.

**Reinforcements — Must be used for hollow metal doors**

Part Number	Description	Price Each
37-001	Metal door reinforcer kit, fits both 7/8" and 1" diameter housings. Specify door thickness, includes A501-567 and A501-565 or A501-566.	<b>\$34.20</b>
24483760	Latch Spacer – fits 1" diameter latch housing and 1-3/4" hollow metal doors (steel & aluminum)	<b>\$5.20</b>
A501-566	Reinforcer for 1 3/4" thick non-reinforced metal doors. Fits both 7/8" and 1" diameter housings.	<b>\$17.10</b>

**Motorized Chassis Assembly**

Part Number	Description	Contents	Price Each
N223-007	Motorized Chassis Assembly	(1) NDE Chassis Subassembly (1) Motor Actuator Subassembly (1) Main Wire Harness	<b>\$210.00</b>

**Main Wire Harness**

Part Number	Description	Price Each
N223-019	Main Wire Harness	<b>\$32.30</b>

**Miscellaneous Parts**

Part Number	Description	Price Each
<b>Inside Baseplate</b>		
N623-000	Inside Baseplate	<b>\$23.60</b>
<b>New product manufactured on or after November 1, 2016 (reference serial number label on product)</b>		
<b>Spring Cages</b>		
N523-218	Springcage & Lever Catch Assy. - Outside Standard (PD, LD, ZD, RD, JD, TD, BD, BDC, GD, HD, LD SAR , LD CO6, JD CO6, JD SAR, JD CO7)	<b>\$60.30</b>
N523-221	Springcage & Lever Catch Assy. - Inside Less Cylinder	<b>\$42.40</b>
<b>Original product manufactured before November 1, 2016 (reference serial number label on product)</b>		
<b>Spring Cages</b>		
N123-022	Outside spring cage for all functions except SFIC	<b>\$60.40</b>
N123-032	Inside Spring Cage	<b>\$43.50</b>
N123-056	Outside spring cage for all SFIC functions	<b>\$63.10</b>
24341463	SDS O-Ring – 50 pack	<b>\$18.00</b>

**Conversion Kits**

		Available Finishes							
		605	606	612	619	625	626	643e	626AM
		▪	▪	▪	▪	▪	▪	▪	▪
Part Number	Backset - Description	Price Each							
40-400	Inside Spring Cage / Lever Conversion Kit	<b>Pricing equal to sum of required Lever and Spring Cage</b>							
40-600	Outside Spring Cage / Lever Conversion Kit								
Notes:	<p><b>Kit will contain a spring cage, lever and tailpiece as appropriate</b></p> <p>Kits are limited to previously offered product - KIL, FSIC, SFIC, LD-SAR, JD-SAR, JD-CO6, JD-YA6                      When ordering specify: Function, Trim, Finish and Core (if applicable)                      Examples (refer to tables for specific part numbers):                      - 40-400 NDE80 ATH 626 = \$160.40 = 03-230 @ \$118.00 + N523-221 @ \$42.40                      - 40-600 NDE80 PD RHO 626 = \$178.30 = 03-231 @ \$118.00 + N523-218 @ \$60.30</p>								

Pricing/product description subject to change without notice.

Screws													
Available Finishes - Specify for Listed Parts						605	606	612	619	625	626	643e	626AM
A501-171, N523-092, L583-133, C603-256, C603-897						▪	▪	▪	▪	▪	▪	▪	
Part Number	Description	Door Thickness	Type	Size	Price Each								
C603-256*	ANSI strike	—	PFH Combo	12-24 x 1"	<b>\$0.92</b>								
C603-897*	Latch and strike	—	PFH Combo	#8 x 3/4"	<b>\$0.80</b>								
N523-021*	Spring cage screws	1 3/8" – 2"	PFH Machine	#10 x 32 x 2 1/8"	<b>\$1.60</b>								
* Order in multiples of 100													

Screw Packs													
Available Finishes - Specify for Listed Parts						605	606	612	619	625	626	643e	626AM
B202-517, C203-736, N123-020							▪	▪	▪	▪	▪	▪	
Part Number	Description	Contents			Price Each								
B202-517	Latch and strike	(4) C603-897			<b>\$7.20</b>								
C203-736	ANSI strike	(2) C603-256			<b>\$5.70</b>								
N223-049	Mounting kit	(4) C603-897 (1) N523-108 (2) 96954557 (1) N623-048 (1) N623-049			<b>\$11.40</b>								

Torx Screw Packs														
Available Finishes - Specify for Listed Parts						605	606	612	613	619	625	626	643e	626AM
C203-311, C203-312						▪	▪	▪	▪	▪	▪	▪	▪	
Part Number	Description	Contents			Price Each									
C203-311**	Latch and strike	(4) C503-766 (T-15)			<b>\$18.50</b>									
C203-312**	Latch and ANSI strike	(2) C503-766 (T-15) (2) L583-371 (T-20)												
** Torx screw packs are furnished with appropriate T-xx installation tool(s)														

Cylinder Reference Table						
Available Finishes - Specify for Listed Parts					606	626
23-065, 20-765/XP, 20-565/XP, 21-000						
Part Number	Cylinder Mechanism	Function	Design	Price Each		
23-065	Conventional	Standard Functions	All	Open	Restricted	
20-765	Primus			<b>\$55.00</b>	<b>\$70.00</b>	
20-765-XP	Primus XP			<b>\$123.00</b>		
20-565	Primus UL437			<b>\$151.00</b>		
20-565-XP	Primus UL437 XP					

**AD-SERIES NETWORKED - TABLE OF CONTENTS**

<b>How to Order</b>	<b>46</b>
<b>AD-Series Networked Locks &amp; Devices Overview</b>	<b>47</b>
<b>AD-300 Networked Hardwired</b>	<b>60</b>
Cylindrical	60
Mortise/Mortise Deadbolt	62
Exit Trim	64
<b>AD-301 Networked Hardwired (FIPS 201-1 Compliant)</b>	<b>66</b>
Cylindrical	66
Mortise/Mortise Deadbolt	68
Exit Trim	70
<b>AD-400 Networked Wireless</b>	<b>72</b>
Cylindrical	72
Mortise/Mortise Deadbolt	74
Exit Trim	76
<b>AD-401 Networked Wireless (FIPS 201-1 Compliant)</b>	<b>78</b>
Cylindrical	78
Mortise/Mortise Deadbolt	80
Exit Trim	82
<b>AD-Series 993 Non- Functioning “Dummy” Trim</b>	<b>84</b>
<b>AD-Series Networked Accessories</b>	<b>86</b>

**CONTACT INFORMATION FOR AD-SERIES NETWORKED LOCKS & DEVICES**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

*For AD-Series Networked Locks & Devices Warranty Information please see page 11.*

**Pricing/product description subject to change without notice.**

How to Order:

REQUIRED FIELDS

FACTORY DEFAULT AND OPTIONS

AD - 400 - CY - 70 - MG - SPA - 626 - PD - SI23 - RH - 4B - 13-049 - 10-025 - 1-3/4 - BAA

1. Series

2. Class

- 300 Networked Hardwired
- 301 Networked Hardwired
- 400 Networked Wireless
- 401 Networked Wireless

3. Chassis:

- CY Cylindrical
- MS Mortise
- MD Mortise Deadbolt
- 993R Exit Trim - Rim/CVR/CVC
- 993S Exit Trim - SVR
- 993M Exit Trim - Mortise
- 993DT "Dummy" Exit Trim

4. Function:

- 70 Classroom/Storeroom
- 50 Office
- 40 Privacy
- 60 Apartment

5. Reader:

- KP Keypad
- MGK Magnetic Stripe + Keypad (Insert)
- MG Magnetic Stripe (Insert)
- MSK Magnetic Stripe + Keypad (Swipe)
- MS Magnetic Stripe (Swipe)
- MTK Multi-Technology + Keypad
- MT Multi-Technology
- FMK FIPS 201-1 Compliant Multi-Technology + Keypad

6. Lever: △

- SPA Sparta                      ATH Athens
  - RHO Rhodes                    TLR Tubular
- △ To add tactile warning, use prefix 8. Example 8SPA

7. Finish:

- 626 Satin Chrome
- 605 Bright Brass
- 606 Satin Brass
- 612 Satin Bronze
- 619 Satin Nickel
- 625 Bright Chrome
- 643e Aged Bronze
- 626AM Satin Chrome (Antimicrobial Coating)

8. Cylinder Type:

- PD Schlage 6-pin Full Cylinder (For options see individual Class/Chassis page)

9. Keyway Type:

- SI23 Everest 29 (For options see individual Class/Chassis page)

10. Handing:

- RH Right Handed
- LH Left Handed
- RHR Right Handed Reverse
- LHR Left Handed Reverse

11. Battery Holder:

- 4B - 4AA Battery Kit                      8B - 8AA Battery Kit

12. Backset and Latch or Armor Front:

- 13-049 2-3/4" Backset, Deadlatch, Square Corner, 1-1/8" x 2-1/4" (Standard on CY Chassis)
  - 09-663 Armor Front, 1-1/4" Wide, Square Corner (Standard on MS Chassis)
- For options see individual Class/Chassis page

13. Strike:

- 10-025 1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8" (Standard on CY Chassis)
  - 10-072 1-3/16" Lip, 1-1/4" x 4-7/8" square corner, box (Standard on MS Chassis)
- For options see individual Class/Chassis page

14. Door Thickness:

- 1-3/4" (Standard)
- For options see individual Class/Chassis page

15. Additional Options

Pricing/product description subject to change without notice.

## AD-Series Networked Locks

With the AD-Series, one platform translates to an endless number of adaptable solutions. You can choose the features and functions that are right for the application today, and upgrade to meet your evolving needs in the future.

### Class

<b>AD-300</b>	Networked/Hardwired; Direct RS-485 connection or Wiegand or Clock & Data	
<b>AD-301</b>	FIPS 201-1 Compliant, Networked Hardwired; Direct RS-485 connection or Wiegand or Clock & Data	
<b>AD-400</b>	Networked/Wireless; 900 MHz, Secure encrypted data transmission	
<b>AD-401</b>	FIPS 201-1 Compliant, Networked Wireless; 900 MHz, Secure encrypted data transmission	

**Note:** 1. AD-Series locks are upgradable from standalone to networked by applying a communication module available in the accessories section and new firmware available on [www.schlage.com/support](http://www.schlage.com/support).

### Chassis

<b>CY: Cylindrical</b>	Bored lock installed into round hole in the door	
<b>MS: Mortise</b>	Lock case installed into a mortise rectangular "pocket" in the door	
<b>MD: Mortise Deadbolt</b>	Mortise lock with built-in interconnected auxiliary deadbolt	
<b>993R: Exit Trim</b>	Rim/Concealed Vertical Rod* (CVR) & Concealed Vertical Cable* (CVC) *Metal door only	
<b>993M: Exit Trim</b>	Mortise	
<b>993S: Exit Trim</b>	Surface Vertical Rod (SVR)	
<b>993DT: Exit Trim</b>	Non-Functioning "Dummy" Exit Trim	

**Notes:** 2. Mortise deadbolt requires RS-485 connection to the ACP, See pages 57-58 for system diagram. Check with access control software provider to verify function is enabled.  
 3. Exit trim is only available in 70 function  
 4. Exit trim utilizes universal hardware to simplify installation to a variety of exit device. AD-Series networked locks require a request to exit switch, please see compatibility chart below.

### Exit Device Compatibility

Exit trim utilizes universal hardware to simplify installation to a variety of exit devices\*.

Exit Device Compatibility		Rim	SVR	CVR/CVC	Mortise
Von Duprin	98/99 and 98/99XP	●	●	●†	●
Von Duprin	22/22F	●	●		
Falcon	25	●			

\* Low current request-to-exit switch is required. Part Number for Von Duprin request to exit switch: 050281. Part Number for Falcon AE switch: 650359.

† Metal door only.








Pricing/product description subject to change without notice.



Function

		AD-300/301	AD-400/401
<b>70: Classroom/ Storeroom</b>	Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.		
<b>50: Office</b>	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security. <b>NOTE:</b> Valid toggle credentials on the exterior may also be used to change status. Has interior pushbutton (IPB).		
<b>40: Privacy</b>	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. Has interior pushbutton (IPB).		
<b>60: Apartment</b>	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Opening the door or pressing the interior pushbutton causes the lockset to toggle unsecured. While toggled unsecured, the lockset can only be secured while the door is closed by pressing the interior pushbutton or using a normal credential on the exterior. Normal electronic access from the exterior is always allowed. Has interior pushbutton.		









**Reader**

<p><b>KP: Keypad</b></p>	<p>12 button design</p>	
<p><b>MGK: Magnetic Stripe + Keypad (Insert)</b></p>		
<p><b>MG: Magnetic Stripe (Insert)</b></p>		
<p><b>MSK: Magnetic Stripe + Keypad (Swipe)</b></p>	<p>Configurable to read the complete Track 1, 2 or 3. Available with and without 12 button keypad.</p>	
<p><b>MS: Magnetic Stripe (Swipe)</b></p>		
<p><b>MTK: Multi-Technology + Keypad</b></p>		
<p><b>FMK: FIPS 201-1 Compliant Multi-Technology + Keypad</b></p>	<p>Single solution that reads 125 kHz proximity and 13.56 MHz smart credentials. Available with and without 12 button keypad</p>	
<p><b>MT: Multi-Technology</b></p>		

- Notes:**
5. Please refer to AD-Series data sheets and solution sheets prior to ordering to verify credential compatibility.
  6. FMK reader now sold separately for field upgrades.
  7. Must specify finish when ordering reader separately. KP, MGK, MG, MSK & MS readers available in 626, 605, 606, 612, 619, 625 & 643e. MT, MTK & FMK readers are available in Grey (for 619, 626, 626AM & 625) and available in Brown (for 605, 606, 612 & 643e).

Pricing/product description subject to change without notice.

Lever

<b>RHO</b>	Rhodes		
<b>SPA</b>	Sparta		
<b>TLR</b>	Tubular		
<b>ATH</b>	Athens		







- Notes:**
- 8. All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643E and 626AM.
  - 9. SPA, TLR & ATH Meet California Fire Code for 1/2" or less return to the door.
  - 10. Changing Lever Cylinder Compatibility on a device typically requires replacement of existing spring cage and tailpiece.
  - 11. To order tactile warning levers use BAT for Athens, BRO for Rhodes, BSP for Sparta and BTR for Tubular. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.
  - 12. AD Series, CO Series & ND Series levers may be interchangeable in some cases depending whether it is an interior or exterior lever, the type of chassis and the type of cylinder/ spring cage/ tail piece. Please consult the AD Series Parts guide for more information.

Finish

<b>626</b>	Satin Chrome	BHMA # 626E, Government # US26D
<b>605</b>	Bright Brass	BHMA # 605E, Government # US3
<b>606</b>	Satin Brass	BHMA # 606E, Government # US4
<b>612</b>	Satin Bronze	BHMA # 612E, Government # US10
<b>619</b>	Satin Nickel	
<b>625</b>	Bright Chrome	BHMA # 625E, Government # US26
<b>643e</b>	Aged Bronze	
<b>626AM</b>	Satin Chrome Antimicrobial	

**Note:** 13. Please refer to the Electronic Access Control catalog or online product information at [us.allegion.com](http://us.allegion.com) to view each finish.

**Cylinder**

<b>PD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Key-in-Lever (KIL) Keyed different as standard with two keys		
<b>LD</b>	Less cylinder Schlage, Falcon 6 Pin Key-in-Lever (KIL)		
<b>RD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Full Size Interchangeable Core (FSIC) Keyway one bitted as standard with two keys		
<b>JD</b>	Less cylinder Schlage 6 Pin Full Size Interchangeable Core (FSIC)		
<b>GD</b>	With cylinder Schlage Everest 29 R 7 Pin Small Format Interchangeable Core (SFIC) Factory master keyed with two keys as standard, master keying must be specified		
<b>BD</b>	Less cylinder Schlage, Falcon, Competitive OEM's 7 Pin Small Format Interchangeable Core (SFIC)		
<b>LD SAR</b>	Less cylinder Sargent (10L+11L) 6 Pin Key-in-Lever (KIL)	 *Less Core	
<b>JD SAR</b>	Less cylinder Sargent 6300 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD C06</b>	Less cylinder Corbin 8000 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD C07</b>	Less cylinder Corbin 8000-7 7 Pin Full Size Interchangeable Core (FSIC) (Only RHO, 8RO, SPA, 8SP, TLR, 8TR)		
<b>JD MED</b>	Less cylinder Medeco 32*0201 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD YA6</b>	Less cylinder Yale 1210 or Medeco 31*0100 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD YA7</b>	Less cylinder Yale 1220 7 Pin Full Size Interchangeable Core (FSIC)		
<b>LD FA7</b>	Less cylinder Falcon 7 Pin Key-in-Lever (KIL) (Only RHO, 8RO, SPA, 8SP lever styles)		 *Less Core

- Notes:**
14. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead-times.
  15. For PD, RD and GD -Master Keyed cylinders can be specified and will be shipped in lock packaging.
  16. For Master Key System Summary form which should accompany the master keyed order, see pages 253-263.
  17. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
  18. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
  19. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.
  20. Spring cages & tail pieces are different based on the type of cylinder and chassis selected. Please see the AD-Series parts guide for more information.
  21. The AD-Series accepts many popular models of standard, SFIC, and FSIC cylinders. Consult the Keyway/Cylinder compatibility datasheet (010432) for details. See pricebook for specific configurations.

Pricing/product description subject to change without notice.

**Key Systems Available Through Schlage**

<b>Everest 29™ S Keyway Family</b>	Patent protected open keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats. Patent protection through 2029.
<b>Everest 29 T Keyway Family</b>	Patent protected restricted keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats. Patent protection through 2029.
<b>Everest D Keyway Family</b>	Restricted keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats.
<b>Everest C Keyway Family</b>	Open keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats.
<b>Schlage Classic Open Keyways</b>	Classic (C/E/F): Open keyways available in key in lever and full size interchangeable core designs
<b>Everest B Keyway Family</b>	Restricted keyways that are available on small format interchangeable core (SFIC).
<b>Everest 29 R Keyway Family</b>	Patent protected restricted keyways that are available on small format interchangeable core (SFIC). Patent protection through 2029.

- : 22. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order.
- 23. See sample Letter of Authorization page 265.
- 24. Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line..
- 25. Contact your local SSC representative for assistance in determining which format and level of exclusivity best suits your needs.

**Handing**

<b>RH</b>	Right Handed: Hinges on Right Opens Inward	
<b>LH</b>	Left Handed: Hinges on left Opens Inward	
<b>RHR</b>	Right Handed Reverse: Hinges on Right Opens Outward	
<b>LHR</b>	Left Handed Reverse: Hinges on Left Opens Outward	

- Notes:** 26. Exit trim 993 chassis available only with RHR or LHR option.  
 27. Handing is field reversible, but requires removal of the exterior escutcheon cover. Please see AD-Series installation instructions for details.

**Battery**

<b>4B</b>	4AA Battery Holder and Cover Kit	
<b>8B</b>	8AA Battery Holder and Cover Kit	

- Notes:** 28. AD-300/AD-301 are hardwired and therefore do not require battery power and ship standard with a cover only and no batteries.  
 29. AD-Series locks use standard off the shelf AA batteries.

Pricing/product description subject to change without notice.

**Backset & Latchbolt (Cylindrical Chassis)**

<p><b>13-049</b></p>	<p>2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>14-049</b></p>	<p>2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw</p>	
<p><b>14-051</b></p>	<p>2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>14-050</b></p>	<p>3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>43-001</b></p>	<p>5" Backset extension link, Deadlatch</p>	
<p><b>39-030</b></p>	<p>Rabbeted latch and strike kit, 605 and 626 only. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.</p>	<p>no image available</p>

**Mortise Lock Armor Front (Mortise/Mortise Deadbolt Chassis)**

<p><b>09-663</b></p>	<p>1-1/4" Wide Square Corner, Latch for MS</p>	
<p><b>09-669</b></p>	<p>1-1/16" Wide Square Corner, Latch, options for MS</p>	
<p><b>09-666</b></p>	<p>1-1/4" Wide Square Corner, Latch x Deadbolt for MD</p>	
<p><b>09-672</b></p>	<p>1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD</p>	

**Notes:** 30. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE), use 1-1/4" wide armor front  
 31. Available finishes are 605, 606, 612, 619, 625, and 626.  
 32. Images not shown to scale. Consult AD-Series Parts Guide for more information.

**Strike Plate (Cylindrical Chassis)**

<b>10-025</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8", 1-3/8" Lip available, must specify 1-3/8"	
<b>10-013</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4", 1-1/2" Lip available, must specify 1-1/2" Lip	
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	
<b>K510-066</b>	Box for ANSI strike (Must be specific)	
<b>10-072</b>	1-3/16" Lip, 1-1/4" x 4-7/8", Square Corner, box	
<b>10-072</b>	7/8", 1", 1-1/2", 1-3/4", or 2" Lip, 1-1/4" x 4-7/8", Square Corner, box	
<b>10-075</b>	1/2" Rabbeted, For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.	
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	
<b>XL11-820</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	
<b>XL11-821</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	
<b>XQ07-351-134</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>Image not available</b>
<b>XQ03-494-134</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>Image not available</b>

**Note:** 33. XL11-820 & XL11-821 Extended lead time; contact customer service.



**Door Thickness**

<b>1-3/4"</b>	1-3/4"
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)

- Notes:**
- 34. Door Thickness Kits are available on page 185 to install a lock on a door that is thicker or thinner than 1-3/4". See AD-Series Parts guide for details. Locks cannot be installed on doors thicker than 2-3/4" or thinner than 1-3/8".
  - 35. Thin Door Shims are available on page 185 to install a lock on a door that is thinner than 1-3/4".
  - 36. Decorative Plates are used to cover exposed holes when retrofitting from existing locks to AD-Series locks. The size of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at [www.schlage.com/support](http://www.schlage.com/support).
  - 37. If under the lock decorative plates are on both sides of device, then door will become 1/8" thicker. A Door Thickness Kit of an incremental 1/8" must be ordered to accommodate under the lock plates.


## System Architecture for AD-300 & AD-400

The AD-Series combines all the hardware components required at the door for a complete access control system into one integrated design to simplify installation. This includes the electrified lock, credential reader, request-to-exit and -enter sensors, door position switch, tamper guard and more.

The AD-Series is available with flexible hardwired and wireless networked options and can accommodate Wiegand, Clock & Data or RS485 connections to the access control panel or reader interface board.


The following system configurations should be utilized as a guideline for specifying the AD-Series. Datasheets with technical specifications are available for download on [www.schlage.com/support](http://www.schlage.com/support). We suggest that you consult with your Access Control Provider to verify the specific features, functions and capabilities of the AD-Series.

### AD-300 Networked Hardwired Solution:



- Connections other than Wiegand or Clock & Data may incur an additional fee. Consult access control software provides for details.
- PIB300-2D required for Wiegand or Clock & Data connection; supports up to 2 AD-300 devices

### AD-400 Networked Wireless Solution:



- Connections other than Wiegand or Clock & Data may incur an additional fee. Consult access control software provides for details.
- PIM400-TD2 required for Wiegand or Clock & Data connection; supports up to 2 AD-400 devices
- If RS485 connection to other ACP is required, contact software provider

## System Architecture for AD-301 & AD-401

### FIPS 201 Overview


- Federal Government Standard for secure and reliable form of identification
- Mandated by Homeland Security Presidential Directive 12 (HSPD 12)
- Required for all Federal Government employees and contractors
- Mandates the type of Smart Card and Card Reader per application
- The WPR401 (wireless portable reader) is available for remote credential verification

In order to meet requirements, the AD-Series can either be:

- 1.) Sold as a complete unit with the FMK Multi-Technology + Keypad Reader
- 2.) Field upgraded to a FIPS 201-1 compliant solution by adding the FMK reader (sold separately) and by utilizing the most current firmware available.


### AD-301 Hardwired FIPS 201-1 compliant solution

- RS-485 or Wiegand communication to access control panel (ACP must be FIPS 201-1 compliant)
- FIPS 201-1 Multi-Technology Reader (FMK)
- Connections other than Wiegand or Clock & Data may incur an additional fee. Consult access control software provider for details.
- PIB300-2D required for Wiegand or Clock & Data connection; supports up to 2 AD-301 devices.



### AD-401 Wireless FIPS 201-1 compliant solution

- 900 MHz communication between lock and PIM400-TD2
- FIPS Multi-Technology Reader (FMK)
- Connections other than Wiegand or Clock & Data may incur an additional fee. Consult access control software provider for details.
- PIM400-TD2 required for Wiegand or Clock & Data connection; supports up to 2 AD-401 devices.
- f RS485 connection to ACP is required, contact software provider





# AD-Series Networked Locks - Ordering Guide

AD-SERIES

Networked

Standalone

Customer Name:

Customer Address:

Ship To:

Account #:

Quote #:

PO # & Date:

Price book #:

Shipping Instructions:

Requested Ship Date:

Order Written By:

For Further Information Contact  
(Name, Phone, Fax)

	Quantity	1. Series	2. Class	3. Chassis <sup>1</sup>	4. Function <sup>2</sup>	5. Reader <sup>3</sup>	6. Lever	7. Finish	8. Cylinder	9. Keyway	10. Handing	11. Battery <sup>4</sup>	12. Backset & Latch <sup>5</sup> or Armor Front <sup>6</sup>	13. Strike <sup>7</sup>	14. Door Thickness <sup>8</sup>	15. Options
Ex.	1	AD	400	CY	70	KP	SPA	626	PD	SI23	RH	4B	13-049	10-025	1-3/4	BAA

Please complete all information above and email order to:  
**Order\_Entry\_Schlage\_Commercial@allegion.com**

<sup>1</sup> If Exit trim is chosen, no selections are required for options #12 & #13  
<sup>2</sup> Function: 70 classroom storeroom is standard if no selection is made  
<sup>3</sup> Reader: KP keypad is standard if no selection is made  
<sup>4</sup> Battery: Cover only standard for AD-300, 4B standard if no selection is made for AD-400  
<sup>5</sup> Backset & Latch: 13-049 standard for cylindrical if no selection is made  
<sup>6</sup> Armor Front: 09-663 standard for mortise if no selection is made, 09-666 standard for mortise deadbolt if no selection is made  
<sup>7</sup> Strike Plate: 10-025 standard for cylindrical if no selection is made, 10-072 standard for mortise/mortise deadbolt if no selection is made  
<sup>8</sup> Door Thickness: 1-3/4" standard if no selection is made

Pricing/product description subject to change without notice.



# AD-300 Networked Hardwired - Cylindrical



## 1-4. Select Chassis/Function Note: Locking function capabilities are determined by users access control system

<b>AD-300-CY-70*</b>	Classroom/Storeroom	<b>\$1,604.00</b>
<b>AD-300-CY-50*</b>	Office △	<b>\$1,614.00</b>
<b>AD-300-CY-40</b>	Privacy △	<b>\$1,614.00</b>
<b>AD-300-CY-60</b>	Apartment △	<b>\$1,614.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

△ Requires RS485 connection to ACP. See page 57 for system diagram. Check with access control software provider to verify function is enabled.



AD-300-CY-70-MT



KP



MG



MGK



MS



MSK



MTK



FMK

## 5. Select Reader Note: Reflects list price adder to base keypad reader price of \$466.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD ●△</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ●□</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ●□</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Pricing/product description subject to change without notice.

AD-SERIES


Networked

Standalone


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>Cover Only</b>	No batteries or holder	<b>STANDARD</b>
-------------------	------------------------	-----------------

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60

\*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) Add PIB300-2D if Wiegand or Clock and Data connection to ACP is required. Sold Separately. See page 88 for details.

Accessories available, see pages 86-89.

Accessories include Panel Interface Board (PIB300-2D) Decorative Plates, Handheld Device, etc.

Credentials available, see pages 15-24.

**Pricing/product description subject to change without notice.**

## 1-3. Select Chassis

<b>AD-300-MS</b>	Mortise	<b>\$1,841.00</b>
<b>AD-300-MD</b>	Mortise Deadbolt $\Delta$	<b>\$1,874.00</b>



AD-300-MS-70-MTK



KP



MG



MGK



MS



MSK



MT



FMK

## 4. Select Function **Note:** Locking function capabilities are determined by users access control system

<b>70*</b>	Classroom/Storeroom (Not available on mortise deadbolt)	<b>STANDARD</b>
<b>50*</b>	Office $\Delta$ (Not available on mortise deadbolt)	<b>\$10.00</b>
<b>40</b>	Privacy $\Delta$	<b>\$10.00</b>
<b>60</b>	Apartment $\Delta$	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

$\Delta$  Requires RS485 connection to ACP. See page 57 for system diagram. Check with access control software provider to verify function is enabled.

## 5. Select Reader **Note:** Reflects list price adder to base keypad reader price of \$466.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$56.40</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD</b> ● $\Delta$	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ● □	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● □	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


$\Delta$  For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>Cover Only</b>	No batteries or holder	<b>STANDARD</b>
-------------------	------------------------	-----------------

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbed	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) Add PIB300-2D if Wiegand or Clock and Data connection to ACP is required. Sold Separately. See page 88 for details.  
 Accessories available, see pages 86-89.  
 Accessories include Panel Interface Board (PIB300-2D) Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.



### 1-3. Select Chassis/Trim Type *Note: See page 47 for exit device compatibility*

<b>AD-300-993R</b>	Exit Rim/Concealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	<b>\$1,886.00</b>
<b>AD-300-993S</b>	Exit Surface Vertical Rod	<b>\$1,913.00</b>
<b>AD-300-993M</b>	Exit Mortise Lock	<b>\$1,913.00</b>

### 4. Select Function *Note: Locking function capabilities are determined by users access control system*

<b>70*</b>	Classroom/Storeroom	<b>STANDARD</b>
<b>50*</b>	Office $\Delta$	<b>\$10.00</b>
<b>40</b>	Privacy $\Delta$	<b>\$10.00</b>
<b>60</b>	Apartment $\Delta$	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

$\Delta$  Requires RS485 connection to ACP. See page 57 for system diagram. Ensure function is enabled through access control software provider.

### 5. Select Reader *Note: Reflects list price adder to base keypad reader price of \$466.00.*

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

### 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

### 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

### 8. Select Cylinder Type

<b>PD</b> $\bullet$ $\Delta$	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> $\bullet$ $\square$	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> $\bullet$ $\square$	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO7</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

$\bullet$  Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

$\Delta$  For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.

$\square$  Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.



AD-300-993R-70-KP



MG



MGK



MS



MSK



MT




MTK




FMK

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>Cover Only</b>	No batteries or holder	<b>STANDARD</b>
-------------------	------------------------	-----------------

**12.-13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>LRX</b>	Less Von Duprin low current Request-To-Exit switch	<b>DEDUCT \$45.10</b>
<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

AD-300 Exit Trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 22/22F exit devices and Falcon 25 rim exit devices with proper low current Request-To-Exit switch (RX-LC). Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only.  
**When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.**  
**Note:** AD-Series Non-Functioning "Dummy" Exit Trim now available.  
 Please see pages 122-123 for details

- Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) Add PIB300-2D if Wiegand or Clock and Data connection to ACP is required. Sold Separately. See page 88 for details.

Accessories available, see pages 86-89.  
 Accessories include Panel Interface Board (PIB300-2D) Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

### 1-4. Select Chassis/Function

Note: Locking function capabilities are determined by users access control system

<b>AD-301-CY-70*</b>	Classroom/Storeroom	<b>\$1,604.00</b>
<b>AD-301-CY-50*</b>	Office	<b>\$1,614.00</b>
<b>AD-301-CY-40</b>	Privacy△	<b>\$1,614.00</b>
<b>AD-301-CY-60</b>	Apartment△	<b>\$1,614.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

△ Requires RS485 connection to ACP. See page 57 for system diagram. Check with Access Control software provider to verify function is enabled.



AD-301-CY-70-FMK

### 5. Select Reader

<b>FMK</b>	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	<b>\$410.00</b>
------------	------------------------------------------------------------------------------------	-----------------

Note: The AD-300 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Note: Verify compatibility of PIV & PIV-I credentials with access control software provider.

### 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use BAT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

### 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

### 8. Select Cylinder Type

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/F/FG/G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>Cover Only</b>	No batteries or holder	<b>STANDARD</b>
-------------------	------------------------	-----------------

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60  
 \*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) Add PIB300-2D if Wiegand or Clock and Data connection to ACP is required. Sold Separately. See page 88 for details.  
 Standard accessories available, see pages 86-89.  
 Standard accessories sold separately include Decorative Plates, Handheld Device, Dry Contact Board (RLBD), etc.

Pricing/product description subject to change without notice.



**1-3. Select Chassis**

<b>AD-301-MS</b>	Mortise	<b>\$1,841.00</b>
<b>AD-301-MD</b>	Mortise Deadbolt $\Delta$	<b>\$1,874.00</b>



AD-301-MS-70-FMK

**4. Select Function**

**Note:** Locking function capabilities are determined by users access control system

<b>70*</b>	Classroom/Storeroom (Not available on mortise deadbolt)	<b>STANDARD</b>
<b>50*</b>	Office $\Delta$ (Not available on mortise deadbolt)	<b>\$10.00</b>
<b>40</b>	Privacy $\Delta$	<b>\$10.00</b>
<b>60</b>	Apartment $\Delta$	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

$\Delta$  Requires RS485 connection to ACP. See page 57 for system diagram. Check with access control software provider to verify function is enabled.

**5. Select Reader**

<b>FMK</b>	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	<b>\$410.00</b>
------------	------------------------------------------------------------------------------------	-----------------

**Note:** The AD-300 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

**Note:** Verify compatibility of PIV & PIV-I credentials with access control software provider.

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$56.40</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ● $\Delta$	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ● □	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● □	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

$\Delta$  For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>Cover Only</b>	No batteries or holder	<b>STANDARD</b>
-------------------	------------------------	-----------------

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) Add PIB300-2D if Wiegand or Clock and Data connection to ACP is required. Sold Separately. See page 88 for details.

Standard accessories available, see pages 86-89.  
 Standard accessories sold separately include Decorative Plates, Handheld Device, Dry Contact Board (RLBD), etc.

**1-3. Select Chassis/Exit Trim Type\***

<b>AD-301-993R</b>	Exit Rim/ <sup>†</sup> Concealed Vertical Rod/ <sup>†</sup> Concealed Vertical Cable	<b>\$1,886.00</b>
<b>AD-301-993S</b>	Exit Surface Vertical Rod	<b>\$1,903.00</b>
<b>AD-301-993M</b>	Exit Mortise Lock	<b>\$1,903.00</b>

\* See page 47 for exit device compatibility. <sup>†</sup> Metal door only.



AD-301-993R-70-FMK

**4. Select Function Note:** Locking function capabilities are determined by users access control system

<b>70*</b>	Classroom/Storeroom	<b>STANDARD</b>
<b>50*</b>	Office △	<b>\$10.00</b>
<b>40</b>	Privacy △	<b>\$10.00</b>
<b>60</b>	Apartment △	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

△ Requires RS485 connection to ACP. See page 57 for system diagram. Ensure function is enabled through access control software provider.

**5. Select Reader**

<b>FMK</b>	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	<b>\$ 410.00</b>
------------	------------------------------------------------------------------------------------	------------------

**Note:** The AD-300 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

**Note:** Verify compatibility of PIV & PIV-I credentials with access control software provider.

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$19.40</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>Cover Only</b>	No batteries or holder	<b>STANDARD</b>
-------------------	------------------------	-----------------

**12. -13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>LRX</b>	Less Von Duprin low current Request-To-Exit switch	<b>DEDUCT \$45.10</b>
<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

AD-301 Exit Trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 22/22F exit devices and Falcon 25 rim exit devices with proper low current Request-To-Exit switch (RX-LC). Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only.  
**When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.**

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) Add PIB300-2D if Wiegand or Clock and Data connection to ACP is required. Sold Separately. See page 88 for details.

Standard accessories available, see pages 86-89.  
 Standard accessories sold separately include Decorative Plates, Handheld Device, Dry Contact Board (RLBD), etc.



## 1-4. Select Chassis/Function Note: Locking function capabilities are determined by users access control system

<b>AD-400-CY-70*</b>	Classroom/Storeroom	<b>\$1,786.00</b>
<b>AD-400-CY-50*</b>	Office	<b>\$1,796.00</b>
<b>AD-400-CY-40</b>	Privacy△	<b>\$1,796.00</b>
<b>AD-400-CY-60</b>	Apartment△	<b>\$1,796.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

△ Requires RS485 connection to ACP. See page 57 for system diagram. Check with access control software provider to verify function is enabled.



AD-400-CY-70-MG



KP



MGK



MS



MSK



MT



MTK



FMK

## 5. Select Reader Note: Reflects list price adder to base keypad reader price of \$466.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$39.60</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use BAT for Athens, BRO for Rhodes, BSP for Sparta and BTR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD ●△</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ●□</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ●□</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$ 157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60

\*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

- Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) PIM400 required for connection to ACP; sold separately.  
 a) PIM400-TD2 required for Wiegand or Clock and Data connection, see page 88.  
 b) If RS485 connection to other ACP is required, contact software provider.

Accessories available, see pages 86-89. Accessories include Panel Interface Module (PIM400) Decorative Plates, Handheld Device, etc. Credentials available, see pages 15-24.

**Pricing/product description subject to change without notice.**

## 1-3. Select Chassis

<b>AD-400-MS</b>	Mortise	<b>\$2,023.00</b>
<b>AD-400-MD</b>	Mortise Deadbolt $\Delta$	<b>\$2,057.00</b>



AD-400-MS-70-MGK



KP



MG



MS



MSK



MT



MTK



FMK

## 4. Select Function **Note:** Locking function capabilities are determined by users access control system

<b>70*</b>	Classroom/Storeroom (Not available on mortise deadbolt)	<b>STANDARD</b>
<b>50*</b>	Office $\Delta$ (Not available on mortise deadbolt)	<b>\$10.00</b>
<b>40</b>	Privacy $\Delta$	<b>\$10.00</b>
<b>60</b>	Apartment $\Delta$	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

$\Delta$  Requires RS485 connection to ACP. See page 57 for system diagram. Check with access control software provider to verify function is enabled.

## 5. Select Reader **Note:** Reflects list price adder to base keypad reader price of \$466.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$56.40</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use BAT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD</b> ● $\Delta$	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ● □	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● □	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


$\Delta$  For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

- Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) PIM400 required for connection to ACP; sold separately.  
 a) PIM400-TD2 required for Wiegand or Clock and Data connection, see page 88.  
 b) If RS485 connection to other ACP is required, contact software provider.

Accessories available, see pages 86-89. Accessories include Panel Interface Module (PIM400) Decorative Plates, Handheld Device, etc. Credentials available, see pages 15-24.

**Pricing/product description subject to change without notice.**

### 1-3. Select Chassis/Exit Trim Type *Note: See page 47 for exit device compatibility*

<b>AD-400-993R</b>	Exit Rim/Concealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	<b>\$2,084.00</b>
<b>AD-400-993S</b>	Exit Surface Vertical Rod	<b>\$2,112.00</b>
<b>AD-400-993M</b>	Exit Mortise Lock	<b>\$2,112.00</b>



AD-400-993R-70-MT



KP



MG



MGK



MS



MSK



MTK



FMK

### 4. Select Function *Note: Locking function capabilities are determined by users access control system*

<b>70*</b>	Classroom/Storeroom	<b>STANDARD</b>
<b>50*</b>	Office $\Delta$	<b>\$10.00</b>
<b>40</b>	Privacy $\Delta$	<b>\$10.00</b>
<b>60</b>	Apartment $\Delta$	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

$\Delta$  Requires RS485 connection to ACP. See page 57 for system diagram. Ensure function is enabled through access control software provider.

### 5. Select Reader *Note: Reflects list price adder to base keypad reader price of \$466.00.*

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

### 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use BAT for Athens, BRO for Rhodes, BSP for Sparta and BTR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

### 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

### 8. Select Cylinder Type

<b>PD</b> ● $\Delta$	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ● $\square$	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● $\square$	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO7</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


$\Delta$  For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.

$\square$  Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. - 13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>LRX</b>	Less Von Duprin low current Request-To-Exit switch	<b>DEDUCT \$45.10</b>
<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

AD-300 Exit Trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 22/22F exit devices and Falcon 25 rim exit devices with proper low current Request-To-Exit switch (RX-LC). Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only.  
**When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.**  
**Note:** AD-Series Non-Functioning "Dummy" Exit Trim now available.  
 Please see pages 84-85 for details

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) PIM400 required for connection to ACP; sold separately.  
 a) PIM400-TD2 required for Wiegand or Clock and Data connection, see page 88.  
 b) If RS485 connection to other ACP is required, contact software provider.

Accessories available, see pages 86-89.  
 Accessories include Panel Interface Mobile (PIM400) Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

## 1-4. Select Chassis/Function

**Note:** Locking function capabilities are determined by users access control system

<b>AD-401-CY-70*</b>	Classroom/Storeroom	<b>\$1,786.00</b>
<b>AD-401-CY-50*</b>	Office	<b>\$1,796.00</b>
<b>AD-401-CY-40</b>	Privacy△	<b>\$1,796.00</b>
<b>AD-401-CY-60</b>	Apartment△	<b>\$1,796.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

△ Requires RS485 connection to ACP. See page 58 for system diagram. Check with Access Control software provider to verify function is enabled.



AD-401-CY-70-FMK

## 5. Select Reader

<b>FMK</b>	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	<b>\$410.00</b>
------------	------------------------------------------------------------------------------------	-----------------

**Note:** The AD-400 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

**Note:** Verify compatibility of PIV & PIV-I credentials with access control software provider.

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use BAT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDF A7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60  
 \*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90  
 \*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) PIM400 required for connection to ACP; sold separately.  
 a) PIM400-TD2 required for Wiegand or Clock and Data connection, see page 88.  
 b) If RS485 connection to other ACP is required, contact software provider.

Standard accessories available, see pages 86-89.

Standard accessories sold separately include Decorative Plates, Handheld Device, Dry Contact Board (RLBD), etc.

**Pricing/product description subject to change without notice.**



1-3. Select Chassis

AD-401-MS	Mortise	\$2,023.00
AD-401-MD	Mortise Deadbolt $\Delta$	\$2,076.00



AD-401-MS-70-FMK

4. Select Function

Note: Locking function capabilities are determined by users' access control system

70*	Classroom/Storeroom (Not available on mortise deadbolt)	STANDARD
50*	Office $\Delta$ (Not available on mortise deadbolt)	\$10.00
40	Privacy $\Delta$	\$10.00
60	Apartment $\Delta$	\$10.00

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

$\Delta$  Requires RS485 connection to ACP. See page 57 for system diagram. Check with access control software provider to verify function is enabled.

5. Select Reader

FMK	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	\$410.00
-----	------------------------------------------------------------------------------------	----------

Note: The AD-400 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Note: Verify compatibility of PIV & PIV-I credentials with access control software provider.

6. Select Lever\*

LLL	Less interior and exterior levers	DEDUCT \$56.40
SPA	Sparta	N/C
RHO	Rhodes	N/C
ATH	Athens	N/C
TLR	Tubular	N/C

\* Tactile Warning use BAT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7. Select Finish

626	Satin Chrome	N/C
605	Bright Brass	\$121.00
606	Satin Brass	\$121.00
612	Satin Bronze	\$121.00
619	Satin Nickel	\$121.00
625	Bright Chrome	\$121.00
643e	Aged Bronze	\$121.00
626AM	Satin Chrome Antimicrobial	\$156.00

8. Select Cylinder Type

PD $\bullet \Delta$	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	N/C
LD	Less Cylinder, Schlage, Falcon, 6 Pin KIL	DEDUCT \$55.00
RD $\bullet \square$	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	\$33.00
JD	Less Cylinder, Schlage, 6 Pin FSIC	DEDUCT \$30.00
GD $\bullet \square$	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	N/C
BD	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	N/C
LD SAR	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	DEDUCT \$55.00
JD SAR	Less Cylinder, Sargent 6300, 6 Pin FSIC	DEDUCT \$30.00
JD C06	Less Cylinder, Corbin 8000, 6 Pin FSIC	DEDUCT \$30.00
JD C07	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	DEDUCT \$30.00
JD MED	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
JD YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	DEDUCT \$30.00
JD YA7	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
LD FA7	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00


$\bullet$  Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

$\Delta$  For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.


$\square$  Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

- Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) PIM400 required for connection to ACP; sold separately.  
 a) PIM400-TD2 required for Wiegand or Clock and Data connection, see page 88  
 b) If RS485 connection to other ACP is required, contact software provider.

Accessories available, see pages 86-89. Accessories include Panel Interface Module (PIM400) Decorative Plates, Handheld Device, etc. Credentials available, see pages 15-24.

**1-3. Select Chassis/Exit Trim Type\***

<b>AD-401-993R</b>	Exit Rim/ <sup>1</sup> Concealed Vertical Rod/ <sup>1</sup> Concealed Vertical Cable	<b>\$2,084.00</b>
<b>AD-401-993S</b>	Exit Surface Vertical Rod	<b>\$2,112.00</b>
<b>AD-401-993M</b>	Exit Mortise Lock	<b>\$2,112.00</b>

\* See page 47 for exit device compatibility. <sup>1</sup> Metal door only.



AD-401-993R-70-FMK

**4. Select Function Note:** Locking function capabilities are determined by users access control system

<b>70*</b>	Classroom/Storeroom	<b>STANDARD</b>
<b>50*</b>	Office △	<b>\$10.00</b>
<b>40</b>	Privacy △	<b>\$10.00</b>
<b>60</b>	Apartment △	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

△ Requires RS485 connection to ACP. See page 57 for system diagram. Ensure function is enabled through access control software provider.

**5. Select Reader**

<b>FMK</b>	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	<b>\$410.00</b>
------------	------------------------------------------------------------------------------------	-----------------

**Note:** The AD-400 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

**Note:** Verify compatibility of PIV & PIV-I credentials with access control software provider.

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use BAT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ● △	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ● □	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● □	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. -13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>LRX</b>	Less Von Duprin low current Request-To-Exit switch	<b>DEDUCT \$45.10</b>
<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

AD-401 Exit Trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 22/22F exit devices and Falcon 25 rim exit devices with proper low current Request-To-Exit switch (RX-LC). Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only.  
**When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.**  
**Note:** AD-Series Non-Functioning "Dummy" Exit Trim now available. Please see pages 122-123 for details

**Notes:** 1) Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.  
 2) PIM400 required for connection to ACP; sold separately.  
 a) PIM400-TD2 required for Wiegand or Clock and Data connection, see page 88.  
 b) If RS485 connection to other ACP is required, contact software provider.

Standard accessories available, see pages 86-89.  
 Standard accessories sold separately include Decorative Plates, Handheld Device, Dry Contact Board (RLBD), etc.

**1-4. Select Chassis/ Exit Trim Type\* /Reader**

<b>AD-993LLL</b>	“Dummy” Trim Less Reader for Exit Rim/†Concealed Vertical Rod/†Concealed Vertical Cable /Surface Vertical Rod/Mortise Lock	See page 122
<b>AD-993DT</b>	“Dummy” Trim with “Dummy” Reader Cover for Exit Rim/†Concealed Vertical Rod/Surface Vertical Rod/ Mortise Lock	See page 122

\* See page 47 for exit device compatibility. † Metal door only.



AD993DT

**5. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	See page 122
<b>SPA</b>	Sparta	See page 122
<b>RHO</b>	Rhodes	See page 122
<b>ATH</b>	Athens	See page 122
<b>TLR</b>	Tubular	See page 122

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**6. Select Finish**

<b>626</b>	Satin Chrome	See page 122
<b>605</b>	Bright Brass	See page 122
<b>606</b>	Satin Brass	See page 122
<b>612</b>	Satin Bronze	See page 122
<b>619</b>	Satin Nickel	See page 122
<b>625</b>	Bright Chrome	See page 122
<b>643e</b>	Aged Bronze	See page 122
<b>626AM</b>	Satin Chrome Antimicrobial	See page 122

**7. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	See page 122
<b>LD</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	See page 122
<b>RD</b> ●□	With cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	See page 122
<b>JD</b>	Less cylinder, Schlage, 6 Pin FSIC	See page 122
<b>GD</b> ●□	With cylinder, Schlage- Everest 29 R, 7 Pin SFIC	See page 122
<b>BD</b>	Less cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	See page 122
<b>LD SAR</b>	Less cylinder, Sargent (10L + 11L), 6 Pin KIL	See page 122
<b>JD SAR</b>	Less cylinder, Sargent 6300, 6 Pin FSIC	See page 122
<b>JD C06</b>	Less cylinder, Corbin 8000, 6 Pin FSIC	See page 122
<b>JD C07</b>	Less cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	See page 122
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	DEDUCT \$30.00
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
<b>LD FA7</b>	Less cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	See page 122


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**8. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	See page 123
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	See page 123
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	See page 123
<b>D</b>	Everest D	See page 123
<b>Classic Restricted</b>	Quad, Numbered, Reverse	See page 123
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	See page 123
<b>B</b>	Everest B	See page 123

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**9. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	See page 123
<b>LHR</b>	Left Handed Reverse	See page 123

**10. - 12. No Selection Required**

**13. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	See page 123
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	See page 123

**14. Select Options**

<b>BAA</b>	BAA Compliant Product	See page 123
------------	-----------------------	--------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**AD-Series Exit Trim**

The AD993DT Non-Functioning “Dummy” Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99 and 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise. Low current Request-to-Exit Switch optional for future network migration.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision’s BP21 Kit)

Accessories available, see pages 86-89. Accessories include Panel Interface Mobile (PIM400) Decorative Plates, Handheld Device, etc. Credentials available, see pages 15-24.

Product ID	Product Description	Product Specification	Price
<b>Handheld Device</b>			
<b>HHD KIT-USB</b>	Handheld Device Kit	Includes Handheld Device pre-loaded with SUS Application, and HHD-USB Cable. Used to initialize, manage, and test AD and CO Series devices	<b>\$1,122.00</b>
<b>HH-USB</b>	USB Replacement Cable	Used to connect Handheld Device to USB locks and accessories.	<b>\$50.80</b>

### Handheld Device Accessories (Legacy Product Support)

<b>HH-2PIN SERIAL</b>	Serial Cable	Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP	<b>\$125.00</b>
<b>HH-SERIAL</b>	Serial Cable *	Used to connect previous model HHD (BM150) with CIP to program serial products.	<b>\$111.00</b>
<b>PIMWA-CV</b>	Null Converter	Used to connect Handheld Device to WA Series PIM, using HH-SERIAL Serial Cable. (compatible to current and previous model HHDs)	<b>\$22.50</b>
<b>P512112</b>	Computer Interface Module (CIP)*	Used to program serial products using HH-SERIAL Serial Cable.	<b>\$287.00</b>
<b>P101203</b>	CIP with iButton Reader*	Used to program serial products using HH-SERIAL Serial Cable.	<b>\$304.00</b>

\* Not compatible to current HHD (BM170)

### Reader Modules - (Select by Technology) - (Please specify FINISH -Example: KP-626)

<b>KP</b>	Keypad Only Reader Module	<b>See page 126</b>
<b>MG</b>	Magnetic Stripe (Insert) Reader Module - (Track 1, 2, or 3)	<b>See page 126</b>
<b>MGK</b>	Magnetic Stripe (Insert) with Keypad Reader Module - (Track 1, 2, or 3)	<b>See page 126</b>
<b>MS</b>	Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	<b>See page 126</b>
<b>MSK</b>	Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	<b>See page 126</b>
<b>MT</b>	Multi-Technology Reader Module - (125 kHz Proximity and 13.56 MHz Smart)	<b>See page 126</b>
<b>MTK</b>	Multi-Technology with Keypad Reader Module - (125 kHz Proximity and 13.56 MHz Smart)	<b>See page 126</b>
<b>FMK</b>	FIPS Multi-Technology with Keypad Reader Module - (125 kHz Proximity and 13.56 MHz Smart)	<b>See page 126</b>
<b>DT</b>	Dummy Trim Reader Cover	<b>See page 126</b>

### Reader Module Accessories

<b>510310</b>	Magnetic Stripe Cleaning Cards	<b>See page 176</b>
---------------	--------------------------------	---------------------

### Communication Module Kits - (Please specify FINISH - Example: COM200C-626)

<b>COM200C</b>	AD-200/AD-250 Offline Communication Kit (Cover)	Classroom/Storeroom Functions (Cylindrical and Exit Chassis)	<b>See page 126</b>
<b>COM200L◆</b>	AD-200/AD-250 Offline Communication Kit (Cover with Indicator Lens)	Privacy/Apartment Functions (Mortise Deadbolt Chassis)	<b>See page 126</b>
<b>COM200P◆</b>	AD-200/AD-250 Offline Communication Kit (Cover with Push Button)	Privacy/Apartment/Office Functions (Cylindrical and Mortise Chassis)	<b>See page 126</b>
<b>COM300L◆■</b>	AD-300 Hardwired Communication Kit (Cover with Indicator Lens, RS485 Communication PCB)	Classroom/Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	<b>\$302.00</b>
<b>COM300P◆■</b>	AD-300 Hardwired Communication Kit (Cover with Push Button, RS485 Communication PCB)	Privacy/Apartment/Office Functions (Cylindrical and Mortise Chassis)	<b>\$302.00</b>
<b>COM400L◆■</b>	AD-400 Wireless Communication Kit (Cover with Indicator Lens, 900MHz Communication PCB)	Classroom/Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	<b>\$327.00</b>
<b>COM400P◆■</b>	AD-400 Wireless Communication Kit (Cover with Push Button, 900MHz Communication PCB)	Privacy/Apartment/Office Functions (Cylindrical and Mortise Chassis)	<b>\$327.00</b>

◆ Must order and install Door Position Switch #23364409 for proper operation

■ Must order and install Pigtail Exit Adapter #2353774 for RX-LC switch if retrofitting AD-200-993 to AD-300-993 or AD-400-993

	Class	Chassis	Type	Classroom/ Storeroom (70)	Office (50)	Apartment (60)	Privacy (40)
<b>OFFLINE</b>	AD-200 & AD-250	CY	Cylindrical	COM200C	COM200P	COM200P	COM200P
	AD-200 & AD-250	MS	Mortise	COM200C	COM200P	COM200P	COM200P
	AD-200 & AD-250	MD	Mortise Deadbolt	N/A	N/A	COM200L	COM200L
	AD-200 & AD-250	993	Exit Trim	COM200C	N/A	N/A	N/A
<b>NETWORKED</b>	AD-300	CY	Cylindrical	COM300L	COM300P	COM300P	COM300P
	AD-300	MS	Mortise	COM300L	COM300P	COM300P	COM300P
	AD-300	MD	Mortise Deadbolt	N/A	N/A	COM300L	COM300L
	AD-300	993	Exit Trim	COM300L	N/A	N/A	N/A
	AD-400	CY	Cylindrical	COM400L	COM400P	COM400P	COM400P
	AD-400	MS	Mortise	COM400L	COM400P	COM400P	COM400P
	AD-400	MD	Mortise Deadbolt	N/A	N/A	COM400L	COM400L
	AD-400	993	Exit Trim	COM400L	N/A	N/A	N/A

Suffixes: C= Cover L= LED Only P= Pushbutton

**Note:** Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.

Pricing/product description subject to change without notice.

Product ID	Product Description	Price
------------	---------------------	-------

**Door Position Switch**

46929121	Door Position Switch	See page 185
----------	----------------------	--------------

**Battery Cover - (Select by Battery Quantity) - (Please specify FINISH - Example: 4C-626)**

4C (46929071)	4AA Battery Cover (with Screw)	See page 186
8C (46929105)	8AA Battery Cover (with Screw)	See page 186

**Battery Holder & Cover Kit - (Select by Battery Quantity) - (Please specify FINISH - Example: 4B-626)**

4B (46929055)	4AA Battery Holder & Cover Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)	See page 186
8B (46929089)	8AA Battery Holder & Cover Kit (Includes 8AA Battery Holder with Cable, 8AA Battery Strap, Battery Strap Screws, 8AA Battery Cover, Cover Screw, Torx Cover Screw, Mylar)	See page 186

**Torx Tamper Screw Pack - (Select by Chassis Type) - (Please specify FINISH - Example: 23538812-626)**

Cylindrical		
23538812	Torx Tamper Screw Pack	See page 186
Mortise		
23538820	Torx Tamper Screw Pack	See page 186
Exit		
23538838	Torx Tamper Screw Pack	See page 186

**Decorative Plate - (Select by Size) - (Please specify FINISH - Example: 23760283-626)**

23631823	1.5" x 3.25" x .105" Decorative Plate (with Screws) - (Exit Trim)	See page 185
23760267	1.7" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
23760283	3.2" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
23760317	6.0" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
23760325	6.6" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
23760309	8.0" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
23760291	8.0" x 3.5" x .075" Decorative Plate (with Screws and Welded Standoff)	See page 185
23760259*	10.5" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	See page 185
23760275*	12.0" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	See page 185

\*Please consider overall Door Thickness when ordering

**Note:** Single Decorative Plate. Interior and Exterior Decorative Plates may be required.

**Note:** Decorative Plates may have multiple applications. Please refer to AD-Series Retrofit Template Overlay guide at [www.schlage.com/support](http://www.schlage.com/support) for more information.

Available Finishes: 626 Satin Chrome Standard. Please consult Customer Care for 605 Bright Brass or 643E Aged Bronze.

**Shim Plates**

23458607	Interior Shim Plate - (for AD-200/250/300)	See page 185
23458565	Interior Shim Plate - (for AD-400)	See page 185
23458599	Exterior Shim Plate	See page 185

**Note:** Device is 0.063" thick

**Wood Mounts**

44-169	AD-Series Cylindrical Mount	See page 127
23740251	AD-Series Mortise Mount	See page 127
23740269	AD-Series & CO Series Exit Trim Mount	See page 127

**Installation Tools**

40-286	Universal Clamp (For use with all AD and CO Series installation templates)	\$419.00
40-288	AD Series cylindrical lock installation template	\$810.00
40-292	Universal cylindrical door position switch (DPS) installation template	\$126.00
40-287	AD Series mortise lock installation template	\$810.00
40-291	Universal mortise door position switch (DPS) installation template	\$126.00

**Note:** These metal lock and DPS templates require use of specially designed universal clamp to ensure drilling accuracy.



Product ID	Product Description	Product Specification	Price
<b>AD-300/301 Hardwired Accessories</b>			
<b>Panel Interface Board</b>			
<b>PIB300-2D*</b>	Panel Interface Board (supports 2 doors)	Supports up to two AD-300 Locks. Wiegand or Clock & Data output. Includes Weatherproof Enclosure (7.1" x 7.1"), RS485 input. Requires 12 or 24 VDC Power Supply.	<b>\$432.00</b>
<b>RLBD</b>	Relay Board (for PIB300-2D or PIM400-TD2)	Optionally used with PIM300-2D or PIM400-TD2 to simplify installation with Access Control Panels that require relays. Configurable for Normally Open or Normally Closed.	<b>\$220.00</b>

**Miscellaneous**

<b>IRDORCOR</b>	3/8" Coring Fixture	Cores 3/8" bore in door	<b>\$1,876.00</b>
<b>798-12</b>	Armored Door Cord	12" x 1/2"	<b>\$66.60</b>
<b>798-18</b>	Armored Door Cord	18" x 1/2"	<b>\$84.60</b>

**AD-400/401 Wireless Accessories**

<b>Panel Interface Module</b>			
<b>PIM400-TD2*</b>	Panel Interface Module (supports 2 doors)	Wiegand or Clock & Data output. Includes Weatherproof Enclosure (7.1" x 7.1"), Internal Antenna with ability to add Remote Antenna. Requires 12 or 24 VDC power supply. Relay Board sold separately.	<b>\$763.00</b>
<b>RLBD</b>	Relay Board (for PIB300-2D or PIM400-TD2)	Optionally used with PIM300-2D or PIM400-TD2 to simplify installation with Access Control Panels that require relays. Configurable for Normally Open or Normally Closed.	<b>\$220.00</b>

**Wireless Portable Readers**

<b>WPR400-DT</b>	Wireless Portable Signal Tester (with Dummy Trim Reader Cover)	Handheld, battery-operated signal tester with non-functioning Dummy Trim Reader Cover.	<b>\$1,168.00</b>
<b>WPR400-KP</b>	Wireless Portable Reader (with Keypad Only Reader Module)	Handheld, battery-operated unit with Keypad Only Reader Module.	<b>\$1,608.00</b>
<b>WPR400-MG</b>	Wireless Portable Reader (with Magnetic Stripe (Insert) Reader Module)	Handheld, battery-operated unit with Magnetic Stripe (Insert) Reader Module.	<b>\$1,704.00</b>
<b>WPR400-MGK</b>	Wireless Portable Reader (with Magnetic Stripe (Insert) with Keypad Reader Module)	Handheld, battery-operated unit with Magnetic Stripe (Insert) with Keypad Reader Module.	<b>\$1,767.00</b>
<b>WPR400-MS</b>	Wireless Portable Reader (with Magnetic Stripe (Swipe) Reader Module)	Handheld, battery-operated unit with Magnetic Stripe (Swipe) Reader Module.	<b>\$1,695.00</b>
<b>WPR400-MSK</b>	Wireless Portable Reader (with Magnetic Stripe (Swipe) with Keypad Reader Module)	Handheld, battery-operated unit with Magnetic Stripe (Swipe) with Keypad Reader Module.	<b>\$1,752.00</b>
<b>WPR400-MT</b>	Wireless Portable Reader (with Multi-Technology Reader Module)	Handheld, battery-operated unit with Multi-Technology Reader Module.	<b>\$1,781.00</b>
<b>WPR400-MTK</b>	Wireless Portable Reader (with Multi-Technology with Keypad Reader Module)	Handheld, battery-operated unit with Multi-Technology with Keypad Reader Module.	<b>\$1,838.00</b>
<b>WPR401-FMK</b>	Wireless Portable Reader (with FIPS Multi-Technology with Keypad Reader Module)	Handheld, battery-operated unit with FIPS Multi-Technology with Keypad Reader Module.	<b>\$2,017.00</b>
<b>24885600</b>	WPR400/TK400 Battery Conversion Kit (includes 8AA Batteries, 8AA Battery Holder with appropriate mounting hardware pre-mounted in a new base)	Converts from the Proprietary battery pack to 8 Off-the-Shelf AA batteries	<b>\$86.70</b>

**Note:** Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.  
 \* For BAA compliant PIB300-2D or PIM400-TD2 add \$25.00. Use suffix BAA.  
 BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Product ID	Product Description	Product Specification	Price
<b>AD-400 Wireless Accessories (continued)</b>			
<b>Control Kits</b>			
<b>ECK400</b>	Elevator Control Kit	Includes WRI400, PIM400-TD2, ANT400-REM-I/O, 12 VDC Power Supply.	<b>\$2,537.00</b>
<b>GCK400</b>	Gate Control Kit	Includes WRI400, PIM400-TD2, ANT400-REM-I/O, MGB+MCA5, 12 VDC Power Supply.	<b>\$2,650.00</b>
<b>Wireless Reader Interface - (Outdoor)</b>			
<b>WRI400</b>	Outdoor Wireless Reader Interface	Compatible with Wiegand or Clock & Data. Includes Weatherproof Enclosure, inputs for two parallel readers. Requires 12 or 24 VDC power supply.	<b>\$900.00</b>
<b>Wireless Test Kit</b>			
<b>TK400</b>	Wireless Test Kit	Pre-Installed Test Kit; Complete with WPR400-DT, PIM400-TD2, 593PI Power Supply, Charger, Carrying Case.	<b>\$1,493.00</b>
<b>Wireless Repeater Kit</b>			
<b>REPTR400</b>	Wireless Repeater Kit	Complete with PIM400-TD2 and WRI400.	<b>\$1,661.00</b>
<b>Remote Antennas</b>			
<b>ANT400-REM-I/O</b>	Omni-Directional Remote Indoor/Outdoor Antenna Module	Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.	<b>\$490.00</b>
<b>ANT400-REM-I/O+6DB</b>	Directional Remote Indoor/Outdoor Antenna Module with 6dB Gain	Includes Antenna, 15' Coax, Coax Whip, Articulated Wall/Post Mounting Hardware. For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna Grounding Kit for outdoor applications.	<b>\$473.00</b>
<b>ANT400-REM-CEILING</b>	Omni-Directional Remote Indoor/Outdoor Antenna Module	Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400.	<b>\$361.00</b>
<b>ANT400-REM-HALL</b>	Bi-Directional Remote Indoor Antenna Module	Includes Antenna, 15' Coax, Coax Whip. For indoor use with PIM400 and/or WRI400.	<b>\$513.00</b>
<b>Antenna Grounding Kit</b>			
<b>MGB+MCA5</b>	Antenna Grounding Kit (for outdoor mounting)	May be used with ANT400-REM-I/O, ANT400-REM-I/O+6DB, ANT400-REM-CEILING, ANT400-REM-HALL.	<b>\$169.00</b>
<b>Power Supply</b>			
<b>593PI-12DC</b>	120 VAC to 12 VDC Power Supply	Used to power PIM-TD2, PIM-TD4, PIM-EXP, WRI-OTD-12 VDC, and WRI-IN-12 VDC as well as PIM400 and WRI400.	<b>\$105.00</b>

**Note:** Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.



<b>AD-SERIES STANDALONE - TABLE OF CONTENTS</b>	
<b>How to Order</b>	<b>92</b>
<b>AD-Series Standalone Locks &amp; Devices Overview</b>	<b>93</b>
<b>AD-200 Standalone Hardwired</b>	<b>104</b>
Cylindrical	104
Mortise/Mortise Deadbolt	106
Exit Trim	108
<b>AD-201 Standalone Hardwired (FIPS 201-1 Compliant); Rights on Lock</b>	<b>110</b>
Cylindrical	110
Mortise/Mortise Deadbolt	112
Exit Trim	114
<b>AD-250 Standalone, Rights on Card</b>	<b>116</b>
Cylindrical	116
Mortise/Mortise Deadbolt	118
Exit Trim	120
<b>AD-Series 993 Non- Functioning “Dummy” Trim</b>	<b>122</b>
<b>AD-Series Standalone Accessories</b>	<b>124</b>

**CONTACT INFORMATION FOR AD-SERIES STANDALONE LOCKS & DEVICES**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

*For AD-Series Standalone Locks & Devices Warranty Information please see pages 3-6.*

**Pricing/product description subject to change without notice.**

How to Order:

REQUIRED FIELDS

FACTORY DEFAULT AND OPTIONS

AD – 200 – CY – 70 – MG – SPA – 626 – PD – SI23 – RH – 4B – 13-049 – 10-025 – 1-3/4 – BAA

1. Series

2. Class

- 200 Rights on Lock
- 201 FIPS Compliant
- 250 Rights on Magnetic Card

3. Chassis:

- CY Cylindrical
- MS Mortise
- MD Mortise Deadbolt
- 993R Exit Trim – Rim/CVR/CVC
- 993S Exit Trim – SVR
- 993M Exit Trim – Mortise
- 993DT "Dummy" Exit Trim

4. Function:

- 70 Classroom/Storeroom
- 50 Office
- 40 Privacy
- 60 Apartment

5. Reader:

- KP Keypad
- MGK Magnetic Stripe + Keypad (Insert)
- MG Magnetic Stripe (Insert)
- MSK Magnetic Stripe + Keypad (Swipe)
- MS Magnetic Stripe (Swipe)
- MTK Multi-Technology + Keypad
- MT Multi-Technology
- FMK FIPS 201-1 Compliant Multi-Technology + Keypad

6. Lever: △

- SPA Sparta                      ATH Athens
- RHO Rhodes                    TLR Tubular

△ To add tactile warning, use prefix 8. Example 8SPA

7. Finish:

- 626 Satin Chrome
- 605 Bright Brass
- 606 Satin Brass
- 612 Satin Bronze
- 619 Satin Nickel
- 625 Bright Chrome
- 643e Aged Bronze
- 626AM Satin Chrome (Antimicrobial Coating)

8. Cylinder Type:

- PD Schlage 6-pin Full Cylinder
- For options see individual Class/Chassis page

9. Keyway Type:

- SI23 Everest 29
- For options see individual Class/Chassis page

10. Handing:

- RH Right Handed
- LH Left Handed
- RHR Right Handed Reverse
- LHR Left Handed Reverse

11. Battery Holder:

- 4B - 4AA Battery Kit                      8B - 8AA Battery Kit

12. Backset and Latch or Armor Front:

- 13-049 2-3/4" Backset, Deadlatch, Square Corner, 1-1/8" x 2-1/4" (Standard on CY Chassis)
  - 09-663 Armor Front, 1-1/4" Wide, Square Corner (Standard on MS Chassis)
- For options see individual Class/Chassis page

13. Strike:

- 10-025 1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8" (Standard on CY Chassis)
  - 10-072 1-3/16" Lip, 1-1/4" x 4-7/8" square corner, box (Standard on MS Chassis)
- For options see individual Class/Chassis page

14. Door Thickness:

- 1-3/4" (Standard)
- For options see individual Class/Chassis page



15. Additional Options

Pricing/product description subject to change without notice.

## AD-Series Standalone Locks





With the AD-Series, one platform translates to an endless number of adaptable solutions. You can choose the features and functions that are right for the application today, and upgrade to meet your evolving needs in the future.

### Class

<b>AD-200</b>	Standalone, User Rights on the Lock. Computer or Manually Programmable. Keypad, Multi-technology or Magnetic Stripe reader options available.	
<b>AD-201</b>	FIPS 201-1 Compliant Standalone, User Rights on the Lock. Computer Programmable with FIPS 201-1 Compliant multi-technology reader.	
<b>AD-250</b>	Standalone, user rights on magnetic stripe card. Computer programmable. Magnetic stripe or magnetic stripe + keypad reader options available	

**Note:** 1. AD-Series locks are upgradable from standalone to networked by applying a communication module available in the accessories section and new firmware available on [www.schlage.com/support](http://www.schlage.com/support).

### Chassis

<b>CY: Cylindrical</b>	Bored lock installed into a round hole in door	
<b>MS: Mortise</b>	Lock case installed into a mortise rectangular "pocket" in the door	
<b>MD: Mortise Deadbolt</b>	Mortise lock with built-in interconnected auxiliary deadbolt	
<b>993R: Exit Trim</b>	Rim/Concealed Vertical Rod* (CVR) & Concealed Vertical Cable* (CVC) *Metal door only	
<b>993M: Exit Trim</b>	Mortise	
<b>993S: Exit Trim</b>	Surface Vertical Rod (SVR)	
<b>993DT: Exit Trim</b>	Non-Functioning "Dummy" Exit Trim	

**Notes:** 2. Exit trim is only available in 70 function

3. Exit trim utilizes universal hardware to simplify installation to a variety of exit device. AD-Series networked locks require a request to exit switch, please see compatibility below.

### Exit Device Compatibility

Exit trim utilizes universal hardware to simplify installation to a variety of exit devices.

Exit Device Compatibility		Rim	SVR	CVR/CVC	Mortise
Von Duprin	98/99 and 98/99XP	●	●	●*	●
Von Duprin	22/22F	●	●		
Falcon	25	●			
Corbin Russwin®	5000	●			
Precision™	21 (2100 converts to 21 with Precision's BP21 kit)	●			
Yale®	7000	●			
Dorma®	9300	●			
Sargent®	80	●†			









● AD-200 and 250 Offline locks only. \* Metal door only. † Narrow design and reversible rim exits not compatible

Pricing/product description subject to change without notice.

Function

Function		AD-200/201	AD-250
<b>70: Classroom/Storeroom</b>	Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.	<p>No button</p>	<p>No button</p>
<b>50: Office</b>	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security. <b>NOTE:</b> Valid toggle credentials on the exterior may also be used to change status. Has interior pushbutton (IPB).	<p>Privacy button</p>	<p>Privacy button</p>
<b>40: Privacy</b>	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. Has interior pushbutton (IPB).	<p>Privacy button</p>	<p>Privacy button</p>
<b>60: Apartment</b>	Lockset is normally secure. Inside lever always allows free egress. Interior-pushbutton on inside housing may be used to select a passage or secured status. Opening the door or pressing the interior pushbutton causes the lockset to toggle unsecured. While toggled unsecured, the lockset can only be secured while the door is closed by pressing the interior pushbutton or using a normal credential on the exterior. Normal electronic access from the exterior is always allowed. Has interior pushbutton.	<p>Privacy button</p>	<p>Privacy button</p>

**Reader**

<p><b>KP: Keypad</b></p>	<p>12 button design</p>	
<p><b>MGK: Magnetic Stripe + Keypad (Insert)</b></p>		
<p><b>MG: Magnetic Stripe (Insert)</b></p>		
<p><b>MSK: Magnetic Stripe + Keypad (Swipe)</b></p>	<p>Configurable to read the complete Track 1, 2 or 3. Available with and without 12 button keypad.</p>	
<p><b>MS: Magnetic Stripe (Swipe)</b></p>		
<p><b>MTK: Multi-Technology + Keypad</b></p>		
<p><b>FMK: FIPS 201-1 Compliant Multi-Technology + Keypad</b></p>	<p>Single solution that reads 125 kHz proximity and 13.56 MHz smart credentials. Available with and without 12 button keypad</p>	
<p><b>MT: Multi-Technology</b></p>		

- Notes:**
4. Please refer to AD-Series data sheets and solution sheets prior to ordering to verify credential compatibility.
  5. FMK reader now sold separately for field upgrades.
  6. Must specify finish when ordering reader separately. KP, MGK, MG, MSK & MS readers available in 626, 605, 606, 612, 619, 625 & 643e. MT, MTK & FMK readers are available in Grey (for 619, 626, 626AM & 625) and available in Brown (for 605, 606, 612 & 643e).

Pricing/product description subject to change without notice.



Lever

<b>RHO</b>	Rhodes	
<b>SPA</b>	Sparta	
<b>TLR</b>	Tubular	
<b>ATH</b>	Athens	







- Notes:**
7. All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643E and 626AM.
  8. SPA, TLR & ATH Meet California Fire Code for 1/2" or less return to the door.
  9. Changing Lever Cylinder Compatibility on a device typically requires replacement of existing spring cage and tailpiece
  10. To order tactile warning levers use BAT for Athens, BRO for Rhodes, BSP for Sparta and BTR for Tubular. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.
  11. AD Series, CO Series and ND Series levers may be interchangeable in some cases depending whether it is an interior or exterior lever, the type of chassis and the type of cylinder/ spring cage/ tail piece. Please consult the AD Series Parts guide for more information.

Finish

<b>626</b>	Satin Chrome	BHMA # 626E, Government # US26D
<b>605</b>	Bright Brass	BHMA # 605E, Government # US3
<b>606</b>	Satin Brass	BHMA # 606E, Government # US4
<b>612</b>	Satin Bronze	BHMA # 612E, Government # US10
<b>619</b>	Satin Nickel	
<b>625</b>	Bright Chrome	BHMA # 625E, Government # US26
<b>643e</b>	Aged Bronze	
<b>626AM</b>	Satin Chrome Antimicrobial	

**Note:** 12. Please refer to the Electronic Access Control catalog or online product information at [us.allegion.com](http://us.allegion.com) to view each finish.

**Cylinder**

<b>PD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Key-in-Lever (KIL) Keyed different as standard with two keys		
<b>LD</b>	Less cylinder Schlage, Falcon 6 Pin Key-in-Lever (KIL)		
<b>RD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Full Size Interchangeable Core (FSIC) Keyway one bitted as standard with two keys		
<b>JD</b>	Less cylinder Schlage 6 Pin Full Size Interchangeable Core (FSIC)		
<b>GD</b>	With cylinder Schlage Everest 29 R 7 Pin Small Format Interchangeable Core (SFIC) Factory master keyed with two keys as standard, master keying must be specified	  *Less Core	
<b>BD</b>	Less cylinder Schlage, Falcon, Competitive OEM's 7 Pin Small Format Interchangeable Core (SFIC)		
<b>LD SAR</b>	Less cylinder Sargent (10L+11L) 6 Pin Key-in-Lever (KIL)	  *Less Core	
<b>JD SAR</b>	Less cylinder Sargent 6300 6 Pin Full Size Interchangeable Core (FSIC)	  *Less Core	
<b>JD C06</b>	Less cylinder Corbin 8000 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD C07</b>	Less cylinder Corbin 8000-7 7 Pin Full Size Interchangeable Core (FSIC) (Only RHO, 8RO, SPA, 8SP, TLR, 8TR)		
<b>JD MED</b>	Less cylinder Medeco 32*0201 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD YA6</b>	Less cylinder Yale 1210 or Medeco 31*0100 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD YA7</b>	Less cylinder Yale 1220 7 Pin Full Size Interchangeable Core (FSIC)		
<b>LD FA7</b>	Less cylinder Falcon 7 Pin Key-in-Lever (KIL) (Only RHO, 8RO, SPA, 8SP lever styles)		  *Less Core

- Notes:**
14. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead-times.
  15. For PD, RD and GD -Master Keyed cylinders can be specified and will be shipped in lock packaging.
  16. For Master Key System Summary form which should accompany the master keyed order, see pages 253-263.
  17. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
  18. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
  19. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.
  20. Spring cages & tail pieces are different based on the type of cylinder and chassis selected. Please see the AD-Series parts guide for more information.
  21. The AD-Series accepts many popular models of standard, SFIC, and FSIC cylinders. Consult the Keyway/Cylinder compatibility datasheet (010432) for details. See pricebook for specific configurations.

Pricing/product description subject to change without notice.

**Key Systems Available Through Schlage**

<b>Everest 29 S Keyway Family</b>	Patent protected open keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats. Patent protection through 2029.
<b>Everest 29 T Keyway Family</b>	Patent protected restricted keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats. Patent protection through 2029.
<b>Everest D Keyway Family</b>	Restricted keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats.
<b>Everest C Keyway Family</b>	Open keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats. R
<b>Schlage Classic Open Keyways</b>	Classic (C/E/F): Open keyways available in key in lever and full size interchangeable core designs
<b>Everest B Keyway Family</b>	Restricted keyways that are available on small format interchangeable core (SFIC).
<b>Everest 29 R Keyway Family</b>	Patent protected restricted keyways that are available on small format interchangeable core (SFIC). Patent protection through 2029.

- Notes:** 21. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order.  
 22. See sample Letter of Authorization page 265.  
 23. Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line..  
 24. Contact your local SSC representative for assistance in determining which format and level of exclusivity best suits your needs.

**Handing**

<b>RH</b>	Right Handed: Hinges on Right Opens Inward	
<b>LH</b>	Left Handed: Hinges on left Opens Inward	
<b>RHR</b>	Right Handed Reverse: Hinges on Right Opens Outward	
<b>LHR</b>	Left Handed Revers: Hinges on Left Opens Outward	

- Notes:** 25. Exit trim 993 chassis available only with RHR or LHR option.  
 26. Handing is field reversible, but requires removal of the exterior escutcheon cover. Please see AD- Series installation instructions for details.

**Battery**

<b>4B</b>	4AA Battery Holder and Cover Kit	
<b>8B</b>	8AA Battery Holder and Cover Kit	

- Notes:** 27. AD-Series locks use standard off the shelf AA batteries.

Pricing/product description subject to change without notice.

**Backset & Latchbolt (Cylindrical Chassis)**

<p><b>13-049</b></p>	<p>2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>14-049</b></p>	<p>2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw</p>	
<p><b>14-051</b></p>	<p>2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>14-050</b></p>	<p>3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>43-001</b></p>	<p>5" Backset extension link, Deadlatch</p>	
<p><b>39-030</b></p>	<p>Rabbeted latch and strike kit, 605 and 626 only. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.</p>	<p>no image available</p>

**Mortise Lock Armor Front (Mortise/Mortise Deadbolt Chassis)**

<p><b>09-663</b></p>	<p>1-1/4" Wide Square Corner, Latch for MS</p>	
<p><b>09-669</b></p>	<p>1-1/16" Wide Square Corner, Latch, options for MS</p>	
<p><b>09-666</b></p>	<p>1-1/4" Wide Square Corner, Latch x Deadbolt for MD</p>	
<p><b>09-672</b></p>	<p>1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD</p>	

**Notes:** 28. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE), use 1-1/4" wide armor front.  
 29. Available finishes are 605, 606, 612, 619, 625, and 626.  
 30. Images not shown to scale. Consult AD-Series Parts Guide for more information.

**Strike Plate (Cylindrical Chassis)**

<b>10-025</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8", 1-3/8" Lip available, must specify 1-3/8"	
<b>10-013</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4", 1-1/2" Lip available, must specify 1-1/2" Lip	
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	
<b>K510-066</b>	Box for ANSI strike (Must be specific)	
<b>10-072</b>	1-3/16" Lip, 1-1/4" x 4-7/8", Square Corner, box	
<b>10-072</b>	7/8", 1", 1-1/2", 1-3/4", or 2" Lip, 1-1/4" x 4-7/8", Square Corner, box	
<b>10-075</b>	1/2" Rabbeted, For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.	
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	
<b>XL11-820</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	
<b>XL11-821</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	
<b>XQ07-351-134</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>Image not available</b>
<b>XQ03-494-134</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>Image not available</b>

**Note:** 33. XL11-820 & XL11-821 Extended lead time; contact customer service.

**Door Thickness**

<b>1-3/4"</b>	1-3/4"
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)

- Notes:**
- 32. *Door Thickness Kits are available on page 185 to install a lock on a door that is thicker or thinner than 1-3/4". See AD-Series Parts guide for details. Locks cannot be installed on doors thicker than 2-3/4" or thinner than 1-3/8".*
  - 33. *Thin Door Shims are available on page 185 to install a lock on a door that is thinner than 1-3/4".*
  - 34. *Decorative Plates are used to cover exposed holes when retrofitting from existing locks to AD-Series locks. The size of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at [www.schlage.com/support](http://www.schlage.com/support).*
  - 35. *If under the lock decorative plates are on both sides of device, then door will become 1/8" thicker. A Door Thickness Kit of an incremental 1/8" must be ordered to accommodate under the lock plates.*

Customer Name:

Customer Address:

Ship To:

Account #:

Quote #:

PO # & Date:

Price book #:

Shipping Instructions:

Requested Ship Date:

Order Written By:

For Further Information Contact  
(Name, Phone, Fax)

	Quantity	1. Series	2. Class	3. Chassis <sup>1</sup>	4. Function <sup>2</sup>	5. Reader <sup>3</sup>	6. Lever	7. Finish	8. Cylinder	9. Keyway	10. Handling	11. Battery <sup>4</sup>	12. Backset & Latch <sup>5</sup> or Armor Front <sup>6</sup>	13. Strike <sup>7</sup>	14. Door Thickness <sup>8</sup>	15. Options
Ex.	1	AD	200	CY	70	KP	SPA	626	PD	SI23	RH	4B	13-049	10-025	1-3/4	BAA

Please complete all information above and email order to:

**Order\_Entry\_Schlage\_Commercial@allegion.com**

<sup>1</sup> If Exit trim is chosen, no selections are required for options #12 & #13  
<sup>2</sup> Function: 70 classroom storeroom is standard if no selection is made  
<sup>3</sup> Reader: KP keypad is standard if no selection is made  
<sup>4</sup> Battery: 4B standard if no selection is made  
<sup>5</sup> Backset & Latch: 13-049 standard for cylindrical if no selection is made  
<sup>6</sup> Armor Front: 09-663 standard for mortise if no selection is made, 09-666 standard for mortise deadbolt if no selection is made  
<sup>7</sup> Strike Plate: 10-025 standard for cylindrical if no selection is made, 10-072 standard for mortise/mortise deadbolt if no selection is made  
<sup>8</sup> Door Thickness: 1-3/4" standard if no selection is made

Pricing/product description subject to change without notice.



## 1-4. Select Chassis/Function

<b>AD-200-CY-70*</b>	Classroom/Storeroom	<b>\$1,604.00</b>
<b>AD-200-CY-50*</b>	Office	<b>\$1,614.00</b>
<b>AD-200-CY-40</b>	Privacy	<b>\$1,614.00</b>
<b>AD-200-CY-60</b>	Apartment	<b>\$1,614.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90



AD-200-CY-70-KP



MG



MGK



MS



MSK



MT



MTK



FMK

## 5. Select Reader **Note:** Reflects list price adder to base keypad reader price of \$466.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT 40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD ●△</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ●□</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ●□</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC. (Only RHO, 8RO, SPA, BSP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60

\*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90

\*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 126-128.  
Accessories include Decorative Plates, Handheld Device, etc.  
Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.

## 1-3. Select Chassis

<b>AD-200-MS</b>	Mortise	<b>\$1,841.00</b>
<b>AD-200-MD</b>	Mortise Deadbolt	<b>\$1,874.00</b>



AD-200-MS-70-MG



KP



MGK



MS



MSK



MT



MTK



FMK

## 4. Select Function **Note:** Locking function capabilities are determined by users access control system

<b>70*</b>	Classroom/Storeroom (Not available on mortise deadbolt)	<b>STANDARD</b>
<b>50*</b>	Office (Not available on mortise deadbolt)	<b>\$10.00</b>
<b>40</b>	Privacy	<b>\$10.00</b>
<b>60</b>	Apartment	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

## 5. Select Reader **Note:** Reflects list price adder to base keypad reader price of \$466.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>STANDARD</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$56.40</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 126-128.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.



**1-3. Select Chassis/Exit Trim Type** *Note: See page 93 for exit device compatibility*

<b>AD-200-993R</b>	Exit Rim/Concealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	<b>\$1,910.00</b>
<b>AD-200-993S</b>	Exit Surface Vertical Rod	<b>\$1,927.00</b>
<b>AD-200-993M</b>	Exit Mortise Lock	<b>\$1,927.00</b>

AD-SERIES

Networked

Standalone



AD-200-993-70-MGK



KP



MG



MS



MSK



MT



MTK



FMK

**4. Select Function** *Note: Locking function capabilities are determined by users access control system*

<b>70*</b>	Classroom/Storeroom	<b>STANDARD</b>
<b>50*</b>	Office △	<b>\$10.00</b>
<b>40</b>	Privacy △	<b>\$10.00</b>
<b>60</b>	Apartment △	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

**5. Select Reader** *Note: Reflects list price adder to base keypad reader price of \$466.00.*

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$466.00</b>
<b>KP</b>	Keypad	<b>N/C</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$101.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$160.00</b>
<b>MT</b>	Multi-Technology   Proximity and Smart Card	<b>\$172.00</b>
<b>MTK</b>	Multi-Technology + Keypad   Proximity and Smart Card	<b>\$229.00</b>

FIPS 201-1 Compliant when applied with the FIPS Multi-Technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 126 for the FMK reader module.

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

Pricing/product description subject to change without notice.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. -13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**AD-Series Exit Trim**  
 The AD993DT Non-Functioning "Dummy" Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99 and 98/99XP**  
 Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise. Low current Request-to-Exit Switch optional for future network migration.

**Von Duprin 22/22F**  
 Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision's BP21 Kit)

**Note:** AD-Series Non-Functioning "Dummy" Exit Trim now available. Please See page 122-123 for details

Accessories available, see pages 126-128. Accessories include Decorative Plates, Handheld Device, etc. Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.

**1-4. Select Chassis/Function**

Note: Locking function capabilities are determined by users access control system

<b>AD-201-CY-70*</b>	Classroom/Storeroom	<b>\$1,604.00</b>
<b>AD-201-CY-50*</b>	Office	<b>\$1,614.00</b>
<b>AD-201-CY-40</b>	Privacy	<b>\$1,614.00</b>
<b>AD-201-CY-60</b>	Apartment	<b>\$1,614.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90



AD-201-CY-70-FMK

**5. Select Reader**

<b>FMK</b>	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	<b>\$410.00</b>
------------	------------------------------------------------------------------------------------	-----------------

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent 10L + 11L, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, 1740 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD C07



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/F/FG/G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60

\*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90

\*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**Note:** The AD-200 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Standard accessories available, see pages 126-128.

Standard accessories sold separately include Decorative Plates, Handheld Device, etc.

Pricing/product description subject to change without notice.



1-3. Select Chassis

AD-201-MS	Mortise	\$1,841.00
AD-201-MD	Mortise Deadbolt	\$1,874.00



AD-201-MS-70-FMK

4. Select Function

Note: Locking function capabilities are determined by users access control system

70*	Classroom/Storeroom (Not available on mortise deadbolt)	STANDARD
50*	Office (Not available on mortise deadbolt)	\$10.00
40	Privacy	\$10.00
60	Apartment	\$10.00

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

5. Select Reader

FMK	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	\$410.00
-----	------------------------------------------------------------------------------------	----------

6. Select Lever\*

LLL	Less interior and exterior levers	DEDUCT \$56.40
SPA	Sparta	N/C
RHO	Rhodes	N/C
ATH	Athens	N/C
TLR	Tubular	N/C

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7. Select Finish

626	Satin Chrome	N/C
605	Bright Brass	\$121.00
606	Satin Brass	\$121.00
612	Satin Bronze	\$121.00
619	Satin Nickel	\$121.00
625	Bright Chrome	\$121.00
643e	Aged Bronze	\$121.00
626AM	Satin Chrome Antimicrobial	\$156.00

8. Select Cylinder Type

PD ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	N/C
LD	Less Cylinder, Schlage, Falcon, 6 Pin KIL	DEDUCT \$55.00
RD ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	\$33.00
JD	Less Cylinder, Schlage, 6 Pin FSIC	DEDUCT \$30.00
GD ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	N/C
BD	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	N/C
LD SAR	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	DEDUCT \$55.00
JD SAR	Less Cylinder, Sargent 6300, 6 Pin FSIC	DEDUCT \$30.00
JD C06	Less Cylinder, Corbin 8000, 6 Pin FSIC	DEDUCT \$30.00
JD C07	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	DEDUCT \$30.00
JD MED	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
JD YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	DEDUCT \$30.00
JD YA7	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
LD FA7	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, page 265.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.


For additional assistance on Master Keying as well as restricted keyways please contact customer service.

AD-SERIES


Networked

Standalone


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**Note:** The AD-200 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Standard accessories available, see pages 126-128.  
 Standard accessories sold separately include Decorative Plates, Handheld Device, etc.

Pricing/product description subject to change without notice.

**1-3. Select Chassis/Exit Trim Type\***

<b>AD-201-993R</b>	Exit Rim/ <sup>1</sup> Concealed Vertical Rod/ <sup>1</sup> Concealed Vertical Cable	<b>\$1,910.00</b>
<b>AD-201-993S</b>	Exit Surface Vertical Rod	<b>\$1,927.00</b>
<b>AD-201-993M</b>	Exit Mortise Lock	<b>\$1,927.00</b>

\* See page 93 for exit device compatibility. <sup>1</sup> Metal door only.



AD-201-993R-70-FMK

**4. Select Function** *Note: Locking function capabilities are determined by users access control system*

<b>70*</b>	Classroom/Storeroom	<b>STANDARD</b>
<b>50*</b>	Office △	<b>\$10.00</b>
<b>40</b>	Privacy △	<b>\$10.00</b>
<b>60</b>	Apartment △	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

**5. Select Reader**

<b>FMK</b>	FIPS 201-1 Multi-Technology + Keypad   Proximity and Smart Card (PIV & PIV-I Card)	<b>\$410.00</b>
------------	------------------------------------------------------------------------------------	-----------------

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ● △	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ● □	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● □	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. -13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**AD-Series Exit Trim**

The AD993DT Non-Functioning "Dummy" Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99 and 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise. Low current Request-to-Exit Switch optional for future network migration.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision's BP21 Kit)

**Note:** AD-Series Non-Functioning "Dummy" Exit Trim now available. Please see pages 122-123 for details

Standard accessories available, see pages 126-128.

Standard accessories sold separately include Decorative Plates, Handheld Device, etc.

**Note:** The AD-200 lock can be field upgraded to a FIPS 201-1 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

# AD-250 Rights on Card - Cylindrical



## 1-4. Select Chassis/Function

Note: Locking function capabilities are determined by users access control system

<b>AD-250-CY-70*</b>	Classroom/Storeroom	<b>\$1,699.00</b>
<b>AD-250-CY-50*</b>	Office	<b>\$1,709.00</b>
<b>AD-250-CY-40</b>	Privacy	<b>\$1,709.00</b>
<b>AD-250-CY-60</b>	Apartment	<b>\$1,709.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90



AD-250-CY-70-MG



MGK



MS



MSK

## 5. Select Reader Note: Reflects list price adder to base magnetic swipe reader price of \$553.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$553.00</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>N/C</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$57.40</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$14.60</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$72.30</b>

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD ● △</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ● □</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ● □</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$4.10</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60  
 \*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90  
 \*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 126-128.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24

Pricing/product description subject to change without notice.

## 1-3. Select Chassis

<b>AD-250-MS</b>	Mortise	<b>\$1,956.00</b>
<b>AD-250-MD</b>	Mortise Deadbolt	<b>\$1,989.00</b>



AD-250-MS-70-MGK



MG



MS



MSK

## 4. Select Function **Note:** Locking function capabilities are determined by users access control system

<b>70*</b>	Classroom/Storeroom (Not available on mortise deadbolt)	<b>STANDARD</b>
<b>50*</b>	Office (Not available on mortise deadbolt)	<b>\$10.00</b>
<b>40</b>	Privacy	<b>\$10.00</b>
<b>60</b>	Apartment	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

## 5. Select Reader **Note:** Reflects list price adder to base magnetic swipe reader price of \$553.00.

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$553.00</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>N/C</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$57.40</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$14.60</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$72.30</b>

## 6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$56.40</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

## 7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

## 8. Select Cylinder Type

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/F/FG/G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.

△ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 126-128.  
Accessories include Decorative Plates, Handheld Device, etc.  
Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.





**1-3. Select Exit Trim Type\***

<b>AD-250-993R</b>	Exit Rim/ <sup>1</sup> Concealed Vertical Rod/ <sup>1</sup> Concealed Vertical Cable	<b>\$2,006.00</b>
<b>AD-250-993S</b>	Exit Surface Vertical Rod	<b>\$2,023.00</b>
<b>AD-250-993M</b>	Exit Mortise Lock	<b>\$2,023.00</b>

\* See page 93 for exit device compatibility. <sup>1</sup> Metal door only.

**4. Select Function** *Note: Locking function capabilities are determined by users access control system*

<b>70*</b>	Classroom/Storeroom	<b>STANDARD</b>
<b>50*</b>	Office $\Delta$	<b>\$10.00</b>
<b>40</b>	Privacy $\Delta$	<b>\$10.00</b>
<b>60</b>	Apartment $\Delta$	<b>\$10.00</b>

\* Less Door Position Switch, use suffix LDP. Deduct \$16.90

**5. Select Reader** *Note: Reflects list price adder to base magnetic swipe reader price of \$553.00.*

<b>LLL</b>	Less Reader (For reader module accessories sold separately, see page 126)	<b>DEDUCT \$553.00</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>N/C</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$57.40</b>
<b>MG</b>	Magnetic Stripe (Insert)	<b>\$14.60</b>
<b>MGK</b>	Magnetic Stripe (Insert) + Keypad	<b>\$72.30</b>

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use BAT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> $\bullet \Delta$	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> $\bullet \square$	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> $\bullet \square$	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO7</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


$\bullet$  Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

$\Delta$  For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


$\square$  Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>LLL</b>	Less Battery Holder, Batteries, and Cover	<b>DEDUCT \$22.50</b>
<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
<b>8B</b>	8AA Battery Kit	<b>\$33.90</b>

**12. -13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**15. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**AD-Series Exit Trim**

The AD993DT Non-Functioning "Dummy" Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99 and 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise. Low current Request-to-Exit Switch optional for future network migration.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series** - Rim

**Yale 7000** - Rim

**Dorma 9300** - Rim

**Precision 21** - Rim (2100 converts to 21 with Precision's BP21 Kit)

**Note:** AD-Series Non-Functioning "Dummy" Exit Trim now available. Please see pages 122-123 for details

Accessories available, see pages 126-128.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.



**1-4. Select Chassis/ Exit Trim Type\* /Reader**

<b>AD-993LLL</b>	“Dummy” Trim Less Reader for Exit Rim/ <sup>1</sup> Concealed Vertical Rod/ <sup>†</sup> Concealed Vertical Cable /Surface Vertical Rod/Mortise Lock	<b>\$569.00</b>
<b>AD-993DT</b>	“Dummy” Trim with “Dummy” Reader Cover for Exit Rim/ <sup>1</sup> Concealed Vertical Rod/Surface Vertical Rod/ Mortise Lock	<b>\$581.00</b>

\* See page 93 for exit device compatibility. <sup>†</sup> Metal door only.



AD993DT

**5. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**6. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**7. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO7</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**8. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**9. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**10. - 12. No Selection Required**

**13. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**14. Select Options**

<b>BAA</b>	BAA Compliant Product	<b>\$100.00</b>
------------	-----------------------	-----------------

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**AD-Series Exit Trim**

The AD993DT Non-Functioning “Dummy” Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99 and 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise. Low current Request-to-Exit Switch optional for future network migration.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision’s BP21 Kit)

Accessories available, see pages 126-128.  
 Accessories include Panel Interface Mobile (PIM400) Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.


# CT5000

The CT5000 is an indoor, offline single opening controller. It is flexible and works with various card reader technologies. With the correct power supply, the CT5000 controller works with various types of locking hardware, including electric strikes, electro-magnetic locks, or EL exit devices.

If networked functionality is required in the future, the CT5000 can be upgraded to a WRI-400 by upgrading the firmware and adding one incremental piece of hardware. This provides greater adaptability in the field.


### Perimeter Door Application

The CT5000 can be used for perimeter door applications with an automatic operator, electric strike and card reader




### Narrow Stile Application

For narrow stile applications the CT5000 can be used with an electric strike and card reader



### Panic Device Application

The CT5000 and a card reader along with the Von Duprin 914 Power Supply can control two EL exit devices for double door applications



**Note:** All hardware shown above including exit devices, electric strikes, auto operators, power supplies, push buttons, etc. are sold separately.

## Certifications

- UL 294
- Canada UL
- FCC Part 15
- Canada RSS – 210
- RoHS

**Features**

- Supports up to 5000 users and audits
- Comes standard with 15 foot USB remote cable connector
- Programmed using Schlage Handheld Device (HHD) via USB connection
- Power is hardwired
- Three form C relay outputs (for strike, auxiliary, and alarm)
- Supports Request to exit (remote release) and Door Position Switch input.
- Card functions supported: normal, toggle, freeze, pass through, construction, lock down, and all card plus PIN applications
- Multiple reader technologies and positions on both sides of the gate/ door
- Internal LED visual indicators (Including low battery and state of the relay)
- Compatible with Schlage Express

**Credential Compatibility**

- Magnetic stripe: field configurable track 1, 2, or 3
- Compatible with Schlage, Xceed ID™, AWID®, HID®, GE/CASI ProxLite®
- 125 kHz Proximity cards: 26a, 34x, 35x, 37x bit formats (reader dependant)
- 13.56 MHz Smart card: 26a,34x, 35x, 37x, 40x, 48x bit format (reader dependant)
- Can read card serial number of Mifare DESfire (reader dependant)

**The following readers are UL294 listed for use with the CT5000:**

- Essex Electronics model KTP-162
- Mercury Security models MR-5 and MR-20
- XceedID models PR10, MT11, MT15, MTK15, SM10

<b>CT5000</b>	Offline Controller (15 ft. USB cable standard)	<b>\$911.00</b>
<b>PS-902</b>	2 amp Power Supply (Required)	<b>see page 218</b>
<b>HHD-Kit</b>	Schlage Handheld Programming Device (Required)	<b>see page 126</b>
<b>23745565</b>	125 ft. USB cable for CT5000 (Optional)	<b>\$124.00</b>

# AD-Series Standalone Accessories



Product ID	Product Description	Product Specification	Price
<b>Handheld Device</b>			
<b>HHD KIT-USB</b>	Handheld Device Kit	Includes Handheld Device pre-loaded with SUS Application, and HHD-USB Cable. Used to initialize, manage, and test AD and CO Series devices	<b>\$1,122.00</b>
<b>HH-USB</b>	USB Replacement Cable	Used to connect Handheld Device to USB locks and accessories.	<b>\$50.80</b>

## Handheld Device Accessories (Legacy Product Support)

<b>HH-2PIN SERIAL</b>	Serial Cable	Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP	<b>\$125.00</b>
<b>HH-SERIAL</b>	Serial Cable*	Used to connect previous model HHD (BM150) with CIP to program serial products.	<b>\$111.00</b>
<b>PIMWA-CV</b>	Null Converter	Used to connect Handheld Device to WA Series PIM, using HH-SERIAL Serial Cable. (compatible to current and previous model HHDs)	<b>\$22.50</b>
<b>P512112</b>	Computer Interface Module (CIP)*	Used to program serial products using HH-SERIAL Serial Cable.	<b>\$287.00</b>
<b>P101203</b>	CIP with iButton Reader*	Used to program serial products using HH-SERIAL Serial Cable.	<b>\$304.00</b>

\* Not compatible to current HHD (BM170)

## Reader Modules - (Select by Technology) - (Please specify FINISH -Example: KP-626)

<b>KP</b>	Keypad Only Reader Module		<b>\$466.00</b>
<b>MG</b>	Magnetic Stripe (Insert) Reader Module - (Track 1, 2, or 3)		<b>\$567.00</b>
<b>MGK</b>	Magnetic Stripe (Insert) with Keypad Reader Module - (Track 1, 2, or 3)		<b>\$624.00</b>
<b>MS</b>	Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)		<b>\$553.00</b>
<b>MSK</b>	Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)		<b>\$611.00</b>
<b>MT</b>	Multi-Technology Reader Module - (125 kHz Proximity and 13.56 MHz Smart)		<b>\$639.00</b>
<b>MTK</b>	Multi-Technology with Keypad Reader Module - (125 kHz Proximity and 13.56 MHz Smart)		<b>\$696.00</b>
<b>FMK</b>	FIPS Multi-Technology with Keypad Reader Module - (125 kHz Proximity and 13.56 MHz Smart)		<b>\$875.00</b>
<b>DT</b>	Dummy Trim Reader Cover		<b>\$26.00</b>

## Reader Module Accessories

<b>510310</b>	Magnetic Stripe Cleaning Cards		<b>See page 176</b>
---------------	--------------------------------	--	---------------------

## Communication Module Kits - (Please specify FINISH - Example: COM200C-626)

<b>COM200C</b>	AD-200/AD-250 Offline Communication Kit (Cover)	Classroom/Storeroom Functions (Cylindrical and Exit Chassis)	<b>\$136.00</b>
<b>COM200L</b>	AD-200/AD-250 Offline Communication Kit (Cover with Indicator Lens)	Privacy/Apartment Functions (Mortise Deadbolt Chassis)	<b>\$136.00</b>
<b>COM200P◆</b>	AD-200/AD-250 Offline Communication Kit (Cover with Push Button)	Privacy/Apartment/Office Functions (Cylindrical and Mortise Chassis)	<b>\$136.00</b>
<b>COM300L◆■</b>	AD-300 Hardwired Communication Kit (Cover with Indicator Lens, RS485 Communication PCB)	Classroom/Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	<b>\$302.00</b>
<b>COM300P◆■</b>	AD-300 Hardwired Communication Kit (Cover with Push Button, RS485 Communication PCB)	Privacy/Apartment/Office Functions (Cylindrical and Mortise Chassis)	<b>\$302.00</b>
<b>COM400L◆■</b>	AD-400 Wireless Communication Kit (Cover with Indicator Lens, 900MHz Communication PCB)	Classroom/Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	<b>\$327.00</b>
<b>COM400P◆■</b>	AD-400 Wireless Communication Kit (Cover with Push Button, 900MHz Communication PCB)	Privacy/Apartment/Office Functions (Cylindrical and Mortise Chassis)	<b>\$327.00</b>

◆ Must install Door Position Switch #46929121 for proper operation

■ Must order and install Pigtail Exit Adapter #23536774 for RX-LC switch if retrofitting AD-200-993 to AD-300-993 or AD-400-993

	Class	Chassis	Type	Classroom/ Storeroom (70)	Office (50)	Apartment (60)	Privacy (40)
<b>OFFLINE</b>	AD-200 & AD-250	CY	Cylindrical	COM200C	COM200P	COM200P	COM200P
	AD-200 & AD-250	MS	Mortise	COM200C	COM200P	COM200P	COM200P
	AD-200 & AD-250	MD	Mortise Deadbolt	N/A	N/A	COM200L	COM200L
	AD-200 & AD-250	993	Exit Trim	COM200C	N/A	N/A	N/A
<b>NETWORKED</b>	AD-300	CY	Cylindrical	COM300L	COM300P	COM300P	COM300P
	AD-300	MS	Mortise	COM300L	COM300P	COM300P	COM300P
	AD-300	MD	Mortise Deadbolt	N/A	N/A	COM300L	COM300L
	AD-300	993	Exit Trim	COM300L	N/A	N/A	N/A
	AD-400	CY	Cylindrical	COM400L	COM400P	COM400P	COM400P
	AD-400	MS	Mortise	COM400L	COM400P	COM400P	COM400P
	AD-400	MD	Mortise Deadbolt	N/A	N/A	COM400L	COM400L
AD-400	993	Exit Trim	COM400L	N/A	N/A	N/A	

Suffixes: C= Cover L= LED Only P= Pushbutton

**Note:** Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.

**Pricing/product description subject to change without notice.**

Product ID	Product Description	Price
------------	---------------------	-------

**Door Position Switch**

46929121	Door Position Switch	See page 185
----------	----------------------	--------------

**Battery Cover - (Select by Battery Quantity) - (Please specify FINISH - Example: 4C-626)**

4C (46929071)	4AA Battery Cover (with Screw)	See page 186
---------------	--------------------------------	--------------

8C (46929105)	8AA Battery Cover (with Screw)	See page 186
---------------	--------------------------------	--------------

**Battery Holder & Cover Kit - (Select by Battery Quantity) - (Please specify FINISH - Example: 4B-626)**

4B (46929055)	4AA Battery Holder & Cover Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)	See page 186
---------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------

8B (46929089)	8AA Battery Holder & Cover Kit (Includes 8AA Battery Holder with Cable, 8AA Battery Strap, Battery Strap Screws, 8AA Battery Cover, Cover Screw, Torx Cover Screw, Mylar)	See page 186
---------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------

**Torx Tamper Screw Pack - (Select by Chassis Type) - (Please specify FINISH - Example: 23538812-626)**
**Cylindrical**

23538812	Torx Tamper Screw Pack	See page 186
----------	------------------------	--------------

**Mortise**

23538820	Torx Tamper Screw Pack	See page 186
----------	------------------------	--------------

**Exit**

23538838	Torx Tamper Screw Pack	See page 186
----------	------------------------	--------------

**Decorative Plate - (Select by Size) - (Please specify FINISH - Example: 23760283-626)**

23631823	1.5" x 3.25" x .105" Decorative Plate (with Screws) - (Exit Trim)	See page 185
----------	-------------------------------------------------------------------	--------------

23760267	1.7" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
----------	----------------------------------------------------	--------------

23760283	3.2" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
----------	----------------------------------------------------	--------------

23760317	6.0" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
----------	----------------------------------------------------	--------------

23760325	6.6" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
----------	----------------------------------------------------	--------------

23760309	8.0" x 3.5" x .075" Decorative Plate (with Screws)	See page 185
----------	----------------------------------------------------	--------------

23760291	8.0" x 3.5" x .075" Decorative Plate (with Screws and Welded Standoff)	See page 185
----------	------------------------------------------------------------------------	--------------

23760259*	10.5" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	See page 185
-----------	----------------------------------------------------------------------------	--------------

23760275*	12.0" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	See page 185
-----------	----------------------------------------------------------------------------	--------------

\*Please consider overall Door Thickness when ordering

**Note:** Single Decorative Plate. Interior and Exterior Decorative Plates may be required.

**Note:** Decorative Plates may have multiple applications. Please refer to AD-Series Retrofit Template Overlay guide at [www.schlage.com/support](http://www.schlage.com/support) for more information.

Available Finishes: 626 Satin Chrome Standard. Please consult Customer Care for 605 Bright Brass or 643E Aged Bronze.

**Shim Plates**

23458607	Interior Shim Plate - (for AD-200/250/300)	See page 185
----------	--------------------------------------------	--------------

23458565	Interior Shim Plate - (for AD-400)	See page 185
----------	------------------------------------	--------------

23458599	Exterior Shim Plate	See page 185
----------	---------------------	--------------

**Note:** Device is 0.063" thick

**Wood Mounts**

44-169	AD-Series Cylindrical Mount	\$192.00
--------	-----------------------------	----------

23740251	AD-Series Mortise Mount	\$215.00
----------	-------------------------	----------

23740269	AD-Series & CO Series Exit Trim Mount	\$276.00
----------	---------------------------------------	----------

**Installation Tools**

40-286	Universal Clamp (For use with all AD and CO Series installation templates)	\$420.00
--------	----------------------------------------------------------------------------	----------

40-288	AD Series cylindrical lock installation template	\$810.00
--------	--------------------------------------------------	----------

40-292	Universal cylindrical door position switch (DPS) installation template	\$126.00
--------	------------------------------------------------------------------------	----------

40-287	AD Series mortise lock installation template	\$810.00
--------	----------------------------------------------	----------

40-291	Universal mortise door position switch (DPS) installation template	\$124.00
--------	--------------------------------------------------------------------	----------

**Note:** These metal lock and DPS templates require use of specially designed universal clamp to ensure drilling accuracy.



# AD-Series Standalone Accessories



Product ID	Product Description	Product Specification	Price
------------	---------------------	-----------------------	-------

## AD-200 Standalone Accessories

### Express Level Software Package

<b>SXPR-SFT-1</b>	Express Offline Lock Software	Recommended for offline locks of fewer than 1000 users and/or 100 access points. Reporting of last 1000 events capability will retrieve audit trails. Must be installed on a computer that meets the minimum requirements (refer to software datasheet)	<b>See page 171</b>
-------------------	-------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------

**Note:** Refer to Software Levels Datasheet for features and details

### Express Level Software Package Accessories

<b>P512112</b>	Express Computer Interface Module	Used to program legacy CM/CL/KC products, using HH-SERIAL Serial Cable	<b>See page 171</b>
<b>P101203</b>	Express Computer Interface Module (with iButton)	Used to connect PC/laptop to access device	<b>See page 171</b>
<b>P394548</b>	Express Female to Female Serial Cable	Used to connect P101203 Computer Interface Module to PC/laptop	<b>See page 171</b>
<b>SDB9USBCBL</b>	Express Male DB9 to USB 6" Cable Adapter	Used to connect a USB Port device to a Serial Port device	<b>See page 171</b>
<b>CRM2</b>	Express Magnetic Stripe Enrollment Reader		<b>See page 171</b>
<b>CRP2</b>	Express Proximity Enrollment Reader		<b>See page 171</b>
<b>SSRL89</b>	Serial MIFARE/EV1/PIV Enrollment Reader		<b>See page 30</b>
<b>MT20</b>	USB/BLE (ENGAGE mobile app) MIFARE/EV1 PIV Enrollment Reader		<b>See page 30</b>

### Express Installation & Training

<b>SCH-EXP-INST</b>	Express Installation & Training	Includes software installation and training. Provided by Allegion Security & Safety Consultant remotely from factory. (No discounts apply)	<b>See page 171</b>
---------------------	---------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------	---------------------

### Remote Door Release

	Push Button Release Options	AD-200 firmware enables the use of a wired remote release of the door. Many push button types are available.	<b>See pages 225-226</b>
--	-----------------------------	--------------------------------------------------------------------------------------------------------------	--------------------------

## AD-250 Accessories

<b>CL-ENCODER-2</b>	Campus Lock Magnetic Stripe Encoder	ISO compatible high/low coercivity with female/male serial cable.	<b>\$3,852.00</b>
---------------------	-------------------------------------	-------------------------------------------------------------------	-------------------

Pricing/product description subject to change without notice.

<b>CO-SERIES STANDALONE - TABLE OF CONTENTS</b>	
<b>How to Order</b>	<b>130</b>
<b>CO-Series Overview</b>	<b>131</b>
<b>CO-100 Standalone; Manually Programmable</b>	<b>142</b>
Cylindrical	142
Mortise	144
Exit Trim	146
<b>CO-200 Standalone; Computer or Manually Programmable with user Rights on Locks</b>	<b>148</b>
Cylindrical	148
Mortise/Mortise Deadbolt	150
Exit Trim	152
<b>CO-220 Classroom Lockdown</b>	<b>154</b>
Cylindrical	154
Mortise/Mortise Deadbolt	156
<b>CO-220 Classroom Lockdown Solution - Exit Trim</b>	<b>158</b>
<b>CO-993DT – Non-Functioning Dummy Trim for Exit</b>	<b>160</b>
<b>CO-250 Standalone; Computer Programmable with user Rights on Magnetic Stripe Card</b>	<b>162</b>
Cylindrical	162
Mortise/Mortise Deadbolt	164
Exit Trim	166
<b>CO-993DT Non-functioning “Dummy” Exit Trim</b>	<b>168</b>
<b>CO-Series Accessories</b>	<b>170</b>
HHD and Accessories	170
Shim Plates	170
Decorative Plates	170
CL-Encoder	171
<b>CT5000 Offline Controller</b>	<b>172</b>

**CONTACT INFORMATION FOR CO-SERIES STANDALONE LOCKS**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

Pricing/product description subject to change without notice.

How to Order:

REQUIRED FIELDS

FACTORY DEFAULT AND OPTIONS

CO - 200 - CY - 70 - MS - SPA - 626 - PD - S123 - RH - 4B - 13-049 - 10-025 - 1-3/4 - BAA

1. Series

2. Class:

- 100 Keypad Programmable
- 200 Rights on Lock
- 220 Classroom Lockdown Solution
- 250 Rights on Magnetic Stripe Credential

3. Chassis:

- CY Cylindrical
- MS Mortise
- MD Mortise Deadbolt
- 993R Exit Trim - Rim/CVR/CVC
- 993S Exit Trim - SVR
- 993M Exit Trim - Mortise
- 993DT "Dummy" Exit Trim

4. Function:

- 75 Classroom Security
- 70 Classroom/Storeroom
- 50 Office
- 40 Privacy

5. Reader:

- KP Keypad
- MSK Magnetic Stripe + Keypad (Swipe)
- MS Magnetic Stripe (Swipe)
- PRK Proximity + Keypad
- PR Proximity

6. Lever: △

- SPA Sparta                      ATH Athens
  - RHO Rhodes                    TLR Tubular
- △ To add tactile warning, use prefix 8. Example 8SPA

7. Finish:

- 626 Satin Chrome
- 605 Bright Brass
- 606 Satin Brass
- 612 Satin Bronze
- 619 Satin Nickel
- 625 Bright Chrome
- 643e Aged Bronze
- 626AM Satin Chrome (Antimicrobial Coating)

8. Cylinder Type:

- PD Schlage 6-pin Full Cylinder
- For options see individual Class/Chassis page

9. Keyway Type:

- S123 Everest 29
- For options see individual Class/Chassis page

10. Handing:

- RH Right Handed
- LH Left Handed
- RHR Right Handed Reverse
- LHR Left Handed Reverse

11. Battery Holder:

- 4B - 4AA Battery Kit

12. Backset and Latch or Armor Front:

- 13-049 2-3/4" Backset, Deadlatch, Square Corner, 1-1/8" x 2-1/4" (Standard on CY Chassis)
  - 09-663 Armor Front, 1-1/4" Wide, Square Corner (Standard on MS Chassis)
- For options see individual Class/Chassis page

13. Strike:

- 10-025 1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8" (Standard on CY Chassis)
  - 10-072 1-3/16" Lip, 1-1/4" x 4-7/8" square corner, box (Standard on MS Chassis)
- For options see individual Class/Chassis page

14. Door Thickness:

- 1-3/4" (Standard)
- For options see individual Class/Chassis page





15. Additional Options

Pricing/product description subject to change without notice.





## Series

CO-Series standalone locks are the ideal solution for facilities that want the convenience and efficiency of electronic access control without the complexity or cost of a networked system.

### Class

<b>CO-100</b>	Standalone, keypad only, manually programmable only	
<b>CO-200</b>	Standalone, user access rights stored on the lock, manually or computer programmable	
<b>CO-220</b>	Standalone, classroom security, remote local lockdown	
<b>CO-250</b>	Standalone, user rights stored on magnetic stripe card, computer programmable only	

### Chassis

<b>CY: Cylindrical</b>	Bored lock installed into a round hole in the door	
<b>MS: Mortise</b>	Lock case installed into a mortise rectangular "pocket" in the door	
<b>MD: Mortise Deadbolt</b>	Mortise lock with built-in interconnected auxiliary deadbolt	
<b>993R: Exit Trim</b>	Rim/Concealed Vertical Rod* (CVR) & Concealed Vertical Cable* (CVC) <i>*Metal door only</i>	
<b>993M: Exit Trim</b>	Mortise	
<b>993S: Exit Trim</b>	Surface Vertical Rod (SVR)	
<b>993DT: Exit Trim</b>	Non-Functioning "Dummy" Exit Trim	

- Notes:**
- Exit trim is only available in 70 function.
  - Exit trim utilizes universal hardware to simplify installation to a variety of exit device.

Pricing/product description subject to change without notice.

**Exit Device Compatibility**

Exit trim utilizes universal hardware to simplify installation to a variety of exit devices.






Exit Device Compatibility		Rim	SVR	CVR/CVC	Mortise
Von Duprin	98/99 and 98/99XP	●	●	●*	●
Von Duprin	22/22F	●	●		
Falcon	25	●			
Corbin Russwin®	5000	●			
Precision™	21 (2100 converts to 21 with Precision's BP21 kit)	●			
Yale®	7000	●			
Dorma®	9300	●			
Sargent®	80	●†			

● CO-220 is not compatible with surface vertical rod (SVR) devices. \* Metal door only. † Narrow design and reversible rim exits not compatible


**Function**

**CO-100**






**CO-200/CO-250**

<b>70: Classroom/Storeroom</b>	Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.		
<b>50: Office</b>	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security. <b>Note:</b> Valid toggle credentials on the exterior may also be used to change status. Has interior pushbutton (IPB).		
<b>40: Privacy</b>	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. Has interior pushbutton (IPB).	Not available on CO-100	

**CO-220**

<b>75: Classroom Security</b>	Operates like a standard classroom/storeroom (70) function. When remote fob is pressed to initiate immediate local lockdown, all normal credentials are rejected and only an authorized pass through credential will allow access. Inside lever always allows free egress.	
-------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------

**Reader**

<p><b>KP: Keypad</b></p>	<p>12 button design</p>	
<p><b>MSK: Magnetic Stripe + Keypad (Swipe)</b></p>	<p>Configurable to read the complete Track 1, 2 or 3</p>	
<p><b>MS: Magnetic Stripe (Swipe)</b></p>		
<p><b>PR: Proximity</b></p>	<p>Reads 125 kHz proximity credentials</p>	
<p><b>PRK: Proximity + Keypad</b></p>		

**Note:** 3. Please refer to CO-Series data sheets and solution sheets prior to ordering to verify credential compatibility.

Lever

<b>RHO</b>	Rhodes		
<b>SPA</b>	Sparta		
<b>TLR</b>	Tubular		
<b>ATH</b>	Athens		

- Notes:**
4. All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643E and 626AM.
  5. SPA, TLR & ATH Meet California Fire Code for 1/2" or less return to the door.
  6. Changing Lever Cylinder Compatibility on a device typically requires replacement of existing spring cage and tailpiece
  7. To order tactile warning levers use BAT for Athens, BRO for Rhodes, BSP for Sparta and BTR for Tubular. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.
  8. AD Series, CO Series & ND Series levers may be interchangeable in some cases depending whether it is an interior or exterior lever, the type of chassis and the type of cylinder/ spring cage/ tail piece. Please consult the CO Series Parts guide for more information.

Finish

<b>626</b>	Satin Chrome	BHMA # 626E, Government # US26D
<b>605</b>	Bright Brass	BHMA # 605E, Government # US3
<b>606</b>	Satin Brass	BHMA # 606E, Government # US4
<b>612</b>	Satin Bronze	BHMA # 612E, Government # US10
<b>619</b>	Satin Nickel	
<b>625</b>	Bright Chrome	BHMA # 625E, Government # US26
<b>643e</b>	Aged Bronze	
<b>626AM</b>	Satin Chrome Antimicrobial	

- Note:** 9. Please refer to the Electronic Access Control catalog or online product information at [us.allegion.com](http://us.allegion.com) to view each finish.

**Cylinder**

<b>PD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Key-in-Lever (KIL) Keyed different as standard with two keys		
<b>LD</b>	Less cylinder Schlage, Falcon 6 Pin Key-in-Lever (KIL)		
<b>RD</b>	With cylinder Schlage- Everest 29 S123 6 Pin Full Size Interchangeable Core (FSIC) Keyway one bitted as standard with two keys		
<b>JD</b>	Less cylinder Schlage 6 Pin Full Size Interchangeable Core (FSIC)		
<b>GD</b>	With cylinder Schlage Everest 29 R 7 Pin Small Format Interchangeable Core (SFIC) Factory master keyed with two keys as standard, master keying must be specified		
<b>BD</b>	Less cylinder Schlage, Falcon, Competitive OEM's 7 Pin Small Format Interchangeable Core (SFIC)		
<b>LD SAR</b>	Less cylinder Sargent (10L+11L) 6 Pin Key-in-Lever (KIL)	 *Less Core	
<b>JD SAR</b>	Less cylinder Sargent 6300 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD C06</b>	Less cylinder Corbin 8000 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD C07</b>	Less cylinder Corbin 8000-7 7 Pin Full Size Interchangeable Core (FSIC) (Only RHO, 8RO, SPA, 8SP, TLR, 8TR)		
<b>JD MED</b>	Less cylinder Medeco 32*0201 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD YA6</b>	Less cylinder Yale 1210 or Medeco 31*0100 6 Pin Full Size Interchangeable Core (FSIC)		
<b>JD YA7</b>	Less cylinder Yale 1220 7 Pin Full Size Interchangeable Core (FSIC)		
<b>LD FA7</b>	Less cylinder Falcon 7 Pin Key-in-Lever (KIL) (Only RHO, 8RO, SPA, 8SP lever styles)		 *Less Core

- Notes:**
14. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead-times.
  15. For PD, RD and GD -Master Keyed cylinders can be specified and will be shipped in lock packaging.
  16. For Master Key System Summary form which should accompany the master keyed order, see pages 253-263.
  17. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
  18. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
  19. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.
  20. Spring cages & tail pieces are different based on the type of cylinder and chassis selected. Please see the CO-Series parts guide for more information.
  21. The CO-Series accepts many popular models of standard, SFIC, and FSIC cylinders. Consult the Keyway/Cylinder compatibility datasheet (010432) for details. See pricebook for specific configurations.



**Key Systems Available Through Schlage**

<b>Everest 29 S Keyway Family</b>	Patent protected open keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats. Patent protection through 2029.
<b>Everest 29 T Keyway Family</b>	Patent protected restricted keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats. Patent protection through 2029.
<b>Everest D Keyway Family</b>	Restricted keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats.
<b>Everest C Keyway Family</b>	Open keyways that are available in full size key in lever and full size interchangeable core (FSIC) formats.
<b>Schlage Classic Open Keyways</b>	Classic (C/E/F): Open keyways available in key in lever and full size interchangeable core designs
<b>Everest B Keyway Family</b>	Restricted keyways that are available on small format interchangeable core (SFIC).
<b>Everest 29 R Keyway Family</b>	Patent protected restricted keyways that are available on small format interchangeable core (SFIC). Patent protection through 2029.

- Notes:** 18. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order.  
 19. See sample Letter of Authorization page 265.  
 20. Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
 21. Contact your local SSC representative for assistance in determining which format and level of exclusivity best suits your needs.

**Handing**

<b>RH</b>	Right Handed: Hinges on Right Opens Inward	
<b>LH</b>	Left Handed: Hinges on left Opens Inward	
<b>RHR</b>	Right Handed Reverse: Hinges on Right Opens Outward	
<b>LHR</b>	Left Handed Reverse: Hinges on Left Opens Outward	

- Notes:** 22. Exit trim 993 chassis available only with RHR or LHR option.  
 23. Handing is field reversible, but requires removal of the exterior escutcheon cover. Please see CO-Series installation instructions for details.

**Battery**

<b>4B</b>	4AA Battery Holder and Cover Kit	
-----------	----------------------------------	--

**Note:** 24. CO-Series locks use standard off the shelf AA batteries.

**Backset & Latchbolt (Cylindrical Chassis)**

<p><b>13-049</b></p>	<p>2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>14-049</b></p>	<p>2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw</p>	
<p><b>14-051</b></p>	<p>2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>14-050</b></p>	<p>3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"</p>	
<p><b>43-001</b></p>	<p>5" Backset extension link, Deadlatch</p>	
<p><b>39-030</b></p>	<p>Rabbeted latch and strike kit, 605 and 626 only. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.</p>	<p>No image available</p>

Mortise Lock Armor Front (Mortise/Mortise Deadbolt Chassis)

<p><b>09-663</b></p>	<p>1-1/4" Wide Square Corner, Latch for MS</p>		
<p><b>09-669</b></p>	<p>1-1/16" Wide Square Corner, Latch, options for MS</p>	<p>1-1/4" Wide</p>	<p>1-1/16" Wide</p>
<p><b>09-666</b></p>	<p>1-1/4" Wide Square Corner, Latch x Deadbolt for MD</p>		
<p><b>09-672</b></p>	<p>1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD</p>	<p>1-1/4" Wide</p>	<p>1-1/16" Wide</p>

**Notes:** 25. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE), use 1-1/4" wide armor front  
 26 Available finishes are 605, 606, 612, 619, 625, and 626.  
 27 Images not shown to scale. Consult CO-Series Parts Guide for more information.

**Strike Plate (Cylindrical Chassis)**

<b>10-025</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8", 1-3/8" Lip available, must specify 1-3/8"	
<b>10-013</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4", 1-1/2" Lip available, must specify 1-1/2" Lip	
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	
<b>K510-066</b>	Box for ANSI strike (Must be specific)	
<b>10-072</b>	1-3/16" Lip, 1-1/4" x 4-7/8", Square Corner, box	
<b>10-072</b>	7/8", 1", 1-1/2", 1-3/4", or 2" Lip, 1-1/4" x 4-7/8", Square Corner, box	
<b>10-075</b>	1/2" Rabbeted, For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.	
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	
<b>XL11-820</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	
<b>XL11-821</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	
<b>XQ07-351-134</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>Image not available</b>
<b>XQ03-494-134</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>Image not available</b>

**Note:** 33. XL11-820 & XL11-821 Extended lead time; contact customer service.

Pricing/product description subject to change without notice.

**Door Thickness**

<b>1-3/4"</b>	1-3/4"
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)

- Notes:**
- 29. *Door Thickness Kits are available on page 200 to install a lock on a door that is thicker or thinner than 1-3/4". See AD-Series Parts guide for details. Locks cannot be installed on doors thicker than 2-3/4" or thinner than 1-3/8".*
  - 30. *Thin Door Shims are available on page 201 to install a lock on a door that is thinner than 1-3/4".*
  - 31. *Decorative Plates are used to cover exposed holes when retrofitting from existing locks to CO-Series locks. The size of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at [www.schlage.com/support](http://www.schlage.com/support).*
  - 32. *If under the lock decorative plates are on both sides of device, then door will become 1/8" thicker. A Door Thickness Kit of an incremental 1/8" must be ordered to accommodate under the lock plates.*



# CO-Series Standalone Locks - Ordering Guide

CO-SERIES

Standalone

**Customer Name:** \_\_\_\_\_

**Customer Address:** \_\_\_\_\_

**Ship To:** \_\_\_\_\_

**Account #:** \_\_\_\_\_

**Quote #:** \_\_\_\_\_

**PO # & Date:** \_\_\_\_\_

**Price book #:** \_\_\_\_\_

**Shipping Instructions:** \_\_\_\_\_

**Requested Ship Date:** \_\_\_\_\_

**Order Written By:** \_\_\_\_\_

**For Further Information Contact (Name, Phone, Fax)** \_\_\_\_\_

	Quantity	1. Series	2. Class	3. Chassis <sup>1</sup>	4. Function <sup>2</sup>	5. Reader <sup>3</sup>	6. Lever	7. Finish	8. Cylinder	9. Keypad <sup>4</sup>	10. Handing	11. Battery	12. Backset & Latch <sup>5</sup> or Armor Front <sup>6</sup>	13. Strike <sup>7</sup>	14. Door Thickness <sup>8</sup>	15. Options
Ex.	1	CO	200	CY	70	KP	SPA	626	PD	SI23	RH	4B	13-049	10-025	1-3/4	

Please complete all information above and email order to:  
**Order\_Entry\_Schlage\_Commercial@allegion.com**

<sup>1</sup> If Exit trim is chosen, no selections are required for options #12 & #13  
<sup>2</sup> Function: 70 classroom storeroom is standard if no selection is made  
<sup>3</sup> Reader: KP keypad is standard if no selection is made  
<sup>4</sup> Only applies to the PD, RD or GD cylinder type  
<sup>5</sup> Backset & Latch: 13-049 standard for cylindrical if no selection is made  
<sup>6</sup> Armor Front: 09-663 standard for mortise if no selection is made, 09-666 standard for mortise deadbolt if no selection is made  
<sup>7</sup> Strike Plate: 10-025 standard for cylindrical if no selection is made, 10-072 standard for mortise/mortise deadbolt if no selection is made  
<sup>8</sup> Door Thickness: 1-3/4" standard if no selection is made

Pricing/product description subject to change without notice.



**1-5. Select Chassis/Function/Reader (Note: CO-Series readers are not interchangeable)**

<b>CO-100-CY-70-KP</b>	Classroom/Storeroom with Keypad Reader; manually programmed	<b>\$774.00</b>
<b>CO-100-CY-50-KP</b>	Office with Keypad Reader; manually programmed	<b>\$784.00</b>



CO-100-CY-70-KP

CO-SERIES Standalone

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use **8AT** for Athens, **8RO** for Rhodes, **8SP** for Sparta and **8TR** for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD ● △</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ● □</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ● □</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60  
 \*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90  
 \*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.



**1-5. Select Chassis/Function/Reader (Note: CO-Series readers are not interchangeable)**

<b>CO-100-MS-70-KP</b>	Classroom/Storeroom with Keypad Reader; manually programmed	<b>\$922.00</b>
<b>CO-100-MS-50-KP</b>	Office with Keypad Reader; manually programmed	<b>\$932.00</b>



CO-100-MS-70-KP

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$56.40</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD ● △</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ● □</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ● □</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.

Pricing/product description subject to change without notice.

**1-3. Select Chassis/Function/Reader (Note: CO-Series readers are not interchangeable)**

<b>CO-100-993R*-70-KP</b>	Exit Rim/ <sup>†</sup> Concealed Vertical Rod/ <sup>†</sup> Concealed Vertical Cable with Keypad Reader, Manually Programmed	<b>\$1,069.00</b>
<b>CO-100-993S*-70-KP</b>	Exit Surface Vertical Rod with Keypad Reader, Manually Programmed	<b>\$1,079.00</b>
<b>CO-100-993M*-70-KP</b>	Exit Mortise Lock with Keypad Reader, Manually Programmed	<b>\$1,079.00</b>

\* See page 132 for exit device compatibility. † Metal door only.



CO-100-993R-70-KP

**4. Select Function**

<b>70</b>	Classroom/Storeroom	<b>STANDARD</b>
-----------	---------------------	-----------------

**5. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**6. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**7. Select Cylinder Type**

<b>PD ● △</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ● □</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ● □</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**8. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**9. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**10. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**11. - 12. No Selection Required**

**13. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**CO-Series Exit Trim**

The CO-100 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99, 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision's BP21 kit)

**Note:** CO-Series Non-Functioning "Dummy" Exit Trim now available. Please see pages 168-169 for details

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.

**1-4. Select Chassis/Function**

<b>CO-200-CY-70</b>	Classroom/Storeroom	<b>\$941.00</b>
<b>CO-200-CY-50</b>	Office	<b>\$951.00</b>
<b>CO-200-CY-40</b>	Privacy	<b>\$951.00</b>



CO-200-CY-70-PRK



CO-200-CY-70-PR



CO-200-CY-70-MSK



CO-200-CY-70-MS



CO-200-CY-70-KP

**5. Select Reader (Note: CO-Series readers are not interchangeable)**

<b>KP</b>	Keypad	<b>N/C</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>PR</b>	Proximity	<b>\$144.00</b>
<b>PRK</b>	Proximity + Keypad	<b>\$201.00</b>

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD ●△</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ●□</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ●□</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60  
 \*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90  
 \*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.

1-3. Select Chassis

CO-200-MS	Mortise	\$1,109.00
CO-200-MD	Mortise Deadbolt	\$1,172.00



CO-200-MS-70-PR



CO-200-MS-70-PRK



CO-200-MS-70-MSK



CO-200-MS-70-MS



CO-200-MS-70-KP

4. Select Function

70	Classroom/Storeroom (Not available on mortise deadbolt)	STANDARD
50	Office (Not available on mortise deadbolt)	\$10.00
40	Privacy	\$10.00

5. Select Reader (Note: CO-Series readers are not interchangeable)

KP	Keypad	STANDARD
MS	Magnetic Stripe (Swipe)	\$86.80
MSK	Magnetic Stripe (Swipe) + Keypad	\$144.00
PR	Proximity	\$144.00
PRK	Proximity + Keypad	\$201.00

6. Select Lever\*

LLL	Less interior and exterior levers	DEDUCT \$56.40
SPA	Sparta	N/C
RHO	Rhodes	N/C
ATH	Athens	N/C
TLR	Tubular	N/C

\* Tactile Warning use BAT for Athens, BRO for Rhodes, BSP for Sparta and BTR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7. Select Finish

626	Satin Chrome	N/C
605	Bright Brass	\$121.00
606	Satin Brass	\$121.00
612	Satin Bronze	\$121.00
619	Satin Nickel	\$121.00
625	Bright Chrome	\$121.00
643e	Aged Bronze	\$121.00
626AM	Satin Chrome Antimicrobial	\$156.00

8. Select Cylinder Type

PD ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	N/C
LD	Less Cylinder, Schlage, Falcon, 6 Pin KIL	DEDUCT \$55.00
RD ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	\$33.00
JD	Less Cylinder, Schlage, 6 Pin FSIC	DEDUCT \$30.00
GD ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	N/C
BD	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	N/C
LD SAR	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	DEDUCT \$55.00
JD SAR	Less Cylinder, Sargent 6300, 6 Pin FSIC	DEDUCT \$30.00
JD C06	Less Cylinder, Corbin 8000, 6 Pin FSIC	DEDUCT \$30.00
JD C07	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	DEDUCT \$30.00
JD MED	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
JD YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	DEDUCT \$30.00
JD YA7	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
LD FA7	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	11-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.





**1-3. Select Chassis/Exit Trim Type\***

<b>CO-200-993R</b>	Exit Rim/ <sup>1</sup> Concealed Vertical Rod/ <sup>1</sup> Concealed Vertical Cable	<b>\$1,247.00</b>
<b>CO-200-993S</b>	Exit Surface Vertical Rod	<b>\$1,265.00</b>
<b>CO-200-993M</b>	Exit Mortise Lock	<b>\$1,265.00</b>

\* See page 132 for exit device compatibility. <sup>1</sup> Metal door only.



CO-200-993R-70-MSK



CO-200-993R-70-MS



CO-200-993R-70-KP



CO-200-993R-70-PR



CO-200-993R-70-PRK

**4. Select Function**

<b>70</b>	Classroom/Storeroom	<b>STANDARD</b>
-----------	---------------------	-----------------

**5. Select Reader (Note: CO-Series readers are not interchangeable)**

<b>KP</b>	Keypad	<b>N/C</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>PR</b>	Proximity	<b>\$144.00</b>
<b>PRK</b>	Proximity + Keypad	<b>\$201.00</b>

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. - 13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**CO-Series Exit Trim**

The CO-100 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99, 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision's BP21 kit)

**Note:** CO-Series Non-Functioning "Dummy" Exit Trim now available. Please see pages 168-169 for details

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.

1-4. Select Chassis/Function

<b>CO-220-CY-75</b>	Classroom Security	<b>\$1,212.00</b>
---------------------	--------------------	-------------------

Note: Price includes (1) pre-paired Remote Lockdown Fob, p/n 44485001, shipped with lock. Additional fobs available under "CO-Series Accessories."



CO-220-CY-75-PRK



CO-220-CY-75-PR



CO-220-CY-75-MSK



CO-220-CY-75-MS



CO-220-CY-75-KP

5. Select Reader (Note: CO-Series readers are not interchangeable)

<b>KP</b>	Keypad	<b>N/C</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>PR</b>	Proximity	<b>\$144.00</b>
<b>PRK</b>	Proximity + Keypad	<b>\$201.00</b>

6. Select Lever\*

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7. Select Finish

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

8. Select Cylinder Type

<b>PD</b>	●△ With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b>	●□ With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b>	●□ With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO7</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60  
 \*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90  
 \*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

1-4. Select Chassis/Function

<b>CO-220-MS-75</b>	Classroom Security	<b>\$1,380.00</b>
---------------------	--------------------	-------------------

Note: Price includes (1) pre-paired Remote Lockdown Fob, p/n 44485001, shipped with lock. Additional fobs available under "CO-Series Accessories."



CO-220-MS-75-PR



CO-220-MS-75-PRK



CO-220-MS-75-MSK



CO-220-MS-75-MS



CO-220-MS-75-KP

5. Select Reader (Note: CO-Series readers are not interchangeable)

KP	Keypad	STANDARD
MS	Magnetic Stripe (Swipe)	<b>\$86.80</b>
MSK	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
PR	Proximity	<b>\$144.00</b>
PRK	Proximity + Keypad	<b>\$201.00</b>

6. Select Lever\*

LLL	Less interior and exterior levers	<b>DEDUCT \$56.40</b>
SPA	Sparta	<b>N/C</b>
RHO	Rhodes	<b>N/C</b>
ATH	Athens	<b>N/C</b>
TLR	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7. Select Finish

626	Satin Chrome	<b>N/C</b>
605	Bright Brass	<b>\$121.00</b>
606	Satin Brass	<b>\$121.00</b>
612	Satin Bronze	<b>\$121.00</b>
619	Satin Nickel	<b>\$121.00</b>
625	Bright Chrome	<b>\$121.00</b>
643e	Aged Bronze	<b>\$121.00</b>
626AM	Satin Chrome Antimicrobial	<b>\$156.00</b>

8. Select Cylinder Type

PD ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
LD	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
RD ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
JD	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
GD ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
BD	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
LD SAR	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
JD SAR	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
JD CO6	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
JD CO7	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
JD MED	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
JD YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
JD YA7	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
LD FA7	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.

△ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.

Accessories include Decorative Plates, Handheld Device, etc.

Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.

**1-3. Select Chassis/Exit Trim Type\***

<b>CO-220-993R</b>	Exit Rim/ <sup>1</sup> Concealed Vertical Rod/ <sup>1</sup> Concealed Vertical Cable	<b>\$1,518.00</b>
<b>CO-220-993M</b>	Exit Mortise Lock	<b>\$1,535.00</b>

\* See page 132 for exit device compatibility. <sup>1</sup> Metal door only.



CO-220-993R-75-MSK



CO-220-993R-75-MS



CO-220-993R-75-KP



CO-220-993R-75-PR



CO-220-993R-75-PRK

**4. Select Function**

<b>75</b>	Classroom/Security	<b>STANDARD</b>
-----------	--------------------	-----------------

**5. Select Reader (Note: CO-Series readers are not interchangeable)**

<b>KP</b>	Keypad	<b>N/C</b>
<b>MS</b>	Magnetic Stripe (Swipe)	<b>\$86.80</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$144.00</b>
<b>PR</b>	Proximity	<b>\$144.00</b>
<b>PRK</b>	Proximity + Keypad	<b>\$201.00</b>

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin SFIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO6</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD CO7</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, BSP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, BSP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, BSP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, BSP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. - 13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**CO-Series Exit Trim**  
 The CO-220 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

- Von Duprin 98/99, 98/99XP**  
Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Mortise.
- Von Duprin 22/22F** - Rim
- Falcon 25** - Rim
- Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim
- Corbin Russwin 5000 Series** - Rim
- Yale 7000** - Rim
- Dorma 9300** - Rim
- Precision 21** - Rim (2100 converts to 21 with Precision's BP21 kit)

**Note:** CO-Series Non-Functioning "Dummy" Exit Trim now available. Please see page 160 for details

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.



**1-3. Select Chassis/ Exit Trim Type\***

<b>CO-993DT</b>	Dummy Trim with Dummy Reader Cover and CO-100/200/250 Interior Escutcheon for Exit Rim/ <sup>†</sup> Concealed Vertical Rod/ <sup>†</sup> Concealed Vertical Cable/Surface Vertical Rod/Mortise Lock	<b>\$623.00</b>
<b>CO-220-993DT</b>	Dummy Trim with Dummy Reader Cover and CO-220 Interior Escutcheon for Exit Rim/ <sup>†</sup> Concealed Vertical Rod / <sup>†</sup> Concealed Vertical Cable / Mortise Lock	<b>\$571.00</b>

\* See page 132 for exit device compatibility. <sup>†</sup> Metal door only.



CO993DT

**4. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**5. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**6. Select Cylinder Type**

<b>PD</b> ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**7. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**8. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**9. - 10. No Selection Required**

**11. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**CO-Series Exit Trim**

The CO-Series Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99, 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod\*, Mortise.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod\*

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series** - Rim

**Yale 7000** - Rim

**Dorma 9300** - Rim

**Precision 21** - Rim (2100 converts to 21 with Precision's BP21 kit)

*\*CO-100, CO-200 and CO-250 only.*

Accessories available, see pages 170-171.

Accessories include Decorative Plates, Handheld Device, etc.

Credentials available, see pages 13-22.

**1-4. Select Chassis/Function**

<b>CO-250-CY-70</b>	Classroom/Storeroom	<b>\$1,033.00</b>
<b>CO-250-CY-50</b>	Office	<b>\$1,043.00</b>
<b>CO-250-CY-40</b>	Privacy	<b>\$1,043.00</b>



CO-250-CY-70-MS



CO-250-CY-70-MSK

**5. Select Reader (Note: CO-Series readers are not interchangeable)**

<b>MS</b>	Magnetic Stripe (Swipe)	<b>N/C</b>
<b>MSK</b>	Magnetic Stripe (Swipe) + Keypad	<b>\$57.40</b>

**6. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$40.30</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**8. Select Cylinder Type**


<b>PD ●△</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD ●□</b>	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD ●□</b>	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.


△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate. For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDFA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD C07



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Backset & Latchbolt**

<b>LLL</b>	Less Latch	<b>DEDUCT \$29.70</b>
<b>13-049</b>	2-3/4" Backset, Deadlatch, Square corner, 1-1/8" x 2-1/4"	<b>STANDARD</b>
<b>14-049</b>	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	<b>\$157.00</b>
<b>14-051</b>	2-3/8" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>N/C</b>
<b>14-050</b>	3-3/4" Backset, Deadlatch Square corner, 1-1/8" x 2-1/4"	<b>\$9.30</b>
<b>43-001</b>	5" Backset extension link, Deadlatch	<b>\$28.70</b>
<b>39-030*</b>	Rabbeted latch and strike kit, 605 and 626 only	<b>\$50.50</b>

\* Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

**13. Select Strike Plate**

<b>LLL</b>	Less Strike Plate	<b>DEDUCT \$3.90</b>
<b>10-025*</b>	1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8"	<b>STANDARD</b>
<b>10-013**</b>	1-1/8" Lip, Square Corner, T-strike, box, 1-1/8" - 2-3/4"	<b>N/C</b>
<b>10-016</b>	1-1/8" Lip, Square Corner, T-strike, deep box, fire door latch	<b>\$13.60</b>
<b>K510-066</b>	Box for ANSI strike (Must be specific)	<b>N/C</b>
<b>XQ07-351-134 ***</b>	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	<b>\$125.00</b>
<b>XQ03-494-134 ***</b>	Strike, Square Corner, T-strike, Box, 1-1/8" x 2-3/4", 1-3/4" Lip	<b>\$103.00</b>

\* 1-3/8" Lip available, must specify 1-3/8" Lip \$12.60  
 \*\* 1-1/2" Lip available, must specify 1-1/2" Lip \$6.90  
 \*\*\* Not subject to standard discount terms. Order separately.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

1-3. Select Chassis/Function

CO-250-MS	Mortise	\$1,222.00
CO-250-MD	Mortise Deadbolt	\$1,283.00

4. Select Function

70	Classroom/Storeroom (Not available on mortise deadbolt)	STANDARD
50	Office (Not available on mortise deadbolt)	\$10.00
40	Privacy	\$10.00

5. Select Reader (Note: CO-Series readers are not interchangeable)

MS	Magnetic Stripe (Swipe)	N/C
MSK	Magnetic Stripe (Swipe) + Keypad	\$57.40

6. Select Lever\*

LLL	Less interior and exterior levers	DEDUCT \$56.40
SPA	Sparta	N/C
RHO	Rhodes	N/C
ATH	Athens	N/C
TLR	Tubular	N/C

\* Tactile Warning use BAT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7. Select Finish

626	Satin Chrome	N/C
605	Bright Brass	\$121.00
606	Satin Brass	\$121.00
612	Satin Bronze	\$121.00
619	Satin Nickel	\$121.00
625	Bright Chrome	\$121.00
643e	Aged Bronze	\$121.00
626AM	Satin Chrome Antimicrobial	\$156.00

8. Select Cylinder Type

PD ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	N/C
LD	Less Cylinder, Schlage, Falcon, 6 Pin KIL	DEDUCT \$55.00
RD ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	\$33.00
JD	Less Cylinder, Schlage, 6 Pin FSIC	DEDUCT \$30.00
GD ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	N/C
BD	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	N/C
LD SAR	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	DEDUCT \$55.00
JD SAR	Less Cylinder, Sargent 6300, 6 Pin FSIC	DEDUCT \$30.00
JD C06	Less Cylinder, Corbin 8000, 6 Pin FSIC	DEDUCT \$30.00
JD C07	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	DEDUCT \$30.00
JD MED	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
JD YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	DEDUCT \$30.00
JD YA7	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
LD FA7	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$1740 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.




CO-250-MS-70-MSK




CO-250-MS-70-MS


Full Cylinder  
PD LD LDSAR LDA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RH</b>	Right Handed	<b>N/C</b>
<b>LH</b>	Left Handed	<b>N/C</b>
<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. Select Mortise Lock Armor Front**

<b>LLL</b>	Less Armor Front	<b>DEDUCT \$14.60</b>
<b>09-663</b>	1-1/4" Wide Square Corner, Latch for MS	<b>STANDARD</b>
<b>09-669</b>	1-1/16" Wide Square Corner, Latch, options for MS	<b>N/C</b>
<b>09-666</b>	1-1/4" Wide Square Corner, Latch x Deadbolt for MD	<b>STANDARD</b>
<b>09-672</b>	1-1/16" Wide Square Corner, Latch x Deadbolt, Options for MD	<b>N/C</b>

**13. Select Strike Plate**

<b>LLL</b>	Less Strike	<b>DEDUCT \$11.40</b>
<b>10-072</b>	1-1/4" x 4-7/8" Square Corner + box; 1-3/16" lip length	<b>STANDARD</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	<b>N/C</b>
<b>10-072xx</b>	1-1/4" x 4-7/8" Square Corner + box; specify lip length (xx) as 1-3/4"	<b>\$27.10</b>
<b>10-075 ●</b>	1/2" Rabbeted	<b>\$93.80</b>
<b>37-015</b>	Strike Frame Reinforcer, specify 37-015	<b>N/C</b>
<b>XL11-820 △</b>	One hole for latching functions, RH & LHR doors Lip 1-3/16"	<b>\$11.60</b>
<b>XL11-821 △</b>	One hole for latching functions, LH & RHR doors Lip 1-3/16"	<b>\$11.60</b>

● For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.  
 △ Extended leadtime, consult customer service.

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-3/8"</b>	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	<b>\$51.10</b>

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.



**1-3. Select Exit Trim Type\***

CO-250-993R	\$1,340.00
CO-250-993S	\$1,356.00
CO-250-993M	\$1,356.00

\* See page 132 for exit device compatibility. † Metal door only.



CO-250-993R-70-MS



CO-250-993R-70-MSK

**4. Select Function**

70	Classroom/Storeroom	STANDARD
----	---------------------	----------

**5. Select Reader (Note: CO-Series readers are not interchangeable)**

MS	Magnetic Stripe (Swipe)	N/C
MSK	Magnetic Stripe (Swipe) + Keypad	\$57.40

**6. Select Lever\***

LLL	Less interior and exterior levers	DEDUCT \$20.10
SPA	Sparta	N/C
RHO	Rhodes	N/C
ATH	Athens	N/C
TLR	Tubular	N/C

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**7. Select Finish**

626	Satin Chrome	N/C
605	Bright Brass	\$121.00
606	Satin Brass	\$121.00
612	Satin Bronze	\$121.00
619	Satin Nickel	\$121.00
625	Bright Chrome	\$121.00
643e	Aged Bronze	\$121.00
626AM	Satin Chrome Antimicrobial	\$156.00

**8. Select Cylinder Type**

PD ●△	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	N/C
LD	Less Cylinder, Schlage, Falcon, 6 Pin KIL	DEDUCT \$55.00
RD ●□	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	\$33.00
JD	Less Cylinder, Schlage, 6 Pin FSIC	DEDUCT \$30.00
GD ●□	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	N/C
BD	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	N/C
LD SAR	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	DEDUCT \$55.00
JD SAR	Less Cylinder, Sargent 6300, 6 Pin FSIC	DEDUCT \$30.00
JD CO6	Less Cylinder, Corbin 8000, 6 Pin FSIC	DEDUCT \$30.00
JD CO7	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	DEDUCT \$30.00
JD MED	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
JD YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	DEDUCT \$30.00
JD YA7	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00
LD FA7	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	DEDUCT \$30.00


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDA7



Full Size  
Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6  
JD CO7



Small Format  
Interchangeable Core  
GD BD



**9. Select Keying Type**

Open Keyway Families (Key in Lever or FSIC) <sup>2</sup>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
Restricted Keyway Families (Key in Lever or FSIC) <sup>1,2</sup>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
Small Format Keyway Families (SFIC) <sup>3</sup>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.  
<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.  
<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**10. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**11. Select Battery**

<b>4B</b>	4AA Battery Kit	<b>STANDARD</b>
-----------	-----------------	-----------------

**12. - 13. No Selection Required**

**14. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**CO-Series Exit Trim**

The CO-100 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99, 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision's BP21 kit)

**Note:** CO-Series Non-Functioning "Dummy" Exit Trim now available. Please see pages 168-169 for details

Accessories available, see pages 170-171.  
 Accessories include Decorative Plates, Handheld Device, etc.  
 Credentials available, see pages 15-24.

Pricing/product description subject to change without notice.



**1-3. Select Chassis/ Exit Trim Type\***

<b>CO-993DT</b>	Dummy Trim with Dummy Reader Cover for Exit Rim/ <sup>1</sup> Concealed Vertical Rod/ <sup>1</sup> Concealed Vertical Cable/ Surface Vertical Rod/Mortise Lock	<b>\$623.00</b>
-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------

\* See page 132 for exit device compatibility. <sup>1</sup> Metal door only.



CO993DT

**4. Select Lever\***

<b>LLL</b>	Less interior and exterior levers	<b>DEDUCT \$20.10</b>
<b>SPA</b>	Sparta	<b>N/C</b>
<b>RHO</b>	Rhodes	<b>N/C</b>
<b>ATH</b>	Athens	<b>N/C</b>
<b>TLR</b>	Tubular	<b>N/C</b>

\* Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$39.60 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

**5. Select Finish**

<b>626</b>	Satin Chrome	<b>N/C</b>
<b>605</b>	Bright Brass	<b>\$121.00</b>
<b>606</b>	Satin Brass	<b>\$121.00</b>
<b>612</b>	Satin Bronze	<b>\$121.00</b>
<b>619</b>	Satin Nickel	<b>\$121.00</b>
<b>625</b>	Bright Chrome	<b>\$121.00</b>
<b>643e</b>	Aged Bronze	<b>\$121.00</b>
<b>626AM</b>	Satin Chrome Antimicrobial	<b>\$156.00</b>

**6. Select Cylinder Type**

<b>PD</b> ● △	With Cylinder, Schlage- Everest 29 S123, 6 Pin KIL	<b>N/C</b>
<b>LD</b>	Less Cylinder, Schlage, Falcon, 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>RD</b> ● □	With Cylinder, Schlage- Everest 29 S123, 6 Pin FSIC	<b>\$33.00</b>
<b>JD</b>	Less Cylinder, Schlage, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>GD</b> ● □	With Cylinder, Schlage- Everest 29 R, 7 Pin SFIC	<b>N/C</b>
<b>BD</b>	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	<b>N/C</b>
<b>LD SAR</b>	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL	<b>DEDUCT \$55.00</b>
<b>JD SAR</b>	Less Cylinder, Sargent 6300, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C06</b>	Less Cylinder, Corbin 8000, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD C07</b>	Less Cylinder, Corbin 8000-7, 7 Pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR and 8TR)	<b>DEDUCT \$30.00</b>
<b>JD MED</b>	Less Cylinder, Medeco 32*0201, 6 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>JD YA6</b>	Less Cylinder, Yale 1210 or Medeco 31*0100, 6 Pin FSIC	<b>DEDUCT \$30.00</b>
<b>JD YA7</b>	Less Cylinder, Yale 1220, 7 Pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>
<b>LD FA7</b>	Less Cylinder, Falcon, 7 Pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	<b>DEDUCT \$30.00</b>


● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

△ For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders, \$17.40 each.


□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.


Full Cylinder  
PD LD LDSAR LDA7



Full Size Interchangeable Core  
RD JD JD SAR JD CO6 JD YA6 JD CO7



Small Format Interchangeable Core  
GD BD



**7. Select Keying Type**

<b>Open Keyway Families (Key in Lever or FSIC)<sup>2</sup></b>		
<b>S123</b>	Everest 29 S (Key in Lever or FSIC)	<b>STANDARD</b>
<b>C/CE/E/EF/ F/ FG/ G</b>	Classic Obverse	<b>N/C</b>
<b>Restricted Keyway Families (Key in Lever or FSIC)<sup>1,2</sup></b>		
<b>29 T</b>	Everest 29 T	<b>\$15.00</b>
<b>D</b>	Everest D	<b>\$15.00</b>
<b>Classic Restricted</b>	Quad, Numbered, Reverse	<b>\$15.00</b>
<b>Small Format Keyway Families (SFIC)<sup>3</sup></b>		
<b>29R</b>	Everest 29 R	<b>\$73.00</b>
<b>B</b>	Everest B	<b>\$73.00</b>

<sup>1</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see page 265.

<sup>2</sup> Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 263.

**8. Select Handing (Field Reversible)**

<b>RHR</b>	Right Handed Reverse	<b>N/C</b>
<b>LHR</b>	Left Handed Reverse	<b>N/C</b>

**9. - 10. No Selection Required**

**11. Select Door Thickness**

<b>1-3/4"</b>	1-3/4"	<b>STANDARD</b>
<b>1-7/8"</b>	1-7/8" to 2-3/4", (Specify in 1/8" increments)	<b>\$51.10</b>

**CO-Series Exit Trim**

The CO-100 Exit Trim comes with a universal mounting plate and is compatible with the following exit devices:

**Von Duprin 98/99, 98/99XP**

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.

**Von Duprin 22/22F**

Rim, Surface Vertical Rod

**Falcon 25 - Rim**

**Sargent 80 Series** (Narrow design & reversible rim exits not compatible) - Rim

**Corbin Russwin 5000 Series - Rim**

**Yale 7000 - Rim**

**Dorma 9300 - Rim**

**Precision 21 - Rim** (2100 converts to 21 with Precision's BP21 kit)

Accessories available, see pages 170-171.

Accessories include Decorative Plates, Handheld Device, etc.

Credentials available, see pages 13-22.

## CO-Series Accessories



Product ID	Product Description	Product Specification	Price
<b>Handheld Device</b>			
<b>HHD KIT-USB</b>	Handheld Device Kit	Includes Handheld Device pre-loaded with SUS Application, and HHD-USB Cable. Used to initialize, manage, and test AD and CO Series devices	<b>\$1,122.00</b>
<b>HH-USB</b>	USB Replacement Cable	Used to connect Handheld Device to USB locks and accessories.	<b>\$50.80</b>

### Handheld Device Accessories (Legacy Product Support)

<b>HH-2PIN SERIAL</b>	Serial Cable	Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP	<b>\$125.00</b>
<b>HH-SERIAL</b>	Serial Cable*	Used to connect previous model HHD (BM150) with CIP to program serial products.	<b>\$111.00</b>
<b>PIMWA-CV</b>	Null Converter	Used to connect Handheld Device to WA Series PIM, using HH-SERIAL Serial Cable. (compatible to current and previous model HHDs)	<b>\$22.50</b>
<b>P512112</b>	Computer Interface Module (CIP)*	Used to program serial products using HH-SERIAL Serial Cable.	<b>\$287.00</b>
<b>P101203</b>	CIP with iButton Reader*	Used to program serial products using HH-SERIAL Serial Cable.	<b>\$304.00</b>

\* Not compatible to current HHD (BM170)

### Reader Module Accessories

<b>510310</b>	Magnetic Stripe Cleaning Cards		<b>See page 190</b>
---------------	--------------------------------	--	---------------------

### Battery Holder & Cover Kit - (Select by Chassis Type) - (Please specify FINISH - Example: 4B-CM-626)

Cylindrical			
<b>4B-CM (23599202)</b>	Battery Holder Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, (2) Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)		<b>See page 201</b>
Mortise			
<b>4B-CM (23599202)</b>	Battery Holder Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, (2) Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)		<b>See page 201</b>
Exit			
<b>4B-E (23599285)</b>	Battery Holder Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, (2) Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)		<b>See page 201</b>

### Decorative Plate - (Select by Size) - (Please specify FINISH - Example: 23760283-626)

<b>23631823</b>	1.5" x 3.25" x .105" Decorative Plate (with Screws) - (Exit Trim)	<b>See page 200</b>
<b>23760267</b>	1.7" x 3.5" x .075" Decorative Plate (with Screws)	<b>See page 200</b>
<b>23760283</b>	3.2" x 3.5" x .075" Decorative Plate (with Screws)	<b>See page 200</b>
<b>23760317</b>	6.0" x 3.5" x .075" Decorative Plate (with Screws)	<b>See page 200</b>
<b>23760325</b>	6.6" x 3.5" x .075" Decorative Plate (with Screws)	<b>See page 200</b>
<b>23760309</b>	8.0" x 3.5" x .075" Decorative Plate (with Screws)	<b>See page 200</b>
<b>23760291</b>	8.0" x 3.5" x .075" Decorative Plate (with Screws and Welded Standoff)	<b>See page 200</b>
<b>23760259*</b>	10.5" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	<b>See page 200</b>
<b>23760275*</b>	12.0" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	<b>See page 200</b>

\*Please consider overall Door Thickness when ordering

**Note:** Single Decorative Plate. Interior and Exterior Decorative Plates may be required.

**Note:** Decorative Plates may have multiple applications. Please refer to AD-Series Retrofit Template Overlay guide at [www.schlage.com/support](http://www.schlage.com/support) for more information  
Available Finishes: 626 Satin Chrome Standard. Please consult Customer Care for 605 Bright Brass or 643E Aged Bronze.

### Shim Plates

<b>23599368</b>	Interior Shim Plate	<b>See page 201</b>
<b>23458599</b>	Exterior Shim Plate	<b>See page 201</b>

**Note:** Device is 0.063" thick

### Wood Mounts

<b>23740277</b>	CO-Series Cylindrical Mount	<b>\$174.00</b>
<b>23740285</b>	CO-Series Mortise Mount	<b>\$202.00</b>
<b>23740269</b>	AD-Series & CO Series Exit Trim Mount	<b>\$276.00</b>

Pricing/product description subject to change without notice.

Product ID	Product Description	Price
<b>Installation Tools</b>		
40-286	Universal Clamp (For use with all AD and CO Series installation templates)	\$419.00
40-289	CO Series mortise lock installation template	\$874.00
40-291	Universal mortise door position switch (DPS) installation template	\$126.00
40-290	CO Series cylindrical lock installation template	\$874.00
40-292	Universal cylindrical door position switch (DPS) installation template	\$126.00

**Note:** These metal lock and DPS templates require use of specially designed universal clamp to ensure drilling accuracy.

### CO-200 Standalone Accessories

#### Express Level Software Package

SXPR-SFT-1	Express Offline Lock Software	Recommended for offline locks of fewer than 1000 users and/or 100 access points. Reporting of last 1000 events capability will retrieve audit trails. Must be installed on a computer that meets the minimum requirements (refer to software datasheet)	\$390.00
------------	-------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------

**Note:** Refer to Software Levels Datasheet for features and details

#### Express Level Software Package Accessories

P512112	Express Computer Interface Module	Used to program legacy CM/CL/KC products, using HH-SERIAL Serial Cable	\$287.00
P101203	Express Computer Interface Module (with iButton)	Used to connect PC/laptop to access device	\$304.00
P394548	Express Female to Female Serial Cable	Used to connect P101203 Computer Interface Module to PC/laptop	\$56.40
SDB9USBCBL	Express Male DB9 to USB 6" Cable Adapter	Used to connect a USB Port device to a Serial Port device	\$90.20
CRM2	Express Magnetic Stripe Enrollment Reader		\$615.00
CRP2	Express Proximity Enrollment Reader		\$496.00

#### Express Installation & Training

SCH-EXP-INST	Express Installation & Training	Includes software installation and training. Provided by Allegion Security & Safety Consultant remotely from factory. (No discounts apply)	\$372.00
--------------	---------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------	----------

### CO-220 Classroom Lockdown Accessories

44485001	Remote Lockdown Fob	Can be paired with a single lock	\$111.00
24744856	Remote lockdown fob	Can be paired with up to ten locks	\$123.00

### CO-250 Standalone Accessories

CL-ENCODER-2	Campus Lock Magnetic Stripe Encoder	ISO compatible high/low coercivity with female/male serial cable.	\$3,852.00
--------------	-------------------------------------	-------------------------------------------------------------------	------------


# CT5000

The CT5000 is an indoor, offline single opening controller. It is flexible and works with various card reader technologies. With the correct power supply, the CT5000 controller works with various types of locking hardware, including electric strikes, electro-magnetic locks, or EL exit devices.

If networked functionality is required in the future, the CT5000 can be upgraded to a WRI-400 by upgrading the firmware and adding one incremental piece of hardware. This provides greater adaptability in the field.


### Perimeter Door Application

The CT5000 can be used for perimeter door applications with an automatic operator, electric strike and card reader




### Narrow Stile Application

For narrow stile applications the CT5000 can be used with an electric strike and card reader



### Panic Device Application

The CT5000 and a card reader along with the Von Duprin 914 Power Supply can control two EL exit devices for double door applications



**Note:** All hardware shown above including exit devices, electric strikes, auto operators, power supplies, push buttons, etc. are sold separately.

## Certifications

- UL 294
- Canada UL
- FCC Part 15
- Canada RSS – 210
- RoHS

**Features**

- Supports up to 5000 users and audits
- Comes standard with 15 foot USB remote cable connector
- Programmed using Schlage Handheld Device (HHD) via USB connection
- Power is hardwired
- Three form C relay outputs (for strike, auxiliary, and alarm)
- Supports Request to exit (remote release) and Door Position Switch input.
- Card functions supported: normal, toggle, freeze, pass through, construction, lock down, and all card plus PIN applications
- Multiple reader technologies and positions on both sides of the gate/ door
- Internal LED visual indicators (Including low battery and state of the relay)
- Compatible with Schlage Express

**Credential Compatibility**

- Magnetic stripe: field configurable track 1, 2, or 3
- Compatible with Schlage, Xceed ID™, AWID®, HID®, GE/CASI ProxLite®
- 125 kHz Proximity cards: 26a, 34x, 35x, 37x bit formats (reader dependant)
- 13.56 MHz Smart card: 26a, 34x, 35x, 37x, 40x, 48x bit format (reader dependant)
- Can read card serial number of Mifare DESfire (reader dependant)

**The following readers are UL294 listed for use with the CT5000:**

- Essex Electronics model KTP-162
- Mercury Security models MR-5 and MR-20
- XceedID models PR10, MT11, MT15, MTK15, SM10

<b>CT5000</b>	Offline Controller (15 ft. USB cable standard)	<b>\$911.00</b>
<b>PS-902</b>	2 amp Power Supply (Required)	<b>See page 218</b>
<b>HHD-Kit</b>	Schlage Handheld Programming Device (Required)	<b>See page 126</b>
<b>23745565</b>	125 ft. USB cable for CT5000 (Optional)	<b>\$124.00</b>



<b>AD-SERIES PARTS - TABLE OF CONTENTS</b>	
<b>Reader Module Screws</b>	<b>176</b>
<b>Interior Escutcheon</b>	<b>176</b>
<b>Exterior Escutcheon</b>	<b>176</b>
<b>Exterior Gasket Kit</b>	<b>176</b>
<b>Base Plate Sub Assembly</b>	<b>177</b>
<b>Mounting Hardware</b>	<b>177</b>
<b>Exterior Spring Cage</b>	<b>178</b>
<b>Tailpiece</b>	<b>179</b>
<b>Cylinder</b>	<b>180</b>
<b>Lever</b>	<b>181</b>
<b>Lock Retractor</b>	<b>184</b>
<b>Strike Plate</b>	<b>184</b>
<b>Door Thickness Kit</b>	<b>185</b>
<b>Misc.</b>	<b>186</b>

**CONTACT INFORMATION FOR AD-SERIES PARTS**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

*For AD-Series Parts Warranty Information please see page 11.*

**Pricing/product description subject to change without notice.**



Part Number	Description	List Price
<b>Reader Module - (Please specify FINISH - Example: KP-626)</b>		
KP	Keypad Only Reader Module	See page 126
MG	Magnetic Stripe (Insert) Reader Module - (Track 1, 2, or 3)	See page 126
MGK	Magnetic Stripe (Insert) with Keypad Reader Module - (Track 1, 2, or 3)	See page 126
MS	Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	See page 126
MSK	Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	See page 126
MT	Multi-Technology Reader Module - (125 kHz Proximity and 13.56 MHz Smart)	See page 126
MTK	Multi-Technology with Keypad Reader Module - (125 kHz Proximity and 13.56 MHz Smart)	See page 126
FMK	FIPS Multi-Technology with Keypad Reader Module - (125 kHz Proximity and 13.56 MHz Smart)	See page 126
DT	Dummy Trim Reader Cover	See page 126

**Reader Module Screws - (Please specify DOOR THICKNESS - Example: 46928511-138 for 1-3/8")**

46928511	Screws, Reader Module Assembly - (1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-5/8", and 2-3/4")	\$8.70
----------	-----------------------------------------------------------------------------------------------------------------------------------	--------

**Magnetic Swipe Cleaning Cards**

510310	Magnetic Stripe Cleaning Cards	\$33.40
--------	--------------------------------	---------

**Interior Escutcheon - (Select by Chassis Type) - (Please specify FINISH - Example: 46929014-626)**

<b>Cylindrical</b>		
46929014	Interior Escutcheon (with Baseplate Screws)	\$64.80
<b>Mortise</b>		
46929014	Interior Escutcheon (with Baseplate Screws)	\$64.80
<b>Mortise Deadbolt</b>		
46929022	Interior Escutcheon (with Baseplate Screws)	\$64.80
<b>Exit</b>		
46929279	Interior Escutcheon (with Baseplate Screws)	\$50.50

**Interior Baseplate Gasket**

46928982	Interior Baseplate Gasket	\$28.90
----------	---------------------------	---------

**USB Cover Plug, 10-Piece Bulk Pack**

46928719	USB Cover Plug (10-Piece Bulk Pack)	\$21.60
----------	-------------------------------------	---------

**Exterior Escutcheon - (Select by Chassis Type) - (Please specify FINISH - Example: 46928743-626)**

<b>Cylindrical</b>		
46928743	Exterior Escutcheon (with Baseplate Screws)	\$107.00
<b>Mortise</b>		
46928750	Exterior Escutcheon (with Baseplate Screws) - (Except SFIC, GD/BD Cylinders)	\$72.30
46928743	Exterior Escutcheon (with Baseplate Screws) - (Only SFIC, GD/BD Cylinders)	\$107.00
<b>Exit</b>		
46928750	Exterior Escutcheon (with Baseplate Screws) - (Except SFIC, GD/BD Cylinders)	\$72.30
46928743	Exterior Escutcheon (with Baseplate Screws) - (Only SFIC, GD/BD Cylinders)	\$107.00

**Exterior Escutcheon, 10-Piece Bulk Pack - (Select by Chassis Type) - (Please specify FINISH - Example: 23608532-626)**

<b>Cylindrical</b>		
23608532	Exterior Escutcheon (with Baseplate Screws)	\$544.00
<b>Mortise</b>		
23608540	Exterior Escutcheon (with Baseplate Screws) - (Except SFIC, GD/BD Cylinders)	\$544.00
23608532	Exterior Escutcheon (with Baseplate Screws) - (Only SFIC, GD/BD Cylinders)	\$544.00
<b>Exit</b>		
23608540	Exterior Escutcheon (with Baseplate Screws) - (Except SFIC, GD/BD Cylinders)	\$544.00
23608532	Exterior Escutcheon (with Baseplate Screws) - (Only SFIC, GD/BD Cylinders)	\$544.00

**Exterior Gasket Kit - (Select by Chassis Type)**

<b>Cylindrical</b>		
46929154	Exterior Gasket Kit (Includes Exterior Baseplate Gasket, Spindle Cover Seal, Reader O-Ring)	\$43.30
<b>Mortise</b>		
46929162	Exterior Gasket Kit (Includes Exterior Baseplate Gasket, Spindle Cover Seal, Reader O-Ring)	\$43.30
<b>Exit</b>		
46929162	Exterior Gasket Kit (Includes Exterior Baseplate Gasket, Spindle Cover Seal, Reader O-Ring)	\$43.30

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Interior Baseplate Sub-Assembly - (Select by Chassis Type) - (Please specify CLASS - Example: 46928990-200)</b>		
<b>Cylindrical</b>		
46928990	Interior Baseplate Sub-Assembly - (Less Lever, Less Escutcheon, Less Spring Cage)	\$791.00
<b>Mortise</b>		
46928990	Interior Baseplate Sub-Assembly - (Less Lever, Less Escutcheon, Less Spring Cage)	\$791.00
<b>Exit</b>		
46929253	Interior Baseplate Sub-Assembly - (Less Escutcheon, Less Battery Cover, Less Communication Module Cover)	\$575.00
<b>Exterior Baseplate Sub-Assembly - (Select by Chassis Type) - (Please specify CYLINDER DETAIL - Example: 46928529-LD)</b>		
<b>Cylindrical</b>		
46928529	Exterior Baseplate Sub-Assembly - (Less Lever, Less Cylinder, Less Escutcheon)	\$669.00
<b>Mortise</b>		
46928537	Exterior Baseplate Sub-Assembly - (Less Lever, Less Cylinder, Less Escutcheon)	\$700.00
<b>Exit</b>		
46928545	Exterior Baseplate Sub-Assembly - (Less Lever, Less Cylinder, Less Escutcheon)	\$669.00
<b>Interior Baseplate Spacer for SVR</b>		
<b>Exit</b>		
46929238	Interior Baseplate Spacer for SVR (with Baseplate Mounting Screws, Surface Mount Screws)	\$40.30
<b>Interior Wireless Cover Spacer for SVR</b>		
<b>Exit</b>		
46929246	Interior Wireless Cover Spacer for SVR (with Surface Mount Screw)	\$28.90
<b>Interior Mounting Plate</b>		
46929030	Interior Mounting Plate (with Screws)	\$43.30
<b>Exit Device Mounting Plate - (Please specify FINISH - Example: 46929220-626)</b>		
<b>Exit</b>		
46929220	Exit Device Mounting Plate (with (2) Baseplate Mounting Screws)	\$64.80
<b>Exit Device Mounting Hardware Kit -</b>		
<b>(Please specify Device Type (993R, 993S or 993M), DOOR THICKNESS, FINISH - Example: 46929287-993M-626-134)</b>		
<b>Exit</b>		
46929287	Exit Device Mounting Hardware Kit (Upper Mounting Bolts, Lower Mounting Sex-Bolts, Reader Mounting Bolts, Finish Washers, Screws)	\$72.30
<b>Interior Spring Cage</b>		
46929006	Interior Spring Cage (with Screws)	\$46.10

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Exterior Spring Cage (with Screws) - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)</b>		
<b>Cylindrical</b>		
46928552	Schlage, KIL, PD/LD	\$60.70
46928552	Schlage, FSIC, RD/JD	\$60.70
46928560	Schlage, SFIC, GD/BD	\$112.00
23845969	Falcon, KIL, LD FA7 (7-PIN)	\$69.60
46928586	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$289.00
23990674	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$278.00
46928578	Sargent, KIL, LD SAR (6-PIN)	\$289.00
46928586	Sargent, FSIC, JD SAR (6-PIN)	\$289.00
24281735	Medeco, FSIC, JD MED (6-PIN)	\$289.00
46928594	Yale, FSIC, JD YA6 (6-PIN)	\$289.00
24281768	Yale, FSIC, JD YA7 (7-PIN)	\$278.00
<b>Mortise</b>		
46928602	Schlage, KIL, PD/LD	\$138.00
46928610	Schlage, FSIC, RD/JD	\$206.00
46928560	Schlage, SFIC, GD/BD	\$112.00
23845977	Falcon, KIL, LD FA7 (7-PIN)	\$76.50
46928636	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$289.00
23988033	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$278.00
46928628	Sargent, KIL, LD SAR (6-PIN)	\$289.00
46928636	Sargent, FSIC, JD SAR (6-PIN)	\$289.00
24281735	Medeco, FSIC, JD MED (6-PIN)	\$289.00
46928644	Yale, FSIC, JD YA6 (6-PIN)	\$289.00
24281768	Yale, FSIC, JD YA7 (7-PIN)	\$278.00
<b>Exit</b>		
46928651	Schlage, KIL, PD/LD (Steel Levers)	\$148.00
46928553	Schlage, FSIC, RD/JD (Steel Levers)	\$218.00
46928669	Schlage, SFIC, GD/BD (Zinc Levers)	\$126.00
23779838	Falcon, KIL, LD FA7 (7-PIN) (Steel Levers) - (Except ATH, 8AT Lever Style)	\$87.80
46928693	Corbin Russwin, FSIC, JD CO6 (6-PIN) (Steel Levers)	\$301.00
23988017	Corbin Russwin, FSIC, JD CO7 (7-PIN) (Steel Levers) - (Except ATH, 8AT Lever Style)	\$290.00
46928667	Sargent, KIL, LD SAR (6-PIN) (Steel Levers)	\$301.00
46928685	Sargent, FSIC, JD SAR (6-PIN) (Steel Levers)	\$301.00
24289902	Medeco, FSIC, JD MED (6-PIN)	\$301.00
46928701	Yale, FSIC, JD YA6 (6-PIN) (Steel Levers)	\$301.00
24289928	Yale, FSIC, JD YA7 (7-PIN)	\$290.00

<b>Exterior Spring Cage &amp; Tailpiece Kit (for Schlage), 10-Piece Bulk Pack - (Select by Chassis, Cylinder OEM, Cylinder Type, Cylinder Detail)</b>		
<b>Cylindrical</b>		
23593270	Schlage, KIL, PD/LD	\$600.00
23593288	Schlage, FSIC, RD/JD	\$633.00
23593304	Schlage, SFIC, GD/BD	\$983.00
<b>Mortise</b>		
23593346	Schlage, KIL, PD/LD	\$1,335.00
23593353	Schlage, FSIC, RD/JD	\$1,994.00
23593304	Schlage, SFIC, GD/BD	\$983.00
<b>Exit</b>		
23593346	Schlage, KIL, PD/LD	\$1,335.00
23593353	Schlage, FSIC, RD/JD	\$1,994.00
23593437	Schlage, SFIC, GD/BD - (Except ATH, 8AT Lever Styles)	\$1,070.00
23593510	Schlage, SFIC, GD/BD - (Only ATH, 8AT Lever Styles)	\$1,671.00

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Exterior Spring Cage &amp; Tailpiece Kit (for Non-Schlage), Single Piece - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)</b>		
<b>Cylindrical</b>		
23845985	Falcon, KIL, LD FA7 (7-PIN)	\$72.50
23593320	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$314.00
23990666	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$289.00
23593312	Sargent, KIL, LD SAR (6-PIN)	\$293.00
23593320	Sargent, FSIC, JD SAR (6-PIN)	\$314.00
24281792	Medeco, FSIC, JD MED (6-PIN)	\$330.00
23593338	Yale, FSIC, JD YA6 (6-PIN)	\$330.00
24281826	Yale, FSIC, JD YA7 (7-PIN)	\$289.00
<b>Mortise</b>		
23845923	Falcon, KIL, LD FA7 (7-PIN)	\$104.00
23593387	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$314.00
23988041	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$289.00
23593379	Sargent, KIL, LD SAR (6-PIN)	\$293.00
23593387	Sargent, FSIC, JD SAR (6-PIN)	\$314.00
24281792	Medeco, FSIC, JD MED (6-PIN)	\$330.00
23593395	Yale, FSIC, JD YA6 (6-PIN)	\$319.00
24281826	Yale, FSIC, JD YA7 (7-PIN)	\$289.00
<b>Exit</b>		
23810872	Falcon, KIL, LD FA7 (7-PIN)	\$76.50
23593387	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$314.00
23988025	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$299.00
23593379	Sargent, KIL, LD SAR (6-PIN)	\$293.00
23593387	Sargent, FSIC, JD SAR (6-PIN)	\$314.00
24289936	Medeco, FSIC, JD MED (6-PIN)	\$319.00
23593395	Yale, FSIC, JD YA6 (6-PIN)	\$319.00
24289944	Yale, FSIC, JD YA7 (7-PIN)	\$273.00

**Tailpiece (For Cylinder) - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)**

<b>Cylindrical</b>		
C604-243	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$1.60*
C603-524	Schlage, KIL, PD/LD - (Classic Cylinders)	\$1.40*
23446339	Schlage, FSIC, JD/RD/TD	\$4.70
23779820	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$20.90
46929456	Universal, SFIC, BD/BDC - (Only ATH, 8AT Lever Styles)	\$13.50
23433634	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$69.60
23854516	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$27.80
23433626	Sargent, KIL, LD SAR (6-PIN) - (Compatible with 10L and 11L)	\$4.90
23433634	Sargent, FSIC, JD SAR (6-PIN)	\$69.60
23810898	Medeco, FSIC, JD MED (6-PIN)	\$75.30
23760366	Yale, FSIC, JD YA6 (6-PIN) - (Compatible with Medeco 31)	\$75.30
23929722	Yale, FSIC, JD YA7 (7-PIN)	\$27.80
23446347	Universal, SFIC, GD/HD - (Only ATH, 8AT Lever Styles)	\$11.90
<b>Mortise</b>		
23538077	Schlage, KIL, PD/LD - (Classic Cylinders)	\$1.70*
23538085	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$1.70*
23446339	Schlage, FSIC, JD/RD/TD	\$4.70
23779820	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$20.90
46929456	Universal, SFIC, BD/BDC - (Only ATH, 8AT Lever Styles)	\$13.50
23443435	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$32.50
23854516	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$27.80
23443427	Sargent, KIL, LD SAR (6-PIN) - (Compatible with 10L and 11L)	\$5.00
23443435	Sargent, FSIC, JD SAR (6-PIN)	\$32.10
23810898	Medeco, FSIC, JD MED (6-PIN)	\$75.30
23760366	Yale, FSIC, JD YA6 (6-PIN) - (Compatible with Medeco 31)	\$41.10
23929722	Yale, FSIC, JD YA7 (7-PIN)	\$27.80
23446347	Universal, SFIC, GD/HD - (Only ATH, 8AT Lever Styles)	\$11.90

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Tailpiece (for cylinder) - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) (continued)</b>		
<b>Exit</b>		
23538077	Schlage, KIL, PD/LD - (Classic Cylinders)	\$1.70*
23538085	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$1.70*
23446339	Schlage, FSIC, JD/RD/TD	\$4.70
23779820	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$20.90
46929456	Universal, SFIC, BD/BDC - (Only ATH, 8AT Lever Styles)	\$13.50
N523-091	Universal, SFIC, GD/HD - (Except ATH, 8AT Lever Styles)	\$11.70*
23443435	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$32.50
23854516	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$27.80
23443427	Sargent, KIL, LD SAR (6-PIN) - (Compatible with 10L and 11L)	\$5.00
23443435	Sargent, FSIC, JD SAR (6-PIN)	\$32.10
23810898	Medeco, FSIC, JD MED (6-PIN)	\$75.30
23760366	Yale, FSIC, JD YA6 (6-PIN) - (Compatible with Medeco 3I)	\$41.10
23929722	Yale, FSIC, JD YA7 (7-PIN)	\$27.80
23446347	Universal, SFIC, GD/HD - (Only ATH, 8AT Lever Styles)	\$11.90
09-774	Universal, SFIC, BD/BDC - (Except ATH, 8AT Lever Styles)	\$13.00

### Tailpiece Kit- (for Exterior Escutcheon into Exit Device)

<b>Exit Trim</b>		
46929303	Tailpiece Kit (Includes Tailpiece, Tailpiece Guide, Pine Tree Clip)	\$17.20

### Tailpiece Kit, 10-Piece Bulk Pack - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)

<b>Cylindrical</b>		
09-418	Schlage, KIL, PD/LD - (Classic Cylinders)	\$11.50
09-417	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$11.50
23790611	Falcon, KIL, PD/LD	\$19.60
<b>Mortise</b>		
46928768	Schlage, KIL, PD/LD - (Classic Cylinders)	\$12.60
46928776	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$12.60
<b>Exit</b>		
46928768	Schlage, KIL, PD/LD - (Classic Cylinders)	\$12.60
46928776	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$12.60

### Cylinder - (Select by Chassis Type, Cylinder Mechanism, Cylinder Type, Cylinder Detail)

<b>Cylindrical</b>		
23-013	Classic, KIL, PD - (Only ATH, 8AT Lever Styles)	\$55.00*
23-030	Classic, FSIC, RD (Open)	\$64.00
23-030	Classic, FSIC, RD (Restricted)	\$79.00
20-750	Primus, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00
20-740	Primus, FSIC, RD	\$132.00
20-550	Primus UL, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00
20-750-XP	Primus XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00
20-740-XP	Primus XP, FSIC, RD	\$132.00
20-550-XP	Primus UL XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00
<b>Mortise</b>		
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles) (Open)	\$55.00*
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles) (Restricted)	\$70.00
23-030	Classic, FSIC, RD (Open)	\$64.00
20-854	Primus, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00
20-740	Primus, FSIC, RD	\$132.00
20-554	Primus UL, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00
20-854-XP	Primus XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00
20-740-XP	Primus XP, FSIC, RD	\$132.00
20-554-XP	Primus UL XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Part Number	Description	List Price
<b>Cylinder - (Select by Chassis Type, Cylinder Mechanism, Cylinder Type, Cylinder Detail) (continued)</b>		
<b>Exit</b>		
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles) (Open)	\$55.00*
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles) (Restricted)	\$70.00
23-013	Classic, KIL, PD - (Only ATH, 8AT Lever Styles)	\$55.00*
23-030	Classic, FSIC, RD (Open)	\$64.00
23-030	Classic, FSIC, RD (Restricted)	\$79.00
20-854	Primus, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00
20-750	Primus, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00
20-740	Primus, FSIC, RD	\$132.00
20-554	Primus UL, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00
20-550	Primus UL, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00
20-854-XP	Primus XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00
20-750-XP	Primus XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00
20-740-XP	Primus XP, FSIC, RD	\$132.00
20-554-XP	Primus UL XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00
20-550-XP	Primus UL XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00

<b>Interior Lever (Closed) - (Please specify STYLE and FINISH - Example: 03-030-SPA-626)</b>		
03-030	Inside Lever, Closed	\$118.00

<b>Exterior Lever (Less Cylinder) - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) - (Please specify STYLE and FINISH - Example: 03-031-SPA-626)</b>		
<b>Cylindrical</b>		
03-031	Schlage, KIL, PD/LD	\$118.00
03-032	Schlage, FSIC, RD/JD	\$118.00
03-000	Schlage, SFIC, GD/BD	\$118.00
23779739 (RHO)	Falcon, KIL, LD FA7 (7-PIN)	\$125.00
23779762 (SPA)		
23779747 (8RO)		
23779770 (8SP)		
03-066	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$219.00
23854524 (RHO)	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$224.00
23854540 (SPA)		
23854565 (TLR)		
23854532 (8RO)		
23854557 (8SP)		
23854573 (8TR)		
03-044	Sargent, KIL, LD SAR (6-PIN)	\$219.00
03-077	Sargent, FSIC, JD SAR (6-PIN)	\$219.00
09-388	Medeco, FSIC, JD MED (6-PIN)	\$299.00
09-355	Yale, FSIC, JD YA6 (6-PIN)	\$299.00
09-399	Yale, FSIC, JD YA7 (7-PIN)	\$224.00

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Part Number	Description	List Price
<b>Exterior Lever (Less Cylinder)-</b>		
<b>(Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) - (Please specify STYLE and FINISH - Example: 03-031-SPA-626)</b>		
<b>(continued)</b>		
<b>Mortise</b>		
09-331	Schlage, KIL, PD/LD	\$204.00
09-332	Schlage, FSIC, RD/JD	\$204.00
03-000	Schlage, SFIC, GD/BD	\$118.00
09-331	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$204.00
09-366	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$266.00
09-366	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$266.00
09-344	Sargent, KIL, LD SAR (6-PIN)	\$266.00
09-377	Sargent, FSIC, JD SAR (6-PIN)	\$266.00
09-388	Medeco, FSIC, JD MED (6-PIN)	\$266.00
09-355	Yale, FSIC, JD YA6 (6-PIN)	\$266.00
09-399	Yale, FSIC, JD YA7 (7-PIN)	\$266.00
<b>Exit</b>		
03-331	Schlage, KIL, PD/LD	\$136.00
03-332	Schlage, FSIC, RD/JD	\$136.00
03-300	Schlage, SFIC, GD/BD	\$136.00
03-331	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$136.00
03-366	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$254.00
03-366	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$254.00
03-344	Sargent, KIL, LD SAR (6-PIN)	\$254.00
03-377	Sargent, FSIC, JD SAR (6-PIN)	\$254.00
03-388	Medeco, FSIC, JD MED (6-PIN)	\$254.00
03-355	Yale, FSIC, JD YA6 (6-PIN)	\$254.00
03-399	Yale, FSIC, JD YA7 (7-PIN)	\$254.00

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Part Number	Description	List Price
<b>Exterior Lever (Less Cylinder), 10-Piece Bulk Pack-</b>		
<b>(Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) - (Please specify STYLE and FINISH - Example: K103-031-SPA-626)</b>		
<b>Cylindrical</b>		
K103-031	Schlage, KIL, PD/LD	\$907.00*
K103-032	Schlage, FSIC, RD/JD	\$907.00*
K103-000	Schlage, SFIC, GD/BD	\$1,080.00*
K103-066	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$1,732.00*
K103-044	Sargent, KIL, LD SAR (6-PIN)	\$2,152.00*
K103-077	Sargent, FSIC, JD SAR (6-PIN)	\$1,732.00*
K109-388	Medeco, FSIC, JD MED (6-PIN)	\$2,152.00
K103-055	Yale, FSIC, JD YA6 (6-PIN)	\$2,152.00*
K109-399	Yale, FSIC, JD YA7 (7-PIN)	\$1,732.00
23991086 (RHO)	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$1,732.00
23991094 (SPA)		
23991102 (TLR)		
23991110 (8RO)		
23991128 (8SP)		
23991136 (8TR)		
<b>Mortise</b>		
K109-331	Schlage, KIL, PD/LD	\$1,874.00
K109-332	Schlage, FSIC, RD/JD	\$1,874.00
K103-000	Schlage, SFIC, GD/BD	\$1,080.00*
K109-366	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$2,305.00
K109-344	Sargent, KIL, LD SAR (6-PIN)	\$2,305.00
K109-377	Sargent, FSIC, JD SAR (6-PIN)	\$2,305.00
K109-388	Medeco, FSIC, JD MED (6-PIN)	\$2,305.00
K109-355	Yale, FSIC, JD YA6 (6-PIN)	\$2,305.00
K109-399	Yale, FSIC, JD YA7 (7-PIN)	\$2,305.00
K109-331	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$1,873.00
K109-366	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$2,305.00
<b>Exit</b>		
K103-331	Schlage, KIL, PD/LD	\$1,122.00
K103-332	Schlage, FSIC, RD/JD	\$1,122.00
K103-000	Schlage, SFIC, GD/BD	\$1,080.00*
K103-331	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$1,122.00
K103-366	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$2,137.00
K103-366	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$2,137.00
K103-344	Sargent, KIL, LD SAR (6-PIN)	\$2,657.00
K103-377	Sargent, FSIC, JD SAR (6-PIN)	\$2,137.00
K103-388	Medeco, FSIC, JD MED (6-PIN)	\$2,137.00
K103-355	Yale, FSIC, JD YA6 (6-PIN)	\$2,137.00
K103-399	Yale, FSIC, JD YA7 (7-PIN)	\$2,137.00

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.



Part Number	Description	List Price
<b>Steel Lever Kits &amp; Parts</b>		
24274730-AD	Steel Lever Conversion Kit - (Includes Escutcheon Assembly, Spring Cage Assembly, Lever Rotation Stops, Screws, Instructions) - Please specify CLASS, READER, FINISH)	Call for Assistance
47250325	Stainless Steel Set Screw for outside Steel Levers (Package of 20)	\$39.60
<b>Lock Retractor - (Select by Chassis Type, Chassis Thickness)</b>		
<b>Cylindrical</b>		
46928800	Retractor	\$289.00
<b>Mortise</b>		
46928818	1-1/16" Narrow - (Door Thicknesses 1-3/8" to 1-5/8")	\$372.00
46928826	1-1/4" Standard - (Door Thicknesses 1-3/4" to 2-3/4")	\$372.00
<b>Mortise Deadbolt</b>		
46928834	1-1/16" Narrow - (Door Thicknesses 1-3/8" to 1-5/8")	\$470.00
46928842	1-1/4" Standard - (Door Thicknesses 1-3/4" to 2-3/4")	\$470.00
<b>Spindle &amp; Hub Kit - (Select by Chassis Type)</b>		
<b>Exit</b>		
46929295	Exit Spindle & Hub Kit (Includes Spindle, Spindle Cover, Spindle Hub, Tailpiece, Twisted Tailpiece, Tailpiece Spring, Pine Tree Clip, Screw)	\$36.10
<b>Spindle Spring</b>		
44484996	Spindle Spring	\$4.20
<b>Deadbolt Thumb Turn Assembly (with E-Clip) - (Please specify FINISH - Example: 46929113-626)</b>		
46929113	Deadbolt Thumb Turn Assembly (with E-Clip)	\$28.90
<b>Strike Plate - Select by Chassis Type - (Please specify FINISH-SHAPE and LIP - Example -10-025-0118-0626)</b>		
<b>Cylindrical</b>		
10-025-1316	ANSI, no box, 1-1/4" x 4-7/8", Standard with 1-3/16" Lip	\$14.70*
10-025-138	ANSI, no box, 1-1/4" x 4-7/8", Standard with Lip 1-3/8" Lip	\$39.50*
10-025-112	ANSI, no box, 1-1/4" x 4-7/8", Standard with 1-1/2" Lip	\$39.50*
10-013-118	Square corner, T-strike, box, 1-1/8" x 2-3/4" with 1-1/8" Lip	\$10.30*
10-013-112	Square corner, T-strike, box, 1-1/8" x 2-3/4" with 1-1/2" Lip	\$14.30*
10-016	Square corner, T-strike, deep box, 1-1/8" x 2-3/4" with 1-1/8" Lip Use with Fire door latch	\$13.60*
K510-066	Box for ANSI strike	\$6.50*
<b>Mortise Deadbolt</b>		
10-072-1316	1-1/4" x 4-7/8" Square corner, box, standard with Lip at 1-3/16", 7/8", 1", 1-1/2", 1-3/4", or 2"	\$19.50*
10-072-xx	1-1/4" x 4-7/8" Square corner, box, specify lip length (xx) as 7/8", 1" or 1-1/2"	\$19.50*
10-072-xx	1-1/4" x 4-7/8" Square corner, box, specify lip length (xx) as 1-3/4", 1" or 2"	\$49.90*
10-075	1/2" Rabbeted	\$129.00*
37-015	Strike frame reinforcer	\$21.70*
XL11-820	Strike, One hole for latching Functions, RH & LHR door, 1-3/16" Lip	\$26.00*
XL11-821	Strike, One hole for latching Functions, LH & RHR door, 1-3/16" Lip	\$26.00*
<b>Mortise Armor Front - (Select by Width, Door Thickness) - (Please specify FINISH: 09-663-626)</b>		
09-663	Armor, 1-1/4" Wide Square Corner, Latch x Auxiliary latch (for door range 1-3/4" to 2-3/4")	\$32.10*
09-666	Armor, 1-1/4" Wide Square Corner, Latch x Auxiliary latch x Deadbolt (for door range 1-3/4" to 2-3/4")	\$32.10*
09-669	Armor, 1-1/16" Wide Square Corner, Latch x Auxiliary latch (for door range 1-3/8" to 1-5/8")	\$32.10*
09-672	Armor, 1-1/16" Wide Square Corner, Latch x Auxiliary latch x Deadbolt (for door range 1-3/8" to 1-5/8")	\$32.10*

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Part Number	Description	List Price
<b>Door Thickness Kit - (Select by Chassis Type) - (Please specify DOOR THICKNESS - Example: 46929170-134)</b>		
<b>Cylindrical</b>		
46929170-138	1-3/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$141.00
46929170-112	1-1/2" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$101.00
46929170-158	1-5/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$72.30
46929170-XXX	Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs) <b>Must specify door thickness:</b> 1-3/4" to 2-3/4" in 1/8" increments (EXAMPLE: 46929170-134 for a 1-3/4" door)	\$43.30
<b>Mortise</b>		
46929178-138	1-3/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$141.00
46929178-112	1-1/2" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$101.00
46929178-158	1-5/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$72.30
46929178-XXX	Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs) <b>Must specify door thickness:</b> 1-3/4" to 2-3/4" in 1/8" increments (EXAMPLE: 46929178-134 for a 1-3/4" door)	\$43.30
<b>Decorative Plate - (Select by Size) - (Please specify FINISH - Example: 23760283-626)</b>		
23631823	1.5" x 3.25" x .105" Decorative Plate (with Screws) - (Exit Chassis)	\$30.70
23760267	1.7" x 3.5" x .075" Decorative Plate (with Screws)	\$22.50
23760283	3.2" x 3.5" x .075" Decorative Plate (with Screws)	\$34.80
23760317	6.0" x 3.5" x .075" Decorative Plate (with Screws)	\$53.00
23760325	6.6" x 3.5" x .075" Decorative Plate (with Screws)	\$53.00
23760309	8.0" x 3.5" x .075" Decorative Plate (with Screws)	\$54.20
23760291	8.0" x 3.5" x .075" Decorative Plate (with Screws and Welded Standoff)	\$73.30
23760259*	10.5" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	\$70.30
23760275*	12.0" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	\$69.60
*Please consider overall Door Thickness when ordering		
<b>Note:</b> Single Decorative Plate. Interior and Exterior Decorative Plates may be required.		
<b>Note:</b> Decorative Plates may have multiple applications. Please see AD-Series Retrofit Template Overlay guide at <a href="http://www.schlage.com/support">www.schlage.com/support</a> for more information		
Available Finishes: 626 Satin Chrome Standard. Please consult Customer Care for 605 Bright Brass or 643E Aged Bronze.		
<b>Interior Shim Plate - (Select by Class)</b>		
23458607	Interior Shim Plate, AD200/250/300 - (Device is 0.063" thick)	\$25.00
23458565	Interior Shim Plate, AD400 - (Device is 0.063" thick)	\$25.00
<b>Exterior Shim Plate</b>		
23458599	Exterior Shim Plate - (Device is 0.063" thick)	\$19.50
<b>Door Position Switch</b>		
46929121	Door Position Switch	\$27.40
<b>Offline/Hardwired Communication Module Cover - (Select by Function) - (Please specify FINISH - Example: COM200C-626)</b>		
COM200C (23519168)	Offline Communication Module Cover, Cover (Includes Communication Module Cover, Cover Screw, Torx Cover Screw)	See page 86
COM200L (23519184)	Offline/Hardwired Communication Module Cover, Indicator (Includes Off-Line/Hardwired Communication Module Cover with Indicator, Cover Screw, Torx Cover Screw)	See page 86
COM200P (23519176)	Offline/Hardwired Communication Module Cover, Pushbutton (Includes Offline/Hardwired Communication Module Cover with Pushbutton, Cover Screw, Torx Cover Screw)	See page 86
<b>Hardwired Upgrade Kit - (Select by Function) - (Please specify FINISH - Example: COM300L-626)</b>		
COM300L (46928909)	Hardwired Upgrade Kit, Indicator (Includes Hardwired Communication Module, Standoff, Offline/Hardwired Communication Module Cover with Indicator, Cover Screw, Torx Cover Screw)	See page 86
COM300P (46928891)	Hardwired Upgrade Kit, Pushbutton (Includes Hardwired Communication Module, Standoff, Offline/Hardwired Communication Module Cover with Pushbutton, Cover Screw, Torx Cover Screw)	See page 86

Pricing/product description subject to change without notice.

## AD-Series Parts



Part Number	Description	List Price
<b>Hardwired Communication Module</b>		
46928958	Hardwired Communication Module (with Fasteners, Jumpers)	\$216.00
<b>Wireless Upgrade Kit - (Select by Function) - (Please specify FINISH - Example: COM400L-GRY)</b>		
COM400L (46928867)	Wireless Upgrade Kit, Indicator (Includes Wireless Communication Module, (2) Standoffs, Wireless Communication Module Cover with Indicator, Cover Screw, Torx Cover Screw, Wireless Foil Gasket)	See page 86
COM400P (46928859)	Wireless Upgrade Kit, Pushbutton (Includes Wireless Communication Module, (2) Standoffs, Wireless Communication Module Cover with Pushbutton, Cover Screw, Torx Cover Screw, Wireless Foil Gasket)	See page 86
<b>Wireless Communication Module Cover - (Select by Function) - (Please specify FINISH - Example: 46928883-GRY)</b>		
46928883	Wireless Communication Module Cover, Indicator (with Screws)	\$50.50
46928875	Wireless Communication Module Cover, Pushbutton (with Screws)	\$57.60
<b>Wireless Communication Module</b>		
46928941	Wireless Communication Module (with Screws, Standoffs)	\$289.00
23848385	Wireless Communication Module with Antenna Connector (with Screws, Standoffs)	\$314.00
<b>Wireless Parts</b>		
46928974	Wireless Foil Gasket	\$17.20
47250326	Terminal Block Kit – (Includes one power connector and ten I/O connectors) supports PIM400, PIB300, TK400, ECK400, GCK400 and WRI400	\$38.60
<b>Battery Holder &amp; Cover Kit - (Select by Battery Quantity) - (Please specify FINISH - Example: 4B-626)</b>		
4B (46929055)	4AA Battery Holder & Cover Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)	\$48.70
8B (46929089)	8AA Battery Holder & Cover Kit (Includes 8AA Battery Holder with Cable, 8AA Battery Strap, Battery Strap Screws, 8AA Battery Cover, Cover Screw, Torx Cover Screw)	\$90.40
<b>Battery Holder Kit - (Select by Battery Quantity)</b>		
46929063	4AA Battery Holder Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, Battery Strap Screws)	\$20.90
46929097	8AA Battery Holder Kit (Includes 8AA Battery Holder with Cable, 8AA Battery Strap, Battery Strap Screws)	\$41.70
<b>Battery Parts</b>		
4C (46929071)	4AA Battery Cover (with Screw) - Please specify FINISH - Example: 4C-626)	\$27.80
8C (46929105)	8AA Battery Cover (with Screw) - Please specify FINISH	\$48.70
47250305	Mylar Protective Sticker for 8 Battery Pack (Package of 20)	\$125.00
47250320	AD Battery Cable (Package of 5)	\$19.80
<b>Battery - (Select by Battery Type)</b>		
46929147	Coin Cell Battery	\$10.10
F206-488	(4) AA Batteries	\$9.30
K380-001*	WA-Series Battery Pack - (used to power WA5200, WA993, WPR2, WSM)	\$73.30
K380-012*	(12) WA-Series Battery Packs - (used to power WA5200, WA993, WPR2, WSM)	\$677.00
*Not for use with AD-Series Locks		
<b>Interior Cover Hardware Kit - (Please specify FINISH - Example: 46928966-626)</b>		
46928966	Interior Cover Hardware Kit (Includes (2) Wireless Communication Module Cover Screws, (1) Hardwired Communication Module Cover Screw, (1) 4AA Battery Cover Screw, (1) 8AA Battery Cover Screw)	\$36.10
<b>Torx Tamper Screw Pack - (Select by Chassis Type)</b>		
<b>Cylindrical</b>		
23538812	Torx Tamper Screw Pack	\$34.80
<b>Mortise</b>		
23538820	Torx Tamper Screw Pack	\$27.80
<b>Exit</b>		
23538838	Torx Tamper Screw Pack	\$33.70
<b>Interior Main Board - (Please specify CLASS - Example: 46929048-200 for AD-200)</b>		
46929048	Interior Main Board (with Battery Lead, Coin Cell Battery, (2) Screws)	\$554.00

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Wiring Harness (Interior Main Board to Exterior Board) - (Select by Chassis Type)</b>		
<b>Cylindrical</b>		
46928727	Wiring Harness (Interior Main Board to Exterior Board)	\$44.50
<b>Mortise</b>		
46928727	Wiring Harness (Interior Main Board to Exterior Board)	\$44.50
<b>Exit</b>		
46928735	Wiring Harness (Interior Main Board to Exterior Board)	\$44.50
23536774	RX Adapter	\$41.70
<b>REX Switch, Leaf Spring and Screws</b>		
46929139	REX Switch, Leaf Spring and Screws - (for CY and MS/MD only)	\$28.90
<b>Drill Bit (Same as Legacy)</b>		
P511472	Drill Bit for 3/8" VIP/AD-300	\$669.00
<b>Request-to-Exit Switch Kit</b>		
RX-LC	Von Duprin RX-LC (also called SI-LC or Von Duprin part number 050281)	\$276.00

Please see Falcon Price Book for Falcon AE part number 650359



<b>CO-SERIES PARTS - TABLE OF CONTENTS</b>	
<b>Reader Module with Exterior Escutcheon</b>	<b>190</b>
<b>Interior Escutcheon</b>	<b>190</b>
<b>Exterior Escutcheon</b>	<b>191</b>
<b>Base Plate Sub Assembly</b>	<b>191</b>
<b>Mounting Hardware</b>	<b>191</b>
<b>Exterior Spring Cage</b>	<b>192</b>
<b>Tailpiece</b>	<b>193</b>
<b>Cylinder</b>	<b>195</b>
<b>Lever</b>	<b>195</b>
<b>Lock Retractor</b>	<b>199</b>
<b>Strike Plate</b>	<b>199</b>
<b>Door Thickness Kit</b>	<b>200</b>
<b>Decorative Plate</b>	<b>200</b>
<b>Misc.</b>	<b>201</b>

**CONTACT INFORMATION FOR CO-SERIES PARTS**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

*For CO-Series Parts Warranty Information please see page 11.*

**Pricing/product description subject to change without notice.**

Part Number	Description	List Price
<b>Reader Module (with Exterior Escutcheon)-</b> <b>(Select by Chassis, Class, Reader Technology) - (Please specify FUNCTION, FINISH, CYLINDER TYPE, HANDING)</b>		
<b>Cylindrical</b>		
EXT-CO-100-CY-xx-KP	CO-100, Keypad Only Reader Module	\$401.00
EXT-CO-200-CY-xx-KP	CO-200, Keypad Only Reader Module	\$592.00
EXT-CO-200-CY-xx-MS	CO-200, Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	\$700.00
EXT-CO-200-CY-xx-MSK	CO-200, Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	\$769.00
EXT-CO-200-CY-xx-PR	CO-200, Proximity Reader Module - (125 kHz Proximity)	\$769.00
EXT-CO-200-CY-xx-PRK	CO-200, Proximity with Keypad Reader Module - (125 kHz Proximity)	\$841.00
EXT-CO-250-CY-xx-MS	CO-250, Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	\$700.00
EXT-CO-250-CY-xx-MSK	CO-250, Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	\$769.00
<b>Mortise</b>		
EXT-CO-100-MS-xx-KP	CO-100, Keypad Only Reader Module	\$432.00
EXT-CO-200-MS-xx-KP	CO-200, Keypad Only Reader Module	\$627.00
EXT-CO-200-MS-xx-MS	CO-200, Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	\$731.00
EXT-CO-200-MS-xx-MSK	CO-200, Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	\$801.00
EXT-CO-200-MS-xx-PR	CO-200, Proximity Reader Module - (125 kHz Proximity)	\$801.00
EXT-CO-200-MS-xx-PRK	CO-200, Proximity with Keypad Reader Module - (125 kHz Proximity)	\$870.00
EXT-CO-250-MS-xx-MS	CO-250, Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	\$731.00
EXT-CO-250-MS-xx-MSK	CO-250, Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	\$801.00
<b>Mortise Deadbolt</b>		
EXT-CO-200-MD-40-KP	CO-200, Keypad Only Reader Module	\$627.00
EXT-CO-200-MD-40-MS	CO-200, Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	\$731.00
EXT-CO-200-MD-40-MSK	CO-200, Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	\$801.00
EXT-CO-200-MD-40-PR	CO-200, Proximity Reader Module - (125 kHz Proximity)	\$801.00
EXT-CO-200-MD-40-PRK	CO-200, Proximity with Keypad Reader Module - (125 kHz Proximity)	\$870.00
EXT-CO-250-MD-40-MS	CO-250, Magnetic Stripe (Swipe) Reader Module - (Track 1, 2, or 3)	\$731.00
EXT-CO-250-MD-40-MSK	CO-250, Magnetic Stripe (Swipe) with Keypad Reader Module - (Track 1, 2, or 3)	\$801.00
<b>Exit</b>		
CO-993DT	Dummy Trim with Dummy Reader Cover	See page 160

**Keypad Membrane**

44487247	Keypad Membrane	\$23.70
----------	-----------------	---------

**Magnetic Swipe Cleaning Cards**

510310	Magnetic Stripe Cleaning Cards	\$33.40
--------	--------------------------------	---------

**Interior Escutcheon - (Select by Chassis Type, Function) - (Please specify FINISH - Example: 23599327-626)**

<b>Cylindrical</b>		
23599327	Interior Escutcheon, Non-Privacy	\$114.00
23599335	Interior Escutcheon, Privacy	\$139.00
<b>Mortise</b>		
23599327	Interior Escutcheon, Non-Privacy	\$114.00
23599335	Interior Escutcheon, Privacy	\$139.00
<b>Mortise Deadbolt</b>		
23599343	Interior Escutcheon, Non-Privacy	\$129.00
23599350	Interior Escutcheon, Privacy	\$139.00
<b>Exit</b>		
46929279	Interior Escutcheon, Non-Privacy (with (4) Screws)	\$50.50

**Interior Baseplate Gasket**

<b>Exit</b>		
46928982	Interior Baseplate Gasket	\$28.90

**USB Cover Plug, 10-Piece Bulk Pack**

46928719	USB Cover Plug (10-Piece Bulk Pack)	\$21.60
----------	-------------------------------------	---------

Part Number	Description	List Price
<b>Exterior Escutcheon - (Select by Chassis Type, Class, Reader Type) - (Please specify FINISH - Example: 23599053-626)</b>		
<b>Cylindrical</b>		
23599053	Exterior Escutcheon, CO-100, KP (with (6) Screws)	\$195.00
23599079	Exterior Escutcheon, CO-200, KP (with (6) Screws)	\$173.00
23599038	Exterior Escutcheon, CO-200/250, PR/PRK/MS/MSK (with (6) Screws, O-Ring)	\$107.00
<b>Mortise</b>		
23599061	Exterior Escutcheon, CO-100, KP (with (6) Screws)	\$107.00
23599087	Exterior Escutcheon, CO-200, KP (with (6) Screws)	\$173.00
23599046	Exterior Escutcheon, CO-200/250, PR/PRK/MS/MSK (with (6) Screws, O-Ring)	\$107.00
<b>Exit</b>		
23599061	Exterior Escutcheon, CO-100, KP (with (6) Screws)	\$107.00
23599087	Exterior Escutcheon, CO-200, KP (with (6) Screws)	\$173.00
23599046	Exterior Escutcheon, CO-200/250, PR/PRK/MS/MSK (with (6) Screws, O-Ring)	\$107.00
<b>Exterior Gasket Kit - (Select by Chassis Type)</b>		
<b>Cylindrical</b>		
46929154	Exterior Gasket Kit (Includes Exterior Baseplate Gasket, Spindle Cover Seal, Reader O-Ring)	\$43.30
<b>Mortise</b>		
46929162	Exterior Gasket Kit (Includes Exterior Baseplate Gasket, Spindle Cover Seal, Reader O-Ring)	\$43.30
<b>Exit</b>		
46929162	Exterior Gasket Kit (Includes Exterior Baseplate Gasket, Spindle Cover Seal, Reader O-Ring)	\$43.30
<b>Interior Baseplate Sub-Assembly</b>		
<b>Exit</b>		
23599251	Interior Baseplate Sub-Assembly	\$27.80
<b>Interior Baseplate Spacer for SVR</b>		
<b>Exit</b>		
46929238	Interior Baseplate Spacer for SVR (with Baseplate Mounting Screws, Surface Mount Screws)	\$40.30
<b>Interior Mounting Plate</b>		
23599244	Interior Mounting Plate (with Screws)	\$34.90
<b>Exit Device Mounting Plate - (Please specify FINISH - Example: 46929220-626)</b>		
<b>Exit</b>		
46929220	Exit Device Mounting Plate (with (2) Baseplate Screws)	\$64.80
<b>Exit Device Mounting Hardware Kit- (Please specify Device Type (993R, 993S or 993M), DOOR THICKNESS, FINISH - Example: 46929287-993M-626-134)</b>		
<b>Exit</b>		
46929287	Mounting Hardware Kit (Upper Mounting Bolts, Lower Mounting Sex-Bolts, Reader Mounting Bolts, Finish Washers, Screws)	\$72.30
<b>Interior Spring Cage (with Screws)</b>		
<b>Cylindrical</b>		
23599210	Interior Spring Cage (with Screws)	\$41.70
<b>Mortise</b>		
23599210	Interior Spring Cage (with Screws)	\$41.70

Pricing/product description subject to change without notice.



Part Number	Description	List Price
<b>Exterior Spring Cage (with Screws) - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)</b>		
<b>Cylindrical</b>		
46928552	Schlage, KIL, PD/LD	\$60.70
46928552	Schlage, FSIC, RD/JD	\$60.70
46928560	Schlage, SFIC, GD/BD	\$112.00
23845969	Falcon, KIL, LD FA7 (7-PIN)	\$69.60
46928586	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$289.00
23990674	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$278.00
46928578	Sargent, KIL, LD SAR (6-PIN)	\$289.00
46928586	Sargent, FSIC, JD SAR (6-PIN)	\$289.00
24281735	Medeco, FSIC, JD MED (6-PIN)	\$289.00
46928594	Yale, FSIC, JD YA6 (6-PIN)	\$289.00
24281768	Yale, FSIC, JD YA7 (7-PIN)	\$278.00
<b>Mortise</b>		
46928602	Schlage, KIL, PD/LD	\$138.00
46928610	Schlage, FSIC, RD/JD	\$206.00
46928560	Schlage, SFIC, GD/BD	\$112.00
23845977	Falcon, KIL, LD FA7 (7-PIN)	\$76.50
46928636	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$289.00
23988033	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$278.00
46928628	Sargent, KIL, LD SAR (6-PIN)	\$289.00
46928636	Sargent, FSIC, JD SAR (6-PIN)	\$289.00
24281735	Medeco, FSIC, JD MED (6-PIN)	\$289.00
46928644	Yale, FSIC, JD YA6 (6-PIN)	\$289.00
24281768	Yale, FSIC, JD YA7 (7-PIN)	\$278.00
<b>Exit</b>		
46928651	Schlage, KIL, PD/LD (Steel Levers)	\$148.00
46928553	Schlage, FSIC, RD/JD (Steel Levers)	\$218.00
46928669	Schlage, SFIC, GD/BD (Zinc Levers)	\$126.00
23779838	Falcon, KIL, LD FA7 (7-PIN) (Steel Levers) - (Except ATH, 8AT Lever Style)	\$87.80
46928693	Corbin Russwin, FSIC, JD CO6 (6-PIN) (Steel Levers)	\$301.00
23988017	Corbin Russwin, FSIC, JD CO7 (7-PIN) (Steel Levers) - (Except ATH, 8AT Lever Style)	\$290.00
46928667	Sargent, KIL, LD SAR (6-PIN) (Steel Levers)	\$301.00
46928685	Sargent, FSIC, JD SAR (6-PIN) (Steel Levers)	\$301.00
24289902	Medeco, FSIC, JD MED (6-PIN)	\$301.00
46928701	Yale, FSIC, JD YA6 (6-PIN) (Steel Levers)	\$301.00
24289928	Yale, FSIC, JD YA7 (7-PIN)	\$290.00

**Exterior Spring Cage & Tailpiece Kit (for Schlage), 10-Piece Bulk Pack - (Select by Chassis, Cylinder OEM, Cylinder Type, Cylinder Detail)**

<b>Cylindrical</b>		
23593270	Schlage, KIL, PD/LD	\$600.00
23593288	Schlage, FSIC, RD/JD	\$633.00
23593304	Schlage, SFIC, GD/BD	\$983.00
<b>Mortise</b>		
23593346	Schlage, KIL, PD/LD	\$1,335.00
23593353	Schlage, FSIC, RD/JD	\$1,994.00
23593304	Schlage, SFIC, GD/BD	\$983.00
<b>Exit</b>		
23593346	Schlage, KIL, PD/LD	\$1,335.00
23593353	Schlage, FSIC, RD/JD	\$1,994.00
23593437	Schlage, SFIC, GD/BD - (Except ATH, 8AT Lever Styles)	\$1,070.00
23593510	Schlage, SFIC, GD/BD - (Only ATH, 8AT Lever Styles)	\$1,671.00

Part Number	Description	List Price
<b>Exterior Spring Cage &amp; Tailpiece Kit (for Non-Schlage), Single Piece - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)</b>		
<b>Cylindrical</b>		
23845985	Falcon, KIL, LD FA7 (7-PIN)	\$72.50
23593320	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$314.00
23990666	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$289.00
23593312	Sargent, KIL, LD SAR (6-PIN)	\$293.00
23593320	Sargent, FSIC, JD SAR (6-PIN)	\$314.00
24281792	Medeco, FSIC, JD MED (6-PIN)	\$330.00
23593338	Yale, FSIC, JD YA6 (6-PIN)	\$330.00
24281826	Yale, FSIC, JD YA7 (7-PIN)	\$289.00
<b>Mortise</b>		
23845923	Falcon, KIL, LD FA7 (7-PIN)	\$104.00
23593387	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$314.00
23988041	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$289.00
23593379	Sargent, KIL, LD SAR (6-PIN)	\$293.00
23593387	Sargent, FSIC, JD SAR (6-PIN)	\$314.00
24281792	Medeco, FSIC, JD MED (6-PIN)	\$330.00
23593395	Yale, FSIC, JD YA6 (6-PIN)	\$319.00
24281826	Yale, FSIC, JD YA7 (7-PIN)	\$289.00
<b>Exit</b>		
23810872	Falcon, KIL, LD FA7 (7-PIN)	\$76.50
23593387	Corbin Russwin, FSIC, JD CO6	\$314.00
23988025	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$299.00
23593379	Sargent, KIL, LD SAR	\$293.00
23593387	Sargent, FSIC, JD SAR	\$314.00
24289936	Medeco, FSIC, JD MED (6-PIN)	\$319.00
23593395	Yale, FSIC, JD YA6 (6-PIN)	\$319.00
24289944	Yale, FSIC, JD YA7 (7-PIN)	\$273.00
<b>Tailpiece - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)</b>		
<b>Cylindrical</b>		
C603-524	Schlage, KIL, PD/LD - (Classic Cylinders)	\$1.40*
C604-243	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$1.60*
23446339	Schlage, FSIC, JD/RD/TD	\$4.70
23779820	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$20.90
46929456	Universal, SFIC, BD/BDC - (Only ATH, 8AT Lever Styles)	\$13.50
23433634	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$69.60
23854516	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$27.80
23433626	Sargent, KIL, LD SAR (6-PIN) - (Compatible with 10L and 11L)	\$4.90
23433634	Sargent, FSIC, JD SAR (6-PIN)	\$69.60
23810898	Medeco, FSIC, JD MED (6-PIN)	\$75.30
23760366	Yale, FSIC, JD YA6 (6-PIN) - (Compatible with Medeco 31)	\$75.30
23929722	Yale, FSIC, JD YA7 (7-PIN)	\$27.80
23446347	Universal, SFIC, GD/HD - (Only ATH, 8AT Lever Styles)	\$11.90
<b>Mortise</b>		
23538077	Schlage, KIL, PD/LD - (Classic Cylinders)	\$1.70*
23538085	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$1.70*
23446339	Schlage, FSIC, JD/RD/TD	\$4.70
23779820	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$20.90
46929456	Universal, SFIC, BD/BDC - (Only ATH, 8AT Lever Styles)	\$13.50
23443435	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$32.50
23854516	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$27.80
23443427	Sargent, KIL, LD SAR (6-PIN) - (Compatible with 10L and 11L)	\$5.00
23443435	Sargent, FSIC, JD SAR (6-PIN)	\$32.10
23810898	Medeco, FSIC, JD MED (6-PIN)	\$75.30
23760366	Yale, FSIC, JD YA6 (6-PIN) - (Compatible with Medeco 31)	\$41.10
23929722	Yale, FSIC, JD YA7 (7-PIN)	\$27.80
23446347	Universal, SFIC, GD/HD - (Only ATH, 8AT Lever Styles)	\$11.90

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Tailpiece (for cylinder) - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) - (continued)</b>		
<b>Exit</b>		
23538077	Schlage, KIL, PD/LD - (Classic Cylinders)	\$1.70*
23538085	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$1.70*
23446339	Schlage, FSIC, JD/RD/TD	\$4.70
23779820	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, BRO, SPA, 8SP Lever Styles)	\$20.90
46929456	Universal, SFIC, BD/ BDC - (Only ATH, 8AT Lever Styles)	\$13.50
N523-091	Universal, SFIC, GD/HD - (Except ATH, 8AT Lever Styles),	\$11.70*
23443435	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$32.50
23854516	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$27.80
23443427	Sargent, KIL, LD SAR (6-PIN) - (Compatible with 10L and 11L)	\$5.00
23443435	Sargent, FSIC, JD SAR (6-PIN)	\$32.10
23810898	Medeco, FSIC, JD MED (6-PIN)	\$75.30
23760366	Yale, FSIC, JD YA6 (6-PIN) - (Compatible with Medeco 31)	\$41.10
23929722	Yale, FSIC, JD YA7 (7-PIN)	\$27.80
23446347	Universal, SFIC, GD/HD - (Only ATH, 8AT Lever Styles)	\$10.60*
09-774	Universal, SFIC, BD/BDC - (Except ATH, 8AT Lever Styles)	\$13.00*

### Tailpiece Kit - (for Exterior Escutcheon into Exit Device)

<b>Exit Trim</b>		
46929303	Tailpiece Kit (Includes Tailpiece, Tailpiece Guide, Pine Tree Clip)	\$17.20

### Tailpiece Kit, 10-Piece Bulk Pack - (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)

<b>Cylindrical</b>		
09-418	Schlage, KIL, PD/LD - (Classic Cylinders)	\$11.50*
09-417	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$11.50*
23790611	Falcon, KIL, PD/LD	\$19.60
<b>Mortise</b>		
46928768	Schlage, KIL, PD/LD - (Classic Cylinders)	\$12.60
46928776	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$12.60
<b>Exit</b>		
46928768	Schlage, KIL, PD/LD - (Classic Cylinders)	\$12.60
46928776	Schlage, KIL, PD/LD - (Everest/Primus/Modular Cylinders)	\$12.60

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Part Number	Description	List Price
<b>Cylinder - (Select by Chassis Type, Cylinder Mechanism, Cylinder Type, Cylinder Detail)</b>		
<b>Cylindrical</b>		
23-013	Classic, KIL, PD - (Only ATH, 8AT Lever Styles)	\$55.00*
23-030	Classic, FSIC, RD - (Open)	\$64.00*
23-030	Classic, FSIC, AD - (Restricted)	\$79.00*
20-750	Primus, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00*
20-740	Primus, FSIC, RD	\$132.00*
20-550	Primus UL, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00*
20-750-XP	Primus XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00*
20-740-XP	Primus XP, FSIC, RD	\$132.00*
20-550-XP	Primus UL XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00*
<b>Mortise</b>		
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles)	\$55.00*
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles) (Restricted)	\$70.00*
23-030	Classic, FSIC, RD	\$64.00*
20-854	Primus, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00*
20-740	Primus, FSIC, RD	\$132.00*
20-554	Primus UL, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00*
20-854-XP	Primus XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00*
20-740-XP	Primus XP, FSIC, RD	\$132.00*
20-554-XP	Primus UL XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00*
<b>Exit</b>		
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles)	\$55.00*
23-118	Classic, KIL, PD - (Except ATH, 8AT Lever Styles) (Restricted)	\$70.00*
23-030	Classic, FSIC, RD	\$64.00*
20-854	Primus, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00*
20-750	Primus, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00*
20-740	Primus, FSIC, RD	\$132.00*
20-554	Primus UL, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00*
20-550	Primus UL, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00*
20-854-XP	Primus XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$123.00*
20-750-XP	Primus XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$123.00*
20-740-XP	Primus XP, FSIC, RD	\$132.00*
20-554-XP	Primus UL XP, KIL, PD - (Except ATH, 8AT Lever Styles)	\$151.00*
20-550-XP	Primus UL XP, KIL, PD - (Only ATH, 8AT Lever Styles)	\$151.00*
<b>Interior Lever (Closed) - (Please specify STYLE and FINISH - Example: 03-030-SPA-626)</b>		
03-030	Inside Lever, Closed	\$118.00*

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Part Number	Description	List Price
<b>Exterior Lever (Less Cylinder) -</b>		
<b>(Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) - (Please specify STYLE and FINISH - Example: 03-031-SPA-626)</b>		
<b>Cylindrical</b>		
03-031	Schlage, KIL, PD/LD	\$118.00*
03-032	Schlage, FSIC, RD/JD	\$118.00*
03-000	Schlage, SFIC, GD/BD	\$118.00*
23779739 (RHO)	Falcon, KIL, LD FA7 (7-PIN)	\$125.00
23779762 (SPA)		
23779747 (8RO)		
23779770 (8SP)		
03-066	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$219.00*
23854524 (RHO)	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$224.00
23854540 (SPA)		
23854565 (TLR)		
23854532 (8RO)		
23854557 (8SP)		
23854573 (8TR)		
03-044	Sargent, KIL, LD SAR (6-PIN)	\$219.00*
03-077	Sargent, FSIC, JD SAR (6-PIN)	\$219.00*
09-388	Medeco, FSIC, JD MED (6-PIN)	\$299.00
23794225	Yale, FSIC, JD YA6 (6-PIN)	\$299.00
09-399	Yale, FSIC, JD YA7 (7-PIN)	\$224.00
<b>Mortise</b>		
09-331	Schlage, KIL, PD/LD	\$204.00
09-332	Schlage, FSIC, RD/JD	\$204.00
03-000	Schlage, SFIC, GD/BD	\$118.00*
09-331	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$204.00
09-366	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$266.00
09-366	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$266.00
09-344	Sargent, KIL, LD SAR (6-PIN)	\$266.00
09-377	Sargent, FSIC, JD SAR (6-PIN)	\$266.00
09-388	Medeco, FSIC, JD MED (6-PIN)	\$266.00
09-355	Yale, FSIC, JD YA6 (6-PIN)	\$266.00
09-399	Yale, FSIC, JD YA7 (7-PIN)	\$266.00

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Part Number	Description	List Price
<b>Exterior Lever (Less Cylinder) -</b>		
<b>(Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) - (Please specify STYLE and FINISH - Example: 03-031-SPA-626)</b>		
<b>Exit</b>		
<b>03-331</b>	Schlage, KIL, PD/LD	<b>\$136.00</b>
<b>03-332</b>	Schlage, FSIC, RD/JD	<b>\$136.00</b>
<b>03-300</b>	Schlage, SFIC, GD/BD	<b>\$136.00</b>
<b>03-331</b>	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, BRO, SPA, 8SP Lever Styles)	<b>\$136.00</b>
<b>03-366</b>	Corbin Russwin, FSIC, JD CO6 (6-PIN)	<b>\$254.00</b>
<b>03-366</b>	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, BAT Lever Styles)	<b>\$254.00</b>
<b>03-344</b>	Sargent, KIL, LD SAR (6-PIN)	<b>\$254.00</b>
<b>03-377</b>	Sargent, FSIC, JD SAR (6-PIN)	<b>\$254.00</b>
<b>09-388</b>	Medeco, FSIC, JD MED (6-PIN)	<b>\$254.00</b>
<b>03-355</b>	Yale, FSIC, JD YA6 (6-PIN)	<b>\$254.00</b>
<b>09-399</b>	Yale, FSIC, JD YA7 (7-PIN)	<b>\$254.00</b>

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Exterior Lever (Less Cylinder), 10-Piece Bulk Pack -</b>		
<b>(Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail) - (Please specify STYLE and FINISH - Example: K103-031-SPA-626)</b>		
<b>Cylindrical</b>		
K103-031	Schlage, KIL, PD/LD	\$907.00
K103-032	Schlage, FSIC, RD/JD	\$907.00
K103-000	Schlage, SFIC, GD/BD	\$1,080.00
K103-066	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$1,732.00
K103-044	Sargent, KIL, LD SAR (6-PIN)	\$2,152.00
K103-077	Sargent, FSIC, JD SAR (6-PIN)	\$1,732.00
K109-388	Medeco, FSIC, JD MED (6-PIN)	\$2,152.00
K103-055	Yale, FSIC, JD YA6 (6-PIN)	\$2,152.00
K109-399	Yale, FSIC, JD YA7 (7-PIN)	\$1,732.00
23991086 (RHO)	Corbin Russwin, FSIC, JD CO7 (7-PIN)	\$1,732.00
23991094 (SPA)		
23991102 (TLR)		
23991110 (8RO)		
23991128 (8SP)		
23991136 (8TR)		
<b>Mortise</b>		
K109-331	Schlage, KIL, PD/LD	\$1,873.00
K109-332	Schlage, FSIC, RD/JD	\$1,873.00
K103-000	Schlage, SFIC, GD/BD	\$1,080.00
K109-366	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$2,305.00
K109-344	Sargent, KIL, LD SAR (6-PIN)	\$2,305.00
K109-377	Sargent, FSIC, JD SAR (6-PIN)	\$2,305.00
K109-388	Medeco, FSIC, JD MED (6-PIN)	\$2,305.00
K109-355	Yale, FSIC, JD YA6 (6-PIN)	\$2,305.00
K109-399	Yale, FSIC, JD YA7 (7-PIN)	\$2,305.00
K109-331	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$1,873.00
K109-366	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$2,305.00
<b>Exit</b>		
K103-331	Schlage, KIL, PD/LD	\$1,122.00
K103-332	Schlage, FSIC, RD/JD	\$1,122.00
K103-000	Schlage, SFIC, GD/BD	\$1,080.00
K103-331	Falcon, KIL, LD FA7 (7-PIN) - (Only RHO, 8RO, SPA, 8SP Lever Styles)	\$1,122.00
K103-366	Corbin Russwin, FSIC, JD CO6 (6-PIN)	\$2,138.00
K103-366	Corbin Russwin, FSIC, JD CO7 (7-PIN) - (Except ATH, 8AT Lever Styles)	\$2,138.00
K103-344	Sargent, KIL, LD SAR (6-PIN)	\$2,657.00
K103-377	Sargent, FSIC, JD SAR (6-PIN)	\$2,138.00
K103-388	Medeco, FSIC, JD MED (6-PIN)	\$2,138.00
K103-355	Yale, FSIC, JD YA6 (6-PIN)	\$2,138.00
K103-399	Yale, FSIC, JD YA7 (7-PIN)	\$2,138.00

Pricing/product description subject to change without notice.

Part Number	Description	List Price
<b>Steel Lever Kits &amp; Parts</b>		
24274730-CO	Steel Lever Conversion Kit - (Includes Escutcheon Assembly, Spring Cage Assembly, Lever Rotation Stops, Screws, Instructions) - Please specify CLASS, READER, FINISH)	Call for Assistance
47250325	Stainless Steel Set Screw for outside Steel Levers (Package of 20)	\$39.60
<b>Interior Rose - (Please specify FINISH - Example: 03-042-RHO-626)</b>		
03-042-RHO-626	Interior Rose - (626 Finish)	\$105.00
03-042-RHO	Interior Rose - (605/606/612/619/625/643e Finishes)	\$108.00
03-042-RHO-613	Interior Rose - (613 Finish)	\$111.00
<b>Lock Retractor - (Select by Chassis Type, Chassis Thickness)</b>		
<b>Cylindrical</b>		
46928800	Retractor	\$289.00
<b>Mortise</b>		
46928818	1-1/16" Narrow - (Door Thicknesses 1-3/8" to 1-5/8")	\$372.00
46928826	1-1/4" Standard - (Door Thicknesses 1-3/4" to 2-3/4")	\$372.00
<b>Mortise Deadbolt</b>		
46928834	1-1/16" Narrow - (Door Thicknesses 1-3/8" to 1-5/8")	\$470.00
46928842	1-1/4" Standard - (Door Thicknesses 1-3/4" to 2-3/4")	\$470.00
<b>Spindle &amp; Hub Kit - (Select by Chassis Type)</b>		
<b>Exit</b>		
46929295	Exit Spindle & Hub Kit (Includes Spindle, Spindle Cover, Spindle Hub, Tailpiece, Twisted Tailpiece, Tailpiece Spring, Pine Tree Clip, Screw)	\$36.10
<b>Spindle Spring</b>		
44484996	Spindle Spring	\$4.20
<b>Hub, 10-Piece Bulk Pack - (Select by Chassis Type)</b>		
<b>Cylindrical</b>		
23599228	Hub (10-Piece Bulk Pack)	\$132.00
<b>Mortise</b>		
23599228	Hub (10-Piece Bulk Pack)	\$132.00
<b>Deadbolt Thumb Turn Assembly (with E-Clip) - (Please specify FINISH - Example: 46929113-626)</b>		
46929113	Deadbolt Thumb Turn Assembly (with E-Clip)	\$28.90
<b>Strike Plate (Select by Chassis Type) - (Please specify FINISH-SHAPE and LIP - Example: 10-025-0118-0626)</b>		
<b>Cylindrical</b>		
10-025-1316	ANSI, no box, 1-1/4" x 4-7/8", Standard with 1-3/16" Lip	\$14.70*
10-025-138	ANSI, no box, 1-1/4" x 4-7/8", Standard with 1-3/8" Lip	\$39.50*
10-025-112	ANSI, no box, 1-1/4" x 4-7/8", Standard with 1-1/2" Lip	\$39.50*
10-013-118	Square corner, T-strike, box, 1-1/8" x 2-3/4" with 1-1/8" Lip	\$10.30*
10-013-112	Square corner, T-strike, box, 1-1/8" x 2-3/4" with 1-1/2" Lip	\$14.40*
10-016	Square corner, T-strike, deep box, 1-1/8" x 2-3/4" with 1-1/8" Lip Use with Fire door latch	\$13.60*
K510-066	Box ANSI strike	\$6.50*
<b>Mortise Deadbolt</b>		
10-072-1316	1-1/4" x 4-7/8" Square corner, box, standard with Lip at 1-3/16", 7/8", 1", 1-1/2",	\$19.50*
10-072-xx	1-1/4" x 4-7/8" Square corner, box, specify lip length (xx) as 7/8", 1" or 1-1/2"	\$19.50*
10-072-xx	1-1/4" x 4-7/8" Square corner, box, specify lip length (xx) as 1", 1-3/4", or 2"	\$49.90*
10-075	1/2" Rabbeted	\$130.00*
37-015	Strike frame reinforcer	\$21.70*
XL11-820	Strike, One hole for latching Functions, RH & LHR door, 1-3/16" Lip	\$26.00*
XL11-821	Strike, One hole for latching Functions, LH & RHR door, 1-3/16" Lip	\$26.00*
<b>Mortise Armor Front - (Select by Width, Door Thickness) - (Please specify FINISH: 09-663-626)</b>		
09-663	Armor, 1-1/4" Wide Square Corner, Latch x Auxiliary latch (for door range 1-3/4" to 2-3/4")	\$32.10*
09-666	Armor, 1-1/4" Wide Square Corner, Latch x Auxiliary latch x Deadbolt (for door range 1-3/4" to 2-3/4")	\$32.10*
09-669	Armor, 1-1/16" Wide Square Corner, Latch x Auxiliary latch (for door range 1-3/8" to 1-5/8")	\$32.10*
09-672	Armor, 1-1/16" Wide Square Corner, Latch x Auxiliary latch x Deadbolt (for door range 1-3/8" to 1-5/8")	\$32.10*

\*This part is shared with Schlage mechanical and defaults to the Schlage mechanical discount.

Pricing/product description subject to change without notice.



Part Number	Description	List Price
<b>Door Thickness Kit - (Select by Chassis Type, Door Thickness) - (Please specify Door Thickness - Example: 23599376-134 for 1-3/4")</b>		
<b>Cylindrical</b>		
23599376-138	1-3/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$141.00
23599376-112	1-1/2" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$101.00
23599376-158	1-5/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$72.30
23599376-XXX	Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs) <b>Must specify door thickness:</b> 1-3/4" to 2-3/4" in 1/8" increments (EXAMPLE: 23599376-134 for a 1-3/4" door)	\$43.30
<b>Mortise</b>		
23599384-138	1-3/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$141.00
23599384-112	1-1/2" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$101.00
23599384-158	1-5/8" Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs)	\$72.30
23599384-XXX	Door Thickness Kit (Includes Baseplate Screws, Reader Screws, Spindles, Spring, Pin Wrench, Fire Plate Screw, Shim Plates, Standoffs) <b>Must specify door thickness:</b> 1-3/4" to 2-3/4" in 1/8" increments (EXAMPLE: 23599384-134 for a 1-3/4" door)	\$43.30
<b>Decorative Plate - (Select by Size) - (Please specify FINISH - Example: 23760283-626)</b>		
23631823	1.5" x 3.25" x .105" Decorative Plate (with Screws) - (Exit Trim)	\$30.70
23760267	1.7" x 3.5" x .075" Decorative Plate (with Screws)	\$22.50
23760283	3.2" x 3.5" x .075" Decorative Plate (with Screws)	\$34.80
23760317	6.0" x 3.5" x .075" Decorative Plate (with Screws)	\$53.00
23760325	6.6" x 3.5" x .075" Decorative Plate (with Screws)	\$53.00
23760309	8.0" x 3.5" x .075" Decorative Plate (with Screws)	\$54.20
23760291	8.0" x 3.5" x .075" Decorative Plate (with Screws, Welded Standoffs)	\$73.30
23760259*	10.5" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	\$70.40
23760275*	12.0" x 3.5" x .075" Decorative Plate (no Screws necessary) - (Under Lock)	\$69.60

\*Please consider overall Door Thickness when ordering

**Note:** Single Decorative Plate. Interior and Exterior Decorative Plates may be required.

**Note:** Decorative Plates may have multiple applications. Please see AD-Series Retrofit Template Overlay guide at [www.schlage.com/support](http://www.schlage.com/support) for more information  
Available Finishes: 626 Satin Chrome Standard. Please consult Customer Care for 605 Bright Brass or 643E Aged Bronze.

Part Number	Description	List Price
<b>Interior Shim Plate - (Please specify FINISH - Example: 23599368-626)</b>		
23599368	Interior Shim Plate (with Interior Spring Cage Spacer) - (Device is 0.063" thick)	\$20.90
<b>Exterior Shim Plate</b>		
23458599	Exterior Shim Plate - (Device is 0.063" thick)	\$19.50
<b>Door Position Switch</b>		
46929121	Door Position Switch	\$27.40
<b>Battery Holder &amp; Cover Kit - (Select by Chassis Type, Battery Capacity) - (Please specify FINISH - Example: 4B-CM-626)</b>		
<b>Cylindrical</b>		
4B-CM (23599202)	4AA Battery Holder & Cover Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, (2) Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)	\$48.70
<b>Mortise</b>		
4B-CM (23599202)	4AA Battery Holder & Cover Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, (2) Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)	\$48.70
<b>Exit</b>		
4B-E (23599285)	4AA Battery Holder & Cover Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, (2) Battery Strap Screws, 4AA Battery Cover, Cover Screw, Torx Cover Screw)	\$48.70
<b>Battery Holder Kit</b>		
46929063	4AA Battery Holder Kit (Includes 4AA Battery Holder with Cable, 4AA Battery Strap, Battery Strap Screws)	\$20.90
<b>Battery - (Select by Battery Type)</b>		
46929147	Coin Cell Battery	\$10.20
F206-488	(4) AA Batteries	\$9.30
<b>Torx Tamper Screw Pack - (Select by Chassis Type)</b>		
<b>Cylindrical</b>		
23631765	Torx Tamper Screw Pack	\$34.80
<b>Mortise</b>		
23631781	Torx Tamper Screw Pack	\$34.80
<b>Exit</b>		
23631799	Torx Tamper Screw Pack	\$27.80
<b>Request-to-Exit Switch Kit</b>		
RX-LC	Von Duprin RX-LC (also called SI-LC or Von Duprin part number 050281)	\$276.00
<i>Please see Falcon Price Book for Falcon AD part number 650359</i>		
<b>Wireless Parts</b>		
47250326	Terminal Block Kit - (Includes one power connector and ten I/O connectors) supports CT5000	\$38.60

Pricing/product description subject to change without notice.



<b>ELECTROMAGNETIC LOCKS - TABLE OF CONTENTS</b>	
<b>M490 Max Security</b>	<b>204</b>
<b>M450 High Security</b>	<b>205</b>
<b>M420 Traffic Control Series</b>	<b>206</b>
<b>M490DE Delayed Egress Series</b>	<b>207</b>
<b>40 Full Featured Series</b>	<b>208</b>
<b>70 Full Featured Series</b>	<b>209</b>
<b>M390RFK Retrofit Lock</b>	<b>210</b>
<b>Filler Plates and Angle Brackets</b>	<b>211</b>
<b>Electromagnetic Specialty Locks</b>	<b>212</b>
M490G Gate Lock	212
320M MiniLine Magnet Lock	212
<b>GF3000 Shear Lock Mortise Series</b>	<b>213</b>
<b>GF3000 Shear Lock Surface Series</b>	<b>214</b>
<b>Electromagnetic Lock Parts</b>	<b>215</b>

**CONTACT INFORMATION FOR ELECTROMAGNETIC LOCKS**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com


*For Electromagnetic Lock Warranty Information please see page 8.*

**Pricing/product description subject to change without notice.**


## Electromagnetic Locks and Accessories



## M490 Max Security Series with Limited Lifetime Warranty on Magnetic Coil Assembly



M490/M490P  
Single Lock



M492/M492P  
Double Lock - Single Housing

Patent # 5,133,581






### 1. Select Model

	M490	M492
<b>Electromagnetic Lock</b> Automatic Voltage Selection	<b>\$607.00</b>	<b>\$1,270.00</b>
<b>Electromagnetic Lock</b> Automatic Voltage Selection Door Status Monitor (DSM), Magnetic Bond Sensor (MBS) Relocking Time Delay (RTD)	<b>\$786.00</b>	<b>\$1,628.00</b>

### 2. Select Options and Accessories

	M490/M490P		M492/M492P	
<b>Anti-Tamper Switch (ATS), MBS indicator (LED)</b> for M490P/M492P only	450/490-ATS/LED	<b>\$67.70</b>	450/490-ATS/LED-2	<b>\$136.00</b>
<b>Herculite Door Bracket</b>	HDB490	<b>\$305.00</b>	HDB490-2	<b>\$612.00</b>
<b>Top Jamb (inswinging doors)</b>	TJ490	<b>\$148.00</b>	TJ492	<b>\$297.00</b>
<b>M452/M492 Connector Kit.</b> (used to convert two (2) single mag locks to a double)	DBK450/490			<b>\$56.40</b>




### 3. Select Filler Plates and Angle Brackets - Listed on page 211


Specifications	M490/M490P	M492/M492P
<b>Holding Force</b>	meets or exceeds BHMA standard of 1500 lbs	1500 lbs per door leaf
<b>Input Voltage</b>	12/24 VDC	12/24 VDC
<b>Current Draw</b> Automatic Dual Voltage 12/24 VDC	.65A @ 12 VDC .35A @ 24 VDC	1.3A @ 12 VDC .7A @ 24 VDC
<b>Height</b>	3"	3"
<b>Length</b>	12-1/2"	25-1/16"
<b>Width</b>	3-3/4"	3-3/4"
<b>Weight (Approximate)</b>	14 lbs	28 lbs

Pricing/product description subject to change without notice.

## M450 High Security Series with Limited Lifetime Warranty on Magnetic Coil Assembly



M450/M450P  
Single Lock



M452/M452P  
Double Lock with Single Housing

Patent # 5,133,581




### 1. Select Model

	M450	M452
<b>Electromagnetic Lock</b> Automatic Voltage Selection	<b>\$554.00</b>	<b>\$1,163.00</b>
	M450P	M452P
<b>Electromagnetic Lock</b> Automatic Voltage Selection Door Status Monitor (DSM), Magnetic Bond Sensor (MBS) Relocking Time Delay (RTD)	<b>\$737.00</b>	<b>\$1,530.00</b>

### 2. Select Options and Accessories

	M450/M450P		M452/M452P	
<b>Anti-Tamper Switch (ATS), MBS indicator (LED)</b> for M450P/M452P only	450/490-ATS/LED	<b>\$67.70</b>	450/490-ATS/LED-2	<b>\$136.00</b>
<b>Herculite Door Bracket</b>	HDB450	<b>\$305.00</b>	HDB450-2	<b>\$612.00</b>
<b>Top Jamb (inswinging doors)</b>	TJ450	<b>\$148.00</b>	TJ452	<b>\$297.00</b>
<b>M452/M492 Connector Kit.</b> (used to convert two (2) single mag locks to a double)	DBK450/490			<b>\$56.40</b>



### 3. Select Filler Plates and Angle Brackets - Listed on page 211

Specifications	M450/M450P	M452/M452P
<b>Holding Force</b>	meets or exceeds BHMA standard of 1000 lbs	1000 lbs per door leaf
<b>Input Voltage</b>	12/24 VDC	12/24 VDC
<b>Current Draw</b> Automatic Dual Voltage 12/24 VDC	.75A @ 12 VDC .38A @ 24 VDC	1.5A @ 12 VDC 0.75A @ 24 VDC
<b>Height</b>	3"	3"
<b>Length</b>	10-1/4"	20-9/16"
<b>Width</b>	1-3/4"	1-3/4"
<b>Weight (Approximate)</b>	10 lbs	20 lbs


Pricing/product description subject to change without notice.

## Electromagnetic Locks and Accessories




## M420 Traffic Control Series with Limited Lifetime Warranty on Magnetic Coil Assembly

M420/M420P  
Single Lock



M422/M422P  
Double Lock  
with Single Housing



Patent # 5,133,581




### 1. Select Model

	M420	M422
<b>Electromagnetic Lock</b> Automatic Voltage Selection	<b>\$485.00</b>	<b>\$1,026.00</b>
<b>Electromagnetic Lock</b> Automatic Voltage Selection Door Status Monitor (DSM), Magnetic Bond Sensor (MBS) Relocking Time Delay (RTD)	<b>M420P \$668.00</b>	<b>M422P \$1,371.00</b>

### 2. Select Options and Accessories

	M420/M420P		M422/M422P	
<b>Anti-Tamper Switch (ATS), MBS indicator (LED)</b> for M420P/M422P only	420-ATS/LED	<b>\$67.70</b>	420-ATS/LED-2	<b>\$136.00</b>
<b>Herculite Door Bracket</b>	HDB420	<b>\$305.00</b>	HDB420-2	<b>\$612.00</b>
<b>Top Jamb (inswinging doors)</b>	TJ420	<b>\$148.00</b>	TJ422	<b>\$297.00</b>
<b>M422 Connector Kit.</b> (used to convert two (2) single mag locks to a double)	DBK420			<b>\$56.40</b>



### 3. Select Filler Plates and Angle Brackets - Listed on page 211

Specifications	M420/M420P	M422/M422P
<b>Holding Force</b>	meets or exceeds BHMA standard of 500 lbs	500 lbs per door leaf
<b>Input Voltage</b>	12/24 VDC	12/24 VDC
<b>Current Draw</b> Automatic Dual Voltage 12/24 VDC	.75A @ 12 VDC .38A @ 24 VDC	1.5A @ 12 VDC .76A @ 24 VDC
<b>Height</b>	2-1/2"	2-1/2"
<b>Length</b>	9"	18-1/16"
<b>Width</b>	1-3/8"	1-3/8"
<b>Weight (Approximate)</b>	6 lbs	12 lbs

Pricing/product description subject to change without notice.

Patent #'s 6,053,546/5,479,151/5,133,581




## M490DE Delayed Egress Series with Limited Lifetime Warranty on Magnetic Coil Assembly


### Standard Features

- Delayed egress with plunger switch and external switch input
- Designed to meet NFPA 101 Life Safety Code
- Automatic voltage selection
- UL294 Special locking arrangement including BOCA\*
- Authorized release input
- On-board audible alarm
- On-board bi-color LED
- Fire alarm terminals

All 30 second delay requests, require a letter from the local fire marshal for approval or local jurisdiction.



M490DE  
SINGLE LOCK



M490DE-2  
DOUBLE LOCK SEPARATE HOUSING

### 1. Select Model

	M490DE	M490DE-2
<b>Electromagnetic Delayed Egress Lock, Factory Set 15 sec delay</b> Automatic Voltage Selection	<b>\$1,303.00</b>	<b>\$2,552.00</b>
	<b>M490DEP</b>	<b>M490DEP-2</b>
<b>Electromagnetic Lock, Factory Set 15 sec delay</b> Automatic Voltage Selection Door Status Monitor (DSM), Magnetic Bond Sensor (MBS) Relocking Time Delay (RTD)	<b>\$1,956.00</b>	<b>\$3,783.00</b>

\* For BOCA option please contact Customer Care, only available on Plus models

### 2. Select Options and Accessories

	M490DE / M490DEP		M490DE-2 / M490DEP-2	
<b>Herculite (Glass) Door Bracket</b>	HDB490	<b>\$305.00</b>	HDB490-2	<b>\$612.00</b>
<b>Delayed Egress, Factory Set 30 sec delay</b>	M490DE-30S	<b>\$1,348.00</b>		
<b>Delayed Egress Plus, Factory Set 30 sec delay</b>	M490DEP-30S	<b>\$2,001.00</b>		
<b>Delayed Egress Plus, BOCA, Factory Set 15 sec delay</b>	M490DEP-BC	<b>\$2,001.00</b>		
<b>Delayed Egress Plus, BOCA, Factory Set 30 sec delay</b>	M490DEP-BC30S	<b>\$2,001.00</b>		

All 30 second delay requests, require a letter from the local fire marshal for approval or local jurisdiction.

### 3. Select Filler Plates and Angle Brackets - Listed on page 211

Specifications	M490DE/M490DEP	M490DE-2/M490DEP-2
<b>Holding Force</b>	meets or exceeds BHMA standard of 1500 lbs	1500 lbs per door leaf
<b>Input Voltage</b>	12/24 VDC	12/24 VDC
<b>Current Draw</b> Automatic Dual Voltage 12/24 VDC	.75A @ 12 VDC .45A @ 24 VDC	1.25A @ 12 VDC 0.76A @ 24 VDC
<b>Height</b>	3"	3"
<b>Length</b>	12-1/2"	25-1/16"
<b>Width</b>	3-1/16"	3-1/16"
<b>Weight (Approximate)</b>	16 lbs	32 lbs

Pricing/product description subject to change without notice.







**40 Full Featured Series  
with Limited Lifetime Warranty  
on Magnetic Coil Assembly**


**Standard Features:**

- Automatic voltage selection
- Magnetic bond sensor
- Door status monitor
- Stainless steel canister





**1. Select Model**

	<b>40</b>	<b>40TJ</b>
<b>Electromagnetic Lock</b> Automatic Voltage Selection, Magnetic Bond Sensor, Door Status Monitor, Stainless Steel Canister	<b>\$378.00</b>	<b>\$471.00</b> Includes Top Jamb Bracket




**2. Select Accessories**

	<b>40</b>	<b>40TJ</b>
<b>Herculite Door Kits</b> (628, 335 finish only)	HDB-40	<b>\$64.30</b>
<b>Universal Header Bracket</b> (628, 335 finish only)	UHB	<b>\$50.80</b>
<b>Header Extension Bracket</b> (628, 335 finish only)	HEB	<b>\$64.30</b>
<b>Concrete/Wood Brackets</b> (628, 335 finish only)	CWB-40	<b>\$53.10</b>
<b>Aluminum Spacer Brackets</b> (628, 335 finish only)	ASB-40	<b>\$38.40</b>



**3. Select Dress Cover and Finish**


	<b>40</b>		<b>40TJ</b>	
<b>Satin Black</b>	DC40-335	<b>\$81.20</b>	DC40TJ-335	<b>\$105.00</b>
<b>Bright Brass</b>	DC40-605	<b>\$81.20</b>	DC40TJ-605	<b>\$105.00</b>
<b>Satin Aluminum</b>	DC40-628	<b>\$31.60</b>	DC40TJ-628	<b>\$38.40</b>



**4. Select Filler Plates - 40 and 70 Series**



<b>40 Filler Plates</b>	<b>Length</b>	
<b>4070-1F</b>	<b>1-1/4" x 1/8"</b>	<b>\$23.70</b>
<b>4070-2F</b>	<b>1-1/4" x 1/4"</b>	<b>\$23.70</b>
<b>4070-3F</b>	<b>1-1/4" x 3/8"</b>	<b>\$23.70</b>
<b>4070-4F</b>	<b>1-1/4" x 1/2"</b>	<b>\$23.70</b>
<b>4070-5F</b>	<b>1-1/4" x 5/8"</b>	<b>\$23.70</b>

**NOTE:** Filler plates available in 628 or 335 finish



**Specifications**

	<b>40</b>	<b>40TJ</b>
<b>Holding Force</b>	meets or exceeds BHMA standard of 500 lbs.	meets or exceeds BHMA standard of 500 lbs.
<b>Input Voltage</b>	12/24 VDC	12/24 VDC
<b>Current Draw</b> Automatic Dual Voltage 12/24 VDC	.32A @ 12 VDC .15A @ 24 VDC	.32A @ 12 VDC .15A @ 24 VDC
<b>Height</b>	1-7/8"	1-7/8"
<b>Length</b>	8"	8"
<b>Width</b>	1-5/8"	1-5/8"
<b>Weight (Approximate)</b>	4 lbs	4 lbs




Pricing/product description subject to change without notice.

## 70 Full Featured Series with Limited Lifetime Warranty on Magnetic Coil Assembly




### Standard Features:

- Automatic voltage selection
- Magnetic bond sensor
- Door status monitor
- Stainless steel canister




### 1. Select Model

	70	70TJ	72 - Double
<b>Electromagnetic Lock</b> Automatic Voltage Selection, Magnetic Bond Sensor, Door Status Monitor, Stainless Steel Canister	<b>\$481.00</b>	<b>\$572.00</b>	<b>\$1,012.00</b>




### 2. Select Accessories

	70	70TJ	72
<b>Herculite Door Kits</b> (628, 335 finish only)	HDB-70	<b>\$64.30</b>	N/A
<b>Universal Header Bracket</b> (628, 335 finish only)	UHB	<b>\$50.80</b>	
<b>Header Extension Bracket</b> (628, 335 finish only)	HEB	<b>\$64.30</b>	
<b>Concrete/Wood Brackets</b> (628, 335 finish only)	CWB-70	<b>\$57.40</b>	
<b>Aluminum Spacer Brackets</b> (628, 335 finish only)	ASB-70	<b>\$38.40</b>	
<b>Offset Armature Option</b> (628, 335 finish only)	OSA	<b>\$38.40</b>	N/A



### 3. Select Dress Cover and Finish


	70	72
<b>Satin Black</b>	DC70-335	<b>\$81.20</b>
<b>Bright Brass</b>	DC70-605	<b>\$81.20</b>
<b>Satin Aluminum</b>	DC70-628	<b>\$31.60</b>



### 4. Select Filler Plates - 40 and 70 Series




70 Filler Plates	Length 8"	72 Filler Plates	Length 22"
4070-1F	1-1/4" x 1/8" <b>\$23.70</b>	72-1F	1-1/4" x 1/8" <b>\$47.40</b>
4070-2F	1-1/4" x 1/4" <b>\$23.70</b>	72-2F	1-1/4" x 1/4" <b>\$47.40</b>
4070-3F	1-1/4" x 3/8" <b>\$23.70</b>	72-3F	1-1/4" x 3/8" <b>\$47.40</b>
4070-4F	1-1/4" x 1/2" <b>\$23.70</b>	72-4F	1-1/4" x 1/2" <b>\$47.40</b>
4070-5F	1-1/4" x 5/8" <b>\$23.70</b>	72-5F	1-1/4" x 5/8" <b>\$47.40</b>

**NOTE:** Filler plates available in 628 or 335 finish



### Specifications

	70	70TJ	72
<b>Holding Force</b>	meets or exceeds BHMA standard of 1000 lbs.	meets or exceeds BHMA standard of 1000 lbs.	1000 lbs per door leaf
<b>Input Voltage</b>	12/24 VDC	12/24 VDC	12/24 VDC
<b>Current Draw</b> Automatic Dual Voltage 12/24 VDC	.25A @ 12 VDC .12A @ 24 VDC	.25A @ 12 VDC .12A @ 24 VDC	.50A @ 12 VDC .25A @ 24 VDC
<b>Height</b>	3"	3"	3"
<b>Length</b>	8"	8"	8"
<b>Width</b>	1-7/8"	1-7/8"	1-7/8"
<b>Weight</b> (Approximate)	8 lbs	12 lbs	18 lbs




Pricing/product description subject to change without notice.

## M390RFK Retrofit Lock

with Limited Lifetime Warranty on Magnetic Coil Assembly  
Designed to retrofit Locknetics 390+ without any additional prep.

Patent # 5,133,581





Single Lock

### 1. Select Model

	<b>M390RFK</b>
<b>Electromagnetic Lock</b> Automatic Voltage Selection, Magnetic Bond Sensor, Door Status Monitor, 628 satin aluminum finish	<b>\$786.00</b>

### 2. Select Filler Plates and Angle Brackets - Listed on page 211

<b>Specifications</b>	<b>M390RFK</b>
<b>Holding Force</b>	meets or exceeds BHMA standard of 1500 lbs
<b>Input Voltage</b>	12/24 VDC
<b>Current Draw</b> Automatic Dual Voltage 12/24 VDC	.65A @ 12 VDC .45A @ 24 VDC
<b>Height</b>	2-7/8"
<b>Length</b>	10-1/2"
<b>Width</b>	1-5/8"
<b>Weight</b> (Approximate)	12.4 lbs



**Angle Brackets**

Length	M420		M450	
	9"		10-1/4"	
Width x Height	Bracket No.	Price Ea.	Bracket No.	Price Ea.
1" x 1"	4201A	\$73.30	4501A	\$73.30
1-1/2" x 1"	4202A	\$77.80	4502A	\$77.80
1-1/2" x 1-1/2"	4203A	\$82.30	4503A	\$82.30
1-1/2" x 2"	4204A	\$108.00	4504A	\$108.00
1-1/2" x 2-1/2"	4205A	\$130.00	4505A	\$130.00

**Note:** Overall lengths are cut to the appropriate magnet size.

**Angle Brackets**

Length	M490/M490DE		M490G Corrosion Resistant	
	12-1/2"		11"	
Width x Height	Bracket No.	Price Ea.	Bracket No.	Price Ea.
1" x 1"	4901A	\$73.30	49G1A	\$73.30
1-1/2" x 1"	4902A	\$77.80	49G2A	\$77.80
1-1/2" x 1-1/2"	4903A	\$82.30	49G3A	\$82.30
1-1/2" x 2"	4904A	\$108.00	49G4A	\$108.00
1-1/2" x 2-1/2"	4905A	\$130.00	49G5A	\$130.00

**NOTE:** Overall lengths are cut to the appropriate magnet size.

**Filler Plates**

Length	M420		M450	
	9"		10-1/4"	
Width x Height	Plate No.	Price Ea.	Plate No.	Price Ea.
1-1/4" x 1/8"	4201F	\$62.00	4501F	\$62.00
1-1/4" x 1/4"	4202F	\$62.00	4502F	\$62.00
1-1/4" x 3/8"	4203F	\$68.70	4503F	\$68.70
1-1/4" x 1/2"	4204F	\$68.70	4504F	\$68.70
1-1/4" x 5/8"	4205F	\$68.70	4505F	\$68.70
3/4" x 1/2"	4206F	\$68.70	4506F	\$68.70
3/4" x 5/8"	4207F	\$77.90	4507F	\$77.90
3/4" x 3/4"	4208F	\$77.90	4508F	\$77.90

**Filler Plates**

Length	M490/M490DE		M490G Corrosion Resistant	
	12-1/2"		11"	
Width x Height	Plate No.	Price Ea.	Plate No.	Price Ea.
1-1/4" x 1/8"	4901F	\$62.00	49G1F	\$62.00
1-1/4" x 1/4"	4902F	\$62.00	49G2F	\$62.00
1-1/4" x 3/8"	4903F	\$68.70	49G3F	\$68.70
1-1/4" x 1/2"	4904F	\$68.70	49G4F	\$68.70
1-1/4" x 5/8"	4905F	\$68.70	49G5F	\$68.70
3/4" x 1/2"	4906F	\$68.70	49G6F	\$68.70
3/4" x 5/8"	4907F	\$77.90	49G7F	\$77.90
3/4" x 3/4"	4908F	\$77.90	49G8F	\$77.90

**Note:** When ordering 422, 452 or 492 two Angle Brackets or Filler Plates are required.  
Double bracket part # is no longer available convert two single brackets.


Pricing/product description subject to change without notice.

## M490G Gate Lock



with Limited Lifetime Warranty on Magnetic Coil Assembly

**Standard Features**

- Includes - universal mounting brackets - for swinging or sliding gate
- Special corrosion-resistant finish
- 1/2" EMT compression fitting
- Built in voltage spike suppression
- Door status monitor
- Magnetic Bond Sensor
- Certified for outdoor use -31° to 151° F (-35° to 66° C)



Specifications	M490G
<b>Holding Force</b>	1500 lbs
<b>Input Voltage</b> (Standard Unit)	12/24 VDC
<b>Current Draw</b> (Amps Standard Unit)	.65A @ 12 VDC
<b>Dual Voltage Field Selectable</b>	.35A @ 24 VDC
<b>Height</b>	3"
<b>Length</b>	11"
<b>Width</b>	1-3/4"
<b>Weight</b> (Approximate)	14 lbs



### 1. Select Model

M490G	Gate Lock	\$612.00
-------	-----------	----------


## 320M MiniLine Magnet Lock

### with Limited Lifetime Warranty on Magnetic Coil Assembly

**Standard Features**

- Mortise mount for sliding doors
- Includes mounting tabs and armature mounting block
- Door status monitor
- Magnetic Bond Sensor
- Adjustable relocking delay

Specifications	320M
<b>Holding Force</b>	Meets or Exceeds BHMA Standard of 500lbs
<b>Input Voltage</b>	12/24 VDC
<b>Current Draw</b>	.45A @ 12 VDC
<b>Dual Voltage Field Selectable</b>	.23A @ 24 VDC
<b>Height</b>	1-3/8"
<b>Length</b>	7"
<b>Width</b>	1-7/8"
<b>Weight</b> (Approximate)	6 lbs




**Note:** For Wood Frames: Due to higher ambient operating temperatures, it is **REQUIRED** that the 12 VDC configuration be used.

### 1. Select Model

320M	Mini Line	\$521.00
------	-----------	----------


## GF3000 Shear Lock Mortise Series with Limited Lifetime Warranty on Magnetic Coil Assembly

Patent # 6,611,414




### Standard Features


- Microprocessor controlled
- Built-in auto relocking switch (ARS)
- Jump 1/4" gap - no in-rush current (noticeable noise level when connecting)
- Automatic voltage selection 12 VDC or 24 VDC
- Cool temperature regulator
- Adjustable time delay: 1-30 sec. from face of magnet



GF3000



GF3000TRD



GF3000BRD

### 1. Select Model

<b>GF3000</b>	<b>Standard Unit</b> Adjustable from top edge of door	<b>\$971.00</b>
<b>GF3000TRD</b>	<b>Top Rail Door</b> Mounting assembly which provides armature adjustment from latch edge of door Recommended with zero clearance condition between top of door and ceiling	<b>\$1,335.00</b>
<b>GF3000BRD</b>	<b>Bottom Rail Door</b> Mounting assembly to mortise armature into bottom rail of door Magnet is installed in floor/threshold Provides solution when no top rail is available	<b>\$1,432.00</b>

### 2. Select Options

<b>DSM/MBS</b>	Door Status Monitor/Magnetic Bond Sensor	<b>\$239.00</b>
----------------	------------------------------------------	-----------------

### Specifications

<b>Holding Force</b>	3000 lbs
<b>Current Draw</b>	0.90A @ 12 VDC 0.45A @ 24 VDC
<b>Lock Size</b>	9-1/2" L x 1-1/2" W x 1-1/2" H
<b>Weight (Approximate)</b>	7 lbs
<b>w/ Mounting Tabs</b>	11-9/16" L x 1-1/2" W x 1-1/2" H
<b>Armature</b>	8-3/8" L x 1-3/8" W x 1/2" D
<b>Armature Bracket</b>	10-5/8" L x 1-3/8" W x 1" D

**Note:** Filtered, regulated power supply recommended. See PS900 Series Power Supplies.

Pricing/product description subject to change without notice.




## GF3000 Shear Lock Surface Series with Limited Lifetime Warranty on Magnetic Coil Assembly

Patent # 6,611,414



### Standard Features

- Microprocessor controlled
- Built in auto relocking switch (ARS)
- Jump 1/4" gap - no in-rush current (noticeable noise when connecting)
- Automatic voltage selection 12 VDC or 24 VDC
- Cool temperature regulator
- Adjustable time delay, 0-30 sec. from face of magnet
- Satin black, anodized housing (not available in special finishes)



### 1. Select Model

<b>GF3000SM</b>	<b>Standard Unit</b> (outswinging doors) Adjustable from top edge of armature. Finish plates available in 628 Satin Aluminum, Clear Anodized Finish	<b>\$1,184.00</b>
<b>GF3000TJ</b>	<b>Top Jamb Unit</b> (inswinging doors) Magnet mounts on inside top jamb. Adjustable from top edge of armature Finish plates available in 628 Satin Aluminum, Clear Anodized Finish	<b>\$1,184.00</b>

### 2. Select Options

<b>DSM/MBS</b>	Door Status Monitor/Magnetic Bond Sensor	<b>\$239.00</b>
----------------	------------------------------------------	-----------------

**Note:** Housing available in satin black, anodized (335) finish only

### Specifications

<b>Holding Force</b>	3000 lbs
<b>Current Draw</b>	0.90A @ 12 VDC 0.45A @ 24 VDC
<b>Lock Housing</b>	9-13/16" L x 1-1/4" W x 1-1/2" H
<b>Armature Housing</b>	8-3/8" L x 1-3/8" W x 1/2" D
<b>Weight</b> (Approximate)	9 lbs (SM, TJ suffix)

**Note:** Filtered, regulated power supply recommended See 900 Series Power Supplies

Part Number	Description	List
P44488484	PCB ASSY BASIC - w/ Tape	\$119.00
P44488492	PCB ASSY PLUS - w/ Tape	\$216.00
P23561665	M490 MTG PLATE	\$57.80
P23561954	M450 MTG PLATE	\$53.30
P23561962	M420 MTG PLATE	\$48.00
P44487825	M490 DEL 2 CABLE ASSY	\$107.00
P390498	SEX NUTS 5/16 INSIDE THREAD - 1-3/4" DOOR	\$14.30
P390498-2	SEX NUTS 5/16 INSIDE THREAD - 1-1/2" DOOR	\$69.40
P390498-5	SEX NUTS 5/16 INSIDE THREAD - 2" DOOR	\$95.50
P390498-6	SEX NUTS 5/16 INSIDE THREAD - 2-1/8" DOOR	\$112.00
P390498-7	SEX NUTS 5/16 INSIDE THREAD - 2-1/4" DOOR	\$112.00
P390498-8	SEX NUTS 5/16 INSIDE THREAD - 2-3/8" DOOR	\$113.00
P390498-9	SEX NUTS 5/16 INSIDE THREAD - 2-1/2" DOOR	\$114.00
P390498-11	SEX NUTS 5/16 INSIDE THREAD - 2-3/4" DOOR	\$129.00
P44489342	Armature TJ Fastener Pack	\$13.90
P23566821	Magnetic TJ Fastener Pack	\$13.90
P44489110	490 Armature Mounting Fastener Pack	\$22.20
P44489128	450/420 Armature Mounting Fastener Pack	\$25.70
P44488377	490/450 DBK - Double Magnet Connector Kit (Screw Mounting Pack Sold Separate)	\$69.60
P44488286	420 DBK - Double Magnet Connector Kit (Screw Mounting Pack Sold Separate)	\$69.60
P23879471	DE Cover Security Screw Pack	\$20.80
P23841067	M450/490 Cover Plate Kit	\$13.90
P23841075	M420 Cover Plate Kit	\$13.90
P23840283	M420 Mag MTG Pack	\$13.90
P23840291	M490/450 Mag MTG Pack	\$13.90
P23840911	M490DE PCB Cover Kit	\$73.40
P23840929	M490DE-S Cover Kit	\$66.50
P23840937	M490DEP PCB Kit	\$613.00
P23840945	M490DE PCB Kit	\$493.00
P23840952	M490DE(S) PCB Kit	\$266.00
P23841208	HDB SCREW Kit	\$13.90
P23850357	Screw Pack - M400 Series Filler Plate - Angle Bracket	\$37.70
P23566359	M490 Armature Housing Assembly	\$75.50
P23561996	M450 Armature Housing Assembly	\$71.50
P23566888	M420 Armature Housing Assembly	\$70.30
P23561707	M490 Armature	\$216.00
P44489318	M450 Armature	\$101.00
P23562025	M420 Armature	\$76.40
P44487767	M490DEL Armature	\$222.00
P44488443	M490DE Basic Slave (DE Slave only)	\$1,248.00
P44488468	M490DEP Plus Slave (DE Plus Slave only)	\$1,826.00

Pricing/product description subject to change without notice.





<b>POWER SUPPLIES - TABLE OF CONTENTS</b>	
<b>PS902 Power Supplies and Option Boards</b>	<b>218</b>
<b>PS904 Power Supplies and Option Boards</b>	<b>219</b>
<b>PS906 Power Supplies and Option Boards</b>	<b>220</b>

**CONTACT INFORMATION FOR POWER SUPPLIES & ACCESSORIES**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

*For Power Supply Warranty Information please see page 10.*

**Pricing/product description subject to change without notice.**


# PS902 Power Supplies

2A @ 12/24 VDC – field selectable



## Standard Features

- UL 294 Listed for Access Control
- Class2 rated power limited output
- Universal 120-240 VAC input
- Regulated and filtered DC outputs
- AC input and DC output LED indications
- Fire alarm relay and battery backup board attach to main board
- 1 connector for optional distribution boards
- AC input status indication on outside cover
- AC status monitor
- 14" H x 12" W x 4" D enclosure



### 1. Select Power Supply

<b>PS902</b>	Base Power Supply (2A @ 12/24 VDC- field selectable) (approx. weight: 9 lbs) -PS902 is able to accept a total of one optional distribution board, plus one fire alarm relay along with one battery backup board and up to two 7A/hr batteries	<b>\$237.00</b>
--------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------

### 2. Select Optional Distribution Board with or without FA (Fire Alarm Relay)

<b>1.</b>	900-4R - 4 independently controlled relays	<b>\$158.00</b>
<b>1.</b>	900-4R FA - 4 independently controlled relays with FA	<b>\$215.00</b>
<b>2.</b>	900-2RS - 2 relay EL panic device control board	<b>\$147.00</b>
<b>2.</b>	900-2RS FA - 2 relay output with FA	<b>\$198.00</b>
<b>3.</b>	900-4RL - 4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays	<b>\$433.00</b>
<b>3.</b>	900-4RL FA - 4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA	<b>\$489.00</b>
<b>4.</b>	900-8F - 8 fuse protected outputs	<b>\$56.30</b>
<b>4.</b>	900-8F FA - 8 fuse protected outputs with FA	<b>\$113.00</b>
<b>5.</b>	900-8P - 8 PTC protected outputs	<b>\$56.30</b>
<b>5.</b>	900-8P FA - 8 PTC protected outputs with FA	<b>\$113.00</b>

### 3. Select Other Power Supply Options

<b>1.</b>	900-BBK - Battery Backup Kit (includes two 7A/hr batteries)	<b>\$169.00</b>
<b>1.</b>	900-BB - Battery Backup Board only	<b>\$56.30</b>
<b>1.</b>	900-BAT - Backup Battery Pack Two (2) 7A/hr batteries	<b>\$113.00</b>
<b>2.</b>	900-FA - Fire Alarm Relay (EIR) module is a plug-in relay to provide an interface with fire or other emergency override systems *may be installed directly on main board, or may be used with optional distribution board	<b>\$56.30</b>
<b>3.</b>	900-KL - Key Lock	<b>\$36.10</b>
<b>4.</b>	BAA-BAA Compliant Product	<b>\$36.10</b>

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Note:** PS902 power supplies require connection to AC line voltage. Installation and all electrical connections (high and low voltage) should be performed by a qualified electrical contractor.


# PS904 Power Supplies

4A @ 12/24 VDC – field selectable



## Standard Features

- UL 294 Listed for Access Control
- Class2 rated power limited output
- Universal 120-240 VAC input
- Regulated and filtered DC outputs
- AC input and DC output LED indications
- Battery backup board attaches to main board
- 2 connectors for optional distribution boards
- AC input status indication on outside cover
- AC status monitor
- 14" H x 12" W x 4" D enclosure



## 1. Select Power Supply

<b>PS904</b>	Base Power Supply (4A @ 12/24 VDC- field selectable) (approx. weight: 11 lbs) PS904 is able to accept a total of two optional distribution boards, plus one fire alarm relay along with one battery backup board and up to two 7A/hr batteries	<b>\$451.00</b>
--------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------

## 2. Select Optional Distribution Board with or without FA (Fire Alarm Relay)

<b>1.</b>	900-4R - 4 independently controlled relays	<b>\$158.00</b>
<b>1.</b>	900-4R FA - 4 independently controlled relays with FA	<b>\$215.00</b>
<b>2.</b>	900-2RS - 2 relay EL panic device control board	<b>\$147.00</b>
<b>2.</b>	900-2RS FA - 2 relay output with FA	<b>\$198.00</b>
<b>3.</b>	900-4RL - 4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays	<b>\$433.00</b>
<b>3.</b>	900-4RL FA - 4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA	<b>\$489.00</b>
<b>4.</b>	900-8F - 8 fuse protected outputs	<b>\$56.30</b>
<b>4.</b>	900-8F FA - 8 fuse protected outputs with FA	<b>\$113.00</b>
<b>5.</b>	900-8P - 8 PTC protected outputs	<b>\$56.30</b>
<b>5.</b>	900-8P FA - 8 PTC protected outputs with FA	<b>\$113.00</b>

\* Fire alarm relay requires option board installation. If PS904 with fire alarm input only is desired, order 900-8P FA

## 3. Select Other Power Supply Options

<b>1.</b>	900-BBK - Battery Backup Kit (includes two 7A/hr batteries)	<b>\$169.00</b>
<b>1.</b>	900-BB - Battery Backup Board only	<b>\$56.30</b>
<b>1.</b>	900-BAT - Backup Battery Pack Two (2) 7A/hr batteries	<b>\$113.00</b>
<b>2.</b>	900-KL - Key Lock	<b>\$36.10</b>
<b>3.</b>	BAA-BAA Compliant Product	<b>\$36.10</b>

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Note:** PS904 power supplies require connection to AC line voltage. Installation and all electrical connections (high and low voltage) should be performed by a qualified electrical contractor.


# PS906 Power Supplies

6A @ 12/24 VDC – field selectable



## Standard Features

- UL 294 Listed for Access Control
- Universal 120-240 VAC input
- Regulated and filtered DC outputs
- AC input and DC output LED indications
- Battery backup board attaches to main board
- 3 connectors for optional distribution boards
- AC input status indication on outside cover
- AC status monitor
- 14" H x 12" W x 4" D enclosure



### 1. Select Power Supply

<b>PS906</b>	Base Power Supply (6A @ 12/24 VDC- field selectable) (approx. weight: 7 lbs) PS906 is able to accept a total of one fire alarm relay plus three optional distribution boards or two optional boards with battery backup board and two 7A/hr batteries	<b>\$700.00</b>
--------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------

### 2. Select Optional Distribution Board with or without FA (Fire Alarm Relay)

<b>1.</b>	900-4R - 4 independently controlled relays	<b>\$158.00</b>
<b>1.</b>	900-4R FA - 4 independently controlled relays with FA	<b>\$215.00</b>
<b>2.</b>	900-2RS - 2 relay EL panic device control board	<b>\$147.00</b>
<b>2.</b>	900-2RS FA - 2 relay output with FA	<b>\$198.00</b>
<b>3.</b>	900-4RL - 4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays	<b>\$433.00</b>
<b>3.</b>	900-4RL FA - 4 relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA	<b>\$489.00</b>
<b>4.</b>	900-8F - 8 fuse protected outputs	<b>\$56.30</b>
<b>4.</b>	900-8F FA - 8 fuse protected outputs with FA	<b>\$113.00</b>
<b>5.</b>	900-8P - 8 PTC protected outputs	<b>\$56.30</b>
<b>5.</b>	900-8P FA - 8 PTC protected outputs with FA	<b>\$113.00</b>

### 3. Select Other Power Supply Options

<b>1.</b>	900-BBK - Battery Backup Kit (includes two 7A/hr batteries) <i>*Can not be used if 3rd distribution board is installed"</i>	<b>\$169.00</b>
<b>1.</b>	900-BB - Battery Backup Board only	<b>\$56.30</b>
<b>1.</b>	900-BAT - Backup Battery Pack Two (2) 7A/hr batteries	<b>\$113.00</b>
<b>2.</b>	900-KL - Key Lock	<b>\$36.10</b>
<b>3.</b>	BAA-BAA Compliant Product	<b>\$36.10</b>

BAA compliant products must have the cover letter on page 267 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

**Note:** PS906 power supplies require connection to AC line voltage. Installation and all electrical connections (high and low voltage) should be performed by a qualified electrical contractor.

**SYSTEM ACCESSORIES - TABLE OF CONTENTS**

<b>Consoles and Monitoring Stations</b>	<b>222</b>
8200 Series	222
800 Series	222
<b>Electronic Access Releasing Devices</b>	<b>223</b>
672 TouchBar	223
692 SmartBar	224
600 Series Heavy Duty Pushbuttons	225
700 Series Entry Level Pushbutton	226
650 Series Heavy Duty Keyswitches	227
<b>Specialty Equipment</b>	<b>228</b>
Door Position Switches	228
Door Cords	228
<b>Accessories</b>	<b>229</b>
Electric Horns	229
Scanners/PIRs	229
740 Series Emergency Break Glass	229
660 Series Surface Mini Box	229
<b>Electromechanical Locks</b>	<b>230</b>
442S Series Cabinet Lock	230
PB405/PB405S PowerBolts	230

**CONTACT INFORMATION FOR SYSTEM ACCESSORIES**

Payment Address: Schlage Electronic Security  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Entry_Schlage_Commercial@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

*For System Accessories Warranty Information please see page 10.*


**Pricing/product description subject to change without notice.**



## 8200 Series Consoles

### Features

- Slope front design, with anodized face plate and durable housing
- Each station provides maintained or momentary SPDT pushbutton switch
- Red and green indicator lamps
- Security keyswitch
- Signaling Horn
- Alarm reset button
- 24 VDC operation



4 or 8 zone console

### 1. Select Model

1. Select model - last digit indicates # of zones and select pushbutton function by zone
2. Specify M (momentary) or A (alternate action, maintained) for each zone


	ZONE	1	2	3	4	5	6	7	8	
8204		---	---	---	---					<b>\$1,195.00</b>
8208		---	---	---	---	---	---	---	---	<b>\$2,103.00</b>

### 2. Select Console Accessories


8200MS	Momentary Switch Assembly	<b>\$131.00</b>
8200AS	Alternate Action (maintained) Switch Assembly	<b>\$131.00</b>

*Field installable pushbuttons to upgrade from 2-4 zones or 5-8 zones*



## 800 Series Remote & Local Monitoring Stations



800A



801



### Select Model

<b>800A</b>	Remote monitoring - audible sound, 80 dB @ 2ft	<b>\$130.00</b>
<b>800L1</b>	Local monitoring - one LED indicator - red, green or amber	<b>\$65.40</b>
<b>800L2</b>	Two LED indicators - red, green or amber	<b>\$90.20</b>
<b>801</b>	Local or Remote Monitoring Station (requires MBS option on locking device)	<b>\$242.00</b>
<b>801KS</b>	Local or Remote Monitoring Station with Keyswitch (less cylinder) for Legal Release & Reset feature (requires MBS on locking device) SPDT momentary x SPDT maintained contact arrangement	<b>\$638.00</b>




## 672 TouchBar

The 672 TouchBar is a request-to-exit device used to release electromagnetic locks. Designed for easy installation, smooth operation and maximum durability, the 672 TouchBar offers unmatched features and customer benefits.

### Standard Features

- Pushpad with "PUSH TO EXIT" signage
- 1/4" Movement to activate switch
- Heavy-duty aluminum extrusion and powder coated zinc end caps
- Double pole, double throw switch
- Universal mounting system for aluminum, hollow metal and wood doors (Includes self-drilling, self-tapping screws for aluminum or wood door application: RIV nuts for hollow metal door applications)
- Field reversible



REX Bar Application

### 1. Select Model

<b>672</b>	For aluminum, hollow metal and wood doors	<b>\$309.00</b>
------------	-------------------------------------------	-----------------

### 2. Select Door Size

<b>36", 42" or 48"</b>	Standard door width	<b>STANDARD</b>
------------------------	---------------------	-----------------

### 3. Select Finish

<b>628</b>	Clear Anodized Aluminum	<b>STANDARD</b>
<b>313</b>	Dark Satin Bronze Anodized Aluminum	<b>\$29.30</b>

### 4. Select Pushpad

<b>RD</b>	Black pushpad with RED letters "PUSH TO EXIT"	<b>STANDARD</b>
<b>GID</b>	Black pushpad with Glow-In-The-Dark letters "PUSH TO EXIT"	<b>NO CHARGE</b>

### 5. Select Handing

<b>RHR</b>	Right Hand Reverse	<b>STANDARD</b>
<b>LHR</b>	Left Hand Reverse	<b>NO CHARGE</b>

### 6. Select Option/Accessory

<b>AR</b>	798-18, 18" x 1/2" Armored Door Cord (less wires) in/out swinging	<b>\$55.30</b>
<b>WD</b>	Sexnut door kit for heavy-duty wood door and hollow metal door applications (includes 4 sex bolts & screws)	<b>\$72.30</b>
<b>SHK</b>	Aluminum Door Mounting Shim Kit (Includes brackets/shims & screws)	<b>\$72.30</b>

## Specifications

### Mechanical

- Available in standard lengths to fit 36", 42" and 48" doors
- Can also be field cut at the installation site for custom lengths

### Electrical

- Switch:** DPDT contacts rated 4A @ 30 VDC
- Wiring:** 6 Conductor Cable - 20 AWG (standard)



## 692 SmartBar



## Standard Features

- Push pad with "PUSH TO EXIT" signage
- Touch any point on the pushpad to release locking device
- Audible alarm
- Heavy duty aluminum extrusion and powder coated zinc end caps
- Directionally opposed infrared detection circuits
- DPDT relay
- Universal mounting system for aluminum, hollow metal and wood doors (Includes self-drilling, self-tapping screws for aluminum or wood door application: RIV nuts for hollow metal door applications)
- 798-18, 18" x 1/2" Armored door cord (798-18) shipped standard



## 1. Select Model

<b>692</b>	For aluminum, hollow metal and wood doors	<b>\$561.00</b>
------------	-------------------------------------------	-----------------

## 2. Select Door Size

<b>36", 42" or 48"</b>	Standard door width	<b>STANDARD</b>
------------------------	---------------------	-----------------

## 3. Select Finish

<b>628</b>	Clear Anodized Aluminum	<b>STANDARD</b>
<b>313</b>	Dark Satin Bronze Anodized Aluminum	<b>\$29.30</b>

## 4. Select Pushpad

<b>RD</b>	Black pushpad with RED letters "PUSH TO EXIT"	<b>STANDARD</b>
<b>GID</b>	Black pushpad with Glow-In-The-Dark letters "PUSH TO EXIT"	<b>NO CHARGE</b>

## 5. Select Handing

<b>RHR</b>	Right hand reverse	<b>STANDARD</b>
<b>LHR</b>	Left hand reverse	<b>NO CHARGE</b>

## 6. Select Option/Accessory

<b>WD</b>	Sexnut door kit (for heavy-duty wood door and hollow metal door applications)	<b>\$72.30</b>
<b>SHK</b>	Aluminum Door Mounting Shim Kit (Includes brackets/shims & screws)	<b>\$72.30</b>

## Specifications

## Mechanical

- Available in standard lengths to fit 36", 42" and 48" doors
- Can also be field cut at the installation site

## Electrical

- Input Voltage:** 12 or 24 VDC. Maximum current draw .50A
- Contact Rating:** 4A @ 30 VDC
- Wiring:** 8 Conductor Cable - 20 AWG - 6 ft long


**600 Series Heavy Duty Pushbuttons**



621  
623




621-NS  
623-NS



625



625-NS



NC C NO  
Momentary  
(Standard)  
3A@30 VDC

**1. Select Model**

Product No.	Cover Plate	Cone	Button	
621AL	Stainless Steel	Plastic	1-1/4" Aluminum	\$181.00
621AL EX	2-3/4" x 4-1/2"	Translucent	1-1/4" Alum. "Push to Exit" engraved	\$181.00
621AL RD EX			1-1/4" Alum. (red coated), "Push to Exit" engraved	\$181.00
621BLH			1-1/4" Blue Handicapped symbol	\$145.00
621BK			1-1/4" Black	\$145.00
621GR			1-1/4" Green	\$145.00
621GR EX			1-1/4" Green "Push to Exit"	\$145.00
621RD			1-1/4" Red	\$145.00
621RD EX			1-1/4" Red "Push to Exit"	\$145.00
621GID			1-1/4" Glow-in-the-Dark	\$145.00
621GID EX			1-1/4" Glow-in-the-Dark "Push to Exit"	\$145.00
621GID H			1-1/4" Glow-in-the-Dark Handicapped symbol	\$145.00
623BLH	Stainless Steel	Plastic	1-5/8" Blue Handicapped symbol	\$145.00
623BK	2-3/4" x 4-1/2"	Translucent	1-5/8" Black	\$145.00
623GR			1-5/8" Green	\$145.00
623GR EX			1-5/8" Green "Push to Exit"	\$145.00
623RD			1-5/8" Red	\$145.00
623RD EX			1-5/8" Red "Push to Exit"	\$145.00
623GID			1-5/8" Glow-in-the-Dark	\$145.00
623GID EX			1-5/8" Glow-in-the-Dark "Push to Exit"	\$145.00
623GID H			1-5/8" Glow-in-the-Dark Handicapped symbol	\$145.00
625BLH	Stainless Steel	Plastic	2-3/4" Blue Handicapped symbol	\$145.00
625BK	2-3/4" x 4-1/2"	Translucent	2-3/4" Black	\$145.00
625GR			2-3/4" Green	\$145.00
625GR EX			2-3/4" Green "Push to Exit"	\$145.00
625RD			2-3/4" Red	\$145.00
625RD EX			2-3/4" Red "Push to Exit"	\$145.00
625GID			2-3/4" Glow-in-the-Dark	\$145.00
625GID EX			2-3/4" Glow-in-the-Dark "Push to Exit"	\$145.00
625GID H			2-3/4" Glow-in-the-Dark Handicapped symbol	\$145.00
631AL*	Cast Zinc	Zinc	1-1/4" Aluminum	\$266.00
631AL EX*	2-3/4" x 4-1/2"		1-1/4" Aluminum "Push to Exit" engraved	\$266.00
631AL RD EX*	Extreme Duty		1-1/4" Aluminum (red coated) "Push to Exit" Engraved silver	\$266.00

\* not available in special finishes

**2. Select Options**


DA	Delayed Action (3A @ 30 VDC, form Z contacts)	\$388.00
NS	Narrow Stile - Stainless Steel Plate (1-3/4" x 4-1/2")	NO CHARGE
AA	Alternate Action/Maintained (3A @ 30VDC)	NO CHARGE
L2/ILL	LEDs for glow thru cone for 621 and 623 models (12-24 VDC .025A @ 28VDC)	\$58.40
DP	DPDT - Double pole, double throw (not available with DA option)	\$29.30

**3. Select Finish - Heavy Duty Plate (HDP Included - Required for Special Finish)**


SF-625	Bright Chrome	\$128.00
SF-626	Satin Chrome	\$49.60
SF-612	Satin Bronze	\$128.00
SF-613	Oil Rubbed Bronze	\$128.00
SF-605	Bright Brass	\$128.00
SF-335	Black Power Coat	\$128.00

Pricing/product description subject to change without notice.

## 700 Series Entry Level Pushbutton




701RD-L2



701RD-NS-L2



709BLH ILL-L2



709RD EX ILL-L2

## Specifications

## Output contact Rating:

**701 Series** 5A @ 30 VAC/VDC, momentary SPDT contacts

**709 Series** 5A @ 30 VAC/VDC, momentary SPDT contacts

## 1. Select Model

Product No.	Cover Plate	Color	Size	Button	Price
701RD	Stainless Steel Only	Red	7/8"		\$118.00
701BK	2-3/4" x 4-1/2"	Black	7/8"		\$118.00
701RD EX		Red	5/8"	Engraved "Push to Exit"	\$118.00
701RD EX ILL		Red	5/8"	Illuminated "Push to Exit"	\$142.00
709RD EX ILL*	Stainless Steel Only	Red	2" sq	Illuminated "Push to Exit"	\$138.00
709GR EX ILL*	2-3/4" x 4-1/2"	Green	2" sq	Illuminated "Push to Exit"	\$138.00
709BLH ILL*		Blue	2" sq	Illuminated Handicapped Symbol	\$138.00

\*Must Specify 12 VDC or 24 VDC when ordering 709 Series Pushbuttons


## 2. Select Option

<b>L2</b>	Two LEDs, red or green, dual voltage	\$58.70
<b>AA</b>	Alternate Action - maintained for 701 Series only	\$18.00
<b>NS</b>	Narrow Stile plate for 701 Series only	NO CHARGE

## 650 Series Heavy Duty Keyswitches

Patent #6689972

- Patented Magnetic Spring Design
- Momentary to Maintained Functions
- 5A @ 30 VDC, SPDT contacts
- Standard faceplate finish 630 Stainless Steel



653-04-L2



653-04-L2-NS

**Note:** 650 Series Keyswitches operate with either a 1-1/8" or 1-1/4" cylinder having a straight type cam. 1-1/4" Cylinders require a 1/8" blocking / spacer ring (included with the CYL and CYL-KA options). Cannot be used with cylinder and/or collar greater than 1-3/8".

### 1. Select Keyswitch Function

Product No.	Description	Cover Plate	
653-04	SPDT maintained single direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$194.00</b>
653-05	SPDT momentary single direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$194.00</b>
653-14	DPDT maintained single direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$224.00</b>
653-15	DPDT momentary single direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$224.00</b>
653-1414	(2) DPDT maintained bi-direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$297.00</b>
653-1415	DPDT maintained x DPDT momentary - Stainless Steel	2-3/4" x 4-1/2"	<b>\$297.00</b>
653-1515	(2) DPDT momentary bi-direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$297.00</b>
653-041	SPDT maintained x key remove one position - Stainless Steel	2-3/4" x 4-1/2"	<b>\$194.00</b>
653-0404	(2) SPDT maintained bi-direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$224.00</b>
653-0405	SPDT maintained x SPDT momentary - Stainless Steel	2-3/4" x 4-1/2"	<b>\$224.00</b>
653-141	DPDT maintained x key remove one position - Stainless Steel	2-3/4" x 4-1/2"	<b>\$224.00</b>
653-0505	(2) SPDT momentary bi-direction - Stainless Steel	2-3/4" x 4-1/2"	<b>\$224.00</b>

### 2. Select Option

L2	Two LEDs (red/green), dual voltage 12/24 VDC	<b>\$58.70</b>
NS	Narrow Stile - Stainless Steel Plate (1-3/4" x 4-1/2")	<b>NO CHARGE</b>
ATS	Anti-Tamper Switch	<b>\$55.30</b>
WP	Water Resistant Cover fits 1-1/8" cylinder only (not available with NS or L2 or special finishes)	<b>\$70.00</b>
CYL	1-1/4" Schlage Everest Mortise Cylinder with two keys & 1/8" spacer ring	<b>\$65.40</b>
CYL-KA (keyed alike)	1-1/4" Schlage Everest Mortise Cylinder with two keys & 1/8" spacer ring	<b>\$65.40</b>

### 3. Select Plate Finish

630	BHMA 630/US32D on .035 Satin Stainless Steel	<b>Standard</b>
SF-626	Satin Chrome on heavy-duty steel	<b>\$49.60</b>
SF-625	Bright Chrome on heavy-duty steel	<b>\$128.00</b>
SF-612	Satin Bronze on heavy-duty steel	<b>\$128.00</b>
SF-613	Oil Rubbed Bronze on heavy-duty steel	<b>\$128.00</b>
SF-605	Bright Brass on heavy-duty steel	<b>\$128.00</b>


### 4. Select Optional Blocking Ring - (only necessary when using with a competitive cylinder)

36-079	Blocking ring for use without compression ring	<b>\$12.10</b>
--------	------------------------------------------------	----------------


### 5. Specify Blocking Ring Size - (example: 36-079-012)

012	1/8" length
018	3/16" length
025	1/4" length
031	5/16" length
037	3/8" length
043	7/16" length
050	1/2" length


Pricing/product description subject to change without notice.



679-05 Concealed SPDT Magnetic Switch



7764 Concealed door position switch



Door Cord

### Door Position Switches

<b>674-OH</b>	Overhead Door Floor Mount	<b>\$243.00</b>
---------------	---------------------------	-----------------

#### 679 SERIES CONCEALED SPDT MAGNETIC SWITCH (0.3A @ 30 VDC)

<b>679-05</b>	Wood Door and Frame	<b>\$53.10</b>
<b>679-05HM</b>	HM Hollow Metal Door and Frame	<b>\$73.50</b>
<b>679-05WD</b>	WD Wood Door and Metal Frame	<b>\$87.90</b>

#### 7700 SERIES DOOR POSITION SWITCHES (0.25A @ 30 VDC)

<b>7764</b>	Concealed / Flush Mount - UL Listed	<b>\$177.00</b>
<b>7766</b>	Surface Mount - UL Listed	<b>\$188.00</b>

### Door Cords


<b>788-12</b>	12" x 3/8" Armored Door Cord - less wires	<b>\$57.40</b>
<b>788C-12</b>	12" x 3/8" Armored Door Cord with 20" 4-conductor wire	<b>\$87.90</b>
<b>788-18</b>	18" x 3/8" Armored Door Cord - less wires	<b>\$76.60</b>
<b>788C-18</b>	18" x 3/8" Armored Door Cord with 26" 4-conductor wire	<b>\$103.00</b>
<b>798-12</b>	12" x 1/2" Armored Door Cord - less wires	<b>\$66.60</b>
<b>798C-12</b>	12" x 1/2" Armored Door Cord with 20" 4-conductor wire	<b>\$87.90</b>
<b>798-18</b>	18" x 1/2" Armored Door Cord - less wires	<b>\$84.60</b>
<b>798C-18</b>	18" x 1/2" Armored Door Cord with 26" 4-conductor wire	<b>\$103.00</b>

**Note:** C Suffix = 20 AWG wires

**Electronic Horns**




- Immediate, local audible warning device
- Designed for indoor application
- Surface and flush mounting kits included with all horns
- Latching units require a reset action
- Strobe units activate / deactivate based on the state of the horn
- Horn color is white
- Dual decibal settings high/low 102 and 88 with dba's



**1. Select Model**

<b>1910-1</b>	12/24 VDC Horn, current draw 28mA	<b>\$395.00</b>
<b>1910S-1</b>	24 VDC Horn with strobe, current draw 71mA	<b>\$538.00</b>
<b>L1910-1</b>	24 VDC Horn with latching, current draw 28mA	<b>\$548.00</b>
<b>L1910S-1</b>	24 VDC Horn with strobe & latching, current draw 71mA	<b>\$714.00</b>

**Scanners/PIRs**



SCAN II-W


- Passive Infrared Detector
- Surface Mounting height range is from 7 to 15 ft
- Two form "C" relay contacts rated 1A @ 30 VDC for DC resistive loads
- Relay latch time is adjustable up to 60 seconds
- UL 294 listed by manufacturer as an access control device
- Designed for indoor applications



**1. Select Model**

<b>Scan II - B</b>	Black	<b>\$467.00</b>
<b>Scan II - W</b>	White	<b>\$467.00</b>

**740 Series Emergency Break Glass**




740

Switch contact form "Z", rated 6A @ 120 VAC

<b>740</b>	Assembly only	<b>\$333.00</b>
<b>741</b>	With indicator light	<b>\$342.00</b>
<b>742</b>	With Sonalert	<b>\$371.00</b>

Assembly mounts in 3 gang electrical box  
 P800003 is the part number for the 5 pack of glass disc replacements. Cost: \$95.00

**660 Series Surface Mini Box**



660


- Dimensions: 2" H x 2" W x 1" D
- Switch contact rating: 6A @ 120 VAC

<b>660-T4</b>	SPDT Maintained Toggle	<b>\$124.00</b>
<b>660-PB</b>	SPDT Momentary Pushbutton	<b>\$126.00</b>

Recommended for concealed desk application

Pricing/product description subject to change without notice.

## 442S Series Cabinet Lock



442S

**Specifications**

**Overall Dimensions:** 3" L x 1" W x 1" D  
**Current Draw:** 0.50A @ 12 VDC; 0.25A @ 24 VDC (field selectable)

**1. Select Model**


<b>442S</b>	Lock with strike - Black Lexan finish	Fail Secure	<b>\$231.00</b>
-------------	---------------------------------------	-------------	-----------------

## PB405/PB405S PowerBolts

**Specifications**

<b>Bolt Size 405/406S:</b>	.61" diameter x .67" throw
<b>PB405 overall size:</b>	7.87" x 1.26" x 1.57", 90° locking
<b>PB405S overall size:</b>	7.87" x 1.26" x 1.57"
<b>Current Draw:</b>	0.9A @ 12 VDC; 0.45A @ 24 VDC 12/24 VDC dual voltage, field selectable

**Note:** Electromechanical locks not recommended where life safety may be compromised, or where panic bar hardware is the only means of egress.  
Mortise mount electric bolts furnished in Satin Aluminum finish.



PB405/PB405S

**1. Select Model**

PB405	Fail Safe, Rectangular Front	<b>\$480.00</b>
PB405S	Fail Secure, Rectangular Front	<b>\$596.00</b>
PB405-RFK	Retro Fit Kit	<b>\$54.10</b>

Fail Secure Lock - Requires power to unlock  
Fail Safe Lock - Requires power to lock

**2. Standard Features**

- Magnetic Door Status Monitor
- Magnetic Relocking Switch

**VON DUPRIN ACCESS CONTROL PRODUCTS - TABLE OF CONTENTS**

<b>Electric Strikes</b>	<b>232</b>
4200 Series	232
6400 Series	232
5100 Series	233
6100 Series	233
6200 Series	233
6300 Series	234
<b>Power Supply</b>	<b>234</b>
<b>Delayed Exit System</b>	<b>234</b>
<b>Electrical Power Transfer</b>	<b>234</b>

**CONTACT INFORMATION FOR VON DUPRIN ACCESS CONTROL PRODUCTS**

Payment Address: Von Duprin  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>877-671-7011</b>	
<b>Customer Service:</b>	<b>Technical Support:</b>
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Order_Vondurpin@allegion.com	Contact For Technical Assistance: Exits_TechProdSupport@allegion.com

*For Von Duprin Access Control Products Warranty Information please see the Von Duprin Exit Hardware and Parts book.*

**Pricing/product description subject to change without notice.**



## 4200 Series Von Duprin Electric Strikes for cylindrical and deadlatch locks

Orderable through Schlage (ships from Security, CO) or Von Duprin (ships from Indianapolis, IN)



### Features:

- Field selectable fail-safe/fail-secure without disassembly
- Dual voltage: 12 VDC at 0.20 A / 24 VDC at 0.10 A
- Finish: BHMA 630 / US32D stainless steel, satin finish
- Compatible with all Schlage and Falcon cylindrical locks as well as cylindrical and deadlatch locks of many other manufacturers
- Meets ANSI/BHMA 156.31 Grade 1 endurance & dynamic strength
- Meets ANSI/BHMA 156.31 Grade 2 static strength

Model	Fire Rated	Throw	Hollow Metal	Wood	Aluminum	Single	Mullion Pair	
4211		1/2"-3/4"	■		■	■		Shallow 1-3/8" backbox depth <b>\$162.00</b>
4212		1/2"-5/8"	■		■	■		Includes latchbolt monitor. Shallow backbox. <b>\$194.00</b>
<b>Options (please specify):</b>								
S012		Rectifier Kit						Converts 12 VAC to 12 VDC (For 16 VAC current, use SO24 rectifier kit) <b>\$35.80</b>
S024		Rectifier Kit						Converts 24 VAC to 24 VDC <b>\$35.80</b>
EB		EB Entry Buzzer						Use in fail-secure applications <b>\$35.80</b>
<b>Available Parts:</b>								
P050805		4200 Hardware Kit						Includes: mounting tab hardware, mounting screws, allen wrench and diode <b>\$13.00</b>
P90114		Faceplate, 4200, square corner						<b>\$16.30</b>
P90110		Faceplate, 4200, round corner						<b>\$16.30</b>

For additional parts list, please see Von Duprin price book.

## 6400 Series Von Duprin Modular Electric Strike for mortise or cylindrical locks

Orderable through Schlage (ships from Security, CO) or Von Duprin (ships from Indianapolis, IN)



### Features:

- Dual voltage: 12 VDC at 0.375 A / 24 VDC at 0.19 A
- Finish: BHMA 630/US32D stainless steel, satin finish
- Modular options fit cylindrical and nearly any mortise lock.
- Includes movable deadbolt keeper, plug and deadlatch ramp inserts.
- Meets ANSI/BHMA 156.31 Grade 1
- 1500 lbs. static strength
- UL1034 burglary-resistant
- 3-hour fire rated to UL10C (fail secure only)

Model	Fire Rated	Throw	Hollow Metal	Wood	Aluminum	Single	Mullion Pair	
6400	■	up to 3/4"	■	■	■	■		Up to 1" deadbolt throw (as night latch only) <b>\$506.00</b>
<b>Options (please specify):</b>								
LM6400		Latch Monitor						Optional plug-in latch monitor can be added in the field <b>\$54.10</b>

For additional parts list, please see Von Duprin price book.

## Additional Electric Strikes available exclusively through Von Duprin:

Please see Von Duprin price book for current list price information.

### 5100 Series Von Duprin Electric Strike for cylindrical and deadlatch locks

**Features:**

- Adjustable keeper improves fit on tight door preps
- Field selectable fail-safe/fail-secure
- Dual voltage: 12 VDC at 0.38 A / 24 VDC at 0.19 A
- Available finishes: BHMA 689 / US SP28 aluminum; BHMA 622 / US19 flat black; BHMA 695 / US SP313 dark brown
- Compatible with Schlage and Falcon cylindrical and deadlatch locks including those of many other manufacturers
- Meets ANSI/BHMA 156.31 Grade 1 endurance & dynamic strength
- Meets ANSI/BHMA 156.31 Grade 2 static strength
- UL 1034 burglary-resistant

Model	Throw	Hollow Metal	Wood	Aluminum	Single	Mullion Pair	
5100	1/2"-5/8"	■	■	■	■		3 faceplates cover HM, AL and Wood applications with hardware included for an all-in-one boxed solution

For specified options and complete parts list, please see Von Duprin pricebook.

### 6100 Series Von Duprin Electric Strikes for rim exit devices

**Features:**

- Furnished standard in fail secure configuration unless specified fail safe
- 24 VDC supplied standard if not specified otherwise
- Available finishes on a stainless steel construction: US3 Polished Brass; US4 Satin Brass; US10 Satin Bronze, clear coated; US10B Dark Bronze, Oil Rubbed; BHMA 629 / US32 Bright Stainless Steel; BHMA 630 / US32D Satin Stainless Steel
- Compatible with Von Duprin and Falcon rim exit devices and those of many other manufacturers
- Specify when using these strikes with a 55 rim device
- Meets ANSI/BHMA 156.31 Grade 1 endurance & dynamic strength
- Meets ANSI/BHMA 156.5 Grade 1, 1500 lb. hold force
- UL1034 burglary-resistant

Model	Fire Rated	Throw	Hollow Metal	Wood	Aluminum	Single	Mullion Pair	
6111	■	3/4"	■	■	■	■	■	Can be used with vertical rod exit devices
6112	■	3/4"	■	■	■	■	■	Designed to replace FA 310-5 with minor frame modification
6113	■	3/4"	■	■	■	■	■	
6114		3/4"	■	■	■	■	■	Surface applied for use with rim nightlatch devices
6121		3/4"	■	■	■		*	* For rim exit devices on double doors without mullion

For specified options and complete parts list, please see Von Duprin pricebook.

### 6200 Series Von Duprin Electric Strikes for mortise or cylindrical locks

**Features:**

- Furnished standard in fail secure configuration unless specified fail safe
- 24 VDC supplied standard if not specified otherwise
- Available finishes on stainless steel construction: US3 Polished Brass; US4 Satin Brass; US10 Satin Bronze, clear coated; US10B Dark Bronze, Oil Rubbed; BHMA 629 / US32 Bright Stainless Steel; BHMA 630 / US32D Satin Stainless Steel
- Compatible with mortise (without deadbolt) and cylindrical lock applications except where noted
- Meets ANSI/BHMA 156.31 Grade 1 endurance & dynamic strength
- Meets ANSI/BHMA 156.5 Grade 1, 1500 lb. hold force
- UL10C fire rated (fail secure only)
- UL1034 burglary-resistant

Model	Fire Rated	Throw	Hollow Metal	Wood	Aluminum	Single	Mullion Pair	
6210	■	3/4"	■		■	■		Mortise only. Includes strike pocket inserts to accommodate deadlocking triggers
6211	■	3/4"	■		■	■		Retrofits VD 3140 or FA 712
6211AL	■	3/4"			■	■		Retrofits FA 722
6211WF	■	3/4"		■		■		Retrofits FA 732 with minor frame modification
6212	■	3/4"	■		■	■		Fits modified ANSI 115.2 cutout. Retrofits VD 3146.
6212WF	■	3/4"		■		■		
6213	■	3/4"	■		■	■		Retrofits VD 3041, 3042, 3061 and 3062
6214	■	3/4"	■		■	■		Retrofits FA 310-2 3/4
6215	■	3/4"	■		■	■		Retrofits FA 310-2
6216	■	3/4"	■	■	■	■		Retrofits FA 310-3-1. For mortise with deadbolt 1" throw. Deadbolt must be manually operated
6221	■	3/4"	■	■	■		■	Open back, retrofits VD 3071 and 3072. 4-3/4" minimum stile required
6222	■	3/4"	■	■	■		■	Open back, retrofits FA 310-2 3/4 OB
6223	■	3/4"	■	■	■		■	Closed back, retrofits VD 3091 and 3092. 4-3/4" minimum stile required
6224	■	3/4"	■		■		■	Closed back, retrofits FA 310-2 3/4. For door thicknesses 1-3/4" or 2-1/4"
6224AL	■	3/4"			■		■	Closed back, retrofits FA 310-ZRF. For door thicknesses 1-3/4" or 2-1/4"
6225	■	3/4"	■		■		■	Open back, retrofits FA 310-2 OB
6226	■	3/4"	■		■		■	Closed back, retrofits FA 310-2. For door thicknesses 1-3/4" or 2-1/4"

For specified options and complete parts list, please see Von Duprin price book.

Pricing/product description subject to change without notice.

## 6300 Series Von Duprin Surface Mount Electric Strike for rim exit devices

### Features:

- Dual voltage: 12 VDC at 0.50 A / 24 VDC at 0.24 A
- Finish: BHMA 630 / US32D stainless steel, satin finish
- Compatible with most rim exit devices
- Meets ANSI/BHMA 156.31 Grade 1
- UL1034 burglary-resistant
- UL 10C 3-hour fire rated (fail secure only)

Model	Fire Rated	Throw	Hollow Metal	Wood	Aluminum	Single	Mullion Pair	
6300	■	3/4"	■	■	■	■	■	No cut, surface mount design

For specified options and complete parts list, please see Von Duprin priceook.

## PS914 Von Duprin Power Supply

See Von Duprin Exit Hardware & Parts Price Book

### 4A @ 12/24 VDC – field selectable

- Designed for high inrush current
- UL 294 Listed for Access Control
- Class 2 rated power limited output
- Universal 120-240 VAC input
- Regulated and filtered DC outputs
- LED indicators: AC input (visible on outside of enclosure) and DC output
- 2 connectors for optional distribution boards
- AC monitoring
- 14" H x 12" W x 4" enclosure

## Von Duprin Delayed Exit System

### DE5101 Series

See Von Duprin Exit Hardware & Parts Price Book

<b>Application</b>	<ul style="list-style-type: none"> <li>• Designed for delayed exit applications</li> <li>• Ideal for controlled areas</li> <li>• Addresses life safety and security needs</li> <li>• Commonly used on narrow stile doors where a standard narrow stile Chexit is not practical</li> </ul>
--------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Von Duprin Electrical Power Transfer

### EPT

See Von Duprin Exit Hardware & Parts Price Book

<b>Application</b>	<ul style="list-style-type: none"> <li>• Provide a means for transferring electrical power from a door frame to the edge of a swinging door</li> <li>• Units are completely concealed when the door is in the closed position</li> <li>• Ideally suited for applications involving abuse or heavy traffic</li> </ul>
<b>Popular Models</b>	<ul style="list-style-type: none"> <li>• EPT-2: Two 18 gauge wires; Up to 2 amps @ 24VDC</li> <li>• EPT-10: Ten 24 gauge wires; Up to 1 amp @ 24VDC</li> </ul>

See 2016 Von Duprin Exit Hardware & Parts price book for pricing and complete information.  
Additional electrified products available in the IVES price book & the LCN price book.

<b>BIOMETRICS - TABLE OF CONTENTS</b>	
<b>Biometrics Overview</b>	<b>236</b>
<b>How to Order</b>	<b>237</b>
<b>Biometric HandReaders</b>	<b>238</b>
Memory Options	238
Communication Options	238
Card Reader & Keypad Options	239
Outdoor Options	239
Power Options	239
<b>Biometric Accessories</b>	<b>240</b>
Network Accessories	240
Miscellaneous Accessories	240
HandNet Software	240
Extended Warranty	240
Training Courses	240
<b>Biometric Spare Parts</b>	<b>241</b>

**CONTACT INFORMATION FOR BIOMETRIC HANDREADERS**

Email Order To: sbsom@allegion.com  
 Fax Order To: 800-452-0665  
 Payment Address: Recognition Systems, Inc  
 15934 Collections Center Drive  
 Chicago, IL 60693

<b>Customer Service:</b>	<b>Technical Support:</b>
General Sales Questions, Order Status, Credit Returns of Non-Defective Products	Technical Questions/Issues, Returns of Defective Products, Repairs
<b>877-671-7011</b>	<b>877-671-7011</b> Readers_Credentials_Biometrics_TechProdSupport@allegion.com

*For Biometric Handreaders Warranty Information please see pages 4-7.*

**Pricing/product description subject to change without notice.**

## Biometrics Overview



Schlage brings the security and convenience of biometric technology to any access control system with the HandKey II hand geometry readers. By using your hand as your credential, this technology provides reliable one-to-one matching - personal proof that people are who they claim to be.

Schlage biometric HandReaders can also be integrated with other reader technologies such as smart card, proximity or magnetic stripe, to provide a highly secure system that verifies who you are in one transaction.

The benefits of using HandReaders are:

- Fast and easy to use
- Field-proven reliable technology
- Integrates into existing access control systems
- Increases convenience by eliminating cards
- Lower administrative costs compared to card-based systems
- Standalone or networked options

**Purchase Orders:**

Fax purchase orders to: 800-452-0665

All purchase orders must include the following information:

- Purchase order number
- Invoice address
- Ship to address
- Shipping method
- Part number
- Pricing
- Any special configuration ID #s
- Any options requiring factory installation

Missing or inaccurate information may cause a delay in the order process.

**Quick Turn Program:**

A quick turn program is available for urgent orders up to 10 units (11 or more, please call the factory directly).

- A 15% premium charge is applied to the total order for items requiring a one day turn
- A 5% premium charge is applied to the total order for items requiring a three day turn
- A 15% premium charge is applied to outdoor units with only a three day quick turn available

All orders must be received by 11:00 am PT to count as one day.

Purchase orders must include the premium charge as a separate line item.

Quick Turn may not be available on all items (Please contact the factory for expedited availability).

**Payment Terms:**

Please refer to the 2016 Terms and Conditions.

**Order Changes/Cancellations:**

Please refer to the 2016 Terms and Conditions.

**Packing:**

Company will pack, mark, and ship the Products according to its standard procedures for shipment, unless the parties agree, in writing, that Company will comply with any special instructions provided by Customer. Compliance with special instructions may result in an increased price.

## Biometric HandReaders



### HandKey F Series

Polycarbonate housing. Expanded memory options are available.

<b>HK-2-F3</b>	HandKey F Series with memory for 512 users	<b>\$2,446.00</b>
----------------	--------------------------------------------	-------------------



HandKey-2  
Hand Geometry Reader

### Memory Options

Memory expansions can be ordered with readers or activated by an authorization code after installation.

**Note:** Serial numbers are required for field expansion.

#### F Series

Readers built after 2003 or readers that have been upgraded to main boards with a push button reset switch.

<b>EM-801-F3</b>	HandKey Memory Expansion to 9,728 users	<b>\$272.00</b>
<b>EM-803-F3</b>	HandKey Memory Expansion to 32,512 users	<b>\$599.00</b>
<b>EM-813-F3</b>	HandKey Memory Expansion to 64,768 users (non field upgradeable)	<b>DISCONTINUED</b>
<b>EM-823-F3</b>	HandKey Memory Expansion to 129,536 users (non field upgradeable)	<b>DISCONTINUED</b>
<b>EM-833-F3</b>	HandKey Memory Expansion to 194,304 users (non field upgradeable)	<b>DISCONTINUED</b>
<b>EM-843-F3</b>	HandKey Memory Expansion to 259,072 users (non field upgradeable)	<b>DISCONTINUED</b>

### Communication Options

#### F Series

<b>EN-201</b>	Ethernet Communication Module 10baseT (supercedes part number EN-200)	<b>\$411.00</b>
<b>MD-500</b>	Internal 14.4K Baud Dial-Up Modem. Contact sales for international compatibility	<b>\$468.00</b>

**Card Reader & Keypad Options**
**F Series**

<b>PROX</b>	Externally top mounted Proximity RF Reader <i>Factory option only, not available for field installation</i>	<b>\$416.00</b>
<b>SC-100</b>	Integrated side mounted Mifare® Classic Smart Card Reader with external clear acrylic card holder <i>Factory option only, not available for field installation</i>	<b>\$1,172.00</b>
<b>ICLASS</b>	Internally installed Legacy iCLASS® Reader with external clear acrylic card holder <i>Factory option only, not available for field installation</i>	<b>\$572.00</b>

**E Series**

<b>BC-100</b>	Barcode Reader Wall Mount Swipe	<b>DISCONTINUED</b>
<b>CR-2</b>	Magnetic Stripe Reader Wall Mount Swipe	<b>DISCONTINUED</b>
<b>CR-2L</b>	Magnetic Stripe Reader Top Mount Swipe <i>Factory option only, not available for field installation</i>	<b>DISCONTINUED</b>
<b>CR-3L</b>	Magnetic Stripe Reader Side Mount Swipe <i>Factory option only, not available for field installation</i>	<b>DISCONTINUED</b>
<b>CR-RW</b>	Outdoor Magnetic Stripe Reader Side Mount Swipe <i>Factory option only, not available for field installation</i>	<b>DISCONTINUED</b>
<b>KP-103</b>	Request-to-Exit Remote Keypad Assembly with 12' cable	<b>DISCONTINUED</b>
<b>KP-104</b>	Internal Keypad Harness	<b>DISCONTINUED</b>
<b>KP-105</b>	Blank Front Cover Plate, replaces Keypad <b>Note:</b> KP-104 Must be ordered along with the KP-105 option for new readers	<b>DISCONTINUED</b>
<b>KP-201</b>	Auxiliary Keypad Wiegand output only	<b>DISCONTINUED</b>

**Outdoor Options**
**F Series\***

<b>INT-HTR</b>	Outdoor Platen Heater. Factory option only, not available for field installation** Includes 24 VDC power supply to operate HandKey	<b>\$649.00</b>
<b>FX-ENCL</b>	Polyethylene with UV Resist Outdoor Enclosure (supersedes model # HURCNE)	<b>\$489.00</b>
<b>TX-ENCL</b>	Metal Watertight Enclosure (supersedes model # TSNAMI)	<b>\$1,980.00</b>

**Power Options**
**F Series**

<b>PS-110</b>	Power Supply. 120 VAC to 13.5 VDC with connector	<b>\$54.00</b>
<b>PS-220</b>	Power Supply. 220 VAC to 13.5 VDC with connector	<b>\$65.00</b>
<b>BB-250</b>	Battery Backup available only at the time of initial purchase	<b>\$109.00</b>

**E Series**

<b>IS-400</b>	Power Supply. 120 VAC to 13.5 VDC	<b>DISCONTINUED</b>
<b>BB-100</b>	Operational Battery Backup with power supply	<b>DISCONTINUED</b>
<b>TF-100</b>	Transformer for outdoor heaters 117 VAC to 24 VAC. For US sales only	<b>DISCONTINUED</b>

\* Lead times for enclosures are subject to be extended to four weeks

\*\* Not compatible with the SC-100 or ICLASS



## Biometric Accessories



### Network Accessories

<b>DC-102</b>	Data Converter for 4 wire system, RS-232 to RS-422 with 120V, 60 Hz power supply	<b>\$170.00</b>
<b>DC-102-220</b>	Data Converter for 4 wire system, RS-232 to RS-422 with 220V, 50 Hz power supply	<b>\$170.00</b>

### Miscellaneous Accessories

<b>BG-200</b>	Demo Bag for E and F Series readers	<b>\$68.00</b>
<b>BR-100</b>	5V Relay	<b>\$124.00</b>
<b>DS-200</b>	Demo Stand for F Series readers	<b>\$91.00</b>
<b>GL-100</b>	Red Light / Green Light for E Series <i>Factory option only, not available for field installation</i>	<b>DISCONTINUED</b>
<b>TM-100</b>	Table-top Secure Mount for F Series	<b>\$312.00</b>

### HandNet Software

<b>HN-2-T1</b>	Tier One: Up to 5 HandKeys	<b>\$848.00</b>
<b>HN-2-T2</b>	Tier Two: Up to 25 HandKeys	<b>\$1,427.00</b>
<b>HN-2-T3</b>	Tier Three: Unlimited HandKeys	<b>\$2,090.00</b>
<b>HN-T1-T2</b>	Tier Upgrade: T1-T2 from 6 to 25 HandKeys	<b>\$1,402.00</b>
<b>HN-T1-T3</b>	Tier Upgrade: T1-T3 from 6 to unlimited HandKeys	<b>\$1,476.00</b>
<b>HN-T2-T3</b>	Tier Upgrade: T2-T3 from 25 to unlimited HandKeys	<b>\$898.00</b>

### Extended Warranty

<b>EXT-WAR</b>	1 year extended warranty (available at the time of initial biometrics reader purchase only)	<b>\$315.00</b>
----------------	---------------------------------------------------------------------------------------------	-----------------

### Training Courses and Support Services

**Note: Prices are as posted. No discounts apply.**

<b>SBT-HK</b>	1-day training course at an Allegion facility. User will be able to install, program and troubleshoot the hardware functions of the HandKey upon completion of the course.	<b>\$150.00 per person</b>
<b>SBT-HK-ONSITE</b>	1-day training course at customer site. User will be able to install, program and troubleshoot the hardware functions of the HandKey upon completion of the course (max 10 trainees per classroom).	<b>\$1,200.00 per day plus expenses</b>
<b>SBT-HNWL</b>	1-day training course at an Allegion facility. User will be able to install, program and troubleshoot the access control software (HandNet for Windows and HandNet Lite) on HandKeys.	<b>\$150.00 per person</b>
<b>SBT-HNWL-ONSITE</b>	1-day training course at customer site. User will be able to install, program and troubleshoot the access control software (HandNet for Windows and HandNet Lite) on HandKeys (max 10 trainees per classroom).	<b>\$1,200.00 per day plus expenses</b>
<b>SS-SVC</b>	<b>Schlage Biometrics Support – Support Services</b> Professional support services to assist business partners, dealers, and solution providers with services involving the F Series handreaders. A quote for services will be provided.	<b>\$150.00 per hour</b>

### Main Boards

**Note:** Replacing any main board in the field creates a risk of the HandKey falling outside of acceptable calibration range. It is recommended that units be sent back to the factory to have the main board calibrated to the camera. Price does not include memory upgrades. Custom configurations must be noted on PO.

#### F Series

<b>S-PC-HK2-RB</b>	HandKey II Main PCB Battery Backup Ready	<b>\$749.00</b>
--------------------	------------------------------------------	-----------------

#### E Series

Price does not include memory or modem upgrades.

<b>S-PC-E06</b>	Main PCB Version 6	<b>DISCONTINUED</b>
-----------------	--------------------	---------------------

### Top Panels

#### F Series

<b>S-TP-HK2</b>	HandKey II Top Panel Assembly	<b>\$369.00</b>
-----------------	-------------------------------	-----------------

#### E Series

<b>S-TP-HK</b>	ID3D-R Top Panel Assembly	<b>DISCONTINUED</b>
----------------	---------------------------	---------------------

### Power Options

#### F Series

##### Field Upgradeable Battery Backup Options

<b>BB-200</b>	Operational Battery Backup with power management board for reader with serial numbers below 1345000	<b>\$109.00</b>
---------------	-----------------------------------------------------------------------------------------------------	-----------------

<b>S-BB-BAT</b>	Operational Battery Backup for readers with serial numbers higher than 1362000, Spare Battery for BB-250	<b>\$79.00</b>
-----------------	----------------------------------------------------------------------------------------------------------	----------------

##### Field Upgradeable Battery Backup Options For Readers with serial numbers 1345000 through 1362000.

This option for Battery Backup is required if the HandKey does not contain the battery backup circuitry. For help in identifying what your unit requires, please contact Technical Support.

<b>BB-HK-2</b>	Field Upgradeable Battery Backup for HK-2 (includes new main board with circuitry and battery)	<b>DISCONTINUED</b>
----------------	------------------------------------------------------------------------------------------------	---------------------

### Overlays

#### F Series

<b>OVLY HK-2</b>	HandKey II Overlay	<b>\$67.00</b>
------------------	--------------------	----------------

## Terminal Strips

### F Series

Readers built after 2003, or readers that have been upgraded to main boards with a push button reset switch.

<b>S-TS-F02</b>	Terminal Strip / connector 2 pin (pack of 5)	<b>\$68.00</b>
<b>S-TS-F03-F3</b>	Terminal Strip / connector 3 pin - F3 (pack of 5)	<b>\$68.00</b>
<b>S-TS-F04-F3</b>	Terminal Strip / connector 4 pin - F3 (pack of 5)	<b>\$68.00</b>
<b>S-TS-F06-F3</b>	Terminal Strip / connector 6 pin - F3 (pack of 5)	<b>\$68.00</b>
<b>S-TS-F08-F3</b>	Terminal Strip / connector 8 pin - F3 (pack of 5)	<b>\$68.00</b>
<b>S-TS-FPK-F3</b>	Terminal Strip / connector pack - 2, 3, 4, 6, 8 pin (F3 Series)	<b>\$68.00</b>

### F Series Original Generation

Readers built before 2004, can be identified by a 5 position DIP switch.

<b>S-TS-F02</b>	Terminal Strip / connector 2 pin (pack of 5)	<b>\$68.00</b>
<b>S-TS-F06</b>	Terminal Strip / connector 6 pin (pack of 5)	<b>\$68.00</b>
<b>S-TS-F08</b>	Terminal Strip / connector 8 pin (pack of 5)	<b>\$68.00</b>
<b>S-TS-F12</b>	Terminal Strip / connector 12 pin (pack of 5)	<b>\$68.00</b>
<b>S-TS-FPK</b>	Terminal Strip / connector pack - 6, 8, 12 pin	<b>\$68.00</b>

### E Series

<b>S-TS-E10</b>	Terminal Strip - 10 pin	<b>DISCONTINUED</b>
<b>S-TS-E12</b>	Terminal Strip - 12 pin	<b>DISCONTINUED</b>

## EPROMS

### F Series

Contact technical services for assistance selecting the proper version.

<b>S-PR-F00-F3</b>	EPROM Upgrade current F Series	<b>\$39.00</b>
--------------------	--------------------------------	----------------

### E Series

<b>S-PR-E00</b>	EPROM Replacement Kit (specify version)	<b>DISCONTINUED</b>
-----------------	-----------------------------------------	---------------------

## Platens

### F Series

<b>S-PL-F30</b>	Complete platen assembly with antimicrobial and blue hand outline	<b>\$217.00</b>
<b>S-PL-F</b>	Platen overlay with antimicrobial and blue hand outline	<b>\$108.00</b>

### E Series

<b>S-PL-E20</b>	Replacement Platen	<b>DISCONTINUED</b>
-----------------	--------------------	---------------------

## Keys

### F Series

<b>S-KY-F00</b>	Spare Keys (pack of 5)	<b>\$91.00</b>
<b>S-KY-TX-ENCL</b>	Spare keys for TX-ENCL	<b>\$91.00</b>

### E Series

<b>S-KY-E00</b>	Spare Keys (pack of 5)	<b>DISCONTINUED</b>
-----------------	------------------------	---------------------

**Mounting Kits**
**F Series**

<b>S-RP-F00</b>	Back Plate, rear sheet metal with hardware. Note: Serial numbers are required for a new label	<b>\$65.00</b>
<b>S-WM-F00-F3</b>	Wall Mount Bracket with hardware	<b>\$87.00</b>

**E Series**

<b>S-EBD</b>	Back Door Assembly	<b>DISCONTINUED</b>
<b>WM-200</b>	Recessed Wall Mount Kit	<b>DISCONTINUED</b>
<b>WM-201</b>	Surface Wall Mount Kit	<b>DISCONTINUED</b>
<b>S-RW-DOR</b>	ID3D-RW and LH100-RW Replacement Door assembly with hardware	<b>DISCONTINUED</b>
<b>S-RW-SPR</b>	ID3D-RW and LH100-RW Replacement Spring	<b>DISCONTINUED</b>

**Shipping Boxes**

<b>S-SB-F00</b>	F Series Shipping Box with foam inserts	<b>\$41.00</b>
<b>S-SB-E00</b>	E Series Shipping Box with foam inserts	<b>DISCONTINUED</b>

**Ship Kits**

<b>S-SK-HK-2-CR</b>	Replacement Ship Kit for HandKey II	<b>\$154.00</b>
---------------------	-------------------------------------	-----------------

**Cables**
**F Series**

<b>S-CB-232-F3</b>	RS-232 Cable 50'	<b>\$33.00</b>
--------------------	------------------	----------------

**E Series Miscellaneous**

<b>S-FP-E30</b>	Finger Pin Set E6 plastic sleeves with hardware	<b>DISCONTINUED</b>
<b>S-KP-E00</b>	Indoor Keypad	<b>DISCONTINUED</b>
<b>S-KP-OUT</b>	Keypad for outdoor environments	<b>DISCONTINUED</b>
<b>S-PC-ELCD</b>	LCD Assembly	<b>DISCONTINUED</b>



**MISCELLANEOUS - TABLE OF CONTENTS**

<b>Agency Listings</b>	<b>246</b>
<b>Door Handing</b>	<b>248</b>
<b>System Design Guide</b>	<b>251</b>
<b>Key System Summary</b>	<b>253</b>
<b>Wiring Diagrams</b>	<b>267</b>
<b>BAA/ARRA Cover Letter</b>	<b>271</b>

## Agency Listings



Product	Listing	Standard	Agency
<b>M420/M420P</b>	Builders Hardware - Aux. Locks	UL10C/UL1034	UL/cUL CSFM
<b>M450/M450P</b>	Builders Hardware - Aux. Locks	UL10C/UL1034	UL/cUL CSFM
<b>M490/M490P</b>	Builders Hardware - Aux. Locks	UL10C/UL1034	UL/cUL CSFM
<b>M490DE</b>	Builders Hardware - Aux. Locks	UL10C UL294 Special Locking Arrangement including BOCA	UL/cUL CSFM
<b>320 series M suffix</b>	Builders Hardware- Aux. Locks	UL10C	UL/cUL CSFM
<b>40, 70, 40TJ, 70TJ, 72</b>	Builders Hardware - Aux. Locks	UL10C	UL/cUL CSFM
<b>GF3000 (surface mount)</b>	Builders Hardware- Aux. Locks	UL10C	UL/cUL
<b>GF3000 (mortise mount)</b>	Builders Hardware-Aux. Locks	UL10C	UL/cUL CSFM
<b>PS902</b>	Power Supply	UL294	UL/cUL FCC Part 15 and Rotts Compliant
<b>PS904</b>	Power Supply	UL294	UL/cUL FCC Part 15 and Rotts Compliant
<b>PS906</b>	Power Supply	UL294	UL/cUL FCC Part 15 and Rotts Compliant
<b>900-2RS</b>	Power Supply Option Board	UL294	UL/cUL
<b>900-4R/900-4RL</b>	Power Supply Option Board	UL294	UL/cUL
<b>900-8P/900-8F</b>	Power Supply Option Board	UL294	UL/cUL
<b>900-FA/900-BB</b>	Power Supply Option Board	UL294	UL/cUL
<b>672 series All models including BRG</b>	Access Control System Units Burglary Resistant Electric Locking Mechanism Accessory	UL294 UL1034	UL UL
<b>692 series All models including BRG</b>	Access Control Systems Units Burglary Resistant Electronic Locking Mechanism Accessory	UL294 UL1034	UL UL
<b>7764 switch</b>	Connectors and Switches Misc Fire Door Accessories	UL634 UL10B	UL-multiple listing UL-multiple listing
<b>7766 switch</b>	Connectors and Switches	UL634	UL-multiple listing
<b>8200 series</b>	Access Control Units	UL294	UL
<b>SCAN-II-W SCAN-II-B</b>	Access Control System Units	UL294	UL-multiple listing

## Listed Electromagnetic Locks A156.23-2010 ANSI Type Numbers Licensee's Catalog

ANSI Function Number	Designations		
	1500 lbf Rating	1000 lbf Rating	500 lbf Rating
E18501	M490, M490P, M390RFK	M450, M450P, 70	M420, 420P, 40
E18511	M492, M492P	M452, M452P, 72	M422, M422P
E18531	M490-TJ, M490P-TJ	M450-TJ, M450P-TJ, 70-TJ	M420-TJ, M420P-TJ, 40-TJ
E18541	M490-HDB, M490P-HDB	M450-HDB, M450P-HDB, 70-HDB	M420-HDB, M420P-HDB, 40-HDB
E08501	M490G <sup>1</sup>		
E08531	M490G <sup>1</sup>		
E08561	GF3000, GF3000TJ		
E08571	280		
E08581	GF3000, 280		
E08591	GF3000, 280		
E08601	GF3000BRD		

<sup>1</sup> Outdoor rated lock.

All of the above available in 12VDC or 24VDC.


Finish Type	Certified Finishes
Clear Anodized Aluminum	Licensee's Catalog Designations
Satin Black, Anodized	628
	335

## AD-Series and CO-Series Electronic Locks

Product	Standard
AD-Series & CO-Series	UL294
	UL10C
	BHMA/ANSI 156.25 Grade 1 Operation and Security
	A156.2
	A156.3
	A156.12
	A156.13
	NFPA 101 – Ch 7
	NFPA 80 – Ch 6 & 7
	IBC – Ch 10
	ADA – Ch 4.13
	FCC Part 15
	Industry Canada (IC) RSS-210
	Florida Building Code
	RoHS



### Door and Frame Handing Chart



### Door Handing from Reader Side




### Architectural Finishes Chart

Finish Description	Finish #	BHMA #	Government
Bright Brass	605 or 666	605E	US3
Bright Chrome	625 or 672	625E	US26
Oil Rubbed Bronze, Anodized	690 or 313	690	US20A
Oil Rubbed Bronze	613 or 710	613E	US10B
Satin Aluminum, Clear Anodized	628	628	US28
Satin Black, Anodized	711 or 335	711	US19
Satin Brass	606	606E	US4
Satin Bronze	612 or 668	612E	US10
Satin Chrome	626	626E	US26D
Satin Stainless Steel	630	630	US32D
Oil Rubbed Bronze, Powder Paint	SP313		
Satin Black, Powder Paint	SP335		

**Note:** To preserve finishes, wipe clean with a soft cloth. Commercial cleaners may damage finish.







**DESCRIPTION OF OPERATION**

---

---

---

**ELECTRIC LOCK**

**TYPE: VOLTAGE: CURRENT DRAW**

**OPTIONS**

**LOCK STATUS SW: DOOR STATUS SW**

**POWER SUPPLY**

**MODEL: VOLTAGE: CURRENT CAPACITY**

**OPTIONS**

**FIRE SYSTEM TIE-IN: STANDBY BATTERIES**

**CONTROL-ACCESS**

**TYPE:**

**CONTROL-EGRESS**

**TYPE:**

**MONITORING REQUIRED-DESCRIBE:**

---

---

---

**INTERLOCK REQUIRED-DESCRIBE:**

---

---

---





# MASTER KEY SYSTEM SUMMARY

This form must be attached to the **Master Key Order form and P.O.**  
Please provide as complete and accurate as possible so we can provide what you need for your Key System.

Job Name  
Address  
City / State  
Country

Account No.  
P.O.#

For detailed instructions on how to complete this form please refer to pages 4 & 5

## System Overview

- New  Existing (provide info below)
- Attached Dealer Specified Combinations
- Registry # \_\_\_\_\_
- Structure or  
Factory Order # \_\_\_\_\_

## I. Select System

### Schlage

- Classic
- Classic Primus \*

### Everest®

- B (Small Format IC, Restricted \*)
- C (Open)
- Primus® \*
- D (Restricted \*)
- Primus® \*

### Everest 29™

- R (Small Format IC, Restricted \*)
- S (Open)
- Primus® \*
- T (Restricted \*)
- Primus® \*

### Falcon

- Standard
- Schlage C
- Restricted \*
- Interchangeable Core A2
- Interchangeable Core A4

Everest 29 key sections are backwards compatible to Everest keyways and have the following relationships:

R family sections > B family keyways  
S family sections > C family keyways  
T family sections > D family keyways

### Type

- 5-pin  6-pin  7-pin
- See compatibility chart on page 5

Keyway \_\_\_\_\_  
Specified \*\*: \_\_\_\_\_

\*\* = The Commercial Master Key Department makes the final decision in the selection of key sections

Construction Keyed  Yes  No

Full Size Construction Cores  ICA  ICB  ICC  
(Schlage Only)

Small Format Construction Cores  Brown  Green

### Construction Keyed Type

- Falcon  CK (BOK)  Lost Ball
- Schlage  CK (Split)  RCK ( 5-Pin C only )



## 2. Select Keys & Key Stamping

### Change Keys

No. Of Keys per Symbol \_\_\_\_\_

No. Of Keys per Cylinder \_\_\_\_\_

### Type

Standard Bow

Standard Bow  
(Unembossed)

Access Bow  
(Schlage Only)

Large Bow

### Key Stamp Details

Keyset Symbol

Do Not Duplicate  
(DND)

With Custom Die  
(Specify) \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Non-standard Code (Specify) \_\_\_\_\_

### Change Key Packaging and Shipping Instructions

Pack Keys Independently (PKI) of Lock or Cylinder \*\*\*

\*\*\* = *Furnished standard at no charge with  
Split-Key construction keying*

Yes  No

If PKI, ship change keys to:

Dealer

Other \_\_\_\_\_  
\_\_\_\_\_

See Primus Facesheet

## 3. Select Cylinder Stamping

### Cylinder Stamp Details

With Industry Standard Key Symbol  Non-Standard Code (Specify)

### Cylinder Stamping Location

Plug Face (N/A in Primus) - VKC

Concealed (N/A in Falcon STD) - CKC





#### 4. Select Key Quantities

Level	Qty. Per	Master Key Symbol (s)	Total Quantity
GGM _____	_____	_____	_____
GM _____	_____	_____	_____
MK or RMK _____	_____	_____	_____
Control _____	_____	_____	_____
Emergency _____	_____	_____	_____
Others _____	_____	_____	_____

#### Ship Master Keys To:

Dealer   
  See Primus Facesheet   
  Other \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Special Function	Qty. Per		Qty. Per
RCK (Lost Ball) ****	_____	Full Size Construction Core Keys (Schlage Only)	_____
CK (Split Key) ****	_____	Full Size Construction Core Control Keys (Schlage Only)	_____
Extractor Tools ****	_____	Small Format Construction Core Keys	_____
		Small Format Construction Core Control Keys	_____

\*\*\*\* = Use with Construction Keying

#### 5. Master Key Future Expansion

List Future MK Symbols	Approx. # of Change Key Symbols Under Each Future MK
Example: MK..... <input checked="" type="checkbox"/>	BJ, BK _____ 40 each _____
GGM <input type="checkbox"/>	_____
GM <input type="checkbox"/>	_____
MK <input type="checkbox"/>	_____
MK <input type="checkbox"/>	_____
MK <input type="checkbox"/>	_____
MK <input type="checkbox"/>	_____
Others <input type="checkbox"/>	_____

#### 6. Operating Instructions

(Unless otherwise specified, all hierarchical master keys will operate cross-keyed cylinders)

Cross Keyed Cylinder	is operated by these change keys	Cross Keyed Cylinder	is operated by these change keys
X _____	_____	X _____	_____
X _____	_____	X _____	_____
X _____	_____	X _____	_____
X _____	_____	X _____	_____



## 7. Instructions and Compatibility

### **General Information**

If you do not know the registry number (R#), structure number or the original factory order number for an existing system, contact Customer Service prior to placing the order:

**Tel. 1-877-671-7011**  
**Fax 1-800-452-0663**

- Only one structure may be ordered on the same purchase order
- Classic refers to Obverse, Numbered (Paracentric), Quad, and Reverse key section families
- Classic Primus refers to Primus Obverse and Primus Quad key section families

### **Section 1: System a System**

Full Size Construction Cores

- Schlage only

Small Format Construction Cores

- 7-pin only for Schlage
- 6- and 7-pin for Falcon

CK (Split)

- 6-pin for Schlage and Falcon
- Split key construction keying is not available for Classic Primus or Everest 29 Primus

RCK (Lost Ball)

- 5-pin (C keyway) only for Schlage
- 5-, 6-, and 7-pin for Falcon

System Selection

- Refer to the compatibility chart

### **Section 2: Select Kys and Key Stamping**

Stamp Details

- Unless otherwise specified, industry standard key symbols are stamped on Everest 29™ and Primus® keys
- For custom die, attach RFQ approval for Schlage

### **Section 3: Select Cylinder Stamping**

Type

- For cylinder type refer to the compatibility chart

Keyway (specify)

- Schlage Commercial's default key section for new Master Key Systems is Everest™ S145



**Section 4: Key Quantities**

Level

- Unless otherwise specified, the control key has the same cut as the highest-level key in the system (Except SFIC systems)

Special Function

- Construction keys are not furnished unless specified

Change Keys

- Unless otherwise specified 2 change keys are furnished per lock or cylinder

**Section 5: Master Key Future Expansion**

- Do not use the letters “I”, “O”, “CK”, “KA”, or “KD” for any master key symbols

**Section 6: Operating Instructions**

- Cross keying reduces the security and expansion of key systems
- Unless otherwise specified, all hierarchical master keys will operate cross-keyed cylinders

Compatibility Chart

	5 Pin	6 Pin	7 Pin	Split Key	Block O-Key	Lost Ball	Tempe Core	A2	A4	0.025	0.018
<b>Schlage</b>											
Classic	X	X		X		X	X				
Everest 29 S		X		X			X				
Everest 29 T		X		X			X				
Everest 29 R			X				X	X			
Classic Primus (XP)		X					X				
Everest 29 Primus (XP)		X					X				
<b>Falcon</b>											
Open	X	X	X		X	X					X
Restricted		X	X		X	X				X	
Schlage C		X		X							
SFIC Open		X	X				X	X	X		
SFIC Restricted		X	X				X	X	X		









# Sample Letter of Authorization For All Restricted Key Products



**DISTRICT 10**

**End User  
Letterhead - REQUIRED**

District 10 Schools  
555 Main Street  
End User City, State 55555  
(555) 555-5555

May 1, 2003

**Date - REQUIRED**

**To:** Schlage Dealer  
100 East Avenue  
Dealer City, State 11111

**Dealer Name -  
RECOMMENDED**

**Include Registry  
Number & Facility  
Code (stamped on  
keys) for existing  
key systems**

**RE: District 10, Jones Elementary School**

**Facility Name - REQUIRED**

Please consider this authorization to ship product for the above-referenced project.

Jones Elementary School is to be keyed using a new Everest D Restricted Key System. For security reasons, we would like to have all keys for this facility shipped to a location other than the job site. Master keyed products, however, can be shipped directly to the site. This letter authorizes Schlage to ship our restricted products to the following addresses:

Master Keyed Products, Construction Keys, Locks Less  
Cylinders, and Locks with Construction Cores

Attn: Building Project Manager  
District 10 Schools  
555 Main Street  
End User City, State 55555

Master Keys, Change Keys, Control Keys, and Key Blanks

Attn: Locksmith  
District 10 Lockshop  
1201 Fifth Avenue  
End User City, State 55555

**Authorized Ship-  
To Addresses -  
REQUIRED**

These two addresses above serve as our only authorized shipment addresses for all orders placed for our facility. We understand that this letter will be kept on file and referenced for our future orders and that a new letter is only required to add, remove, or change authorized shipping locations.

Sincerely,

End User Representative  
Facilities Manager

**End User  
Representative  
Signature -  
REQUIRED**

**Letter may be mailed or faxed to Schlage**  
**Schlage Restricted Order Processing**  
**3899 Hancock Expressway**  
**Colorado Springs, CO 80911**



A library of common wiring diagrams are available at no-charge for use in single and double door applications utilizing various configurations of Allegion door hardware products. These diagrams can be accessed through our Knowledge Center tool at <http://kc.allegion.com/>. Click on *Common wiring diagrams* located under the column Top Solutions.

## Custom Wiring Diagram Request

When common wiring diagrams do not meet the needs of the job requirements Allegion offers a service to purchase custom wiring diagrams. All custom wiring diagrams include a point-to-point with theory of operation and a riser diagram. Custom wiring diagrams fall into two categories; Standard and Complex:

- **Standard drawings:** All Allegion products with a single opening and a basic theory of operation. These drawings are quoted on a per drawing basis.
- **Complex drawings:** Generic contacts, 3rd party components, complex relay logic, timer circuit logic, any other additional advanced logic. These drawings must be processed through a quote process to determine the total NET cost of the request.

## How does the Custom Wiring Diagram Request Process work?

- Custom wiring diagrams can only be ordered by and shipped to current Allegion Channel Partners
- Obtain a Wiring Diagram Request Form on page 69 or email a request to [Wiring.Diagram.Request@allegion.com](mailto:Wiring.Diagram.Request@allegion.com)
- Email the completed request form to [Wiring.Diagram.Request@allegion.com](mailto:Wiring.Diagram.Request@allegion.com)
- Be sure and include the following information to prevent delays to the request:
  - All supporting documentation for non-Allegion products
  - Hardware list with complete part numbers
  - Detailed Theory of operation for all openings
- Upon receipt the custom wiring coordinator will review and clarify the request as needed
- Once all clarifications are resolved a QUOTE#, NET pricing, and lead time will be assigned and communicated to the requestor within 1 business day
- Drawings that fall under a Standard type will be quoted a NET \$250 for each drawing
- Drawings that fall under a Complex type will receive a NET quote depending on the time required to complete the drawings at an hourly rate of \$250/hour
- A purchase order with the QUOTE# must be received for the wiring diagrams to be produced
  - Send the completed PO to [Wiring.Diagram.Request@allegion.com](mailto:Wiring.Diagram.Request@allegion.com)
- Lead time is generally 2-3 weeks from time PO is received, more complex requests will have longer lead times
- Changes to the original request after a quote approval may incur additional charges and affect lead time
- QUOTE# is valid for 90 days
- Custom wiring diagrams, once completed, will be emailed to the requestor



# Wiring Diagram Request Form



# ALLEGION™

**Must be a Schlage Electronics, LCN, or Von Duprin Dealer**

=====

Date \_\_\_/\_\_\_/\_\_\_ Project Name \_\_\_\_\_

Dealer/Distributor \_\_\_\_\_

Account # \_\_\_\_\_ Dealer Contact Name \_\_\_\_\_ Phone \_\_\_\_-\_\_\_\_-\_\_\_\_\_

=====

Provide a Primary Technical Contact \_\_\_\_\_ Phone \_\_\_\_-\_\_\_\_-\_\_\_\_\_

=====

### Provide/Attach the Following

- All supporting documentation for all non-Allegion products.
  - Included hardware list with complete part numbers.
  - Detailed Theory of Operation for all openings.

### Additional information that helps expedite the project:

Door Number; Door Size; Door Material;  
 Fire Rated Opening; Single/Pair; Double Egress; Interior/Exterior;  
 Interlocked Opening; Basic Floor Plan/Traffic Flow

=====

**E-mail completed form and supporting documentation to**

Wiring.Diagram.Request@allegion.com

Phone: 877-671-7011



# BAA Order Transmittal Cover Letter



## Buy America Act and American Recovery and Reinvestment Act (BAA/ARRA)

*Note that orders requiring BAA compliant products MUST include this cover letter to  
be properly identified.*



## About Allegion

Allegion (NYSE: ALLE) creates peace of mind by pioneering safety and security. As a \$2 billion provider of security solutions for homes and businesses, Allegion employs more than 8,000 people and sells products in more than 120 countries across the world. Allegion comprises 27 global brands, including strategic brands CISA®, Interflex®, LCN®, Schlage® and Von Duprin®.

For more, visit [www.allegion.com](http://www.allegion.com)

*aptiQ* ■ LCN ■ **SCHLAGE** ■ STEELCRAFT ■ VON DUPRIN