

#### This price list supersedes and cancels all previous price lists. Prices shown are subject to change without notice.

#### Administrative Offices

Allegion Administrative Office 11819 N. Pennsylvania St. Carmel, IN 46032 allegion.com/us

#### **Placing orders**

You can place orders with Allegion via the fax number or email listed below:

Brio USA: Phone: 1-855-586-6251 Fax: 1-585-319-5741 Email: Brio.sales.USA@Allegion.com Brio Australia: Phone: +61-2-8718-6718 Fax: +61-2-8718-6719 Email: brio.sales@allegion.com

#### **Customer Care**

Our Customer Care Representatives are available for questions or assistance. You can reach them at **877-671-7011** (Press 1 for Sales Support | Press 2 for Product Support | Press 3 for SSC) or through the email addresses listed below:

#### Sales Support

**Carolinas** (North Carolina, South Carolina, Virginia) Carolinas\_Sales\_Support@allegion.com

#### Central

(Arkansas, Illinois, Iowa, Kansas, Missouri, Nebraska, Oklahoma) Central\_Sales\_Support@allegion.com

**Chicago** (*Illinois-Northern, Wisconsin*) Chicago\_Sales\_Support@allegion.com

Florida\_Sales\_Support@allegion.com

**Great Lakes** (New York, Pennsylvania) Great\_Lakes\_Sales\_Support@allegion.com

Metro New York Metro\_New\_York\_Sales\_Support@allegion.com

#### **Technical Product Support**

Phone: 1-855-586-6251 US Fax: 1-585-319-5741 Email: Brio.sales.USA@Allegion.com

#### **Request for Quote**

**Carolinas** (North Carolina, South Carolina, Virginia) Carolinas.Quotes@allegion.com

Central (Arkansas, Illinois, Iowa, Kansas, Missouri, Nebraska, Oklahoma) Central.Quotes@allegion.com

**Chicago** (Illinois-Northern, Wisconsin) Chicago.Quotes@allegion.com

Florida Florida.Quotes@allegion.com

**Great Lakes** (*New York, Pennsylvania*) GreatLakes.Quotes@allegion.com

Metro New York Metro.Quotes@allegion.com Michigan Michigan\_Sales\_Support@allegion.com

Mid Atlantic (Delaware, Maryland, New Jersey) Mid\_Atlantic\_Sales\_Support@allegion.com

Midwest (Indiana, Kentucky, Ohio, West Virginia) Midwest\_Sales\_Support@allegion.com

Mountain States (Colorado, Idaho, Montana, Nevada, Utah, Wyoming) Mountain\_States\_Sales\_Support@allegion.com

New England (Connecticut, Main, Massachusetts, New Hampshire, Rhode Island, Vermont) New\_England\_Sales\_Support@allegion.com

North Central (Minnesota, North Dakota, South Dakota) North\_Central\_Sales\_Support@allegion.com Northern California Northern\_California\_Sales\_Support@allegion.com

Northwest (Alaska, Oregon, Washington) Northwest\_Sales\_Support@allegion.com

South (Alabama, Georgia, Louisiana, Mississippi, Tennessee) South\_Sales\_Support@allegion.com

Southern California (California-Southern, Hawaii) Southern\_California\_Sales\_Support@allegion.com

Southwest (Arizona, New Mexico) Southwest\_Sales\_Support@allegion.com

Texas Texas\_Sales\_Support@allegion.com

Michigan Michigan.Quotes@allegion.com

**Mid Atlantic** (Delaware, Maryland, New Jersey) MidAtlantic.Quotes@allegion.com

Midwest (Indiana, Kentucky, Ohio, West Virginia) Midwest.Quotes@allegion.com

Mountain States (Colorado, Idaho, Montana, Nevada, Utah, Wyoming) Mtn.States.Quotes@allegion.com

New England (Connecticut, Main, Massachusetts, New Hampshire, Rhode Island, Vermont) NewEngland.Quotes@allegion.com

North Central (Minnesota, North Dakota, South Dakota) NorthCentral.Quotes@allegion.com Northern California NoCal.Quotes@allegion.com

Northwest (Alaska, Oregon, Washington) Northwest.Quotes@allegion.com

**South** (Alabama, Georgia, Louisiana, Mississippi, Tennessee) South.Quotes@allegion.com

**Southern California** (California-Southern, Hawaii) SoCal.Quotes@allegion.com

Southwest (Arizona, New Mexico) Southwest.Quotes@allegion.com

**Texas** Texas.Quotes@allegion.com

# Brio® where ideas unfold

Brio<sup>°</sup>, based in the USA, Australia and UK, is focused on bringing adventurous architectural ideas to life, converting the conceptual thoughts of our customers into exciting reality.

Our aim is that Brio<sup>®</sup> be seen as the innovative leader in sliding and folding door hardware – a leader in design and quality.

Brio<sup>®</sup> epitomises our core values. Energy. Spirit. Vitality. It also stands for the way we approach the discovery of new solutions for our customers.

Brio"'s R&D department brings a strong design element to the business, developing and testing new concepts using the latest CAD and modelling software.

The company embraces the concept of generic and private label enterprises and recognizes the need for specialization in certain circumstances and markets.

Brio, part of the Allegion family of brands.

#### BRIO – USA

85 MUSHROOM BLVD ROCHESTER, NY 14623-3201 USA Telephone: +1 855 586 6251 Fax: +1 585 319 5741 Email: brio.sales.usa@allegion.com Website: briousa.com BRIO – Australia C5-7, REGENTS PARK ESTATE, 391 PARK ROAD, REGENTS PARK, NSW 2143 AUSTRALIA Telephone: +61 2 8718 6718 Fax: +61 2 8718 6719 Email: sales.brio@allegion.com Website: brio.com.au ABN: 49 077 898 161



# Table of Contents and Application Selection Guide

System	Application	Residential	Commercial	Max Panel Weight	Panel Thickness	Max Panel Height	Max Panel Width	Interior Exterior Page
Alpha-numeric								ii
Terms and Conditions of sale								iii - vi
Straight Sliding Top Hung Systems								
Single Run 60	Room Divider, Cavity Slider Doors	•		130lbs	<sup>3</sup> /4" min	94 <sup>1</sup> / <sub>2</sub> "	60"	1
Open Bar Rail Wood 80	Room Divider	•	•	175lbs	] 3/8" - ] 3/4"	118 <sup>1</sup> /8"	49 1/4 "	1
Open Round Rail Wood 100	Room Divider	•	•	220lbs	1 3/8" - 1 3/4"	118 <sup>1</sup> /8"	78 <sup>3</sup> /4 "	2
Open Round Rail Glass 100	Room Divider	•	•	220lbs	<sup>5</sup> / <sub>16</sub> " - <sup>1</sup> / <sub>2</sub> "	118 <sup>1</sup> /8"	78 <sup>3</sup> /4 "	3
Open Square Rail Wood 150	Room Divider	•	•	330lbs	1 3/8" - 1 3/4"	118 <sup>1</sup> /8"	78 <sup>3</sup> /4 "	3
Single Run 80	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	175lbs	11/8" - 17/8"	118 <sup>1</sup> /8"	59"	4
Single Run 100	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	220lbs	11/8" - 17/8"	118 <sup>1</sup> /8"	59"	4
Single Run 120	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	265lbs	<sup>3</sup> / <sub>4</sub> " - 1 <sup>7</sup> / <sub>8</sub> "	118 <sup>1</sup> /8"	59"	4
Single Run 180	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	395lbs	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>7</sup> / <sub>8</sub> "	118 <sup>1</sup> /8"	98 ³/ <sub>8</sub> "	5
Single Run 350	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	770lbs	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>7</sup> / <sub>8</sub> "	129 7/8"	98 <sup>3</sup> / <sub>8</sub> "	5
Zero Clearance 80	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	175lbs	1 1/4" min	118 <sup>1</sup> /8"	59"	6
Zero Clearance 100	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	220lbs	1 1/4" min	118 <sup>1</sup> /8"	59"	6
Zero Clearance 120	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	265lbs	1 1/4" min	118 <sup>1</sup> /8"	59"	6
Zero Clearance 180	Room Divider, Sliding Patio Doors, Sliding Shutters	•	•	395lbs	1 1/2" min	118 1/8"	98 <sup>3</sup> / <sub>8</sub> "	7
Zero Clearance 350	Room Divider, Sliding Patio Doors, Sliding Shutters	٠	•	770lbs	1 1/2" min	129 <sup>7</sup> /8"	98 <sup>3</sup> /8 "	7



# Alpha Numeric

# Brio

Ref. #	Description	Price \$	Page	Ref. #	Description	Price \$	Pag
00-A20	Track Aluminum anodized - 2000mm (78 <sup>3</sup> /4")	72.82	4	57EN	Type 57, nylon wheels & chrome bearings	58.56	
00-A30	Track Aluminum anodized - 3048mm (120")	109.32	4	57ENP	Type 57, nylon wheels & body, chrome bearings	39.05	
00-A40 00-A60	Track Aluminum anodized - 4000mm (157 ½") Track Aluminum anodized - 6096mm (240")	145.65 218.66	4 4	57GN 57HN	Type 57, nylon wheels & chrome bearings	71.48 78.94	
00-A00 00CS	Clip Stop	15.36	4	57SS/DN	Type 57, nylon wheels & chrome bearings Type 57, nylon wheels & stainless steel bearings	76.94	
00F-RB	Support Bracket	28.80	2	57SS/EN	Type 57, nylon wheels & stainless steel bearings	88.84	
00F-RBPR	Support Bracket for Round Rail PR	45.31	2	57SS/ENP	Type 57, nylon wheels & body S/S bearings	63.59	
DO-LS	Open Round Rail Left Soft Stop	54.40	2	57SS/GN	Type 57, nylon wheels & stainless steel bearings	110.95	
00-LSPR	Open Round Rail Left Soft Stop PR	73.47		57SS/HN	Type 57, nylon wheels & stainless steel bearings	119.28	
000R-20	Open Round Rail - 2000mm (78 3/4")	268.03	2 2	58EN	Type 58, nylon wheels & chrome bearings	58.56	
DOOR-20PR	Open Round Rail - 2000mm (78 3/4") PR	363.26	2	58ENP	Type 58, nylon wheels & chrome bearings	39.05	
DOOR-25	Open Round Rail - 2500mm (98 3/8")	335.00	2 2	58SS/EN	Type 58, nylon wheels & stainless steel bearings	88.84	
DOOR-25PR	Open Round Rail - 2500mm (98 <sup>3</sup> / <sub>8</sub> ") PR	454.02		58SS/ENP	Type 58, nylon wheels & stainless steel bearings	58.56	
00R-30	Open Round Rail - 3000mm (118 <sup>1</sup> / <sub>8</sub> ")	401.98	2	5SS/120	Type 5 face fit Bracket	38.48	
00R-30PR	Open Round Rail - 3000mm (118 <sup>1</sup> / <sub>8</sub> ") PR	544.77	2 2	5SS/250	Type 5 face fit Bracket	58.56	
)00R-40 )0-RB	Open Round Rail - 4000mm (157 1/2") Support Bracket for Round Rail	536.06 23.14	2	605 606	Hanger, nylon body with fixing plate	32.15	
0-RBPR	Support Bracket for Round Rail PR	25.14 31.36	2	60-20	Hanger, nylon body with precision bearings Track Aluminum mill finish - 2000mm (78 ³/4")	32.15 53.54	
0-RS	Open Round Rail Right Soft Stop	54.40	2	60-30	Track Aluminum mill finish - 3048mm (120")	80.48	
0-RSPR	Open Round Rail Right Soft Stop PR	73.47	2	60-40	Track Aluminum mill finish - 4000mm (157 $^{1}/_{2}$ ")	107.24	
OSCT	Soft Close	83.71	4	60-60	Track Aluminum mill finish - 6096mm (240")	160.43	
1N	Sawcut guide, nylon, floor mounted	3.46	i	61DN	4 Wheel, nylon wheels & precision bearings	91.22	
2W/94SS	Guide, multiple doors	44.79	5	61EN	4 Wheel, nylon wheels & precision bearings	104.96	
6E/94	Guide with nylon roller - use with 94A, 94B, 94P	23.54	2	61ENP	4 Wheel, nylon wheels & precision bearings	77.48	
6RB/94	Cast stainless plate with single precision bearing	28.84	5	61GN	4 Wheel, nylon wheels & precision bearings	128.12	
6SSMF	Cast stainless plate with single precision bearing	24.69	4	61HN	4 Wheel, nylon wheels & precision bearings	141.48	
0-A20	Track Aluminum anodized - 2000mm (78 3/4")	86.74	4	61SS/DN	4 Wheel, nylon wheels & SS bearings	136.08	
0-A30	Track Aluminum anodized - 3048mm (120")	130.01	4	61SS/EN	4 Wheel, nylon wheels & SS bearings	161.47	
0-A40	Track Aluminum anodized - 4000mm (157 <sup>1</sup> / <sub>2</sub> ")	173.29	4	61SS/ENP	4 Wheel, nylon wheels & SS bearings	110.69	
0-A60 0DS	Track Aluminum anodized - 6096mm (240") Door Stop	260.01 19.23	4 4	61SS/GN	4 Wheel, nylon wheels & SS bearings	197.09	
ODS OR-A20	Track Aluminum anodized - 2000mm (78 <sup>3</sup> /4")	98.55	4 6	61SS/HN 91	4 Wheel, nylon wheels & SS bearings Bracket & Fasteners SS	217.68 6.18	
0R-A30	Track Aluminum anodized - 3048mm (120")	147.75	6	91/5	Bracket Pack of 5 SS	29.71	
0R-A40	Track Aluminum anodized - 4000mm (157 $1/2^{"}$ )	196.93	6	924-BK01	Interlocker Black Anodized 4 pack 100mm	11.64	
0R-A60	Track Aluminum anodized - 6096mm (240")	295.48	6	924-BZ01	Interlocker Bronze Anodized 4 pack 100mm	11.64	
0-SB	Support Bracket for Square Rail	51.64	3	924-CA01	Interlocker Clear Anodized 4 pack 100mm	11.64	
D-SBPR	Support Bracket for Square Rail PR	70.02	3	94P-20	Channel Polyprop - 2000mm (78 ³/4")	14.72	
DSR-20	Open Square Rail - 2000mm (78 ³/4")	511.41	3	94P-30	Channel Polyprop - 3048mm (120")	22.08	
DSR-20PR	Open Square Rail - 2000mm (78 ³/4") PR	692.99	3	94P-40	Channel Polyprop - 4000mm (157 1/2")	29.44	
DSR-25	Open Square Rail - 2500mm (98 ³/в")	639.33	3	94P-60	Channel Polyprop - 6096mm (240")	44.16	
OSR-25PR	Open Square Rail - 2500mm (98 <sup>3</sup> / <sub>8</sub> ") PR	866.43	3	94PPA-A20	Poly. & Support, Anod - 2000mm (78 <sup>3</sup> / <sub>4</sub> ")	55.95	
OSR-30	Open Square Rail - 3000mm (118 <sup>1</sup> / <sub>8</sub> ")	767.12	3	94PPA-A30	Poly. & Support, Anod - 3048mm (120")	83.92	
OSR-30PR	Open Square Rail - 3000mm (118 ¼,8") PR Open Square Rail - 4000mm (157 ½")	1039.62 1022.82	3 3	94PPA-A40	Poly. & Support, Anod - 4000mm (1571/2")	111.89 167.84	
0SR-40 0-A20	Track aluminum anodized - 2000mm (78 <sup>3</sup> /4")	1022.62	5	94PPA-A60 94PPA-BR20	Poly. & Support, Anod - 6096mm (240") Poly. & Support, Bronze Anod - 2000mm (78 <sup>3</sup> /4")	60.07	
IO-A30	Track aluminum anodized - 3048mm (120")	170.51	5 5	94PPA-BR20 94PPA-BR30	Poly. & Support, Bronze Anod - 3048mm (120")	90.10	
0-A40	Track aluminum anodized $-4000$ mm (120 )/	227.35	5	94PPA-BR40	Poly. & Support, Bronze Anod - 4000mm (157 1/2")	120.14	
0-A60	Track aluminum anodized - 6096mm (240")	341.03	5	94PPA-BR60	Poly. & Support, Bronze Anod - 6096mm (240")	120.14	
IODS	Door Stop	23.10	5	96W-A20	Channel, Aluminum Anod - 2000mm (78 <sup>3</sup> / <sub>4</sub> ")	43.29	
S/250	Type I face fit Bracket	24.54	5	96W-A30	Channel, Aluminum Anod - 3048mm (120")	65.01	
RB/94	Guide Corner Fix SS with precision bearing	45.64	5	96W-A40	Channel, Aluminum Anod - 4000mm (1571/2")	86.55	
50-A20	Track aluminum anodized - 2000mm (78 ³/4")	144.76	5	96W-A60	Channel, Aluminum Anod - 6096mm (240")	129.84	
i0-A30	Track aluminum anodized - 3048mm (120")	217.14	5 5	C155LS	Nylon Guide for cavity doors	4.58	
0-A40	Track aluminum anodized - 4000mm (1571/2")	289.52		CR60-1PK	Cavity Run 60, fittings Pack	70.54	
0-A60	Track aluminum anodized - 6096mm (240")	434.28	5	OBF80-20	Open Bar Rail Wood Pack Set SS - 2000mm (78 <sup>3</sup> / <sub>4</sub> ")	582.40	
0-BR20	Track aluminum bronze anodized – 2000mm (78 <sup>3</sup> / <sub>4</sub> ")	159.24	5	OBF80-20PB	Open Bar Rail Wood Pack Set Black - 2000mm (78 <sup>3</sup> / <sub>4</sub> ")	358.40	
60-BR30 60-BR40	Track aluminum bronze anodized - 3048mm (120") Track aluminum bronze anodized - 4000mm (157 1/2")	238.86	5 5	OBF80-25	Open Bar Rail Wood Pack Set SS - 2500mm (98 <sup>3</sup> / <sub>8</sub> ")	659.20	
0-BR40 0-BR60	Track aluminum bronze anodized - 4000mm (157.72)	318.47 477.71	5	OBF80-25PB ORF100	Open Bar Rail Wood Pack Set Black - 2500mm (98 <sup>3</sup> / <sub>8</sub> ") Open Round Rail Wood Hanger Set Face Fix	435.20 864.64	
7S	Door stop	6.60	1	ORFIOOPR	Open Round Rail Wood Hanger Set Face Fix	1108.22	
)1B2BPS	Flush Pull, Back to Back - Polished Nickel	69.33	7	ORG100	Open Round Rail Glass fittings pack	856.27	
1B2BPVDB	Flush Pull, Back to Back - PVD Brass	79.73	7	ORG100PR	Open Round Rail Glass Hanger Set PR	1080.58	
1B2BSS	Flush Pull, Back to Back - SS	69.33	7	ORT100	Open Round Rail Wood fittings pack	823.82	
IPS	Flush Pull - Polished Nickel	32.10	7	ORT100PR	Open Round Rail Wood Hanger Set PR	1039.74	
1PVDB	Flush Pull - PVD Brass	36.92	7	OST150	Open Square Rail Wood fittings pack	1212.36	
ISN	Flush Pull - Satin Nickel	32.10	7	OST150PR	Open Square Rail Wood Hanger Set PR	1529.86	
EN	Type 50, nylon wheels & chrome bearings	58.56	4	Router401	Router	162.00	
SS/EN	Type 50, nylon wheels & stainless steel bearings	94.45	4	SR100-1PK	Single Run 100, fittings Pack	135.66	
GN	Type 52, nylon wheels & chrome bearings	91.29	5	SR100SS-1PK	Single Run 100 SS, fittings Pack	190.48	
HN SS/GN	Type 52, nylon wheels & chrome bearings	98.89 122.14	5 5	SR120-H1PK	Single Run 120, top fix fittings Pack	159.04	
SS/GN SS/HN	Type 52, nylon wheels & stainless steel bearings Type 52, nylon wheels & stainless steel bearings	122.14 130.91	5	SR120SS-H1PK SR180-H1PK	Single Run 120 SS, top fix fittings Pack Single Run 180, top fix fittings Pack	219.60 206.41	
IT	Stainless steel sawcut guide	130.91	2	SR180SS-H1PK	Single Run 180 SS, top fix fittings Pack	200.41	
ITPR	Saw Cut Floor Guide PR	31.23	2 2	SR350-HIPK	Single Run 350, top fix fittings Pack	203.33	
5T	Stainless steel fix through handle	61.36	2	SR350SS-HIPK	Single Run 350 SS, top fix fittings Pack	302.01	
G	Sawcut guide, nylon	3.46	ĩ	SR60-1PK	Single Run 60, fittings Pack	80.96	
GD	Guide for multiple panels, nylon	6.18	i	SR80-1PK	Single Run 80, fittings Pack	112.28	
EN	Type 56, nylon wheels & chrome bearings	50.66	4	SR80SS-IPK	Single Run 80 SS, fittings Pack	161.36	
6GLN	Type 56L, nylon wheels & chrome bearings	62.86	5	ZC100-1PK	Zero Clearance 100, fittings pack	220.49	
5GN	Type 56, nylon wheels & chrome bearings	60.86	5	ZC100SS-1PK	Zero Clearance 100 SS, fittings pack	310.21	
HLN	Type 56L, nylon wheels & chrome bearings	70.62	5	ZC120-1PK	Zero Clearance 120, fittings pack	251.84	
θΗΝ	Type 56, nylon wheels & chrome bearings	68.31	5	ZC120SS-1PK	Zero Clearance 120 SS, fittings pack	364.86	
SS/EN	Type 56, nylon wheels & stainless steel bearings	75.49	4	ZC180-1PK	Zero Clearance 180, fittings pack	319.69	
SS/GLN	Type 56L, nylon wheels & stainless steel bearings	98.89	5	ZC180SS-1PK	Zero Clearance 180 SS, fittings pack	457.63	
ISS/GN	Type 56, nylon wheels & stainless steel bearings	92.15	5	ZC350-1PK	Zero Clearance 350, fittings pack	346.41	
CC (1)	Type 56L, nylon wheels & stainless steel bearings	119.99	5	ZC350SS-1PK	Zero Clearance 350 SS, fittings pack	498.81	
			-	7000 1011			
SS/HLN SS/HN DN	Type 56, nylon wheels & stainless steel bearings Type 56, nylon wheels & stainless steel bearings Type 57, nylon wheels & chrome bearings	100.61 48.81	5 4	ZC80-1PK ZC80SS-1PK	Zero Clearance 80, fittings pack Zero Clearance 80 SS, fittings pack	189.14 255.56	





#### Allegion General Terms and Conditions of Sale and Service

1. <u>GENERAL/ACCEPTANCE</u>. (a) This Agreement contains the only terms and conditions by which Company will quote and sell Deliverables to Customer; (b) The terms "purchase order" or "order" for the purposes of this Agreement include the term "request for quotation, as appropriate; (c) This Agreement supersedes all pre-printed or boilerplate terms and conditions set forth in any purchase order issued by Customer (d) No reference herein to Customer's purchase order will in any way incorporate different or additional terms and conditions, all of which Company hereby expressly objects to; (e) ANY ACCEPTANCE BY COMPANY OF CUSTOMER'S PURCHASE ORDER IS EXPRESSLY CONDITIONED ON THE CUSTOMER'S ASSENT TO AND ACCEPTANCE OF THE TERMS AND CONDITIONS CONTAINED IN THIS AGREEMENT; (f) Company reserves the right to decline any order, in whole or in part, for any reason.

#### 2. ORDERS.

 a. <u>Order Processing</u>. When Customer wishes to place an order for Deliverables, it will deliver to Company a purchase order. All such purchase orders must (i) be in a written format acceptable to Company, (ii) be legible, (iii) include a purchase order number, (iv) include Customer's account number, invoice address, ship to address, shipping method, shipper's letter of instruction for international shipments, part number, pricing, and designated contact information, (y) include, if applicable, any special configuration ID numbers, necessary programming information, special factory instructions, and requested specifications regarding a particular finish, handing, design, backset, or strike, (vi) reference any applicable pricing discounts under an ongoing buying program or based on a written quote from Company, along with the applicable buying program number or quotation number, and (vii) not combine buying program and quoted product on the same order.

net Deliverable value. Company may, at its sole discretion, (i) increase the quantity of items in the order to meet the minimum net Deliverable value requirement; (ii) apply a minimum order charge; (iii) reject the order, or (iv) waive the requirement, provided that the waiver of a requirement for one order shall not constitute a waiver of the requirement for any future orders

c. Acceptance of Purchase Orders. Company will endeavor to (i) acknowledge receipt of each purchase order issued in accordance with this Agreement, and (ii) notify Customer whether Company accepts or rejects the purchase order. If Company fails to accept or reject a purchase order within a reasonable time period, such failure to respond will be deemed a rejection of the entire order. Orders that combine buying program and quoted product on the same order will be routed back to your local SSC office in order to review subject purchase orde

d. <u>Changes to Order/ Cancellation of Orders</u>. Additional terms and conditions regarding order changes and cancellations are available on the Allegion customer website, WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE. Unless otherwise provided herein, Customer acknowledges that (i) requesting a Change Order may cause a delay in the scheduled shipment date, a longer lead time or result in a new scheduled shipment date; (ii) Orders may not be changed after 48 hours of Company's order acknowledgment; (iii) After 48 hours of Company's order acknowledgment, all changes to an accepted purchase order will be subject to a Change Order charge of 25% of the net Deliverable value, plus the cost of labor and fabrication or raw material that Company incurred prior to the receipt of the Change Order from Customer, or that may be required due to the Change Order; (iv) the requested change may result in additional charges for labor, fabrication, and raw material, and (v) if Customer cancels an order or portion of an order that includes Deliverables that have been manufactured and prepped for shipping, a 45% restocking fee will apply. Notwithstanding the foregoing, Customer cannot change or cancel credential orders, reader orders, biometrics orders or any non-cataloged, special, Custom or nonstandard items once they have been placed. All cancelled orders for a Non Recurring Expense (IRE), credential orders, reader orders, biometrics orders, and/or Custom orders will be subject to a cancellation charge of 100% of the acknowledged price. e. <u>Add-ons.</u> Add-on orders will not be accepted. Additions to orders will be entered as

separate stand-alone orders and must qualify for all terms of sale, including discounts, on an individual basis

f. <u>Fast-Track Orders</u>. No changes or cancellations will be accepted on the 24-Hour Fast Track Program. For 3-day Fast Track orders, changes and cancellations may only be requested by Customer within 24 hours of Company's order acknowledgment if the order has not shipped. For 5-Day Fast Track orders, changes and cancellations may only be requested by Customer within 24 hours of the order has a concellation only be requested by Customer if the order has not shipped and if the request is made to Company within 48 hours of Company's order acknowledgment. Return Material Authorization (RMA) for Deliverables must be processed through Fast Track Customer Service.

g. Steelcraft Orders. For all Steelcraft orders, changes or cancellations are allowed without penalty only if made within 48 hours of Company's order acknowledgment, and provided that the order has not shipped. Some exceptions do apply – please consult the factory. Changes are not allowed on Rapid Program orders after the order has been entered and acknowledged. After 48 hours of Company's order acknowledgment, all changes or cancellations are subject to a charge of 25% of the order. Unless otherwise specified by Company in writing, any changes to orders acknowledged by Company that affect the delivery date will be deemed a new order and will require acknowledgement by Company as provided in this Section. Additional products, features, terms and conditions regarding the Rapid Program are available on the Allegion customer website, **WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE.** 

#### 3. PRICES, INVOICES AND PAYMENT.

3. PRICES, INVOICES AND PAYMENT. a. <u>Prices</u>. The prices in Company's Price Book are subject to change at any time, without notice to Customer. Company may charge Customer additional amounts if Customer requests special packing, marking, shipment, product modification, or engineering services. Oral prices specified by Company are null and void. Quote numbers must be referenced on Customer's purchase order in order for the Company's quoted pricing to apply. Orders that do not reference a quote number will receive buy program pricing or book net pricing. Quoted prices are for those specific products quoted for a specified job, and are subject to the Price Book in effect at the time Company regives the order. Book in effect at the time Company receives the order. b. <u>Taxes</u>. Prices do not include any present or future federal, state or local property,

License, privilege, sales, use, excise, gross receipts or other like taxes or assessments which may result from transactions or any services performed in connection therewith. Any taxes, charges, or duties imposed by any governmental authority on the sale of Deliverables will be paid by Customer, in addition to the selling price specified by Company.

c. <u>Payment Terms</u>. Company will deliver to Customer an invoice with each shipment of Deliverables hereunder. Customer will pay all invoiced amounts within 35 days of the invoice date (subject to any early pay discounts that may be offered to Customer by Company in its sole discretion). Customer will make all payments in United States dollars. Past due invoices will be subject to a late payment service charge of 1.5% per month on any overdue unpaid balance, equivalent to 18% per annum, or the maximum rate permitted by law,

whichever is less. Customer shall reimburse Company for all costs of collection, including, without limitation, reasonable attorneys' fees, for any overdue amount owed by Customer to Company, and such collection costs shall also be subject to interest charges.

#### 4. OUOTATIONS.

 <u>a. Project Quotations</u>, Project or new construction quotes are restricted to the specific project quoted for the quantities, finishes, and series of Deliverables referenced on the quote. Company reserves the right to require proof of sale of Company products for any quoted project.

b. Stock Quotations. Deliverables fulfilling stock quotations may only be used for the following: i) Stocking of the Customer's shelves for small, quick-turn, discretionary projects, or ii) Sale to a general contractor or installer for new construction. Stock quotations may not be used for any project containing any Company no-substitution. Steer doctarian and Deliverables purchased under Stock Quotations cannot be redistributed to other Customer branch locations or re-sold to other resellers or used for aftermarket sales, end-user annual contracts or sold over the counter to any walk in trade

c. <u>General</u>. All quotes are subject to this Agreement, unless otherwise specified by Company, and are subject to change at any time prior to Company's acceptance of a purchase order referencing the applicable quote number. Company, its representatives and employees reserve the right, in their sole discretion and for any reason, to refuse a Customer's request to quote a price other than the standard list price, regardless of whether Company or its representatives or employees have previously quoted discounted prices to the Customer on some or all of its orders. Customer's failure to comply with this Section 4 will be considered a material breach of this Agreement, and will entitle Company to immediately terminate any purchase orders and/or Customer's ability to distribute Company's products.

**5. SECURITY INTEREST.** Customer grants Company, and Company retains, a purchase money security interest and lien on any and all of Customer's rights, title and interest in each Deliverable sold by Company to Customer, wherever located, until the invoice for the applicable Deliverable(s) is paid in full, including any late charges and costs of collection. Customer authorizes Company to, and will assist Company in, taking all necessary steps to perfect and maintain Company's interest in such Deliverables

6. <u>CREDIT TERMS.</u> Unless Customer pre-pays all of its purchase orders in advance, its purchase orders will be subject to the credit limit and other terms of credit ("Credit Terms") set forth in Company's credit application, which Credit Terms Customer acknowledges are subject to change by Company at any time. Company reserves the right to request payment in advance of shipment or any order or to request adequate assurances for Customer's payment of an order and may withhold or stop shipment, without any liability to Company, until Customer submits payment or adequate assurance of payment.

7. <u>RESALE OF DELIVERABLES.</u> Customer agrees and warrants that it will offer Company products in support of Company-written specifications and will maintain sufficient inventory to adequately support End Users, installers, and/or general contractors' needs. Company may implement an MSRP or a resale pricing programs at any time in its sole discretion. Failure to comply with such program(s) will be considered a material breach of this Agreement, and will entitle Company to immediately terminate any purchase order and/or Customer's ability to distribute Company's products. Customer's hall, at its own expense, gain and maintain sufficient knowledge of the industry and products competitive with Deliverables so as to be able to (a) explain in detail to End Users, installers, and/or with betweentbers so as to be able to (application before the beam of the beam liaison between the End Users, installers and/or general contractors and Company in matters requiring Company participation, (2) providing general product information and configuration support on standard protocols and features, (3) collecting relevant technical problem support on standard protocols and reactives, (5) collecting relevant technical problem identification information, and (4) posting and distributing any warranty information concerning the Products in accordance with Company's instructions. Customer is responsible for all service and support resulting from the re-sale of any Deliverable to End-Users, installers and/or general contractors, examples of which may include, but are not limited to support activities use as resultable in privile limitation and the private set of the private s to, support activities such as installation, initialization, software set-up, training, trouble-shooting, technical support and field service. In the event Customer is unwilling or unable to perform said support activities, Company reserves the right to recover from Customer any and all expenses incurred by Company to resolve the afore-mentioned End-User, installer and/or general contractor issues. Technical product training is recommended for Customer in order to fully service and support Deliverables purchased from Company that are resold to End-Users, installers and/or general contractors.

8. DEFAULT. If Customer is in default of payment or otherwise with respect to any purchase order or other contract with Company. Company shall have the right, in addition to all other legal remedies and without prejudice to any of its right hereunder, to defer further shipments under that or any other purchase order until such default is corrected and to declare all outstanding bills of Customer to be immediately due and payable.

#### 9. INSPECTION AND DELIVERY.

a. Inspection, Customer will inspect all Deliverables immediately after receiving them. Customer will be deemed to have accepted the Deliverables unless Customer notifies Company in writing of any nonconformance within 10 days of delivery and provides Company written evidence reasonably documenting that nonconformance. Inspection of Deliverables at Company's facility is not permitted.

b. <u>Delivery</u>. Delivery schedules for Deliverables are based upon current production capacities, material or component availability, and inventory, and may be changed by Company as conditions require. Delivery schedules for services are based upon Company's prompt receipt of, and prompt access to, Customer's equipment and all information necessary to complete the services. In no event will any delivery date be construed as falling within the meaning of "time is of the essence." Partial delivery shall be accepted by Customer and paid for at the price and on the terms stated herein. Any partial delivery shall constitute a separate sale, and payment shall be separately made when due. If any part of a delivery hereunder is not delivered by Company in accordance with Customer's purchase order, this Agreement shall not be affected thereby.

10. <u>TITLE & RISK OF LOSS.</u> Unless otherwise specified by Company, (i) where the Customer is located in the United States, all Deliverables will be sold "Uniform Commercial Code, <u>FOB Origin</u>, Company's factory"; and (ii) where the Customer is located outside of the



## Terms and Conditions

#### United

States, all Products will be sold "Ex-works, Company's factory (Incoterms 2010)." In either instance, title and risk of loss will pass to Customer upon delivery to the carrier at Company's factory, provided, however, as set forth herein, Company shall retain a security interest in the Deliverables until full payment has been made therefore, and Customer agrees, upon request, to do all things and acts necessary to protect Company's interest by adequately insuring the Deliverables against loss or damage from any cause and to have Company named as an additional insured. Customer will promptly provide Company with a copy of the relevant certificate of insurance upon Company's request.

#### 11. SHIPPING.

In <u>Internation</u> a. <u>Freight Charges</u>. Company will ship all Deliverables in accordance with Company's freight shipment guidelines, which are set forth on the My Allegion Portal ("Freight Shipping Guidelines"), WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN.

b. Rush Charges. Expedited order options are available as set forth in Company's Freight Shipping Guidelines.

c. <u>Packing and Marking</u>. Company will pack, mark, and ship Deliverables according to its standard procedures for shipment, unless the parties agree, in writing, that Company will comply with any special instructions provided by Customer. Special instructions may result in an increased price.

d. International Shipments. For all international orders, a Shipper's letter of instruction must be submitted in writing with the order. Failure to do so will result in the order being rejected. Complete adherence to this order requirement will be strictly enforced. Company will not be held liable for any charges resulting from delays due to lack of complete required information being supplied.

e. Once received by the Company, a purchase order cannot be combined with any other order to increase average order size as it relates to Company's Freight Shipping Guidelines. However, for orders placed under Company's FastTrack 24 Hour/5 Day Program (available for Schlage, Von Duprin, LCN and Glynn-Johnson products); ii) FastTrack 24 Hour/3 Day Program (available for lves products); or ProExpress (available for specific product lines stated in the ProExpress price book for Falcon, lves, Glynn Johnson, LCN, Schlage and Von Duprin products), the applicable brands or product categories may, subject to certain order requirements identified by Company, be combined on a single order to increase average order size used in Company's Freight Shipping Guidelines.

12. <u>CLAIMS</u>. All claims must be submitted in writing to Company as follows: (i) All claims for prices must be submitted within thirty (30) days from the date of invoice; (ii) All claims regarding Deliverable quantity or incorrect orders must be submitted within ten (10) days from the date of delivery (iii) All claims for damage to Deliverables (while in the care, custody, and control of Company) must be submitted within thirty (30) days from the date of invoice; (iv) All claims for loss or damage to Deliverables while in the care, custody, and/ or control of a carrier will be the responsibility of Customer, unless otherwise agreed by the narties

13. PRODUCT CHANGES. Company's product policy is one of ongoing update and revision, and accordingly, Company reserves the right to change, without notice, the design of, or the process of manufacturing, the Deliverables covered by this Agreement.

14. **PRODUCT USAGE LIMITATION.** Customer agrees: (i) not to sell or use a Deliverable in any manner contrary to the manner in which the Deliverable is intended to be used; and/ or (ii) not to modify the design of any Deliverable for use with another product without the prior written consent of Company.

15. PRODUCT RETURNS. Unless otherwise agreed by the parties in writing, Deliverables that are correctly furnished by Company per the purchase order may not be returned unless Customer receives written authorization from Company. If returns are authorized by Company, a return merchandise authorization ("RMA") number must be provided by Company. Deliverables identified under such RMA must be returned to Company within 90 days of issuance of the RMA. Such RMA number and any accompanying RMA documents, the original invoice number, and a written explanation for the return must be included with the returned Deliverables in order for Company to inspect and approve a credit for the return. **For** warranty returns, a credit in the amount of the original purchase price will only be issued if, after Company's receipt and inspection of the returned Deliverables, Company confirms, in its sole discretion, the defect is valid and approves the return. For non-warranty returns/ **convenience returns**, in the event Company approves such a return, in its sole discretion, the following shall apply: (a) the total amount of Deliverables requested to be returned shall the rollowing shall apply: (a) the total anionit of Deriverables reduested to be retorned shall be a minimum of \$250.00; (b) a credit will be made to Customer's account in the amount of the original purchase price less freight and a handling charge of 45% of the net material on the original invoice; and (c) only Deliverables that are new, current, standard, non-obsolete, non-specially manufactured, unused, in their original condition as at the time of sale by the area of the area o Company to Customer, in their original packaging and in Customer's inventory less than 180 days from the date of shipment by the Company, and not ordered as part of a master key solution may be considered by Company for return. Such credit will only be issued if, after Company's receipt and inspection of Deliverables, Company approves the return. The amount of final credit will be determined upon receipt at the factory and following Company's the state of the statement with the statement of the statement of the statement with the statement of t inspection and analysis of the condition of the returned material. Company retains the right to deny credit to anyone for any reason.

#### 16. CONFIDENTIAL INFORMATION.

a. <u>Non-Use And Non-Disclosure</u>. Customer shall not use the Confidential Information of the Company except for the purpose of performing its obligations under this Agreement or exercising the rights granted herein (the "Purpose"). Customer shall protect Confidential Information of the Company from disclosure and unauthorized use in the same manner that it protects its own Confidential Information, but in no event shall such standard of care be exercised to available Customer Shall such standard of care be less than reasonable care. Customer may disclose Confidential Information of the Company

tess that reasonable cale. Costonier such information for the Confident and information for the Configure such information for the Purpose and who are subject to confidentiality obligations at least as protective as those set forth herein. b. <u>Proprietary Information and Advice</u>, (a) All designs, data, and specifications provided by Company are proprietary and may not be disclosed or reused by Customer without the prior written consent of Company; (b) Company assumes no obligation or liability for any advice given by Company, the results obtained, or damages incurred as a result of such advice is diverged at Customer for the results obtained at Customer for the result of such advices and such a such as the set of the results obtained at Customer for the result of such advices and such advices in the results obtained at Customer for the result of such advices and such advices advices and such advices advices and such advices advices and such advices advices advices and such advices ad advice, and all such advice is given and accepted at Customer's risk.

c. <u>Return</u>. Upon the termination or expiration of a purchase order or this Agreement or upon the request of the Company, the Customer agrees to end all further use of, to immediately return to the Company the original version of, and to delete or destroy all copies of, any and all Confidential Information of the Company.

17. TRADEMARKS. Except as agreed to by Company in writing, Customer agrees not to (a)

use Company's name in any form of publicity; or (b) use, create, register or market, directly or indirectly, in whole or in part, Company's names, logos, brands, or any other trademarks, or names that are now or may hereafter be owned by Company, as part of Customer's corporate or business name, as part of an internet domain name, uniform resource locator (URL), or in any way connected with Customer's business, trade address or other designations. Upon termination of this Agreement or upon the request of company for any reason, any use of Company's trademarks or names will be immediately discontinued.

18. LIMITED WARRANTY. COMPANY MAKES NO OTHER WARRANTIES EXCEPT THOSE STATED IN IO: EMITLED WARRANTI. COMPANY'S LIMITED WARRANTY IN EFFECT ON THE DATE COMPANY ACCEPTS EACH APPLICABLE PURCHASE ORDER ("LIMITED WARRANTY"). THE LIMITED WARRANTY MAY BE FOUND IN THE APPLICABLE PRICE BOOK AND ON THE ALLEGION CUSTOMER WEBSITE, WHICH TERMS ARE EXPRESSLY INCORPORATED HEREIN BY REFERENCE. COMPANY WILL MAIL CUSTOMER A HARD COPY OF THIS WARRANTY UPON CUSTOMER'S WRITTEN REQUEST. IN THE EVENT THAT CERTAIN DELIVERABLE WARRANTIES ARE NOT FURNISHED BY THE COMPANY TO CUSTOMER, COMPANY WARRANTIES ARE NOT FURNISHED BY THE COMPANY TO CUSTOMER, COMPANY WARRANTS ONLY TO CUSTOMER THAT THE DELIVERABLES WILL BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP FOR A PERIOD OF 12 MONTHS FROM THE DATE OF SHIPMENT OF THE DELIVERABLES. COMPANY'S SOLE OBLIGATION UNDER THIS WARRANTY IS LIMITED TO REPAIRING OR REPLACING, AT COMPANY'S OPTION, THE DEFECTIVE DELIVERABLE, PROVIDED BY CUSTOMER WITHIN 30 DAYS OF DISCOVERY OF THE DEFECT OR NONCONFORMANCE. COMPANY DISCLAINS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE DELIVERABLES, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. a. Exclusions. The provisions of this Limited Warranty do not apply to Deliverables

FITNESS FOR A PARTICULAR PORPOSE. a. <u>Exclusions</u>. The provisions of this Limited Warranty do not apply to Deliverables that: (A) are not the proper size for the application; (B) are not installed in accordance with Company's published installation instructions; (C) are installed with improper or incorrect parts and/or are used for purposes for which they are not designed or intended; (D) have been repaired or altered without the Company's prior written consent; (E) have been subjected to misuse, abuse, negligence or accident; (F) have been improperly stored, installed, maintained or operated; (G) have been used in violation of written instructions provided by Company to Customer; (H) have been subjected to improper temperature, humidity, or other environmental conditions, or (I) have been affected by normal wear and tear. In addition, the provisions of this Limited Warranty do not apply to any defects arisence with the defense of the arisence to reactivity and provided by the provisions of this Limited Warranty do not apply to any defects or issues with the design or performance of equipment or products not manufactured by Company, nor does it apply to any code compliance or permit requirements for the assembly, installation, erection or construction of any goods. Company is not responsible for loss or damage resulting from use of Deliverables in conjunction with parts or systems not manufactured by Company. Accessories or products furnished by the Company, but manufactured by others, shall carry whatever warranty the manufacturers have conveyed to the Company and which can be passed to Customer.

b. <u>Services</u>. Company warrants that its services will be free from defects in material and workmanship for a period of 12 months from the date of completion of the particular items of service. Company's sole obligation under this service warranty is limited to repair or reperformance, at its option of the service, provided however, if repair or reperformance is either impractical or impossible, the Company will refund to Customer that portion of the price paid to Company for any defective service, provided written notice of the defect or nonconformance is provided by Customer within 30 days of discovery of the nonconformance.

c. Notification. Customer agrees to immediately notify Company in writing if any claim is made against Customer for any damages caused by any modules, parts, products, service or other Deliverables which may be the direct result of any defect in the manufacture of such aforementioned products. Customer agrees to cooperate with Company and its counsel in the defense of such claim and Customer agrees not to settle such claim without Company's written consent. If Customer fails to notify Company of such claim or fails to cooperate in such defense as aforesaid, then Company shall be discharged from any obligations under this Section and shall have no further liability to Customer.

d. <u>Exceptions</u>. The following costs and expenses are not covered by the provisions of these limited warranties: (i) labor costs for the removal and reinstallation of Deliverables or other manufacturer's products; (ii) shipping and freight expenses required to return Deliverables to Company; (iii) normal maintenance; and (iv) economic losses. In addition, the provisions of this warranty are not applicable to anything other than defects in Company's material (products only) or workmanship.

19. LIMITATION OF REMEDIES. CUSTOMER'S EXCLUSIVE AND SOLE REMEDY ON ACCOUNT OF, OR IN RESPECT OF, THE FURNISHING OF NON-CONFORMING DELIVERABLES, SHALL BE TO (A) SECURE REPAIR OR REPLACEMENT OF THE PRODUCTS; OR (B) SECURE REPAIR OR RE-PERFORMANCE OF THE SERVICES OR TO OBTAIN A REFUND OF THE PRICE PAID FOR THE DEFECTIVE SERVICE, ALL AT COMPANY'S OPTION. IN NO EVENT WILL THE COMPANY'S MAXIMUM LIABILITY EXCEED THE SELLING PRICE EVENT WILL THE COMPANY'S MAXIMUM LIABILITY EXCEED THE SELLING PRICE FOR THE DELIVERABLE. THE WARRANTY, OBLIGATIONS AND LIABILITIES OF COMPANY (INCLUDING ITS SUPPLIERS) AND THE RIGHTS AND REMEDIES OF CUSTOMER ARE EXCLUSIVE AND ARE IN LIEU OF AND CUSTOMER HEREBY WAIVES AND RELEASES ALL OTHER WARRANTIES, OBLIGATIONS, REPRESENTATIONS OR LIABILITIES EXPRESS OR IMPLIED ARISING BY LAW, IN CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY) OR OTHERWISE, INCLUDING BUT NOT LIMITED TO (I) ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY WARRANTY IMPLIED THROUGH COURSE OF PERFORMANCE, COURSE OF DEALING, OR USAGE OF TRADE OR (II) CLAIMS ARISING OUT OF THE NEGLIGENCE OF COMPANY OR COMPANY'S SUPPLIERS OR (III) ANY OTHER CLAIM ARISING OUT OF, CONNECTED WITH, OR RESULTING FROM THE PERFORMANCE OF COMPANY OR FROM THE DESIGN, MANUFACTURE, SALE, REPAIR, LEASE OR USE OF THE DELIVERABLE, OR ANY COMPONENT THEREOF, DELIVERED OR RENDERED HEREUNDER OR OTHERWISE.

20. INDEMNIFICATION AND LIMITATION OF LIABILITY. a. Customer shall indemnify, 20. INDEMNIFICATION AND LIMITATION OF LIABILITY. a. Customer shall indemnify, defend and hold Company, and its officers, directors, employees, customers, Affiliates, suppliers, users and agents, (collectively the "Indemnitees") harmless from and against any and all damages, claims, losses, expenses, costs, obligations, liabilities, including without limiting the generality of the foregoing, liabilities for court costs and attorneys' fees, suffered directly or indirectly by an Indemnitee by reason of, or arising out of any injury, death or loss to any person, or injury to any property (collectively, "Damages"), received or sustained by any person(s) or property, arising out of, occasioned by, attributable or

related to i) any breach of any representation or warranty made by Customer, its officers, directors, employees, affiliates, users, agents, representatives or customers to Company or any third party, (ii) any failure by Customer to perform or fulfill any of its covenants, acts and/ or omissions to Company or to any third party, or (iii) any litigation, proceeding or claim by any third party relating in any way to the obligations of Customer and/or the Deliverables sold by Company to Customer hereunder. Customer shall not consummate any settlement of any indemnified claim without the Indemnitees' prior written consent. Customer's obligation to indemnify Indemnitees will continue in full force and effect notwithstanding the termination or expiration of any order under this Agreement. In any claim against an Indemnitee by an employee of Customer or any subcontractor or anyone directly or indirectly employed by any of them or anyone for whose acts they may be liable, the indemnification obligations set forth in this Section shall not be limited in any way by or for Customer or any subcontractor under any applicable worker's compensation act, disability or other employee benefit act, or insurance coverage. This provision shall survive termination of any order or Agreement. IN NO EVENT WILL COMPANY, ITS OFFICERS, DIRECTORS, EMPLOYEES, CUSTOMERS, AFFILIATES, USERS AND AGENTS, (NOR COMPANY'S SUPPLIERS) BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND OR NATURE UNDER ANY CIRCUMSTANCES INCLUDING, BUT NOT LIMITED TO, LOSS OF USE OF THE PRODUCTS, SERVICE INTERRUPTION, LOSS OF PROFITS, LOSS OF REVENUE, LOSS OF INTERRES, LOST GOODWILL, LOSS OF DATA, WORK STOPPAGE, IMPAIRMENT OF OTHER GOODS, LOSS BY REASON OF SHUTDOWN OR NON-OPERATION, INCREASED EXPOSES OF OPERATION, OR CLAIMS OF CUSTOMER'S CUSTOMERS, OF ANY OTHER LOSSES OR DAMAGES ARISING OUT OF ANY LACK OR LOSS OF USE OF THE DELIVERABLES WHETHER BASED ON CONTRACT, WARRANTY, TORT (INCLUDING, BUT NOT LIMITED TO, STRICT LIABILITY OR NEGLIGENCE), PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. employed by any of them or anyone for whose acts they may be liable, the indemnification

 b) INTELLECTUAL PROPERTY INDEMNITY. Company makes no representation or warranty to the Customer that the Deliverables shall not infringe any intellectual property. rights including, without limitations, claims arising from patent, copyright, trademark, trade secret, or other intellectual property infringement. Customer agrees to hold Company harmless from and defend the Company against any such claim of intellectual property infringement, including any Damages resulting from that claim, the cost of complying with any preliminary or permanent injunction, and all other costs of defense (including the attorneys' fees and costs), in connection with the foregoing. c) To the extent that applicable law does not permit any limitations set out in this

Agreement, such limitation shall not be applied or invoked. Nothing in this Agreement will be interpreted to disclaim liability of Company or the Indemnitees for gross negligence or willful misconduct. The limitations of remedy and liability herein shall not be interpreted to affect Company's obligations, if any, for claims for (i) property damage, (ii) personal injury, or (iii) wrongful death asserted by persons who are not parties to or beneficiaries of this Agreement. Further, the limitations of remedy and liability herein shall not be interpreted to limit Company's or Customer's right, if permitted by applicable law, to assert a claim for contribution among joint tortfeasors in connection with a claim by a person who is not a party to this Agreement.

21. <u>CERTIFICATIONS.</u> Certification of Deliverables for compliance with UL and ANSI standards are tested and performed by third-party independent laboratories. Any field modification or alteration of certified Deliverables will void certification and Company is not liable to Customer to certify any modified or altered Deliverable.

# 22. <u>TERM FOR CLAIMS.</u> NO ACTION ARISING OUT OF ANY CLAIMED BREACH OF THIS AGREEMENT BY COMPANY MAY BE BROUGHT BY CUSTOMER MORE THAN ONE (1) YEAR AFTER THE CAUSE OF ACTION HAS ARISEN.

23. CONSUMER PRODUCTS WITH RESPECT TO "CONSUMER PRODUCTS" AS DEFINED UNDER THE MAGNUSON-MOSS WARRANTY ACT ("MMWA"), THE FOLLOWING STATEMENTS ARE MADE. (A) SOME STATES OR LOCAL LAWS DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU; IMPLIED WARKANTY LASIS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU (B) IF ANY IMPLIED WARKANTY IS PROVIDED UNDER THE MMWA, IT IS LIMITED TO THE DURATION OF THE WARKANTY PROVIDED IN SECTION 18 ABOVE. (C) SOME STATES OR LOCAL LAWS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU; AND (D) THIS WARKANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY EDDINGTATE TO STATE ON LOCATION TO LOCATION FROM STATE TO STATE OR LOCATION TO LOCATION.

24. FORCE MAJEURE/EXCUSABLE DELAY. Any delay or failure of Company to perform its obligations hereunder will be excused to the extent that it is caused by an event or occurrence beyond Company's control such as, by way of example and not by way of limitation, acts of God, acts by any governmental authority (whether valid or invalid), governmental laws and regulations not presently in effect, fires, floods, windstorms, explosions, riots, natural disasters, wars, sabotage, accidents, labor problems (including, without limitation, lockouts, strikes, and slowdowns) at Company's facility, its source plant or their suppliers, inability to obtain power, material, labor equipment, or transportation, or court injunction or order. The delivery date will be extended for a time equal to that of the delay and the schedule for Company's performance will be deemed adjusted to that effect.

25. ENTIRE AGREEMENT AND AMENDMENT. This Agreement, together with the attachments, exhibits, webpages, or supplements specifically referenced and incorporated herein, constitute the entire agreement between Company and Customer with respect to the matters contained herein and supersede all previous communications, representations, or agreements, either oral or written between Company and Customer. No agreement or understanding varying or expanding this Agreement will be binding upon either party unless it is in writing and signed by a duly authorized representative of each party hereto.

26. CONFLICTS. In the event of any conflict or inconsistency between the terms of any agreement, or any part of an agreement or the various documents (including, but not limited to, electronic documents) between Company and Customer, unless the parties agree otherwise in writing, the various components of the agreements shall be given the following precedence (in descending order of precedence): a) any master agreement or long term agreement between Company and Customer; b) any specific terms, conditions and/ or warranties of the individual products or Deliverables; c) the terms and conditions of this Agreement, and d) any purchase order.

27. UNSATISFACTORY CREDIT/TERMINATION FOR INSOLVENCY OR DEFAULT. Customer shall furnish Company with statements evidencing Customer's financial condition

as Company may, from time to time, reasonably request, and shall notify Company immediately of any and all events that may have a material adverse effect on Customer's business or financial condition. If Company determines, in its sole discretion, that Customer's financial condition or creditworthiness is inadequate or unsatisfactory, then in addition to Company's other rights, Company may without liability or penalty, take any of the following actions: (i) modify the payment terms for any outstanding and/or future purchases; (ii) cancel any previously accepted orders; (iii) delay any further shipment of Deliverables to Customer; or (iv) any combination of the above

Company may immediately terminate an order from Customer by giving written notice to Customer in the event of the happening of any of the following or any other comparable event: (i) insolvency of the Customer; (ii) filing of a petition in bankruptcy by or against the Customer; (iii) appointment of a receiver or trustee for the Customer; (iv) execution of an assignment for the benefit of creditors by the Customer, all of which will allow Company to demand reclamation of all affected orders; (v) Customer ceases or threatens to cease to trade; (vi) Company determines that Customer does not meet or no longer meets the credit requirements of Company or Customer's credit account is closed; (vii) any Customer violation of law, specifically including, without limitation, those laws set forth in this Agreement.

In the event of termination in accordance with this section, Company will not be obligated to accept any existing or additional orders from Customer and Company will be released from its obligation to deliver under orders accepted prior to such termination. The rejection or termination of any order by Company will not entitle Customer to any termination or severance compensation, or to any payment in respect to any goodwill established by Customer, or render Company liable for damages on account of the loss of prospective profits, or on account of any loss, expenditure, investment or obligation incurred or made by Customer

No action taken under this Section 27 by Company (nor any failure of Company to act under this Section 27) will constitute a waiver by Company of any of its rights to enforce Customer's obligations, including the obligation of Customer to make payments as required under this Agreement. Upon termination of any order, all amounts owed by Customer to Company will become immediately due and payable, whether or not otherwise then due or payable.

28. CREDIT RISK ON RESALE OF DELIVERABLES. Customer is responsible for all credit risks with respect to, and for collecting payment for, all Deliverables sold to third parties (including End Users, installers, and/or general contractors) whether or not Customer has made full payment to Company for such Deliverables. The inability of Customer to collect payment for any Deliverable shall not affect Customer's obligation to pay Company for any Deliverable

29. GOVERNING LAW; VENUE; AND EXPENSES. Any dispute or claim relating to this Agreement shall be governed by and construed according to the laws of the State of Indiana (excluding its conflict of laws principles); and not by the provisions of the 1980 United Nations Convention on the International Sale of Goods. Any disputes or claims shall be instituted and maintained in the courts of the State of Indiana. Customer consents to the exercise of jurisdiction over it by such courts and agrees that Indiana is not an inconvenient forum for any action arising from or relating to this Agreement. Customer agrees to pay for all expenses (including, but not limited to, collection costs, court costs and attorneys' fees) incurred by Company in enforcing the obligations of Customer under this Agreement.

30. RELATIONSHIP OF THE PARTIES. Nothing in this Agreement or any other document creates an employment, partnership, joint venture, or agency relationship between Company and Customer, including that of franchisee/franchisor. No party will have any power or authority to enter into any commitment on behalf of or otherwise bind the any other party on any matter. No employee of Customer will be deemed to be an employee of Company. If any provision of this Agreement is deemed to create a franchise relationship or business opportunity between the Parties, then Company may terminate any purchase order or this Agreement or the Parties shall negotiate in good faith to modify this Agreement so as to effect the original intent of the Parties as closely as possible in a mutually acceptable manner in order that the transactions contemplated hereby are consummated as a reseller agreement and not a franchise or business opportunity agreement.

31. SETOFF. Customer does not have the right to setoff or to back charge against any amounts which become payable to Company under this Agreement or otherwise. Company will not accept responsibility for backcharges for the cost of material or labor by Customer or anv third partv

32. ELECTRONIC COMMUNICATIONS AND ELECTRONIC SIGNATURES. Both parties expressly agree to electronic transactions and acknowledge that documents they sign electronically will bind them to the same extent as a paper signature. Customer represents and warrants to Company that only employees authorized to bind Customer legally shall electronically sign any document under this Agreement. Customer shall comply with any method of electronic communication/payment processing specified by Company, including electronic funds transfer, pay-on-receipt processes/systems, order transmission, releases, electronic signature, and electronic communication systems, including, without limitation, e-mails, even those containing a signature block of one of Company's representatives, shall not constitute a signed writing.

33. <u>COMPLIANCE WITH APPLICABLE LAWS.</u> a. <u>General</u>, Company and Customer will comply with all applicable federal, state and municipal laws, regulations, codes, ordinances and orders that pertain to the Deliverables, including but not limited to full compliance with any applicable provisions of The Health Including but not limited to full compliance with any applicable provisions or the Health Insurance Portability and Accountability Act. Where the Customer is located outside the United States, or where the customer intends to ship the product outside the United States, the Customer shall be responsible for compliance with all U.S. export laws, and for filing all U.S. Electronic Export Information, as applicable.

b. The Customer acknowledges and agrees that: (i) it shall not violate applicable laws and regulations in performing its duties under this Agreement; (ii) it does not and shall not engage in any conduct that shall violate any applicable anti-bribery or anti-corruption laws or regulations; (iii) it (and its owners, officers, directors, employees and agents) shall not pay, offer, promise or authorize the payment of, either directly, enginees and even of a due (including but not limited to cash, gifts and entertainment) to (a) any government official or employee of any government; (b) any official or employee of any department, agency, or instrumentality of a government; (c) any employee of any corrotion or entity owned or controlled by a government; (d) any family member of such officials or employees; (e) any political party, party official, or political candidate; or (f) any other persons, owners,



## Terms and Conditions

officers, directors, employees and agents of any corporation or entity; to improperly or illegally assist in obtaining or retaining business (including but not limited to any contracts, avoidance of duties or reduction of tariffs, reduction of taxes or to obtain money owed, or to obtain regulatory approval) or for the purpose of causing, soliciting or inducing the sale and purchase of the Deliverables by any party, and (iv) it has full knowledge of and will comply with the Company's Code of Conduct for Business Partners as set forth on the Allegion customer website, **WHICH IS HEREBY INCORPORATED BY REFERENCE.** 

c. The Customer shall indemnify and hold the Company harmless from any claim, demand, expense or cost arising from any breach of this Article.
d. The Customer shall permit the Company to conduct an audit or review of the Customer's

financial books and records and business operations at such other times that the Company considers it necessary to confirm compliance with this provision. Such audit may be conducted by representatives of the Company or, at the Company's sole discretion, by a e. A violation of this provision constitutes a material breach of this Agreement and the

Company may terminate any purchase order or this Agreement immediately, with no

opportunity to cure, in accordance with Section 27 of this Agreement. f. Notwithstanding the foregoing provisions of this Section 33, (i) Company is not responsible for obtaining or maintaining any permits for the performance of services or the verification or compliance with any code requirements relative to the performance of services, (ii) to the extent any sale of Deliverables pursuant to this Agreement may require approval of the U.S. Government, Company's obligations under this Agreement are conditioned upon the grant of such approval and upon compliance by Customer with any restrictions imposed by the U.S. Government in connection with such approval, and (iii) in the event the Deliverables are to be used in a nuclear facility, the Customer shall, prior to such use, arrange for insurance or governmental indemnity protecting Company against liability. The Customer hereby releases and agrees to indemnify Company and its suppliers for any nuclear damage including, but not limited to, loss of use, in any manner arising out of the

nuclear incident, whether alleged to be due, in whole or in part by Company or its suppliers. g. <u>No Inducements</u>. Each party represents to each other that neither it nor any person acting on its behalf has, in contravention of any applicable law, given or offered to give or will give or offer to give, any sum of money or other material consideration to any person, directly or indirectly, as an inducement to obtain business hereunder or to influence the granting of licenses of other governmental permissions to enter into this Agreement or perform obligations hereunder.

Obligations nereunder. h. Equal Employment Opportunity. Company is a U.S. federal contractor that complies with Executive Order 11246, as amended, and applicable regulations in 41 CFR Parts 60-1 through 60-60, 29 U.S.C. ∮ 793 and applicable regulations in 41 CFR ∮ 60-741; and 38 U.S.C. § 4212 and applicable regulations in 41 CFR Part 60-250 and 60-300. THE FOLLOWING Sector 2005 and PROVISIONS ARE INCORPORATED HEREIN BY REFERENCE: Executive Order 11246, as amended by Executive Order 13672, and 41 CFR § 60-4.3(a); Executive Order 11701 and 41 CFR § 60-250.5(a), 60-300.5; Executive Order 11758 and 41 CFR § 60-74.5(a); U.S. immigration have induced by the Defense of the D laws, including the L-1 Visa Reform Act of 2004 and the H-1B Visa Reform Act of 2004; and Executive Order 13496.

<u>Ethical Business Conduct</u>. Customer shall adopt and comply with Company's Business Partner Code of Conduct which is EXPRESSLY INCORPORATED HEREIN BY REFERENCE.

34. REPRESENTATIONS AND WARRANTIES. Customer represents, warrants and covenants to Company that: (a) it has the right, power, and authority to enter into this Agreement and fully perform its obligations hereunder; (b) it has all necessary rights in and to its respective Content and Marks for use within the scope of this Agreement, including the licenses granted herein; and (c) it complies, and at all times shall comply, with all laws, rules, and regulations in effect that are applicable to its performance under this Agreement, including obtaining all such approvals and/or permits as may be required hereunder

35. NO THIRD-PARTY BENEFICIARY. Each party is entering into this Agreement solely based on the representations contained herein for its own purposes and not for the benefit of any third party.

36. NOTICES AND CHANGE OF ADDRESS. All notices or other communications under this Agreement shall be in writing and delivered in person, or sent by receipted courier, express mail, e-mail, or postage prepaid certified or registered mail, addressed to the party for whom it is intended, at the addresses set forth in this Agreement. Either party may change its address for notice by giving written notice to the other party. Any notice or other communication shall be deemed given no later than the date actually received. Notice by courier, express mail, certified mail, or registered mail shall be deemed given on the date it is officially recorded as delivered and, in the absence of such record of delivery, it shall be rebuttably presumed to have been delivered on the third Business Day after it was deposited. Notices sent by e-mail require tangible confirmation of receipt from addressee

**37. ASSIGNMENT.** Customer may not assign this Agreement without the prior written consent of Company. Company may assign its rights and delegate its duties under this Agreement, without the prior consent of Customer, to an Affiliate, or to a third party in the event of a spin-off, merger, business combination, consolidation or sale of all, or substantially all, of its assets or business that are related to this Agreement. The rights and duties in this Agreement to bull high and inverte the headed the assign the assets. Agreement shall bind and inure to the benefit of any such assignee.

38. SEVERABILITY. If any provision of this Agreement is held to be invalid, illegal, or unenforceable under any statute, regulation, ordinance, executive order, or other rule of law, that provision will be deemed severed to the extent necessary to comply with such statute, regulation, ordinance, order, or rule. In the event such provision is deemed severed, the parties will negotiate in good faith to arrive at an alternative arrangement approximating the original business objective of the parties. The remaining terms and conditions of this Agreement will remain in effect.

**39.** NO IMPLIED WAIVER. The failure of either party at any time to require performance by the other party of any provision of this Agreement will in no way affect the right to require such performance at any time thereafter, nor will the waiver of either party of a breach of any provision of this Agreement constitute a waiver of any succeeding breach of the same or any other provision.

40. <u>MISCELLANEOUS.</u> (a) This Agreement does not make either party the agent or legal representative of the other party. Neither party is authorized to create any obligation on behalf of the other party including, but not limited to, the obligation for payment of any service or warranty obligation hereunder; (b) The rights and remedies herein reserved to Company are cumulative and additional to any other rights and remedies provided at law or equity; (c) The official text of this Agreement is in the English language. If this Agreement is translated into another language, the English text will govern any question with respect to interpretation; (d) The headings in this Agreement are for convenience of reference only and do not affect the meaning of this Agreement in any manner.

#### DEFINITIONS.

Capitalized terms have the meanings set forth in this Section, or in the Section in which they first appear in this Agreement.

"Agreement" means these Allegion Terms and Conditions of Sale and Service, together with any applicable Country Supplement or Region Supplement provided by Company, and all of the documents referenced herein or therein.

"Affiliate" means any Person that directly or indirectly, through one or more intermediaries, controls, is controlled by, or is under common control with, the Company. The term "control" (including the terms "controlled by" and "under common control with") means the possession, directly or indirectly, of the power to direct or cause the direction of the management and policies of a Person, whether through the ownership of voting securities, by contract or otherwise.

"Business Day" means any day except Saturday, Sunday or any other day on which commercial banks located in the United States are authorized or required by Law to be closed for business

"Company" means Schlage Lock Company, LLC or any subsidiary or affiliate thereof selling products that are part of the Allegion product portfolio. Schlage Lock Company and/or its subsidiary or affiliates will be severally but not jointly liable under the Agreement "Company Marks" refers to the Marks of Company.

"Confidential Information" shall mean any and all information provided by either party to the other party pertaining to the disclosing party's business. Confidential Information shall include, but not be limited to, any bitting lists, formulae for products, manufacturing processes, production techniques, packaging processes, methods, research materials, ideas, marketing plans and related materials, quality standards, test results and data, apparatus, engineering drawings, contract documents, computer software, hardware, or firmware, business activities information such as financial information, reports, projections, books and records, customer and supplier information, and operations, customer and supplier lists and data, specifications, know how, and other Proprietary Information or Trade Secrets (as defined herein) that either party may furnish to the other party. Confidential Information defined neterin) that either party may burner to the other party. Confidential information shall not include information that: (a) is or becomes publicly known if such public knowledge or disclosure is not the result of any act or failure to act on the part of the receiving party; (b) is, at the time of disclosure, already known to the Receiving Party without utilizing the Confidential Information; (c) is information disclosed to the Receiving Party by a third party which is not to the Receiving Party's knowledge, after inquiry of the third party, under a duty of confidentiality to the Disclosing Party; or (d) is independently developed by the Receiving Party without the use of Confidential Information. The Receiving Party shall have the burden of proof as to prior knowledge and absence of breach. Confidential Information may be functioned to any targible or the full discluding the part institute to the writing chavings. furnished in any tangible or intangible form including, but not limited to, writings, drawings computer and other electronic media, logic diagrams, component specifications, graphs, prototypes, samples, or verbal communications and regardless of whether such information is marked or designated as "confidential." For the avoidance of doubt, all information, knowledge or data disclosed by Company to Customer, regardless of whether disclosed in written, tangible, oral, visual or other form, including, without limitation, sample products, equipment, software, or other objects or material, provided by Company to Customer, and all information, knowledge or data which was obtained by Customer from visits to Company's facilities, shall be considered "Confidential Information" under this Agreement. **"Content"** means all information (including without limitation any text, music, sound,

photographs, video, graphics, data or software), in any medium, on a particular Company Web page or Website or in Marketing Materials. **"Customer"** means the purchaser of Deliverables from Company.

"Deliverables" means any good or service or both purchased by Customer from Company

under these General Terms and Conditions of Sale and Service. **"End Users"** means the purchaser that (a) has acquired a Deliverable from Customer for (i) its own and its Affiliate's/Affiliates' internal use and not for resale, remarketing or distribution or (ii) incorporation into its own products and (b) is an individual or entity, other than any federal, state or local agency, office or division.

"IP" means all intellectual property and industrial property rights comprising or relating to/ The means all infelletual property and industrial property pills comprising or relating to of the following: (a) Patents: (b) Trademarks; (c) intermet domain names, whether or not Trademarks, registered by any authorized private registrar or Governmental Authority, web addresses, web pages, website and URLs; (d) works of authorship, expressions, designs and design registrations, whether or not copyrightable, including copyrights and copyrightable works, software and firmware, application programming interfaces, architecture, files, records, schematics, data, data files, and databases and other specifications and documentation; (e) Trade Sorets; and (f) all other intellectual property and industrial property rights and all Trade Secrets; and (f) all other intellectual property and industrial property rights, and all rights, interests and protections that are associated with, equivalent or similar to, or required for the exercise of, any of the foregoing, however arising, in each case whether registered or unregistered and including all registrations and applications for, and renewals or extensions of, such rights or forms of protection pursuant to the Laws of any jurisdiction throughout in any part of the world

"Marketing Materials" means all marketing brochures, buckslips, pamphlets, emails, text, call scripts or other material, whether in printed format, audio or audiovisual format, or in any other format, that contain any (i) Content relating to the Company Deliverables or (ii)

"Marks" means collectively the domain names, trademarks, trade names, service marks, trade dress, logos, and the like used or provided by either party for use in connection with this

Agreement. **"Patents"** means all patents (including all reissues, divisionals, provisionals, continuations and continuations-in-part, re-examinations, renewals, substitutions and extensions thereof), patent applications, and other patent rights and any other Governmental Authority-issued indicia of invention ownership (including inventor's certificates, petty patents and patent utility models).

"Person" means a person or entity. "Price Books" mean Company's current Price Book in effect for the applicable Deliverable being purchased by Customer.


"Trade Secrets" means and includes business or technical information of either party, including processes, formulas, devices, techniques, compilations and other material that a party attempts to maintain in secret and that derive commercial value for such party from not being generally known to the public or readily ascertainable through independent development or reverse engineering.




# Brio


Single Run	60	
Maximum Panel Weight	60kg	130lbs
Maximum Panel Height	2400mm	941/4"
Minimum Panel Thickness	19mm	3/4"
Description	Ref. No.	Price \$
Fitting Packs		
Fitting pack suitable for door 3/4" minimum thickness. Pack comprises two all screws and installation instructions.	) hangers, two door stops, one §	guide, wrench
Standard Slider	SR60-1PK	80.96
Fitting pack suitable for door 3/4" minimum thickness. Pack comprises two installation instructions.	) hangers, one guide, wrench, al	l screws and
Cavity Slider	CR60-1PK	70.54
Bracket Packs – For face fitting track		
Bracket, single, stainless steel with fasteners	91	6.18
Bracket, stainless steel with fasteners Qty 5 brackets	91/5	29.7
Components		
2000mm (78 ³/₄") Aluminum track mill	60-20	53.54
3048mm (120") Aluminum track mill	60-30	80.48
4000mm (157 $\frac{1}{2}$ ") Aluminum track mill	60-40	107.24
6096mm (240") Aluminum track mill	60-60	160.43
Hanger, nylon body with precision bearings (pocket application)	605	32.15
Hanger, nylon body with precision bearings	606	32.15
Standard SR60 guide, nylon, floor mounted	55G	3.46
Standard SR60 sawcut guide, nylon, floor mounted	101N	3.46
Standard CR60 guide, nylon, floor mounted	C155LS	4.58
Guide for multiple panels, nylon	55GD	6.18
Door Stop – Stainless steel	287S	6.60

# **Sliding Top Hung Hardware**





91 BRACKET



287S STOP

### **Open Bar Rail Wood**

Maximum Panel Weight	80kg	175lbs
Maximum Panel Height	3000mm	118 1/8"
Maximum Panel Width	1250mm	49 <sup>1</sup> / <sub>4</sub> "
Panel Thickness	35-44mm	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>3</sup> / <sub>4</sub> "
Description	Ref. No.	Price \$
Standard Pack (rail, 2 hangers, doorstops, guide, brackets and fixings)	·	
Pack SS, 2000mm (78 ³/4") Rail	OBF80-20	582.40
Pack Powdercoat black, 2000mm (78 ³/₄") Rail	OBF80-20PB	358.40
Pack SS, 2500mm (98 ³/8") Rail	OBF80-25	659.20
Pack Powdercoat black, 2500mm (98 ³/₀") Rail	OBF80-25PB	435.20

# C ø

80


Open Round Rail Wood	100	
Maximum Panel Weight	100kg	220lbs
Maximum Panel Height	3000mm	118 1/8"
Maximum Panel Width	2000mm	78 <sup>3</sup> / <sub>4</sub> "
Panel Thickness	35-44mm	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>3</sup> / <sub>4</sub> "
Description	Ref. No.	Price \$
Standard Pack (2 hangers, doorstops, guide, handle, brackets a	nd fixings)	
Top Fix Pack SS	ORT100	823.82
Top Fix Pack PVD Black	ORT100PR	1039.74
Face Fix Pack SS	ORF100	864.64
Face Fix Pack PVD Black	ORF100PR	1108.22
Rail		
2000mm (78 <sup>3</sup> /4") SS	1000R-20	268.03
2500mm (98 <sup>3</sup> /8") SS	1000R-25	335.00
3000mm (118 ¼s") SS	1000R-30	401.98
4000mm (157 ½") SS	1000R-40	536.06
2000mm (78 <sup>3</sup> /4") PVD Black	1000R-20PR	363.26
2500mm (98 <sup>3</sup> / <sub>8</sub> ") PVD Black	1000R-25PR	454.02
8000mm (118 ¼ ") PVD Black	1000R-30PR	544.77
Alternative Guides		
ast stainless plate with single precision bearing	106E/94	23.54
Channels		
Polypropylene Black 2000mm (78 <sup>3</sup> /4")	94P-20	14.72
Polypropylene Black 3048mm (120")	94P-30	22.08
Polypropylene Black 4000mm $(157 \frac{1}{2})$	94P-40	22.00
Polypropylene Black 6096mm (240")	94P-60	44.16
Polypropylene & Aluminum Bronze Anodized 2000mm (78 <sup>3</sup> / <sub>4</sub> ")	94PPA-BR20	60.07
Polypropylene & Aluminum Bronze Anodized 2000mm (70 74 )	94PPA-BR30	90.10
Polypropylene & Aluminum Bronze Anodized Societium (120 $^{\circ}$ )	94PPA-BR40	120.14
Polypropylene & Aluminum Bronze Anodized 4006mm (1772)	94PPA-BR60	120.14
Polypropylene & Aluminum Anodized 2000mm (78 $^{3}/_{4}$ ")	94PPA-A20	55.95
Polypropylene & Aluminum Anodized 3048mm (120")	94PPA-A30	83.92
Polypropylene & Aluminum Anodized 4000mm (157 ½")	94PPA-A30	111.89
Polypropylene & Aluminum Anodized 6096mm (240")	94PPA-A40 94PPA-A60	167.84
Support Bracket - 1 required per additional 500mm (19 <sup>3</sup> /4") on		
Top Fix Bracket SS	100-RB	23.14
op Fix Bracket PVD Black	100-RBPR	31.36
Face Fix Bracket SS	100F-RB	28.80
Face Fix Bracket PVD Black	100F-RBPR	45.31
Accessories		
Stainless steel sawcut guide (supplied)	531T	17.25
Stainless steel PVD Black sawcut guide (supplied)	531TPR	31.23
Stainless steel fix through handle (supplied)	535T	61.36
Soft Stop Right SS	100-RS	54.40
Soft Stop Right PVD Black	100-RSPR	73.47
	100-LS	54.40
Soft Stop Left SS		

Pricing/product description subject to change without notice.


100-RS

100-LS

Open Round Rail Glass	100	
Maximum Panel Weight	100kg	220lbs
Maximum Panel Height	3000mm	118 1/8"
Maximum Panel Width	2000mm	78 <sup>3</sup> / <sub>4</sub> "
Panel Thickness	8-12mm	<sup>5</sup> / <sub>16</sub> " - <sup>1</sup> / <sub>2</sub> "
Description	Ref. No.	Price \$
Standard Pack (2 hangers, doorstops, guide, han	dle, brackets and fixings)	
Pack SS	ORG100	856.27
Pack PVD Black	ORG100PR	1080.58
Rail - see page 3, Open Round Rail Wood 100		
Support Bracket - see page 3, Open Round Rail Wood 10	00	
Accessories		
Soft Stop Right SS	100-RS	54.40
Soft Stop Right PVD Black	100-RSPR	73.47
Soft Stop Left SS	100-LS	54.40
Soft Stop Left PVD Black	100-LSPR	73.47



Open Square Rail Wood	150	
Maximum Panel Weight	150kg	330lbs
Maximum Panel Height	3000mm	118 1/8"
Maximum Panel Width	2000mm	78 <sup>3</sup> /4"
Panel Thickness	35-44mm	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>3</sup> / <sub>4</sub> "
Description	Ref. No.	Price \$
Standard Pack (2 hangers, doorstops, guide, handle, bra	ackets and fixings)	
SS	OST150	1212.36
PVD Black	OST150PR	1529.86
Rail		
2000mm (78 <sup>3</sup> / <sub>4</sub> ") SS	150SR-20	511.41
2500mm (98 <sup>3</sup> / <sub>8</sub> ") SS	150SR-25	639.33
3000mm (118 ¼,8") SS	150SR-30	767.12
4000mm (157 ¼2") SS	150SR-40	1022.82
2000mm (78 ³/4") PVD Black	150SR-20PR	692.99
2500mm (98 ³/8") PVD Black	150SR-25PR	866.43
3000mm (118 ¼") PVD Black	150SR-30PR	1039.62
Guides		
Stainless steel sawcut guide (supplied)	531T	17.25
Stainless steel PVD Black sawcut guide (supplied)	531TPR	31.23
Cast stainless plate with single precision bearing	106E/94	23.54
Channels - see page 3, Open Round Rail Wood 100		
Support Bracket - 1 required per additional 500mm (19 <sup>3</sup>	/4") on rails longer than 2m (	( <b>78</b> ³/₄")
SS	150-SB	51.64
PVD Black	150-SBPR	70.02





150-SB BRACKET



150SR RAIL



106E/94 GUIDE



531T GUIDE

# **Sliding Top Hung Hardware**

Single Run	80		100		120	
Maximum Panel Weight	80kg	175lbs	100kg	220lbs	120kg	265lbs
Maximum Panel Height	3000mm	118 1/8"	3000mm	118 <sup>1</sup> /8"	3000mm	118 <sup>1</sup> /8"
Panel Thickness	28-48mm	1 <sup>1</sup> / <sub>8</sub> " - 1 <sup>7</sup> / <sub>8</sub> "	28-48mm	1 <sup>1</sup> / <sub>8</sub> " - 1 <sup>7</sup> / <sub>8</sub> "	19-48mm	<sup>3</sup> / <sub>4</sub> "-1 <sup>7</sup> / <sub>8</sub>
Description	Ref. No.	Price \$	Ref. No.	Price \$	Ref. No.	Price \$
Standard pack – Fittings only						
Fittings kit for one panel, pack comprises two hangers, two door stops, guide, and instructions	SR80-1PK	112.28	SR100-1PK	135.66	SR120-H1PK	159.04
with S/S wheels	SR80SS-1PK	161.36	SR100SS-1PK	190.48	SR120SS-H1PK	219.60
 Track – Aluminum Anodized						
2000mm (78 <sup>3</sup> / <sub>4</sub> ")	100-A20	72.82	100-A20	72.82	120-A20	86.74
3048mm (120")	100-A30	109.32	100-A30	109.32	120-A30	130.01
4000mm (157 <sup>1</sup> /2")	100-A40	145.65	100-A40	145.65	120-A40	173.29
6096mm (240")	100-A60	218.66	100-A60	218.66	120-A60	260.01
Brackets – For Aluminum tracks						
Bracket, single, stainless steel with fasteners	91	6.18	91	6.18		
Bracket, stainless steel with fasteners Qty 5	91/5	29.71	91/5	29.71		
Type 1 face fitted					1SS/250	24.54
Type 5 face fitted					5SS/120	38.48
Hangers – For MDF panels						
Type 50, nylon wheels & chrome bearings					50EN	58.56
Type 50, nylon wheels & stainless steel bearings					50SS/EN	94.45
Hangers – For wood panels						
Type 57, nylon wheels & chrome bearings			57DN	48.81	57EN	58.56
Type 57, nylon wheels & body chrome bearings	57ENP	39.05				
Type 57, nylon wheels & stainless steel bearings			57SS/DN	76.22	57SS/EN	88.84
Type 57, nylon wheels & body S/S bearings	57SS/ENP	63.59				
Type 58, nylon wheels & chrome bearings	58ENP	39.05			58EN	58.56
Type 58, nylon wheels & stainless steel bearings	58SS/ENP	58.56			58SS/EN	88.84
Hangers – For metal panels						
Type 56, nylon wheels & chrome steel bearings					56EN	50.66
Type 56, nylon wheels & stainless steel bearings					56SS/EN	75.49
Guides						
Cast stainless plate with single precision bearing	106E/94	23.54	106E/94	23.54	106E/94	23.54
Use with 96W channel (see page 7)	106SSMF	24.69	106SSMF	24.69	106SSMF	24.69
Sawcut guide, nylon, with screws	101N	3.46	101N	3.46	101N	3.46
Hanger Stops						
Door Stop					120DS	19.23
Clip Stop	100CS	15.36	100CS	15.36		
Soft Close	100SCT	83.71	100SCT	83.71		
Channel – See pages 7 & 8, Zero Clearance						
Accessories – See page 8, Zero Clearance 180	& 350					

Brio

100 TRACK



1SS/250 BRACKET



5SS/120 BRACKET



50EN HANGER



57EN HANGER



57ENP HANGER



58EN HANGER



56EN HANGER



106E/94 GUIDE



106SSMF



120DS DOOR STOP





Single Run	180		350	
Maximum Panel Weight	180kg	395lbs	350kg	770lbs
Maximum Panel Height	3000mm	118 1/8"	3300mm	129 <sup>7</sup> /8"
Panel Thickness	35-48mm	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>7</sup> / <sub>8</sub> "	35-48mm	1 <sup>3</sup> /8" - 1 <sup>7</sup> /8'
Description	Ref. No.	Price \$	Ref. No.	Price \$
Standard pack – Fittings only				
Fittings kit for one panel, pack comprises two hangers, two door stops, guide, and instructions	SR180-H1PK	206.41	SR350-HIPK	221.33
with S/S wheels	SR180SS-H1PK	285.35	SR350SS-H1PK	302.01
Track	·			
2000mm (78 ³/4") Aluminum Anodized	180-A20	113.68	250-A20	144.76
3048mm (120") Aluminum Anodized	180-A30	170.51	250-A30	217.14
4000mm (157 ½") Aluminum Anodized	180-A40	227.35	250-A40	289.52
6096mm (240") Aluminum Anodized	180-A60	341.03	250-A60	434.28
2000mm (78 ³/₄") Aluminum Bronze Anodized			250-BR20	159.24
3048mm (120") Aluminum Bronze Anodized			250-BR30	238.86
4000mm (157 1/2") Aluminum Bronze Anodized			250-BR40	318.47
6096mm (240") Aluminum Bronze Anodized			250-BR60	477.71
Brackets – For aluminum tracks				
Type I face fitted	1SS/250	24.54	1SS/250	24.54
Type 5 face fitted	5SS/250	58.56	5SS/250	58.56
Hangers – For wood panels				
Type 52, nylon wheels & chrome bearings	52GN	91.29	52HN	98.89
Type 52, nylon wheels & stainless steel bearings	52SS/GN	122.14	52SS/HN	130.91
Type 57, nylon wheels & chrome bearings	57GN	71.48	57HN	78.94
Type 57, nylon wheels & stainless steel bearings	57SS/GN	110.95	57SS/HN	119.28
Hangers – For metal panels				
Type 56, nylon wheels & chrome bearings	56GN	60.86	56HN	68.31
Type 56, nylon wheels & stainless steel bearings	56SS/GN	92.15	56SS/HN	100.61
Type 56L, nylon wheels & chrome bearings	56GLN	62.86	56HLN	70.62
Type 56L, nylon wheels & stainless steel bearings	56SS/GLN	98.89	56SS/HLN	119.99
Guides				
Cast stainless plate with single precision bearing	106RB/94	28.84	106RB/94	28.84
Use with multiple doors	102W/94SS	44.79	102W/94SS	44.79
Use with 52GN and 52HN hangers	21RB/94	45.64	21RB/94	45.64
Door Stops				
Door Stop	180DS	23.10	180DS	23.10
Channel – See page 8, Zero Clearance 180 & 3	50			
Accessories – See page 8, Zero Clearance 180 a	& 35 <b>0</b>			

# **Sliding Top Hung Hardware**



**Le al** 250 TRACK 94PPA CHANNEL





5SS/250 BRACKET



52GN HANGER



57GN HANGER



56GN HANGER



56GLN HANGER

106RB/94 GUIDE



102W/94SS GUIDE



180DS DOOR STOP



# **Sliding Top Hung Hardware**

Zero Clearance	80		100		120		
Maximum Panel Weight	80kg	175lbs	100kg	220lbs	120kg	265lbs	ہ یا ہے
Maximum Panel Height	3000mm	118 1/8"	3000mm	118 1/8"	3000mm	118 1/8"	- 120 TRAC
Minimum Panel Thickness	32mm	11/4"	32mm	11/4"	32mm	11/4"	100 TRACK
Description	Ref. No.	Price \$	Ref. No.	Price \$	Ref. No.	Price \$	
Standard Pack – Fittings only (2	hangers, 2 d	oor stops,	101N guide)				
Precision bearings	ZC80-1PK	189.14	ZC100-1PK	220.49	ZC120-1PK	251.84	– 120 TRAG
Stainless steel bearings	ZC80SS-1PK	255.56	ZC100SS-1PK	310.21	ZC120SS-1PK	364.86	-
Track – Aluminum Anodized							
2000mm (78 <sup>3</sup> / <sub>4</sub> ")	100-A20	72.82	100-A20	72.82	120-A20	86.74	- /////
3048mm (120")	100-A30	109.32	100-A30	109.32	120-A30	130.01	- []]//
4000mm (157 <sup>1</sup> / <sub>2</sub> ")	100-A40	145.65	100-A40	145.65	120-A40	173.29	- 61ENP HANG
6096mm (240")	100-A60	218.66	100-A60	218.66	120-A60	260.01	
2000mm (78 <sup>3</sup> / <sub>4</sub> ") for ceiling tiles					120R-A20	98.55	
3048mm (120") for ceiling tiles					120R-A30	147.75	
4000mm (157 1/2") for ceiling tiles					120R-A40	196.93	- /////
6096mm (240") for ceiling tiles					120R-A60	295.48	
Hangers – For wood panels							61EN HANG
4 nylon wheels & precision bearings	61ENP	77.48	61DN	91.22	61EN	104.96	- `\
4 nylon wheels & SS precision bearings	61SS/ENP	110.69	61SS/DN	136.08	61SS/EN	161.47	
Guides							
SS plate with precision bearing, 94 channel	106E/94	23.54	106E/94	23.54	106E/94	23.54	106E/94 GUIDE
SS plate with precision bearing, 96W channel	106SSMF	24.69	106SSMF	24.69	106SSMF	24.69	
Sawcut guide, nylon, with screw	101N	3.46	101N	3.46	101N	3.46	106SSMF
Multiple Panels	102W/94SS	44.79	102W/94SS	44.79	102W/94SS	44.79	_
Hanger Stops							
Door Stop					120DS	19.23	
Clip Stop	100CS	15.36	100CS	15.36			- 101N GUIDE
Soft Close	100SCT	83.71	100SCT	83.71			
Channel for 106SSMF							l ol
2000mm (78 <sup>3</sup> / <sub>4</sub> ")	96W-A20	43.29	96W-A20	43.29	96W-A20	43.29	-
3048mm (120")	96W-A30	65.01	96W-A30	65.01	96W-A30	65.01	
4000mm (157 <sup>1</sup> / <sub>2</sub> ")	96W-A40	86.55	96W-A40	86.55	96W-A40	86.55	– 102W/94SS MULTIPLE DOOR GUID
6096mm (240")	96W-A60	129.84	96W-A60	129.84	96W-A60	129.84	- .A
For more channels – See page 8, Zero	Clearance 180	) & 350					
Accessories – See page 8, Zero Cleara	ance 180 & 350	)					







94P CHANNEL




94PPA CHANNEL

Zero Clearance	180		350	
Maximum Panel Weight	180kg	395lbs	350kg	770lbs
Maximum Panel Height	3000mm	118 <sup>1</sup> /8"	3300mm	129 7/8"
Minimum Panel Thickness	40mm	11/2"	40mm	11/2"
Description	Ref. No.	Price \$	Ref. No.	Price \$
Standard Pack – Fittings only (2 hangers, 2 door stops	, 531T guide)			
Precision bearings	ZC180-1PK	319.69	ZC350-1PK	346.41
Stainless steel bearings	ZC180SS-1PK	457.63	ZC350SS-1PK	498.81
Track – Aluminum Anodized				
2000mm (78 <sup>3</sup> /4")	180-A20	113.68	250-A20	144.76
3048mm (120")	180-A30	170.51	250-A30	217.14
4000mm (157 <sup>1</sup> / <sub>2</sub> ")	180-A40	227.35	250-A40	289.52
5096mm (240")	180-A60	341.03	250-A60	434.28
Hangers – For wood doors				
4 Wheel, nylon wheels & precision bearing assembly	61GN	128.12	61HN	141.48
4 Wheel, nylon wheels & stainless steel bearing assembly	61SS/GN	197.09	61SS/HN	217.68
Guides				
Cast stainless plate with single precision bearing	106E/94	23.54	106E/94	23.54
Multiple Doors	102W/94SS	44.79	102W/94SS	44.79
Door Stops				
Door Stop	180DS	23.10	180DS	23.10
Channels				
Polypropylene Black 2000mm (78 <sup>3</sup> /4")	94P-20	14.72	94P-20	14.72
Polypropylene Black 3048mm (120")	94P-30	22.08	94P-30	22.08
Polypropylene Black 4000mm (157 1/2")	94P-40	29.44	94P-40	29.44
Polypropylene Black 6096mm (240")	94P-60	44.16	94P-60	44.16
Polypropylene & Aluminum Bronze Anodized 2000mm (78 <sup>3</sup> /4")	94PPA-BR20	60.07	94PPA-BR20	60.07
Polypropylene & Aluminum Bronze Anodized 3048mm (120")	94PPA-BR30	90.10	94PPA-BR30	90.10
Polypropylene & Aluminum Bronze Anodized 4000mm (157 1/2")	94PPA-BR40	120.14	94PPA-BR40	120.14
Polypropylene & Aluminum Bronze Anodized 6096mm (240")	94PPA-BR60	180.21	94PPA-BR60	180.21
Polypropylene & Aluminum Anodized 2000mm (78 <sup>3</sup> /4")	94PPA-A20	55.95	94PPA-A20	55.95
Polypropylene & Aluminum Anodized 3048mm (120")	94PPA-A30	83.92	94PPA-A30	83.92
Polypropylene & Aluminum Anodized 4000mm (157 1/2")	94PPA-A40	111.89	94PPA-A40	111.89
Polypropylene & Aluminum Anodized 6096mm (240")	94PPA-A60	167.84	94PPA-A60	167.84
Accessories				
Flush Pull – PVD Brass	401PVDB	36.92	401PVDB	36.92
Flush Pull – Polished Nickel	401PS	32.10	401PS	32.10
Flush Pull – Satin Nickel	401SN	32.10	401SN	32.10
Flush Pull – Back to Back 401 kits – PVD Brass	401B2BPVDB	79.73	401B2BPVDB	79.73
Flush Pull – Back to Back 401 kits – Polished Nickel	401B2BPS	69.33	401B2BPS	69.33
Flush Pull – Back to Back 401 kits – Satin Nickel	401B2BSS	69.33	401B2BSS	69.33
Plunge Router for 401 flush pull profile	Router401	162.00	Router401	162.00
Interlocker Aluminum Black Anodized 4 pack	924-BK01	11.64	924-BK01	11.64
Interlocker Aluminum Bronze Anodized 4 pack	924-BZ01	11.64	924-BZ01	11.64
Interlocker Aluminum Anodized 4 pack	924-CA01	11.64	924-CA01	11.64




180 TRACK





250 TRACK





106E/94 GUIDE



180DS DOOR STOP



401B2B FLUSH PULL BACK TO BACK SET



401 ROUTER BIT



#### **About Allegion**

Allegion (NYSE: ALLE) creates peace of mind by pioneering safety and security. As a \$2 billion provider of security solutions for homes and businesses, Allegion employs more than 8,000 people and sells products in more than 120 countries across the world. Allegion comprises 27 global brands, including strategic brands CISA®, Interflex®, LCN®, Schlage® and Von Duprin®.

For more, visit **www.allegion.com** 

aptiQ = LCN = SCHLAGE = STEELCRAFT = VON DUPRIN