



Multi-family Price Book 12

Effective June 25, 2022 • Rev. 06/22



Where residential and commercial lever styles meet

Schlage, Falcon, and Von Duprin locks and exit lever designs allow for residential and common areas to match in style, whether that is contemporary, to transitional, to traditional. While the lever and trim names may differ between the various series below, you can have confidence that each lever design will coordinate into one of the lever suiting styles. Coordinate the lever designs below to create seamless transitions between residential and commercial areas.

Contemporary

Minimalist lever design with clean lines



Latitude, Longitude, Solstice

Contemporary/Transitional

Rounded, high-style lever design



Broadway, Boardwalk, M52

Transitional/Traditional

Curved, tapered lever design



Jazz, Jupiter, Athens, Dover, Avalon, 07



Quantum, Sparta, Neptune, 17

Traditional

Simplistic return-to-door lever design



Rhodes, Saturn, Marin, Elan, Dane, 06

	Contemporary	Contemporary / Transitional	Transitional /Traditional		Traditional
Residential area locks					
Schlage Control Smart Interconnected Lock - Grade 2	Latitude	Broadway	Jupiter, Jazz	Neptune	Elan
Schlage F Series cylindrical lock - Grade 2	Latitude	Broadway	Jazz	Jazz	Elan
Schlage J Series lock - Grade 3	Solstice	-	Dover	Dover	Marin
Common area locks					
Schlage LE mortise wireless lock - Grade 1	Latitude	M52	07	17	06
Schlage L Series mortise lock - Grade 1	Latitude	M52	07	17	06
Schlage NDE cylindrical wireless lock - Grade 1	Latitude	Broadway	Athens	Sparta	Rhodes
Schlage ND Series cylindrical lock - Grade 1	Latitude	Broadway	Athens	Sparta	Rhodes
Schlage CS210 interconnected lock - Grade 2	Latitude	Broadway	Jupiter	Neptune	Saturn
Falcon MA Series mortise lock - Grade 1	Latitude	Broadway	Avalon	Quantum	Dane
Falcon T Series cylindrical lock - Grade 1	Latitude	Broadway	Avalon	Quantum	Dane
Falcon W Series cylindrical lock - Grade 2	Latitude	Broadway	Avalon	Quantum	Dane
Falcon H2 Series interconnected lock - Grade 2	Latitude	Broadway	Avalon	Quantum	Dane
Commercial exit devices and trim					
Von Duprin 98/99 Series wide stile pushpad - Grade 1	Latitude	M52	07	17	06
Falcon 25 Series wide stile pushpad - Grade 1	Latitude	Broadway	Avalon	Quantum	Dane
Falcon 24 Series narrow stile pushpad - Grade 1	Latitude	Broadway	Avalon	Quantum	Dane

Note: Not all levers and trim are listed for the products mentioned in this price book.
For the complete offering, contact your sales consultant.

Contents

Locks

Residential Electronic Locks

Schlage Control FE410 Smart Interconnected Locks - Grade 2	4-5
Schlage Control BE467 Smart Deadbolts - Grade 2	6-7
Schlage Control Multi-Family Residential Electronic Locks - Top Sellers.....	8

Residential Mechanical Locks

Schlage F Series - Grade 1	9
Schlage J Series - Grade 3	10-11
B and J Series Deadbolts.....	12-17
Schlage LE Mortise Wireless Locks - Grade 1.....	18-19

Commercial Wireless Electronic/Electrified Locks, Readers and Devices

Schlage LE Mortise Wireless Locks - Grade 1	20-23
Schlage NDE Cylindrical Wireless Locks - Grade 1	25-27
Schlage CTE Single Door Controller.....	28
Schlage Electromagnetic Locks.....	29
Schlage MTB Series Wall Mount Readers.....	30

Commercial Mechanical and Electrified Locks - Schlage and Falcon

Schlage B500 - Single Cylinder Deadbolt Series	31
Schlage CS210 Interconnect Lock - Grade 2	31-32
Schlage L Series Mortise Locks - Grade 1	33-42
Schlage ND Series Cylindrical Locks - Grade 1	43-48
Falcon MA Series Grade 1 Mortise Lock	49-52
Falcon T Series Grade 1 Cylindrical Lock	53-55
Falcon W Series Grade 1 Cylindrical Lock	56-59
Falcon D200 Grade 2 Medium Duty Deadbolt	60-62
Falcon H2 Series Grade 2 Interconnected Lock	63-64
Falcon Cylinders	65
Falcon Conventional Cylinders.....	66
Falcon Interchangeable Cores	67
Falcon IC Cylinders	67
Falcon Conventional Keys and Blanks.....	68
IC Keys and Key Blanks, Disposable Construction Core.....	69
Falcon Keys & Keying Construction Core Program	70

Exits

Von Duprin

Von Duprin 22 Series	71
Von Duprin 22 Series Trim.....	72
Von Duprin Auxiliary Parts.....	73
Von Duprin Electronics e-Strike.....	74
Von Duprin 98 Series.....	75
Von Duprin Device Options.....	76
Von Duprin Device Accessories.....	77
Von Duprin Dummy Touch Bars	77

Falcon

Falcon 24 Series	78-83
Falcon 25 Series.....	84-89
Falcon 19 Series.....	90-95
Falcon 1690 Series	96
Falcon 1790 Series.....	97
Falcon 1990 Series.....	98
Falcon 2090 Series.....	99

Policies and documents

The purchase of Allegion products is governed by the Allegion Authorized Seller Program. For program terms and conditions, and other program details, please visit: www.allegion.com/AuthorizedSeller.

For Warranty information, visit us.allegion.com/warranty or contact Customer Service at 877-671-7011.

Door Closers

LCN

LCN 1250 Series Surface Door Closers.....	100
LCN 1260 Series Surface Door Closers.....	100
LCN 1450 Series Surface Door Closers.....	100
LCN 1460 Series Surface Door Closers.....	101
LCN 4040XP Series Surface Door Closers.....	101
LCN 4050A Series Surface Door Closers.....	101
LCN Parts and Components.....	102
Automatic Operators	103

Falcon

Falcon Surface Door Closers.....	104-105
Falcon SC60A Series	106
Falcon SC70A Series.....	107
Falcon SC80A Series	108
Falcon SC90A Series	109

Architectural Hardware

Ives

Architectural Hinges.....	110
Continuous Hinges.....	110
Pivots	111
Floor Stops.....	112
Wall Stops.....	113
Pulls and Protection Plates	114
Vandal Resistant Trim	115
Flush Bolts and Strikes	115
Coordinators, Lock Guards, and Surface Bolts.....	116
Latches and Catches	117
Miscellaneous Hardware.....	118

Schlage

Schlage Barn Door Hardware	119-120
----------------------------------	---------

Overhead Holders and Stops

Glynn-Johnson

70 Series Heavy Duty Surface Mount	121
81 Series Heavy Duty Surface Mount	121
90 Series Heavy Duty Surface Mount	121
100 Series Heavy Duty Concealed Mount	122
410 Series Medium Duty Concealed Mount.....	122
450 Series Medium Duty Surface Mount	122

How to Order

Locks

Schlage Residential	124
Schlage Commercial	125

Commercial Wireless Electronic/Electrified Locks, Readers and Devices

Schlage LE Series	126-127
Schlage NDE	128-129
Schlage CTE Series	130

Commercial Mechanical Locks

Schlage ND Series	131
Schlage L Series.....	132
Schlage AL Series.....	133

Exits

Von Duprin Exits	134
Falcon Exits.....	135
Falcon Trim.....	136

Closers

LCN	137
Falcon	138-140

Accessories

Glynn-Johnson	141
---------------------	-----

Schlage Control™ Mobile Enabled Smart Interconnect Locks

FE410 with Greenwich trim
with Broadway LeverFE410 with Addison trim
with Accent lever

Standard Features

- Keyless, no cylinder design — 100% bump and pick-proof
- Modern credentials — smart credential and/or phone as key
- Wireless freedom — control and program by phone
- Up to 500 users per lock
- Audit trail reports up to 1,000 events
- Fits standard door prep
- 1 year battery life with BLE mobile credential capability enabled.
- 1.5 year battery life without BLE mobile credential capability enabled.
- Full suiting with Schlage mechanical locks
- Single motion egress
- ADA compliant design
- Uses ENGAGE™ Technology
- See page 8 for information on the MT20W Credential Enrollment Reader



Specifications

Latch:	1" x 2 1/4" square and round corner faceplate (square corner standard, round corner included in package) 1" edge bore required
Strikes:	1 1/8" x 2 3/4", square corner, no box, latch strike
Backset:	Adjustable backset, fits 2-3/8" to 2 3/4" backsets
Door Range:	1 3/4" (thick door kit available - up 2")
Battery:	4-AA batteries included, (If loss of battery power occurs, a 9V battery can be used to jump start the lock and provide access with an assigned credential.)
Construction:	All-metal chassis and escutcheons
Bore:	2 1/8"

Credentials:	Supports Schlage MIFARE Classic®, Schlage MIFARE Plus®, Schlage DESFire® EV1 (sold separately), Schlage Mobile Access Credential. Please refer to the Credential Section of the Allegion Electronic Security Price Book.
Stile Width:	Minimum 4 1/2" stile for 2 3/8" backset, minimum 5" stile for 2 3/4"
Return to Door:	Saturn (SAT), Neptune (NEP), Boardwalk (BRK) and Longitude (LON) are return to door code compliant
Center to Center:	Fits 4" or 5 1/2" center to center door preps -orderable options (Please specify when ordering)
Certifications:	90-minute UL Listed A 156.36 Grade 2 ANSI/BHMA certified; Canada UL 20-minute wood door rated. Approved for use where the exterior escutcheon only is exposed to the outdoors.

FINISH CODES & DESCRIPTIONS*

619	622	625	626	716
Satin Nickel (US15)	Matte Black (US19)	Bright Chrome (US26)	Satin Chrome (US26D)	Aged Bronze (643e)

* Non-Standard finishes are not available. Available in split finish and/or split lever options for no additional charge.

1. Select Lock Model

Part No.	Description	Price (ea.)
FE410F	Schlage Control Mobile Enabled Smart Interconnect, UL Listed, 90 minutes	\$800.00

2. Select Design Style

Style/Description	Price (ea.)
(ADD) Addison	n/c
(GRW) Greenwich	n/c

3. Select Interconnect Type

Style	Description	Price (ea.)
4"	For doors with 4" bore hole spacing (40)	n/c
5-1/2"	For doors with 5 1/2" bore hole spacing (55)	n/c

4. Design - Select Lever Style And Finish

Style / Description	619 - Satin Nickel	622 - Matte Black	625 - Bright Chrome	626 - Satin Chrome	716 - Aged Bronze
ACC / Accent	n/c	n/c	n/c	n/c	n/c
VLA / Avila	n/c	Not Available	n/c	n/c	n/c
BIR / Birmingham	n/c	Not Available	n/c	Not Available	n/c
BRW / Broadway	n/c	n/c	n/c	n/c	n/c
BRK / Boardwalk	n/c	n/c	n/c	n/c	n/c
ELA / Elan	n/c	n/c	n/c	n/c	n/c
JAZ / Jazz	n/c	n/c	n/c	n/c	n/c
JUP / Jupiter	n/c	n/c	n/c	n/c	n/c
LAT / Latitude	n/c	n/c	n/c	n/c	n/c
LON / Longitude	n/c	n/c	n/c	n/c	n/c
MNH / Manhattan	n/c	Not Available	n/c	n/c	Not Available
NEP / Neptune	n/c	n/c	n/c	n/c	n/c
NBK / Northbrook	n/c	Not Available	Not Available	Not Available	Not Available
SAC / Sacramento	n/c	Not Available	n/c	n/c	n/c
SAT / Saturn	n/c	n/c	n/c	n/c	n/c

Latch

Part No.	Description	Price (ea.)
12-356	Combo latch, Dual option (sq + rd), Non UL bolt, UL latch - STANDARD	Not Sold Separately

Handing

Part No.	Description	Price (ea.)
Left	STANDARD - Can be changed to Right handed in the field	n/c

Deco Trim

Part No.	Description	Price (ea.)
06-219	STANDARD - ADD or GRW depending on which style is selected above	n/c

Strike Combinations

Part No.	Description	Price (ea.)
10-152	STANDARD - Combo Strike, Square Corner (10-094 & 10-026)	n/c
10-151	10-094 & 10-001	n/c
10-119	10-081 & 10-001	n/c
10-122	10-116 & 10-027	n/c
10-123	10-092 & 10-027	n/c
10-124	10-095 & 10-027	n/c

Deadbolt Strike Options

Part No.	Description	Price (ea.)
10-094	Square Corner Strike, 1 1/8" x 2 3/4" - STANDARD	14.00
10-092	1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4"	9.00
10-095	Square corner, full lip, no box, 1 5/8" x 2 1/4"	9.00
10-112	Metal dust box with screws	13.90

Deadlatch Strike Options

Part No.	Description	Price (ea.)
10-026	Square corner, full lip, no box, 1 5/8" x 2 1/4" - STANDARD	8.70
10-001	Square corner, T-strike, box, 1 1/8" x 2 3/4"	7.50
10-027	1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4"	8.70

Thick Door Kit

Part No.	Description	Price (ea.)
47244555	For doors between 1 3/4" and 2"	\$25.60

The Schlage Control Interconnect Lock uses the same Thick Door Kit as the Deadbolt. However, due to the latch assembly it should only be used on doors between 1 3/4" and 2".

Screw Packs

Part No.	Description	Price (ea.)
47250323	Security Screws - Optional Security torx screws	\$7.40
47244558	FE410 screw pack	7.40

For Screw Packs, specify finish option (619, 622, 625, 626 or 716)

Schlage Control™ Mobile Enabled Smart Deadbolt



BE467
Greenwich
(GRW)



BE467
Addison
(ADD)



Product Identification

BE	467	F
Lock	Function	90 Minute UL



Standard Features

- Keyless, no cylinder design — 100% bump and pick-proof
- Modern credentials — smart credential and/or phone as key
- Wireless freedom — control and program by phone
- Up to 500 users per lock
- Audit trail reports up to 1,000 events
- Fits standard door prep
- 1 year battery life with BLE mobile credential capability enabled.
1.5 year battery life without BLE mobile credential capability enabled.
- Full suiting with Schlage decorative mechanical locks
- ADA compliant design
- Uses ENGAGE™ Technology
- See page 8 for information on the MT20W Credential Enrollment Reader

Specifications

Latch:	1" x 2 1/4" square and round corner faceplate (round corner standard, square corner included in package) 1" edge bore required
Strikes:	1 1/8" x 2 3/4", round corner, no box, latch strike
Backset:	Adjustable backset, fits 2 3/8" to 2 3/4" backsets
Door Range:	1 3/4" (thick door kit available - up to 2 1/4")
Hole Distance:	Minimum 4" center-to-center distance between cross bore holes
Battery:	4-AA batteries included, (If loss of battery power occurs, a 9V battery can be used to jump start the lock and provide access with an assigned credential.)

Construction:	All-metal chassis and escutcheons
Bore:	2 1/8"
Credentials:	Supports Schlage MIFARE Classic®, Schlage MIFARE Plus®, Schlage DESFire® EV1 (sold separately), Schlage Mobile Access Credential. Please refer to the Credential Section of the Allegion Electronic Security Price Book.
Stile width:	Minimum 4 1/2" stile for 2 3/8" backset minimum 5" stile for 2 3/4"
Certifications:	90-minute UL Listed A 156.36 Grade 2 ANSI/ BHMA certified; Canada UL 20-minute wood door rated. Approved for use where the exterior escutcheon only is exposed to the outdoors.

FINISH CODES & DESCRIPTIONS*

619	622	625	626	716
Satin Nickel (US15)	Matte Black (US19)	Bright Chrome (US26)	Satin Chrome (US26D)	Aged Bronze (643e)

* Non-Standard finishes are not available. Available in split finish options for no additional charge.

1. Select Lock Model

Part No.	Description	Price (ea.)
BE467F	Schlage Control Mobile Enabled Smart Deadbolt, UL Listed, 90 minutes	\$541.00

2. Select Design Style

Style/Description	Price (ea.)
(ADD) Addison	No Charge
(GRW) Greenwich	No Charge

3. Select finish style

Finish/Description	Price (ea.)
619 / Satin Nickel	No Charge
622 / Matte Black	No Charge
625 / Bright Chrome	No Charge
626 / Satin Chrome	No Charge
716 / Aged Bronze	No Charge

Latch

Part No.	Description	Price (ea.)
12-398	BE467F 90 Min UL Deadbolt Latch Dual Option (sq+rd) - STANDARD	Not Sold Separately

BE467F Strike Options

Part No.	Description	Price (ea.)
10-116	Round Corner Strike, 1 1/8" x 2 3/4" - STANDARD	n/c
10-094	Square Corner Strike, 1 1/8" x 2 3/4"	n/c
10-095	Square Corner Full Lip Strike, 1 5/8" x 2 1/4" (Lip Length: 1 1/8")	n/c
10-092	Round Corner Full Lip Strike, 1 5/8" x 2 1/4" (Lip Length: 1 1/8")	n/c

Thick Door Kit

Part No.	Description	Price (ea.)
47244555	For doors between 1 3/4" and 2 1/4"	\$25.60

The Schlage Control Deadbolt uses the same Thick Door Kit as the Interconnect. However, due to the differences in latch assemblies, the Deadbolt can accommodate doors up to 2-1/4" in thickness.

Screw Packs

Part No.	Description	Price (ea.)
47250323	Security Screws - Optional Security torx screws	\$7.40
47244557	BE467 screw pack	7.40

For Screw Packs, specify finish option (619, 622, 625, 626 or 716)

Electronic Locking Systems



Greenwich

Addison

Schlage Control™ Smart Locks - Top Sellers

Product	Finish	Latch	Strike	Lever Style	Price Each
BE467F GRW	619	12-398	10-116	N/A	\$541.00
BE467F GRW	626	12-398	10-116	N/A	541.00
BE467F ADD	619	12-398	10-116	N/A	541.00
BE467F ADD	626	12-398	10-116	N/A	541.00
FE410F GRW	619	12-356	10-152	Latitude	800.00
FE410F GRW	626	12-356	10-152	Latitude	800.00
FE410F ADD	619	12-356	10-152	Latitude	800.00
FE410F ADD	626	12-356	10-152	Latitude	800.00

Note: FE410 locks are 5.5" center-to-center.

Schlage Smart Credentials

Product	Type	Description	Price (ea.)	Min. Order
8643T	Thin Keyfob	Schlage MIFARE DESFire EV3 Smart Card 4K byte/32k bit Thin Keyfob	\$9.10	50
8543	Card	Schlage MIFARE DESFire EV3 Smart Card 4K byte/32k bit ISO Glossy White	8.70	100
9651	Keyfob	Schlage MIFARE Classic Smart 1K byte/8k bit Keyfob	8.30	50
9651T	Thin Keyfob	Schlage MIFARE Classic Smart 1K byte/8k bit Thin Keyfob	8.50	50
8520	Card	Schlage MIFARE DESFire EV1 Smart Card 2K byte/16k bit ISO Glossy White	8.70	100

Multi-Tech Technology Credentials

Product	Type	Description	Price (ea.)	Min. Order
8843T	Thin Keyfob	Proximity and Schlage MIFARE DESFire EV3 Smart Card 4K byte/32k bit Thin Keyfob	\$13.70	50
8943	Card	Proximity and Schlage MIFARE DESFire EV3 Smart Card 4K byte/32k bit ISO Glossy White	12.80	100
9691T	Thin Keyfob	Proximity and Schlage MIFARE Classic Smart Combo 1K byte/8k bit Thin Keyfob	11.20	50
8920	Card	Proximity and Schlage MIFARE DESFire EV1 Smart Card Combo 2K byte/16k bit ISO Glossy White	12.80	100

MT20W Credential Enrollment Reader

Used to read and write to smart credentials within the ENGAGE™ Technology access control platform
(For use with Schlage Control™ Smart Locks)

\$675.00

Schlage Residential Locks



Elan (ELA)



Jazz (JAZ)



Latitude (LAT)



Broadway (BRW)

Residential F Series F - Lock

Function	Description	Lever Style	Finish	Latch	Strike	Cylinder	Price Each
F10	Passage	ELA	619	16-080	10-027	N/A	\$69.00
F40	Privacy	ELA	619	16-080	10-027	N/A	72.00
F170	Dummy	ELA	619	N/A	N/A	N/A	36.00
F10	Passage	ELA	622	16-080	10-027	N/A	69.00
F40	Privacy	ELA	622	16-080	10-027	N/A	72.00
F170	Dummy	ELA	622	N/A	N/A	N/A	36.00
F10	Passage	ELA	625	16-080	10-027	N/A	69.00
F40	Privacy	ELA	625	16-080	10-027	N/A	72.00
F170	Dummy	ELA	625	N/A	N/A	N/A	36.00
F10	Passage	ELA	626	16-080	10-027	N/A	69.00
F40	Privacy	ELA	626	16-080	10-027	N/A	72.00
F170	Dummy	ELA	626	N/A	N/A	N/A	36.00
F10	Passage	ELA	716	16-080	10-027	N/A	69.00
F40	Privacy	ELA	716	16-080	10-027	N/A	72.00
F170	Dummy	ELA	716	N/A	N/A	N/A	36.00
F10	Passage	JAZ	619	16-080	10-027	N/A	69.00
F40	Privacy	JAZ	619	16-080	10-027	N/A	72.00
F170	Dummy	JAZ	619	N/A	N/A	N/A	36.00
F10	Passage	JAZ	622	16-080	10-027	N/A	69.00
F40	Privacy	JAZ	622	16-080	10-027	N/A	72.00
F170	Dummy	JAZ	622	N/A	N/A	N/A	36.00
F10	Passage	JAZ	625	16-080	10-027	N/A	69.00
F40	Privacy	JAZ	625	16-080	10-027	N/A	72.00
F170	Dummy	JAZ	625	N/A	N/A	N/A	36.00
F10	Passage	JAZ	626	16-080	10-027	N/A	69.00
F40	Privacy	JAZ	626	16-080	10-027	N/A	72.00
F170	Dummy	JAZ	626	N/A	N/A	N/A	36.00
F10	Passage	JAZ	716	16-080	10-027	N/A	69.00
F40	Privacy	JAZ	716	16-080	10-027	N/A	72.00
F170	Dummy	JAZ	716	N/A	N/A	N/A	36.00
F10	Passage	LAT	619	16-080	10-027	N/A	69.00
F40	Privacy	LAT	619	16-080	10-027	N/A	72.00
F170	Dummy	LAT	619	N/A	N/A	N/A	36.00
F10	Passage	LAT	622	16-080	10-027	N/A	69.00
F40	Privacy	LAT	622	16-080	10-027	N/A	72.00
F170	Dummy	LAT	622	N/A	N/A	N/A	36.00
F10	Passage	LAT	625	16-080	10-027	N/A	69.00
F40	Privacy	LAT	625	16-080	10-027	N/A	72.00
F170	Dummy	LAT	625	N/A	N/A	N/A	36.00
F10	Passage	LAT	626	16-080	10-027	N/A	69.00
F40	Privacy	LAT	626	16-080	10-027	N/A	72.00
F170	Dummy	LAT	626	N/A	N/A	N/A	36.00
F10	Passage	LAT	716	16-080	10-027	N/A	69.00
F40	Privacy	LAT	716	16-080	10-027	N/A	72.00
F170	Dummy	LAT	716	N/A	N/A	N/A	36.00
F10	Passage	BRW	619	16-080	10-027	N/A	69.00
F40	Privacy	BRW	619	16-080	10-027	N/A	72.00
F170	Dummy	BRW	619	N/A	N/A	N/A	36.00
F10	Passage	BRW	622	16-080	10-027	N/A	69.00
F40	Privacy	BRW	622	16-080	10-027	N/A	72.00
F170	Dummy	BRW	622	N/A	N/A	N/A	36.00
F10	Passage	BRW	625	16-080	10-027	N/A	69.00
F40	Privacy	BRW	625	16-080	10-027	N/A	72.00
F170	Dummy	BRW	625	N/A	N/A	N/A	36.00
F10	Passage	BRW	626	16-080	10-027	N/A	69.00
F40	Privacy	BRW	626	16-080	10-027	N/A	72.00
F170	Dummy	BRW	626	N/A	N/A	N/A	36.00
F10	Passage	BRW	716	16-080	10-027	N/A	69.00
F40	Privacy	BRW	716	16-080	10-027	N/A	72.00
F170	Dummy	BRW	716	N/A	N/A	N/A	36.00

Schlage Residential Locks (continued)



Dover (DOV)



Marin (MAR)



Solstice (SOL)

Solstice (SOL)
Collins Rose

Broadway (BRW)

Broadway (BRW)
Collins RoseResidential J Series
J-Lock

Function	Description	Lever Style	Finish	Latch	Strike	Cylinder	Price Each
J10	Passage	SOL	619	16-254	10-101	N/A	\$54.00
J40	Privacy	SOL	619	16-254	10-101	N/A	61.00
J170	Dummy	SOL	619	N/A	N/A	N/A	29.00
J10	Passage	SOL	622	16-254	10-101	N/A	54.00
J40	Privacy	SOL	622	16-254	10-101	N/A	61.00
J170	Dummy	SOL	622	N/A	N/A	N/A	29.00
J10	Passage	SOL	625	16-254	10-101	N/A	54.00
J40	Privacy	SOL	625	16-254	10-101	N/A	61.00
J170	Dummy	SOL	625	N/A	N/A	N/A	29.00
J10	Passage	SOL	626	16-254	10-101	N/A	54.00
J40	Privacy	SOL	626	16-254	10-101	N/A	61.00
J170	Dummy	SOL	626	N/A	N/A	N/A	29.00
J10	Passage	SOL	716	16-254	10-101	N/A	54.00
J40	Privacy	SOL	716	16-254	10-101	N/A	61.00
J170	Dummy	SOL	716	N/A	N/A	N/A	29.00
J10	Passage	SOL/COL	619	16-254	10-101	N/A	63.00
J40	Privacy	SOL/COL	619	16-254	10-101	N/A	66.00
J170	Dummy	SOL/COL	619	N/A	N/A	N/A	32.00
J10	Passage	SOL/COL	622	16-254	10-101	N/A	63.00
J40	Privacy	SOL/COL	622	16-254	10-101	N/A	66.00
J170	Dummy	SOL/COL	622	N/A	N/A	N/A	32.00
J10	Passage	SOL/COL	625	16-254	10-101	N/A	63.00
J40	Privacy	SOL/COL	625	16-254	10-101	N/A	66.00
J170	Dummy	SOL/COL	625	N/A	N/A	N/A	32.00
J10	Passage	SOL/COL	626	16-254	10-101	N/A	63.00
J40	Privacy	SOL/COL	626	16-254	10-101	N/A	66.00
J170	Dummy	SOL/COL	626	N/A	N/A	N/A	32.00
J10	Passage	SOL/COL	716	16-254	10-101	N/A	63.00
J40	Privacy	SOL/COL	716	16-254	10-101	N/A	66.00
J170	Dummy	SOL/COL	716	N/A	N/A	N/A	32.00
J10	Passage	BRW	619	16-254	10-101	N/A	54.00
J40	Privacy	BRW	619	16-254	10-101	N/A	61.00
J170	Dummy	BRW	619	N/A	N/A	N/A	29.00
J10	Passage	BRW	622	16-254	10-101	N/A	54.00
J40	Privacy	BRW	622	16-254	10-101	N/A	61.00
J170	Dummy	BRW	622	N/A	N/A	N/A	29.00
J10	Passage	BRW	625	16-254	10-101	N/A	54.00
J40	Privacy	BRW	625	16-254	10-101	N/A	61.00
J170	Dummy	BRW	625	N/A	N/A	N/A	29.00
J10	Passage	BRW	626	16-254	10-101	N/A	54.00
J40	Privacy	BRW	626	16-254	10-101	N/A	61.00
J170	Dummy	BRW	626	N/A	N/A	N/A	29.00
J10	Passage	BRW	716	16-254	10-101	N/A	54.00
J40	Privacy	BRW	716	16-254	10-101	N/A	61.00
J170	Dummy	BRW	716	N/A	N/A	N/A	29.00
J10	Passage	BRW/COL	619	16-254	10-101	N/A	63.00
J40	Privacy	BRW/COL	619	16-254	10-101	N/A	66.00

Schlage Residential Locks (continued)

Residential J Series J - Lock (continued)

Function	Description	Lever Style	Finish	Latch	Strike	Cylinder	Price Each
J170	Dummy	BRW/COL	619	N/A	N/A	N/A	\$32.00
J10	Passage	BRW/COL	622	16-254	10-101	N/A	63.00
J40	Privacy	BRW/COL	622	16-254	10-101	N/A	66.00
J170	Dummy	BRW/COL	622	N/A	N/A	N/A	32.00
J10	Passage	BRW/COL	625	16-254	10-101	N/A	63.00
J40	Privacy	BRW/COL	625	16-254	10-101	N/A	66.00
J170	Dummy	BRW/COL	625	N/A	N/A	N/A	32.00
J10	Passage	BRW/COL	626	16-254	10-101	N/A	63.00
J40	Privacy	BRW/COL	626	16-254	10-101	N/A	66.00
J170	Dummy	BRW/COL	626	N/A	N/A	N/A	32.00
J10	Passage	BRW/COL	716	16-254	10-101	N/A	63.00
J40	Privacy	BRW/COL	716	16-254	10-101	N/A	66.00
J170	Dummy	BRW/COL	716	N/A	N/A	N/A	32.00
J10	Passage	MAR	619	16-254	10-101	N/A	48.00
J40	Privacy	MAR	619	16-254	10-101	N/A	53.00
J170	Dummy	MAR	619	N/A	N/A	N/A	26.00
J10	Passage	MAR	622	16-254	10-101	N/A	48.00
J40	Privacy	MAR	622	16-254	10-101	N/A	53.00
J170	Dummy	MAR	622	N/A	N/A	N/A	26.00
J10	Passage	MAR	625	16-254	10-101	N/A	48.00
J40	Privacy	MAR	625	16-254	10-101	N/A	53.00
J170	Dummy	MAR	625	N/A	N/A	N/A	26.00
J10	Passage	MAR	626	16-254	10-101	N/A	48.00
J40	Privacy	MAR	626	16-254	10-101	N/A	53.00
J170	Dummy	MAR	626	N/A	N/A	N/A	26.00
J10	Passage	MAR	716	16-254	10-101	N/A	48.00
J40	Privacy	MAR	716	16-254	10-101	N/A	53.00
J170	Dummy	MAR	716	N/A	N/A	N/A	26.00
J10	Passage	DOV	619	16-254	10-101	N/A	48.00
J40	Privacy	DOV	619	16-254	10-101	N/A	53.00
J170	Dummy	DOV	619	N/A	N/A	N/A	26.00
J10	Passage	DOV	622	16-254	10-101	N/A	48.00
J40	Privacy	DOV	622	16-254	10-101	N/A	53.00
J170	Dummy	DOV	622	N/A	N/A	N/A	26.00
J10	Passage	DOV	625	16-254	10-101	N/A	48.00
J40	Privacy	DOV	625	16-254	10-101	N/A	53.00
J170	Dummy	DOV	625	N/A	N/A	N/A	26.00
J10	Passage	DOV	626	16-254	10-101	N/A	48.00
J40	Privacy	DOV	626	16-254	10-101	N/A	53.00
J170	Dummy	DOV	626	N/A	N/A	N/A	26.00
J10	Passage	DOV	716	16-254	10-101	N/A	48.00
J40	Privacy	DOV	716	16-254	10-101	N/A	53.00
J170	Dummy	DOV	716	N/A	N/A	N/A	26.00
J40P	Privacy	SEV	619	16-254	10-101	N/A	55.00
J40P	Privacy	SEV	625	16-254	10-101	N/A	55.00
J40P	Privacy	SEV	716	16-254	10-101	N/A	55.00
J40P	Privacy	SOL	619	16-254	10-101	N/A	63.00
J40P	Privacy	SOL	625	16-254	10-101	N/A	63.00
J40P	Privacy	SOL	716	16-254	10-101	N/A	63.00
J40P	Privacy	TOR	619	16-254	10-101	N/A	55.00
J40P	Privacy	TOR	716	16-254	10-101	N/A	55.00
J40P	Privacy	TOR	625	16-254	10-101	N/A	55.00

B Series Deadbolts

PRODUCT IDENTIFICATION

B	60	N	F
Lock Series	Function	N - 5-pin cylinder N6 - 6-pin cylinder R6 - 6-pin cylinder with FSIC	F - UL Listed, available with B60, B80, B61 and B60R6 J - Less full sized construction T - Full sized construction core core

PRODUCT IDENTIFICATION

JD	60	F
Lock Series	Function	F - UL Listed, available with JD81

Specifications

Grade 1 Deadbolts

Models:	B60, B62, B80, B81
Certification:	ANSI/BHMA A156.36, 2010, Grade 1
Deadbolt:	1" x 2 1/4", radius corner, 1" housing diameter, 1" throw, latch number 12-321
Strike:	1 1/8" x 2 3/4", 1/4" radius corner, strike number 10-116
Backset:	Adjustable for 2 3/8" or 2 3/4"
Cylinder:	5-pin, keyed 5-pin, C keyway, keyed alike (KA)
Door Range:	1 3/8" - 1 3/4"
Keys:	Two cut keys per lock, 5-pin, C section
Reinforcement:	Door frame strike reinforcer with 3" screws

Grade 2 Deadbolts with full-size interchangeable core

Models:	B60R6
Certification:	ANSI/BHMA A156.36, 2010, Grade 2
Deadbolt:	1" x 2 1/4", radius corner, 1" housing diameter, 1" throw, latch number 12-321
Strike:	1 1/8" x 2 3/4", 1/4" radius corner, strike number 10-116
Backset:	Adjustable for 2 3/8" or 2 3/4"
Cylinder Core:	Grade 2, 6-pin keyed 6-pin, C keyway, keyed different (KD)
Door Range:	1 3/8" - 1 3/4"
Keys:	Two user keys, 6-pin, C section, control key ordered separately
Reinforcement:	Door frame strike reinforcer with 3" screws


Locks are furnished with standard features unless otherwise specified. To order locks with non-standard features specify non-standard feature desired

FINISH CODES & DESCRIPTIONS*


505	605	608	609	613	618	619	620	621	622	626	716
Lifetime Bright Brass	Bright Brass (US3)**	Satin Brass	Antique Brass (US5)	Oil-Rubbed Bronze (US10B)	Polished Nickel	Satin Nickel (US15)**	Antique Pewter (US15A)	Distressed Nickel	Matte Black (US19)	Satin Chrome (US26D)**	Aged Bronze (643e)**

* Non-Standard finishes are not available


** B60R available finishes



B60



B62



B60R6



B SERIES

Standard Features


- BHMA Grade 1 product performance (B60, B62, B80, B81)
- BHMA Grade 2 product performance (B60R6)
- Increased latch/bolt size offers maximum kick-in resistance
- Exclusive patented Schlage design
- Anti-pick shield
- Full-size Interchangeable Core B60R6
- Schlage Limited Lifetime Mechanical and Finish Warranty
- Finishes that feature ultraviolet (UV) resistance up to 4 times the BHMA standard: Satin Nickel, Bright Brass, Antique Brass, and Antique Pewter
- Contoured edges for added style convenience
- Larger thumb turn for easy grip

GRADE 1 DEADBOLT STANDARD FEATURES/CONFIGURATIONS


Models:	B60, B62, B80, B81
Certification:	ANSI/BHMA A156.36, 2010, Grade 1
Deadbolt:	1" x 2 1/4", radius corner, 1" housing diameter, 1" throw, latch number 12-321
Strike:	1 1/8" x 2 3/4", 1/4" radius corner, strike number 10-116
Backset:	Adjustable for 2 3/8" or 2 3/4"
Cylinder:	5-pin, keyed 5-pin, C keyway, keyed alike (KA4)
Door Range:	1 3/8" - 1 3/4"
Keys:	Two keys per lock, 5-pin, keyed 5-pin, C section
Reinforcement:	Door frame strike reinforcer with 3" screws

*Locks are furnished with standard features unless otherwise specified
To order locks with non-standard features specify non-standard feature desired


J Series Deadbolts



JD60



JD81



JD62

JD-SERIES

Standard Features

- Strongest locks in the opening price point category
- Largest knobs and levers in its class
- Fits standard door preps
- Easy to install
- Available with Schlage C keyway standard
- Dual or triple option latches available
- Available UL options (JD81)
- Dexter designs suite with many popular designs from Schlage

GRADE 3 DEADBOLTS STANDARD FEATURES

Models:	JD60, JD62, JD81
Certification:	ANSI/BHMA A156.36, 2010, Grade 3
Deadbolt Latch:	Triple Option: 1" x 2 1/4", square corner and 1/4" round faceplates, drive-in latch, 1" housing diameter, 1" throw
Strike:	1" x 2 1/4" round corner
Backset:	Adjustable for 2 3/8" or 2 3/4"
Cylinder:	5-pin, C keyway, keyed alike (KA4)
Door Range:	1 3/8" - 1 3/4"
Keys:	Two keys per lock, 5-pin, keyed 5-pin, C section

B Series Deadbolts

B Series Deadbolts

			FINISHES												
Function	Packaging		605	505	505	608	609	618	619	620	621	622	625	626	716
B60 Single Cylinder	Box/Vis	\$68	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75	\$75
B62 Double Cylinder	Box/Vis	98	106	▪	106	106	106	106	106	106	106	106	106	106	106
B80 One-sided	Box	45	▪	▪	53	53	53	53	53	53	53	53	53	53	53
B81 One-sided w/trim	Box	48	57	▪	57	57	57	57	57	57	57	57	57	57	57
B60R6 Single Cylinder Interchgb. Core-6 Pin	Box	▪	195	▪	▪	▪	▪	193	▪	▪	▪	▪	193	195	


List Price Adders:

UL Latch - add \$6 to list price (B60, B80, B81 and B60R6)


J Series Deadbolts

J Series Deadbolts


			FINISHES								
Function	Packaging		605	609	619	622	625	626	630	716	
JD60 Single Cylinder Deadbolt	Box	\$42	\$42	\$42	\$42	\$42	\$42	\$42	\$42	\$42	
JD80 One-Sided Cylinder Deadbolt	Box	37	37	37	▪	▪	▪	37	37		
JD81 One-Sided Deadbolt with trim	Box	37	37	37	▪	▪	▪	37	▪		
JD60F Single Cylinder UL Version	Box	49	49	49	49	49	49	49	49	49	
JD60 Single Cylinder Deadbolt	Vis	47	47	47	▪	▪	▪	47	47		
JD62 Double Cylinder Deadbolt	Vis	58	58	58	▪	▪	▪	58	58		



23-030-ICX



48-101-ICX



48-056-ICX

Full-size Construction Core Program

Temporary construction cores may be ordered with full size interchangeable core locks, mortise cylinders and rim cylinders

These cores may also be ordered separately. All construction cores are assessed a non-refundable handling charge (50-231)

See Terms & Conditions for more information

Features:

- 5 or 6 Pin C keyway
- Construction cores have a two-tone face: the faceplate is painted orange and the plug is unfinished brass
- Back of each core is marked with the letter that identifies the keyed alike group: A, B or C
- Construction cores are furnished with no keys (NCK). Cut keys must be ordered separately
- A control key is required to install and remove construction cores. Control keys must be ordered separately. If a control key is not ordered, one will be supplied at a charge of \$16.00
- Construction cores may be returned for credit. Contact your Schlage representative for return authorization. Credit is issued upon receipt of cores at our factory

B Series Deadbolts

Full-size Construction Core Program

Part No.	Description	Specify	Price (ea.)
23-030-ICX	Construction core	New jobs: Specify "ICX"	\$92.00
48-101-ICX	Cut key for construction phase (order separately)	Existing jobs: Specify "ICA" "ICB" or "ICC"	8.40
48-056-ICX	Cut control key (order separately)		17.30
50-231	Non-refundable handling charge (per core)		13.00

Notes:

- 1) To order mortise and rim cylinders with full-size construction cores for a new job, suffix ICX to non-Primus cylinder number
Example: 30-008 ICX. For existing construction core combinations, specify ICA, ICB, or ICC
- 2) Construction cores for a given project are keyed alike to one of a limited number of combinations nationwide
Other Schlage projects in the same area using the same or different contractors may use the same key

Example:

For construction core charges and credits: distributor XYZ ordered 150 construction cores with 20 keys and one control key

The following charges apply to this order:

1. 23-030-ICX construction cores (150 units)
2. 48-101-ICX cut keys (20 units)
3. 48-056-ICX cut control key (1 unit)
4. 50-231 non-refundable handling charge (150 units-one per core ordered)

Upon return of the cores to the factory the distributor will be credited for the following:

1. 23-030-ICX construction cores (150 units)

There is no credit for the keys or handling fee

KEY STAMPING (VKC)

Part No.	Description	Price (ea.)
50-217	Visual key control that allows for visual matching of user and control keys to appropriate cylinders	\$3.60 per key

Cylinder Stamping (CKC)

Part No.	Description	Price (ea.)
50-216	Visual cylinder control that allows for visual matching of cylinders to appropriate user and control keys. Must specify VKC for face marking of CKC for side of cylinder marking per cylinder When ordering keys/cylinders marked for ID purposes (VKC & CKC) both PN 50-216 and 50-217 must be ordered as separate items	\$8.50 per cylinder

Bitting List

Part No.	Description	Price (ea.)
50-123	Bitting List for factory master keyed products (requires written authorization from end-user)	\$298.00

LE • Introduction

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze



06 (Rhodes)



07 (Athens)



17 (Sparta)



LAT (Latitude)



LON (Longitude)



M52 (Broadway)



M81 (Boardwalk)

Standard Features

Certification	ANSI/BHMA Certified A156.25-2013 (Indoor/Outdoor), ANSI/BHMA Certified A156.13-2012, Series 1000, Grade 1 UL 294, ULC S319, UL 10C 3-hour rated
Case Size	4 7/16" x 6 1/16" x 1"
Armor Front	1 1/4" x 8"
Deadbolt	1" throw stainless steel
Latchbolt	3/4" throw stainless steel with anti-friction tongue
Strike	1 1/4" x 4 7/8", square corner, 1 3/16" lip with box and DPS
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	1 3/4" door thickness standard (can be ordered to accommodate doors 1 3/4" to 2 1/4" thick)
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



CONTACT INFORMATION FOR LE SERIES LOCKS & DEVICES

Payment Address: Schlage Electronic Security
15934 Collections Center Drive
Chicago, IL 60693

877-671-7011	
Customer Service:	Technical Support:
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Allegion_Orders@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

LE Wireless Lock Functions

Function

Addison Escutcheon Shown

LEBMS* and LEMS - Mortise with LED Indicator		
Storeroom	Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status. A mechanical key will momentarily unlock the door.	
LEBMB* and LEMB - Mortise with Interior Push Button and LED		
Office	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security. NOTE: Valid toggle credentials on the exterior may also be used to change status. Has interior pushbutton (IPB).	
Privacy	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. Has interior pushbutton (IPB).	
Apartment	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Opening the door or pressing the interior pushbutton causes the lockset to toggle unsecured. While toggled unsecured, the lockset can only be secured while the door is closed by pressing the interior pushbutton or using a normal credential on the exterior. Normal electronic access from the exterior is always allowed. Has interior pushbutton (IPB).	
LEBMD* and LEMD - Mortise Deadbolt with LED		
Privacy	Lockset is normally secure from exterior. Inside lever always allows free egress (if deadbolt is extended, inside knob/lever will simultaneously retract latchbolt and deadbolt). The deadbolt may be used to select a privacy status. With deadbolt extended, normal electronic access from the exterior will be disabled. Opening the door or retracting deadbolt deactivates the privacy status.	
Apartment	Lockset is normally secure from exterior. Inside lever always allows free egress (if deadbolt is extended, inside knob/lever will simultaneously retract latchbolt and deadbolt). The deadbolt may be used to select a passage or secured status. Opening the door or retracting the deadbolt causes the lockset to toggle unsecured. While toggled unsecured, the lockset can only be secured while the door is closed by extending the deadbolt from inside or using a normal credential on the exterior reader. Normal electronic access from the exterior is always allowed.	

*Mobile enabled ready. For use with compatible mobile credentials.


Handing

RH	Right Handed: Hinges on Right Opens Inward	
LH	Left Handed: Hinges on left Opens Inward	
RHR	Right Handed Reverse: Hinges on Right Opens Outward	
LHR	Left Handed Reverse: Hinges on Left Opens Outward	



LE Wireless Lock - Greenwich Mortise/Mortise Deadbolt



Outside



LEBMS with LED

LEBMB with Interior push
button and LEDLEBMD Deadbolt
with LED

1-3. Select Chassis/Function/Style

Note: Check with access control software partner or PACS provider to verify function and/or mobile enabled version is supported by software.



Part No.	Description	Price Each
LEBMS-GRW	Mobile enabled mortise with LED indicator: Storeroom function	\$1,400.00
LEBMB-GRW	Mobile enabled mortise with push button and LED: Privacy, Office, Apartment functions	1,434.00
LEBMD-GRW	Mobile enabled mortise deadbolt with LED: Privacy, Apartment functions	1,513.00

4. Select Cylinder Type

Note: Maximum door thickness with SFIC Cylinder is 2", otherwise compatible with 1 3/4" to 2 1/4" doors.

P ● ▲	Mortise cylinder, Schlage 6-Pin (Everest 29 S123 standard) Also available in formats to support residential customers (5-Pin cylinder with C keyways).	N/C
Z ●	Mortise cylinder, Schlage Everest SL, 7-Pin (factory master keyed only)	N/C
L	Less mortise cylinder	DEDUCT \$115.00
R ● □	FSIC with cylinder, Schlage 6-Pin (Everest 29 S123 standard)	85.00
J	Less FSIC, Schlage, 6-Pin	N/C
T	FSIC construction core	85.00
G6/7 ● □	SFIC with cylinder, Schlage 7-Pin (Everest 29R standard) (factory master keyed only)	100.00
B	Less SFIC, Schlage, Falcon, competitive OEM's, 7-Pin	N/C
H	SFIC construction core	52.00
BDC	SFIC disposable	N/C
50-231	Construction core handling charge (non-refundable)	12.00

● Master keyed cylinders will be shipped in lock package. To specify, send Master Keying System Summary form (page 295 of SES price book) with order or go to kss.allegion.com.

▲ For master keying, an additional charge of \$23.30 each applies. Specify line item 50-210.

□ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.

5. Select Outside Lever

Note: Reference page 16 to see style option images.

06	Suites with Rhodes style	N/C
07	Suites with Athens style	N/C
17	Suites with Sparta style	N/C
LAT	Latitude	N/C
LON	Longitude	N/C
M52	Suites with Broadway	30.00
M81	Suites with Boardwalk	30.00

Note: Tactile warning as well as additional lever and knob designs are available; consult your Allegion representative for details

6. Select Outside Finish

626	Satin Chrome	N/C
619	Satin Nickel	74.00
622	Matte Black	74.00
625	Bright Chrome	74.00
643e	Aged Bronze	74.00

Note: additional finishes are available; consult your Allegion representative for details

7. Select Outside Rose

00A	2 1/8" (54 mm) diameter	STANDARD
00B	2 9/16" (65 mm) diameter	N/C
00C	2 5/8" (66 mm) diameter with bevel (Not available in 612 finish)	N/C

LE Wireless Lock - Greenwich Mortise/Mortise Deadbolt (continued)

8. Select Inside Lever

Note: Specify only if different from Outside Lever.

Standard options	06 (Rhodes), 07 (Athens), 17 (Sparta), LAT, LON	N/C
M Collection options*	M52 (Broadway), M81 (Boardwalk)	\$30.00

* \$30 price adder for M Collection levers only applies if outside lever is Standard.

9. Select Inside Finish

Note: Specify only if different from Outside Finish.

See options in section 6.	74.00*
---------------------------	--------

* Upcharge only applies if outside finish is 626 and you are specifying a different inside finish.

10. Select Inside Rose

Note: Specify only if different from Outside Rose.

See options in section 7.	N/C
---------------------------	-----

11. Select Handing

(Field reversible)

RH	Right Handed	STANDARD
LH	Left Handed	N/C
RHR	Right Handed Reverse	N/C
LHR	Left Handed Reverse	N/C

12. Select Strike Lip Length

10-136	1 3/16" lip length (MS and MB only)	STANDARD
10-136-112	1 1/2" lip length (MS and MB only)	N/C
10-136-134	1 3/4" lip length (MS and MB only)	32.00
10-072	1 3/16" lip length (MD only)	STANDARD
10-072-112	1 1/2" lip length (MD only)	N/C
10-072-134	1 3/4" lip length (MD only)	36.90

13. Select Door Thickness

134	1 3/4"	STANDARD
200	2"	60.20
214	2 1/4"	60.20

14. Select Keying Type

Open Keyway Families (Mortise cylinder or FSIC)2

S123	Everest 29 S (Key in Lever or FSIC)	STANDARD
C	Everest	N/C
C/CE/E/EF/F/FG/G	Classic Obverse	N/C

Restricted Keyway Families (Mortise cylinder or FSIC)1,2,3

29T	Everest 29 T	22.00
D	Everest D	22.00
29R	Everest 29 R (Everest SL)	22.00
B	Everest 29 B (Everest SL)	22.00
Classic Restricted	Quad, Numbered, Reverse	22.00

Restricted Keyway Families (SFIC)3

29R	Everest 29 R	N/C
B	Everest B	N/C

1. Everest Restricted Keyways require a Letter of Authorization submitted with the order. See sample Letter of Authorization, page 297 of SES price book.

2. Full size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately.

Lock should be ordered less cylinder and Primus cylinder should be a separate line item.


3. For restricted keyways please see terms and conditions.

Control,NDE, LE and CTE require the use of Allegion's ENGAGE application for electronic access or one of our approved Software Alliance Members. Please consult the Alliance section at us.allegion.com for a full listing of Software Alliance Members.



LE Wireless Lock - Addison Mortise/Mortise Deadbolt



Outside



LEBMS with LED

LEBMB with Interior push
button and LEDLEBMD Deadbolt
with LED

1-3. Select Chassis/Function

Note: Check with access control software partner or PACS provider to verify function and/or mobile enabled version is supported by software.



LEBMS-ADD	Mobile enabled mortise with LED indicator: Storeroom function	1,446.00
LEBMB-ADD	Mobile enabled mortise with push button and LED: Privacy, Office, Apartment functions	1,480.00
LEBMD-ADD	Mobile enabled mortise deadbolt with LED: Privacy, Apartment functions	1,559.00

4. Select Cylinder Type

Note: Maximum door thickness with SFIC Cylinder is 2", otherwise compatible with 1-3/4" to 2-1/4" doors.

P ●△	Mortise cylinder, Schlage 6-Pin (Everest 29 S123 standard) Also available in formats to support residential customers (5-Pin cylinder with C keyways).	N/C
Z ●	Mortise cylinder, Schlage 7-Pin (Everest SL standard) (factory master keyed only)	N/C
L	Less mortise cylinder	DEDUCT \$115.00
R ●□	With FSIC with cylinder, Schlage 6-Pin (Everest 29 S123 standard)	85.00
J	Less FSIC, Schlage, 6-Pin FSIC	N/C
T	With FSIC construction core	85.00
G ●□	With SFIC with cylinder, Schlage 7-Pin (Everest 29R standard) (factory master keyed only)	100.00
B	Less SFIC, Schlage, Falcon, competitive OEM's, 7-Pin	N/C
H	With SFIC construction core	52.00
BDC	With SFIC disposable	N/C
50-231	Construction core handling charge (non-refundable)	12.00

● Master keyed cylinders will be shipped in lock package. To specify, send Master Keying System Summary form (page 295 of SES price book) with order or go to kss.allegion.com.

△ For master keying, an additional charge of \$23.30 each applies. Specify line item 50-210.

□ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.

5. Select Outside Lever*

Note: Reference page 16 to see style option images.

06	Suites with Rhodes style	N/C
07	Suites with Athens style	N/C
17	Suites with Sparta style	N/C
LAT	Latitude	N/C
LON	Longitude	N/C
M52	Suites with Broadway	30.00
M81	Suites with Boardwalk	30.00

Note: Tactile warning as well as additional lever and knob designs are available; consult your Allegion representative for details

6. Select Outside Finish

626	Satin Chrome	N/C
619	Satin Nickel	74.00
622	Matte Black	74.00
625	Bright Chrome	74.00
643e	Aged Bronze	74.00

Note: additional finishes are available; consult your Allegion representative for details

7. Select Outside Rose

(Not applicable to Addison)

8. Select Inside Lever

Note: Specify only if different from Outside Lever.

Standard options	06 (Rhodes), 07 (Athens), 17 (Sparta), LAT, LON	N/C
M Collection options*	M52 (Broadway), M81 (Boardwalk)	30.00

* \$30 price adder for M Collection levers only applies if outside lever is Standard.

LE Wireless Lock - Addison Mortise/Mortise Deadbolt (continued)

9. Select Inside Finish

Note: Specify only if different from Outside Finish.

See options in section 6.	\$74.00*
---------------------------	----------

* Upcharge only applies if outside finish is 626 and you are specifying a different inside finish.

10. Select Inside Rose

(Not applicable to Addison)

11. Select Handing

(Field reversible)

RH	Right Handed	STANDARD
LH	Left Handed	N/C
RHR	Right Handed Reverse	N/C
LHR	Left Handed Reverse	N/C

12. Select Strike Lip Length

10-136	1 3/16" lip length (MS and MB only)	STANDARD
10-136-112	1 1/2" lip length (MS and MB only)	N/C
10-136-134	1 3/4" lip length (MS and MB only)	32.00
10-072	1 3/16" lip length (MD only)	STANDARD
10-072-112	1 1/2" lip length (MD only)	N/C
10-072-134	1 3/4" lip length (MD only)	36.90

13. Select Door Thickness

134	1 3/4"	STANDARD
200	2"	60.20
214	2 1/4"	60.20

14. Select Keying Type

Open Keyway Families (Mortise cylinder or FSIC)²

SI23	Everest 29 S (Key in Lever or FSIC)	STANDARD
C	Everest	N/C
C/CE/E/EF/F/FG/G	Classic Obverse	N/C

Restricted Keyway Families (Mortise cylinder or FSIC)^{1,2,3}

29T	Everest 29 T	22.00
D	Everest D	22.00
29R	Everest 29 R (Everest SL)	22.00
B	Everest 29 B (Everest SL)	22.00
Classic Restricted	Quad, Numbered, Reverse	22.00

Restricted Keyway Families (SFIC)³

29R	Everest 29 R	N/C
B	Everest B	N/C

1. Everest Restricted Keyways require a Letter of Authorization submitted with the order. See sample Letter of Authorization, page 297.

2. Full size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line item.

3. For restricted keyways please see terms and conditions.

Control, NDE, LE and CTE require the use of Allegion's ENGAGE application for electronic access or one of our approved Software Alliance Members. Please consult the Alliance section at us.allegion.com for a full listing of Software Alliance Members.

Notes

NDE • Introduction

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze



06 (Rhodes)




07 (Athens)



17 (Sparta)




LAT (Latitude)



LON (Longitude)



M52 (Broadway)



M81 (Boardwalk)

Standard Features

Certification	ANSI/BHMA Certified A156.25-2013, A156.2-2011, Series 4000, Grade 1, UL 294, UL 10C
Latch	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1/2" throw
Strike	1 1/4" x 4 7/8", ANSI Square corner, with DPS magnets, no box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	Comes set for 1-3/4" thick doors. Can be field adjusted for doors 1-5/8"-2" thick.
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



CONTACT INFORMATION FOR NDE SERIES LOCKS & DEVICES




Payment Address: Schlage Electronic Security
15934 Collections Center Drive
Chicago, IL 60693

877-671-7011	
Customer Service:	Technical Support:
Order Status, Credit Returns of Non-Defective Products, General Sales Questions	Technical Questions/Issues, Returns of Defective Products, Repairs
Email Orders To: Allegion_Orders@allegion.com	Contact For Technical Assistance: Electronic_Lock_TechProdSupport@allegion.com

NDE Wireless Lock - Cylindrical



NDEB

Full Cylinder
P L L SARFull Size
Interchangeable Core
R J JSAR JCO6 JYA6Small Format
Interchangeable Core
G B

1-2. Select Chassis/Function

Part No.	Description	Price Each
NDEB	Mobile Enabled Cylindrical (with interior pushbutton with indicator)	1,113.00

3. Select Cylinder Type

P ●	With Cylinder, Schlage - (Everest 29 S123, 6 Pin KIL standard)	N/C
Z ●	With Cylinder, Schlage - Everest SL, 7 Pin KIL (factory master keyed only)	N/C
L	Less Cylinder, Schlage, Falcon, 6 Pin KIL	DEDUCT 75.00
R ● □	With Core, Schlage 6-Pin (Everest 29 S123 standard) FSIC	85.00
J	Less Core, Schlage, 6 Pin FSIC	DEDUCT 45.00
T	With FSIC construction core	85.00
G ● □	With Core, Schlage 7-Pin (Everest 29R standard) (factory master keyed only)	100.00
B	Less Core, Schlage, Falcon, Competitive OEM's, 7 Pin (SFIC)	N/C
L CO6	Less Cylinder, Corbin Russwin KIL, 6 Pin FSIC. Only available on ATH, RHO, SPA, OME, TLR	N/C
L SAR ☞	Less Cylinder, Sargent (10L + 11L), 6 Pin KIL. Only available on ATH, RHO, SPA, OME, TLR	N/C
J SAR ☞	Less Core, Sargent 6300, 6 Pin FSIC. Only available on ATH, RHO, SPA, OME, TLR	N/C
J CO6 ☞	Less Core, Corbin 8000, 6 Pin FSIC. Only available on ATH, RHO, SPA, OME, TLR	N/C
J CO7	Less Core, Corbin 8000-7, 7 Pin FSIC. Only available on ATH, RHO, SPA, OME, TLR	N/C
J MED	Less Core, Medeco 32*0201, 6 Pin FSIC. Only available on ATH, RHO, SPA, OME, TLR	N/C
J YA6 ☞	Less Core, Yale 1210 or Medeco 31*0100, 6 Pin FSIC. Only available on ATH, RHO, SPA, OME, TLR	N/C
J YA7	Less Core, Yale 1220, 7 Pin FSIC. Only available on ATH, RHO, SPA, OME, TLR	N/C
H	With SFIC construction core	52.00
BDC	With SFIC disposable	N/C
50-231	Construction core handling charge (non-refundable)	12.00

● Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see SES Price Book.

△ For Master Keying, additional line item 50-210 is required \$23.30 each.

□ Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways please contact customer service.

☞ Extended lead time on all finishes except 626

4. Select Outside Lever*

LLL	Less interior and exterior levers	DEDUCT 27.10
SPA	Sparta	N/C
RHO	Rhodes	N/C
ATH	Athens	N/C
TLR	Tubular	N/C
OME	Omega	N/C
LAT	Latitude	N/C
LON	Longitude	N/C
BRW	Broadway	N/C
BRK	Boardwalk	N/C
Tactile options	(8AT, 8LT, 8LN, 8RO, 8SP, 8BK, 8BW, 8TR)	55.00

Note: Tactile warning and additional lever designs are available; consult your Allegion representative for details

5. Select Outside Finish

626	Satin Chrome	N/C
605	Bright Brass	74.00
606	Satin Brass	74.00
612	Satin Bronze	74.00
619	Satin Nickel	74.00
622	Matte Black	74.00
625	Bright Chrome	74.00
643e	Aged Bronze	74.00
626AM	Satin Chrome Antimicrobial	105.00

Note: additional finishes are available; consult your Allegion representative for details

NDE Wireless Lock - Cylindrical (continued)

6. Select Inside Lever*

(Specify only if different from Outside Lever)

LLL	Less interior and exterior levers	DEDUCT 27.10
SPA	Sparta	N/C
RHO	Rhodes	N/C
ATH	Athens	N/C
TLR	Tubular	N/C
OME	Omega	N/C
LAT	Latitude	N/C
LON	Longitude	N/C
BRW	Broadway	N/C
BRK	Boardwalk	N/C
Tactile options	(8AT, 8LT, 8LN, 8RO, 8SP, 8BK, 8BW, 8TR)	55.00

7. Select Inside Finish

(Specify only if different from Outside Finish)

626	Satin Chrome	N/C
605	Bright Brass	74.00
606	Satin Brass	74.00
612	Satin Bronze	74.00
619	Satin Nickel	74.00*
622	Matte Black	74.00*
625	Bright Chrome	74.00*
643e	Aged Bronze	74.00*
626AM	Satin Chrome Antimicrobial	105.00

* Charge only applies if outside finish is 626 and you are specifying a different inside finish.

8. Select Backset & Latchbolt

LLL	Less Latch	DEDUCT 41.60
13-247	2 3/4" Backset, Deadlatch, Square corner, 1 1/8" x 2 1/4"	STANDARD
14-042	2 3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner,	213.00
14-047	2 3/8" Backset, Deadlatch Square corner, 1-1/8" x 2 1/4"	N/C
14-048	2 3/8" Backset, Deadlatch Square corner, 1" x 2 1/4"	N/C

9-10. Select Strike Plate and Strike Lip Length

47267101	1 3/16" Lip, ANSI, DPS magnets, no box, 1 1/4" x 4 7/8"	STANDARD
10-016†	1 1/8" Lip, Square Corner, T-strike, fire door latch	20.70
K510-066	Box for ANSI strike (Must be specific)	N/C

* 1-3/8" Lip available, must specify 1-3/8" Lip \$15.60, 1-1/2" Lip available, must specify 1-1/2" Lip \$16.70

** 1-1/2" Lip available, must specify 1-1/2" Lip \$9.10

† DPS magnet requires prep and install beneath strike

11. Select Keying Type

Open Keyway Families: KIL or FSIC²

S123	Everest 29 S (Key in Lever or FSIC)	STANDARD
C	Everest C	N/C
C/CE/E/EF/ F/ FG/ G	Classic Obverse	N/C

Restricted Keyway Families: KIL or FSIC^{1,2}

29 T	Everest 29 T	22.00
D	Everest D	22.00
29R	Everest 29 R (Everest SL)	22.00
B	Everest B (Everest SL)	22.00
Classic Restricted	Quad, Numbered, Reverse	22.00

Restricted Keyway Families: SFIC³

29R	Everest 29 R	N/C
B	Everest B	N/C

¹ Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization, see SES Price Book.

² Full Size key systems (Everest 29 S & T, Everest C & D, Obverse & Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

³ Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see SES Price Book.

Control, NDE, LE and CTE require the use of Allegion's ENGAGE application for electronic access or one of our approved Software Alliance Members. Please consult the Alliance section at us.allegion.com for a full listing of Software Alliance Members.


The CTE is an ENGAGE™ enabled single opening controller that allows perimeter and common area openings to be managed in a single system along with Schlage Control™ smart deadbolts, NDE cylindrical and LE mortise wireless locks. It is ideal for multi-family, commercial mixed use, and retail store front applications.

The CTE is designed to work with a Schlage® Mobile Enabled Multi-Technology reader and interface with an electrified lock, electromagnetic lock, electric strike, automatic operator or exit device to control an opening.

The CTE single door controller with mobile enabled multi-technology reader kit can be used in a variety of applications; below are a few examples.

Please note; all components are sold separately.


ENGAGE™ cloud via mobile device or Wi-Fi, or Software Alliance Member (SAM) via Wi-Fi or GWE with IP to host



Operation: Presenting a valid credential to Schlage MTB XX reader will cause fail secure 5100 electric strike to release for authorized entrance. Free egress always.

Products: We offer a variety of electric strikes from Locknetics™ and Von Duprin®, as well as Schlage Power Supplies to meet the specific needs of the opening.


ENGAGE™ cloud via mobile device or Wi-Fi, or Software Alliance Member (SAM) via Wi-Fi or GWE with IP to host



Operation: Presenting a valid credential to Schlage MTB XX will cause EL panic device to retract for authorized entrance. Free non-alarmed egress at all times.

Products: We offer a variety of Falcon® and Von Duprin exit devices, and Von Duprin power supplies to meet the specific needs of the opening.

ENGAGE™ cloud via mobile device or Wi-Fi, or Software Alliance Member (SAM) via Wi-Fi or GWE with IP to host



Operation: Presenting a valid credential to Schlage MTB XX will cause QEL panic device to retract for authorized entrance and enable exterior actuator. Free non-alarmed egress at all times. Interior actuator always active to retract QEL panic and open door.

Products: We offer a variety of hardware and accessories from Von Duprin, LCN®, Schlage and Locknetics to meet the specific needs of the opening.

Certifications: UL 294 Indoor, FCC Part 15, NEMA Enclosure Indoor (Type 1, 4, and 4X), ULC S319 Indoor, RoHS

CTE Series - How to Order:

1. CTE

2. Reader Type

MTB11 Mobile Enabled Multi-Technology Mullion Mount
MTB15 Mobile Enabled Multi-Technology Single Gang Wall Mount

3. Cover Color (optional)

B Black - default
C Cream

REQUIRED FIELDS

CTE - MTB15

Options

B

1-2. Select CTE Kit Reader Option

CTE-MTB11 CTE with Mobile Enabled Multi-Technology Mullion Reader Kit \$1,320.00
CTE-MTB15 CTE with Mobile Enabled Multi-Technology Single Reader Kit \$1,320.00

3. Select Color

B Black – Default N/C
C Cream N/C

Residential Electronics Accessories
Electromagnetic Locks

Model	Description	Price Each
M420	500lb maglock	\$659.00
M490	High security 1500lb maglock	824.00
M490P	High security 1500lb maglock - plus	1,068.00
M492	Double mag lock 1500 lbs per leaf	1728.00
450/490-ATS/LED	Anti-Tamper Switch (ATS), MBS indicator (LED) for M450P/M452P only	91.50
M452P	Double mag lock with 1000 lbs holding force per leaf with MBS, DPS and RTD	2,081.00
M490G	Gate maglock	834.00
M450P	1000 lbs hold force single mag lock with MBS, DPS and RTD	1,002.00
M452P.ATS/LED-2	Double mag lock with 1000 lbs hold force per leaf with MBS, DPS and RTD	2,266.00
M490DEP	High security 1500lb delayed egress maglock - plus	2,661.00
M490DE	High security 1500lb delayed egress maglock	1,773.00
GF3000	Mortise shear maglock	1,321.00

Electronic Locking Systems

Networked Readers

Schlage Networked Readers

Function	Description	Price Each
MTB15	Mobile Enabled Multi-Technology Reader - Wall Mount	\$442.00
MTB11	Mobile Enabled Multi-Technology Reader - Mullion	422.00
MTKB15	Mobile Enabled Multi-Technology Reader - Wall Mount w/ Keypad	680.00

Electronics Accessories

Part Number	Description	Price Each
Scan II - W	Motion Scanner/PIR - white	\$635.00
679-05	Wood Door and Frame door position switch	72.20
679-05HM	Hollow Metal Door and Frame door position switch	99.90
679-05WD	Wood Door and Metal Frame door position switch	119.00
7764	Concealed /Flush mount door position switch	241.00
7766	Surface mount door position switch	255.00
653-04 SF-626	Heavy duty SPDT maintained single direction keyswitch	331.50
653-05 SF-626	Heavy duty SPDT momentary single direction keyswitch	331.50
788C-18	18" x 3/8" Armored door cord with 26" 4-conductor wire	140.00
798-12	12" x 1/2" Armored Door Cord	90.50
798-18	18" x 1/2" Armored Door Cord	114.00
660-PB	Surface mini box SPDT momentary pushbutton	171.00
701RD	Entry level pushbutton, red	161.00
709RD EX ILL	Entry level pushbutton, 2" square, Illuminated Red "Push to Exit"	188.00
709GR EX ILL	Entry level pushbutton, 2" square, Illuminated Green "Push to Exit"	188.00
709BLH ILL	Entry level pushbutton, 2" square, Illuminated Blue Handicapped Symbol	188.00
621RD EX SF-626	1 1/4" Heavy duty pushbutton, red "push to exit"	264.50
623RD EX SF-626	1 5/8" Heavy duty pushbutton, red "push to exit"	264.50
625RD EX SF-626	2 3/4" Heavy duty pushbutton, red "push to exit"	264.50
621GR EX SF-626	1 1/4" Heavy duty pushbutton, green "push to exit"	264.50
623GR EX SF-626	1 5/8" Heavy duty pushbutton, green "push to exit"	264.50
625GR EX SF-626	2 3/4" Heavy duty pushbutton, green "push to exit"	264.50
625BLH SF-626	2 3/4" Heavy duty pushbutton, blue handicapped symbol	264.50

Power Supply

Part Number	Description	Price Each
PS902	2A @ 12/24 VDC - field selectable power supply	\$278.00
PS904	4A @ 12/24 VDC - field selectable power supply	526.00
PS914	4A (16A Inrush) @ 12/24 VDC - field selectable power supply	797.00
900-2RS	2 Relay EL/QEL Panic device control board	1915.00
900-FA	Emergency interface relay for fire alarm or emergency power cut	69.00
900-BBK	Battery backup kit, includes PCB and 2 Batteries	269.00

Note: Power Supplies default to Schlage pricing and discount.

B500 - Single Cylinder Deadbolt Series

Product	Finish	Latch	Strike	Cylinder	Price Each
B560B	626	12-287	10-094	B - Less SFIC	\$132.00
B560P	626	12-288	10-094	6-Pin (keyed 5) Schlage KD C	97.00
B560B	619	12-288	10-094	B - Less SFIC	138.00
B560P	619	12-287	10-094	6-Pin (keyed 5) Schlage KD C	103.00

CS210 Interconnect Series



Mechanical Interconnect Functions

Functions

ANSI/BHMA Certified A156.12-2013, Grade 2, UL Listed for 3 hour fire door.
With SFIC interchangeable core cylinders: Grade 3 Security.

CS210: Entrance, Single Locking

- Deadbolt operated by key from outside or by turn unit from inside
- Bolt automatically deadlocks when fully thrown
- Latch retracted by lever from either side
- Turning inside lever retracts deadbolt and latch simultaneously for immediate exit



1. Select Lock Model

Part No.	Description	Price Each
CS210-B500	Entrance with Commercial Spin Ring	\$486.00
CS210-B60	Entrance with Residential Spin Ring	486.00

2. Select Interior Design Style

Style/Description	Price Each
(CAM) Camelot	No Charge
(PLY) Plymouth	No Charge

3. Select Lever Style

	Price Each
See page MF-13 for Lever Design Options	No Charge

*Specify handing - Right Hand is standard


4. Select Key Cylinder Option

Style/Description	Price Each
(KD) Keyed Different - STANDARD	No Charge
(KA) Keyed Alike	No Charge


5. Select finish style

	605	609	619	622	625	626	643e/716
Finish	\$12.00	\$12.00	\$12.00	\$12.00	\$12.00	n/c	\$12.00

Interconnect Lever Designs




Saturn (SAT)



Elan (ELA)




Jupiter (JUP)



Jazz (JAZ)




Neptune (NEP)




Latitude (LAT)



Boardway (BRW)




Boardwalk (BRK)




Longitude (LON)

Handing must be specified for split finishes and/or designs. Right Hand is standard.



Plymouth (PLY)




Camelot (CAM)

Available Finishes

	619	622	625	626	643e/716
Broadway	■	■	■	■	■
Boardwalk	■	■	■	■	■
Elan	■	■	■	■	■
Jazz	■	■		■	■
Jupiter	■	■	■	■	■
Latitude	■	■	■	■	■
Longitude	■	■	■	■	■
Neptune	■	■	■	■	■
Saturn	■	■	■	■	■

L Series • Introduction

Product Identification



SFIC = Small Format (Best® Style) Interchangeable Core

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze

Standard Features

Certifications	L/LV9000: ANSI/BHMA Certified A156.13-2012, Series 1000, Grade 1 Operational, Grade 1 Security, UL Listed for 3-hour fire door (except L9076 and L9077). With FSIC Interchangeable Core Cylinders: Grade 1 Operational, Grade 2 Security. With SFIC Interchangeable Core Cylinders: Grade 1 Operational, Grade 3 Security. L400: ANSI/BHMA Certified A156.36-2010, Grade 1, UL Listed for 3-hour fire door.
Case Size	L/LV9000: 4 7/16" x 6 1/16" x 1"; L400: 4 7/16" x 3 5/8" x 1"
Armor Front	L/LV9000: 1 1/4" x 8"; L400: 1 1/4" x 5 9/16"
Deadbolt	1" Throw stainless steel
Latchbolt	3/4" Throw stainless steel with anti-friction tongue
Strike	L/LV9000: 1 1/4" x 4 7/8" Square corner, 1 3/16" lip, box; L400: 1 1/8" x 3 5/8" square corner, box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	1 3/4"
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



L • Functions

ANSI/BHMA Certified A156.13-2012, Series 1000, Grade 1 Operational, Grade 1 Security, UL Listed for 3-hour fire door (except L9076 and L9077).

Mortise Locks Non-Keyed


SCHLAGE ANSI

L9010

F01

Passage Latch


Latchbolt retracted by knob/lever from either side at all times. Inside knob/lever is always free for immediate egress.



Mortise Locks Non-Keyed Dummy

SCHLAGE ANSI

L0170



Half Dummy Trim


Knob/lever on one side fixed by mounting bar. Not for use on wood doors, or with L escutcheon recommend L9175.

L9040 LV9040


F22

Bath/Bedroom Privacy Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by inside thumbturn. Turning inside knob/lever or closing door unlocks outside knob/lever. To unlock from outside, remove emergency button, insert emergency thumbturn (furnished) in access hole and rotate. Inside knob/lever is always free for immediate egress.




L0172



Full Dummy Trim

Knob/lever on both sides fixed by mounting bar.


L9044 LV9044



Privacy With Coin Turn Outside

Latchbolt retracted by knob/lever from either side unless outside is locked by inside thumbturn or outside coin turn. Operating inside knob/lever, closing door, rotating inside thumbturn or rotating outside coin turn unlocks outside knob/lever. Specify per L283-056 for Torx® screws. Available with rose trim only.

L9175



Half Dummy Trim w/ Lock Case


Fixed knob/lever on one side inoperable. Includes lock case and armored front. Options same as L9176 below.

L9440 LV9440


F19

Privacy With Deadbolt

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by inside thumbturn. Throwing deadbolt locks outside knob/lever. Rotating inside knob/lever simultaneously retracts deadbolt and latchbolt, and unlocks outside knob/lever. To unlock from outside, remove emergency button, insert emergency thumbturn in access hole and rotate. Inside knob/lever is always free for immediate egress.




L9176



Full Dummy Trim w/ Lock Case*

Fixed knob/lever on both sides. Includes lock case and blank armor front. May be ordered with optional XL11-743 armored front with cutout to receive deadbolt.

L9444 LV9444



Privacy With Deadbolt and Coin Turn Outside

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by inside thumbturn or outside coin turn. Throwing deadbolt locks outside knob/lever. Rotating inside knob/lever simultaneously retracts deadbolt and latchbolt, and unlocks outside knob/lever. Rotating outside coin turn retracts deadbolt and unlocks outside knob/lever. Specify per L283-056 for Torx screws. Available with rose trim only. Inside knob/lever is always free for immediate egress.

LV- Vandlgard function allows exterior lever to rotate freely down, while remaining securely locked.

* In a double door application where the dummy will be used as the strike, order 10-091 Armored Front Strike separately.

180 degree messaging indicator available. See options section for details.




Additional functions as well as Mortise Deadbolts are available; please consult your Allegion representative for details.

L • Functions

Mortise Locks Keyed

SCHLAGE ANSI


**L9050
LV9050** **F04**



Entrance/Office Lock

Latchbolt retracted by knob/lever from either side unless outside is made inoperative by key outside or by turning inside thumbturn. When outside is locked, latchbolt is retracted by key outside or by knob/lever inside. Outside knob/lever remains locked until thumbturn is returned to vertical or unlocked by key. Auxiliary latch deadlocks latchbolt when door is locked. Inside knob/lever is always free for immediate egress.


**L9056
LV9056** **F22**



L9050 With Automatic Unlocking

Latchbolt retracted by knob/lever from either side unless outside is made inoperative by key outside or by rotating inside thumbturn. Outside knob/lever unlocked by key outside, thumbturn or closing door. Rotating inside knob/lever simultaneously retracts latchbolt and unlocks outside knob/lever. Auxiliary latch deadlocks latchbolt when door is locked. Inside knob/lever is always free for immediate egress.


**L9060
LV9060** **F09**



Apartment Entrance Lock

Latchbolt retracted by knob/lever from either side unless outside is locked by key from inside. When locked, latchbolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latchbolt when door is locked. Inside knob/lever is always free for immediate egress.

**L9080
LV9080** **F07**



Storeroom Lock

Latchbolt retracted by key outside or by knob/lever inside. Outside knob/lever always inoperative. Auxiliary latch deadlocks latchbolt when door is locked. Inside knob/lever is always free for immediate egress.

LV- Vandgard function allows exterior lever to rotate freely down, while remaining securely locked.

* **Caution:** Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.


180 degree messaging indicator available. See options section for details.



Mortise Locks-Keyed with Deadbolt

SCHLAGE ANSI


**L9453
LV9453** **F20**



Entrance/Office Lock with Deadbolt

Latchbolt retracted by knob/lever from either side unless outside is locked by 20° rotation of thumbturn. Deadbolt thrown or retracted by 90° rotation of thumbturn. When locked, key outside or knob/lever inside retracts deadbolt and latchbolt simultaneously. Outside knob/lever remains locked until thumbturn is restored to vertical position. Throwing deadbolt automatically locks outside knob/lever. Auxiliary latch deadlocks latchbolt when door is locked. Inside knob/lever is always free for immediate egress.


**L9456
LV9456** **F13**



Corridor Lock

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside or inside thumbturn. Throwing deadbolt locks outside knob/lever. Turning inside knob/lever simultaneously retracts deadbolt and latchbolt and unlocks outside knob/lever. Inside knob/lever is always free for immediate egress.


L9465



Closet/Storeroom Lock

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside.


L9466 **F14**



Store/Utility Room Lock*

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key from either side.


L9473 **F21**



Dormitory/Bedroom Lock

Latchbolt retracted by knob/lever from either side. Deadbolt thrown or retracted by key outside or thumbturn inside.

**L9480
LV9480**



Storeroom Lock With Deadbolt

Latchbolt retracted by key outside or by lever or knob inside. Outside knob/lever always fixed. Deadbolt thrown or retracted by key outside or thumbturn inside. Turning inside knob/lever simultaneously retracts both deadbolt and latchbolt. Auxiliary latch deadlocks latchbolt when door is locked. Inside knob/lever is always free for immediate egress.

Additional functions as well as Mortise Deadbolts are available; please consult your Allegion representative for details.

L909x EL/EU Electrified Locks

All locks feature automatic detection and operation with 12 or 24V DC, and a case-mounted switch that allows customer selection of EL (fail safe) or EU (fail secure) operation. Please specify lock function as EL or EU for default switch position. Locks also come standard with Allegion Connect moxex connector with 3" lead. Allegion Connect is a moxex connector system that allows rapid installation of locks when used with Allegion Connect Harnesses and Allegion Connect Hinges (see Ives pricebook). For more information speak with your sales representative. The moxex connector can also be cut off so that the lock can be installed with traditional splicing.

Available options for electrified functions:

Request to Exit	specify RX in the option string
Latchbolt Monitor	specify LX in the option string
Door Position Sensor	specify DPS in the option string (non deadbolt models only)
Deadbolt Monitor	specify DM in the option string (deadbolt models only)

L9090EL L9090EU **Electrically locking/unlocking outside lever, no cylinder**




Outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Inside lever always free for immediate egress.

L9091EL L9091EU **Electrically locking/unlocking both levers, no cylinder**



Inside and outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC.

L9092EL L9092EU **Electrically locking/unlocking outside lever, Outside cylinder (replaces L9080EL/EU)**




Outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Latchbolt retracted by key outside or knob/lever inside. Aux latch deadlocks latchbolt when door is locked. Inside lever always free for immediate egress.

L9093EL L9093EU **Electrically locking/unlocking both levers, Outside cylinder**



Inside and outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Latchbolt retracted by key outside. EL is fail safe (power failure allows either knob/lever to retract latchbolt); EU is fail secure (power failure locks both knobs/levers). Aux latch deadlocks latchbolt when door is locked.

L9095EL L9095EU **Electrically locking/unlocking both levers, Inside and outside cylinder (replaces L9082EL/EU)**



Inside and outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Latchbolt retracted by key inside or outside. Aux latch deadlocks latchbolt when door is locked.

L9492EL L9492EU **Electrically locking/unlocking outside lever, outside cylinder, inside thumbturn, with deadbolt**




Outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Deadbolt thrown or retracted by key outside or thumbturn inside. Turning inside knob/lever retracts deadbolt and opens door. When unlocked, rotating outside lever retracts deadbolt and opens door. Aux latch deadlocks latchbolt when door is shut. Inside lever always free for immediate egress. Deadbolt projection does not control outside lever lock/unlock state.

L9493EL L9493EU **Electrically locking/unlocking both levers, outside cylinder, inside thumbturn, with deadbolt**



Inside and outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Deadbolt thrown or retracted by key outside or thumbturn inside. When unlocked, rotating inside or outside lever retracts deadbolt and opens door. Aux latch deadlocks latchbolt when door is shut. Deadbolt projection does not control outside lever lock/unlock state.

L9494EL L9494EU **Electrically locking/unlocking outside lever, inside and outside cylinders, with deadbolt**



Outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Deadbolt thrown or retracted by key outside or inside. Turning inside knob/lever retracts deadbolt and opens door. When unlocked, rotating outside lever retracts deadbolt and opens door. Aux latch deadlocks latchbolt when door is shut. Inside lever always free for immediate egress. Deadbolt projection does not control outside lever lock/unlock state.

L9495EL L9495EU **Electrically locking/unlocking both levers, inside and outside cylinders, with deadbolt**




Inside and outside knob/lever continuously locked (EL) or unlocked (EU) by 12 or 24V DC. Deadbolt thrown or retracted by key outside or inside. When unlocked, rotating inside or outside lever retracts deadbolt and opens door. Aux latch deadlocks latchbolt when door is shut. Deadbolt projection does not control outside lever lock/unlock state.

Additional functions as well as Mortise Deadbolts are available; please consult your Allegion representative for details.

L • Complete Locks
Standard Lever Collection A, B or C Rose Trim


Cast or Forged Lever Designs with Wrought Roses



Note: Above images shown with A Rose.

Note: A wide variety of additional lever designs are available; consult your Allegion representative for details

Wrought Rose Designs



Complete Locks - L


L-Series (A, B or C Rose Trim) - Standard Collection levers

Function	Add \$108 for Vandgard Option	Description	06 (Rhodes), 07 (Athens), 17 (Sparta), LAT (Latitude), LON (Longitude)		M52 (Broadway), M81 (Boardwalk)
			626	619 622 625 643e	619, 622, 625, 626, 643e
Keyless Functions					
L9010		Passage	\$877.00	\$889.00	\$907.00
L9040	•	Privacy	1,009.00	1,021.00	1,039.00
L9044	•	Privacy w/ coin turn	1,095.00	1,107.00	1,125.00
L9090&91 EL&EU		Electrified Lock (keyless)	1,413.00	1,425.00	1,443.00
L9440	•	Privacy w/ deadbolt	1,161.00	1,173.00	1,191.00
L9444	•	Privacy w/ deadbolt and coin turn	1,243.00	1,255.00	1,273.00
L0170		Single dummy	315.00	321.00	330.00
L0172		Double dummy	631.00	643.00	661.00
L9175		Single dummy with case	470.00	476.00	485.00
L9176		Double dummy with case	775.00	787.00	805.00
Keyed Single Cylinder Functions					
L9050P	•	Entrance/Office	\$1,123.00	\$1,135.00	\$1,153.00
L9056P	•	Entrance/Office with auto unlocking	1,228.00	1,240.00	1,258.00
L9080P	•	Storeroom	1,123.00	1,135.00	1,153.00
L9092P&93P EL&EU		Electrified Lock (outside cylinder)	1,523.00	1,535.00	1,553.00
L9453P	•	Entrance w/ deadbolt	1,161.00	1,173.00	1,191.00
L9456P	•	Corridor w/ deadbolt			
L9465P		Closet/Storeroom w/ deadbolt			
L9473P		Dorm/Bedroom w/ deadbolt			
L9480P	•	Storeroom w/ deadbolt	1,272.00	1,284.00	1,302.00
L9492P&93P EL&EU		Electrified lock (outside cylinder, inside thumbturn, deadbolt)	1,796.00	1,808.00	1,826.00
Keyed Double Cylinder Functions					
L9060P	•	Apartment entrance	\$1,236.00	\$1,248.00	\$1,266.00
L9095P EL&EU		Electrified Lock (Inside and outside cylinder)	1,634.00	1,646.00	1,664.00
L9466P		Storeroom w/ deadbolt	1,236.00	1,248.00	1,266.00
L9494P&95P EL&EU		Electrified lock (inside and outside cylinder, deadbolt)	1,908.00	1,920.00	1,938.00

Notes: 1) For the Everest 29 T and Everest D family of restricted keyways (Quad, Numbered, Reversed) add \$24.00. This does not apply to Primus families. See Terms and Conditions for more information.

L • Complete Locks
Standard Lever Collection* Escutcheon Trim


Cast or Forged Lever Designs with Cast, Forged, or Wrought Escutcheons



Note: Above images shown with L Escutcheon.

Note: A wide variety of additional lever designs are available; consult your Allegion representative for details

Cast/Forged (L) or Wrought (N)



L • Complete Locks
L or N Escutcheon Trim
L-Series (L or N Escutcheon) - Standard Collection Levers

Function	Add \$108 for Vandlgard Option	Description	Lever or Knob Designs and Finishes		
			Standard Lead time		
			06 (Rhodes), 07 (Athens), 17 (Sparta), LAT (Latitude), LON (Longitude)		M52 (Broadway), M81 (Boardwalk)
			Finishes		
			626	619 622 625 643e	619, 622, 625, 626, 643e
Keyless Functions					
L9010		Passage	\$906.00	\$918.00	\$936.00
L9040	•	Privacy	1,038.00	1,050.00	1,068.00
L9044	•	Privacy w/ Coin Turn and Outside Indicator (N Escutcheon Only)	1,124.00	1,136.00	1,154.00
L9444	•	Privacy w/ Deadbolt, Coin Turn and Outside Indicator (N Escutcheon Only)	1,272.00	1,284.00	1,302.00
L9090&91 EL&EU		Electrified Lock (keyless)	1,442.00	1,454.00	1,472.00
L9440	•	Privacy w/ Deadbolt	1,190.00	1,202.00	1,220.00
L0170		Single Dummy (N Escutcheon Only)	330.00	336.00	345.00
L0172		Double Dummy	660.00	672.00	690.00
L9175		Single Dummy with Case	485.00	491.00	500.00
L9176		Double Dummy with Case	804.00	816.00	834.00
Keyed Single Cylinder Functions					
L9050P	•	Entrance/Office	\$1,152.00	\$1,164.00	\$1,182.00
L9056P	•	Entrance/Office w/ Auto Unlocking	1,257.00	1,269.00	1,287.00
L9080P	•	Storeroom	1,152.00	1,164.00	1,182.00
L9092P&93P EL&EU		Electrified Lock (outside cylinder)	1,552.00	1,564.00	1,582.00
L9453P	•	Entrance/Office w/ Deadbolt	1,190.00	1,202.00	1,220.00
L9456P	•	Corridor w/ Deadbolt			
L9465P		Closet/Storeroom w/ Deadbolt			
L9473P		Dorm/Bedroom w/ Deadbolt			
L9480P	•	Storeroom w/ Deadbolt	1,301.00	1,313.00	1,131.00
L9492P&93P EL&EU		Electrified lock (outside cylinder, inside thumbturn, deadbolt)	1,825.00	1,837.00	1,855.00
Keyed Double Cylinder Functions					
L9060P	•	Apartment Entrance	\$1,265.00	\$1,277.00	\$1,295.00
L9095P EL&EU		Electrified Lock (Inside and outside cylinder)	1,663.00	1,675.00	1,693.00
L9466P		Storeroom w/ Deadbolt	1,265.00	1,277.00	1,295.00
L9494P&95P EL&EU		Electrified lock (inside and outside cylinder, deadbolt)	1,937.00	1,949.00	1,967.00

Notes: 1) For the Everest 29 T and Everest D family of restricted keyways (Quad, Numbered, Reversed) add \$24.00. This does not apply to Primus families. See Terms and Conditions for more information.

2) L escutcheon available 1 3/8" - 2 1/2" doors non-Vandlgard functions, 1 3/4" - 2 1/2" doors on Vandlgard functions. N escutcheon available 1 3/4" - 2 1/4" non-Vandlgard and Vandlgard functions

L • Cylinder Options

Cylinder Adjustments

Specify	Description	Lock Price Adjustment (per cylinder)
Full Size Interchangeable Core (FSIC)		
R Suffix	Full size core (furnished 1-bitted w/ two 6-pin keys unless otherwise specified)	\$91.00
J Suffix	Less full size core	N/C
Full Size Construction Core		
T Suffix	Full size construction core (assessed handling charge 50-231 per core)	\$91.00
Small Format Interchangeable Core (SFIC) (Not available with Hotel Functions L9485 or L9486)		
G7 Suffix	Everest patented core (specify key symbol; see Terms & Conditions for more details)	\$109.00
B Suffix	Less small format core	-14.00
Small Format Construction Core & Disposable Core		
H Suffix	Small format construction core (assessed handling charge 50-231 per core)	\$56.00
BDC Suffix	Small format disposable core	-\$12.00
Construction Core Handling Charge		
50-231	Handling charge for construction core (assessed per core, non-refundable)	\$13.00

Notes Control keys are not furnished with locks and must be purchased separately. See Keys & Keying. Interchangeable cores are not available with concealed cylinders.

Ordering instructions: Add suffix to lock function. Ex: L9050J (L9050 function less full size core)

Shaded items are standard components and are furnished with locks unless otherwise specified.

L • Armor Fronts and Strikes

Armor Fronts, L9000

Specify	Description	Lock Price Adjustment
1 1/4" Wide (Standard armor size for 1 3/4" and larger door thicknesses)		
09-661	Blank (L9175, L9176)	N/C
09-662	Latch only (L9010, L9040, L9044)	
09-663	Latch x aux latch (L9050, L9056, L9060, L9070, L9071, L9080, L9082, L9090/91/92/93/95*)	
09-713	Latch x aux latch (L9076, L9077)	
09-664	Latch x deadbolt (L9440, L9444, L9456, L9457, L9465, L9466, L9473, L9496)	
09-665	Deadbolt (L9460, L9462, L9463, L9464)	
09-666	Latch x aux latch x deadbolt (L9453, L9458, L9480, L9485, L9486, L9492/93/94/95)	
09-717	Deadbolt armor (L460, L462, L463, L464, L480, L496)	
1 1/16" Wide (recommended armor size for doors thinner than 1 3/4", including 1 3/8" doors)		
09-667	Blank (L9175, L9176)	N/C
09-668	Latch only (L9010, L9040, L9044)	
09-669	Latch x aux latch (L9050, L9056, L9060, L9070, L9071, L9080, L9082, L9090/91/92/93/95*)	
09-718	Latch x aux latch (L9076, L9077)	
09-670	Latch x deadbolt (L9440, L9444, L9456, L9457, L9465, L9466, L9473, L9496)	
09-671	Deadbolt (L9460, L9462, L9463, L9464)	
09-672	Latch x aux latch x deadbolt (L9453, L9458, L9480, L9485, L9486, L9492/93/94/95)	

*For L9090/91/92/93/95 with DPS use armor 09-666 (1-1/4" wide) or 09-670 (1-1/16 wide)

Ordering instructions: Specify on order only if requesting other than default.

10-072 L9000 Standard	10-073 L9000 Deadbolt Standard	10-079 L400 Deadbolt Standard	10-078

Strikes, L9000

Specify	Description	Lock Price Adjustment
Strikes, L9000 Series		
10-072	1 1/4" x 4 7/8" square corner strike + box, 1 3/16" lip length, standard L9000 strike	N/C
10-072 xx	1 1/4" x 4 7/8" square corner strike + box; specify lip length (xx) as 7/8", 1" or 1-1/2"	
10-073	Deadbolt lock strike, standard for L9460, L9462, L9463 and L9464	N/C
37-015	Door frame strike reinforcer (finish not applicable)	N/C
Strikes, L400 Series		
10-078	1-1/4" x 4-7/8" square corner strike + box	N/C
10-079	1-1/8" x 3-1/2" square corner strike + box, ANSI 115.5 prep, standard L400 strike	

Ordering instructions: Specify on order only if requesting other than default.

Shaded items are standard components and are furnished with locks unless otherwise specified.


ND Levers - Functions

ANSI/BHMA Certified A156.2-2011, Series 4000, Grade 1, UL Listed for 3-hour fire door.

Non-Keyed Locks

SCHLAGE ANSI

ND10S F75



Passage Latch

Both levers always unlocked. Inside lever is always free for immediate egress. Also available with Request to Exit (RX) function.

ND40S F76



Bath/Bedroom Privacy Lock

Push-button locking. Can be opened from outside with small screwdriver. Turning inside lever or closing door releases button. Inside lever is always free for immediate egress.

ND170




Single Dummy Trim

Dummy trim for one side of door. Used for door pull or as matching inactive trim.

Keyed Locks

SCHLAGE ANSI


ND50PD F82



Entrance/Office Lock

Push-button locking. Push-button locks outside lever until unlocked with key or by turning inside lever. Inside lever is always free for immediate egress.


ND53PD F109



Entrance Lock

Turn/push-button locking; pushing and turning button locks outside lever, requiring use of key until button is manually unlocked. Push-button locking; pushing button locks outside lever until unlocked by key or by turning inside lever. Inside lever is always free for immediate egress.


ND80PD F86



Storeroom Lock

Outside lever fixed. Entrance by key only. Inside lever always unlocked for immediate egress. Also available with Request to Exit (RX) function.


ND80PDEL



Electrically Locked (Fail Safe)

Outside lever continuously locked electrically. Unlocked by key outside or by switch or power failure. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always unlocked for immediate egress. Also available with Request to Exit (RX) function.


ND80PDEU



Electrically Unlocked (Fail Secure)


Outside lever continuously locked until unlocked by key or electric current. Auxiliary latch deadlocks latchbolt when door is closed. Inside lever always unlocked for immediate egress. Also available with Request to Exit (RX) function.

Lever: ATH - Athens
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6

Lever: OME - Omega
Rose: Omega




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: BRW - Broadway
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: RHO - Rhodes
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6, J-CO7

Lever: BRK - Boardwalk
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: SPA - Sparta
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6

Lever: LAT - Latitude
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: TLR - Tubular
Rose: Rhodes



Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6

Lever: LON - Longitude
Rose: Rhodes



Lever Grade: 1
Cores: KIL, FSIC, SFIC

ND Levers • Complete Locks

Function	Decription	Designs and Finishes						PRIMARY CYLINDER ADJUSTMENTS AVAILABLE LEVERS AVAILABLE FINISHES						
		ATH RHO SPA BRW BRK LAT LON												
		626	619 622 625 643e											
Keyless								LD	RD	JD	BD	BDC	GD	HD*
ND10S	Passage	516	528											
ND40S	Privacy	594	606					ATH LAT RHO SPA BRW LON BRK						
ND170	Single dummy	144	150					LD	RD	JD	BD	BDC	GD	HD
Keyed, Single Cylinder														
ND50PD	Entrance/Office	703	715					-75	40	-45	-45	-38	74	22
ND53PD	Entrance													
ND80PD	Storeroom													
ND80PD EL/ EU	Electrically locked or unlocked	942	954											
ND96PD EL/ EU	Vandlgard® Electrically locked or unlocked	1,034	1,046											

* Temporary cores (TD and HD options) require non-refundable core handling charge (50-231) of \$12.00 and will be added to the price of the lock.
All electrified functions are compatible with the Allegion Connect harnesses. For additional options, including competitive cores, please see the Schlage Mechanical Price Book

ND Levers • Options

Latches

Part Number	Backset - Description	Lock Adjustment
Spring Latch*		
13-248	2 3/4" - Square corner, 1 1/8" x 2 1/4"	N/C
Deadlatch*		
14-047	2 3/8" - Square corner, 1 1/8" x 2 1/4"	-36.60
14-048	2 3/8" - Square corner, 1 x 2 1/4"	-36.60
13-247	2 3/4" - Square corner, 1- 1/8" x 2 1/4"	N/C

* All latch extensions require reinforcement when used in hollow metal door applications

Strikes

Part Number	Lip Length - Description	Lock Adjustment
10-013	1 1/8" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
	1 1/2" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
10-016	1 1/8" - Square corner, T-strike, deep box, fire door latch	N/C
10-025	1 3/16" - ANSI, no box, 1 1/4" x 4 7/8"	N/C
	1 3/8" - ANSI, no box, 1 1/4" x 4 7/8"	+33.60
	1 1/2" - ANSI, no box, 1 1/4" x 4 7/8"	+33.60
K510-066	Box for ANSI strike, must be specified	N/C

Non-Standard Door Thickness*

Description	Specify	Lock Adjustment
1 3/8" thick doors - 2 chassis spacers (XN12-012) required; see ND-18	Door thickness and how door is extended.	+65.30

* If not specified orders will default to EE; RX and Competitor Cores options need to be ordered via RFQ

Shaded items are standard components and are furnished with locks unless otherwise specified.


ALX - Functions

ANSI/BHMA Certified A156.2-2011, Series 4000, Grade 2, UL Listed for 3-hour fire door.

Non-Keyed Locks

SCHLAGE ANSI


ALX10 F75



Passage Latch

No cylinder; plain lever both sides; spring latch. Both levers always unlocked.


ALX40 F76



Bath/Bedroom Privacy Lock

No cylinder; coin turn outside; pushbutton inside; spring latch. Inside push button locks outside lever. Turn inside lever or close door to release button and prevent lock-out; outside coin turn provides emergency access. Field selectable Vandlgard® feature. Inside lever is always free for immediate egress.

ALX170




Single Dummy Trim

No cylinder; rigid plain lever outside; no hardware inside; no latch. Use as door pull or matching inactive trim.

Keyed Locks

SCHLAGE ANSI


ALX50 F82



Entrance/Office Lock

Cylinder outside; push button inside; deadlatch. Inside push button locks outside lever. Unlock with key or by rotating inside lever. Field selectable Vandlgard feature. Inside lever always free for immediate egress.


ALX53 F109



Entrance Lock

Cylinder outside; push/turn button inside; deadlatch. Inside button locks outside lever by pushing button or pushing and turning button. Pushed button: unlock with key or by rotating inside lever. Push/turn button: key retracts latch only; unlock by returning button to home position then use key or rotate inside lever. Field selectable Vandlgard feature. Inside lever always free for immediate egress.


ALX70 F84



Classroom Lock

Cylinder outside; plain lever inside; deadlatch. Key locks or unlocks outside lever. Field selectable Vandlgard feature. Inside lever always free for immediate egress.


ALX80 F86



Storeroom Lock


Cylinder outside; plain lever inside; deadlatch. Outside lever always locked. Key retracts the latch. Field selectable Vandlgard feature. Inside lever always free for immediate egress.

Lever: ATH - Athens
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6

Lever: OME - Omega
Rose: Omega




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: BRW - Broadway
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: RHO - Rhodes
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6, J-CO7

Lever: BRK - Boardwalk
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: SAT - Saturn
Rose: Rhodes




Lever Grade: 2
Cores: KIL

Lever: LAT - Latitude
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: SPA - Sparta
Rose: Rhodes




Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6

Lever: LON - Longitude
Rose: Rhodes



Lever Grade: 1
Cores: KIL, FSIC, SFIC

Lever: TLR - Tubular
Rose: Rhodes



Lever Grade: 1
Cores: KIL, FSIC, SFIC, L-SAR, L-CO6, J-SAR, J-CO6

ALX - Complete Locks

Function	Decription	Designs and Finishes		PRIMARY CYLINDER ADJUSTMENTS AVAILABLE LEVERS AVAILABLE FINISHES						
		SAT	ATH BRW BRK LAT LON OME RHO SPA TLR							
		626	619 622 625 643e							
Keyless				L	R	J	B	BDC	G	H*
ALX10	Passage	215/227	237 /249							
ALX40	Privacy	244 / 256	266 / 278	ALL	ATH BRW BRK LAT LON OME RHO SPA TLR					
ALX170	Single dummy	133 / 139	144 / 150							
Keyed, Single Cylinder				L	R	J	B	BDC	G	H
ALX50P/P6	Entrance/Office	312 / 324	334 / 336	-75	40	-45	-45	-38	74	22
ALX53P/P6	Entrance									
ALX70P/P6	Classroom									
ALX80P/P6	Storeroom									

* Temporary cores (TD and HD options) require non-refundable core handling charge (50-231) of \$12.00 and will be added to the price of the lock.


Latches

Part Number	Backset - Hsg Dia - Description	Lock Adjustment
Spring Latch		
47273621	2 3/8" - 7/8" - Square corner, 1" x 2 1/4"	N/C
47273622	2 3/8" - 7/8" - 1/4" Radius round corner, 1" x 2 1/4"	
47273615	2 3/4" - 7/8" - Square corner, 1" x 2 1/4"	
47273616	2 3/4" - 7/8" - 1/4" Radius round corner, 1" x 2 1/4"	
47273614	2 3/4" - 1" - Square corner, 1 1/8" x 2 1/4"	
Deadlatch		
47273624	2 3/8" - 7/8" - Square corner, 1" x 2 1/4"	N/C
47273625	2 3/8" - 7/8" - 1/4" Radius round corner, 1" x 2 1/4"	
47273618	2 3/4" - 7/8" - Square corner, 1" x 2 1/4"	
47273619	2 3/4" - 7/8" - 1/4" Radius round corner, 1" x 2 1/4"	
47273617	2 3/4" - 1" - Square corner, 1 1/8" x 2 1/4"	

Strikes

Part Number	Lip Length - Description	Lock Adjustment
10-013	1 1/8" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
	1 1/2" - Square corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
47267101	1 1/8" - 1/4" Radius round corner, T-strike, box, 1 1/8" x 2 3/4"	N/C
10-025	1 3/16" - ANSI, no box, 1-1/4" x 4-7/8"	N/C
	1 3/8" - ANSI, no box, 1-1/4" x 4-7/8"	+33.60
	1 1/2" - ANSI, no box, 1-1/4" x 4-7/8"	
10-026	1 1/8" - Square corner, full lip, no box, 1 5/8" x 2 1/4"	N/C
10-027	1 1/8" - 1/4" Radius round corner, full lip, no box, 1 5/8" x 2 1/4"	
K510-066	Box for ANSI strike, must be specified	

Shaded items are standard components and are furnished with locks unless otherwise specified.

MA Series • Introduction
Product Identification


SFIC = Small Format (Best® Style) Interchangeable Core

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
630	(US32D)	Satin Stainless Steel
643E	(US11)	Aged Bronze

Standard Features - Furnished unless otherwise specified


Certification	ANSI A156.13, Series 1000, Grade 1 Operation and Security, UL Listed for 3-Hour fire door with SFIC Interchangeable Core Cylinders: Grade 3 Security
Latch	2 piece stainless steel anti-friction bolt 3/4" projection.
Strike	1 1/4" x 4 7/8", ANSI, Square corner, with dust box
Cylinder	6-Pin, Solid brass, Keyed 5-Pin, Falcon G keyway, Keyed different (KD)
Door Range	1 3/4" - 1 7/8" standard
Keys	Two, Nickel silver cut keys per lock, Falcon G keyway

MA Series - Functions

ANSI A156.13 Series 1000 Grade 1 Operation
Mortise

FALCON ANSI

MA101 F01

**Passage/Closet Latchset**

Latchbolt retracted by knob/lever from either side at all times. Inside knob/lever is always free for immediate egress.

MA301 F02

**Privacy Lock**

Latch bolt operated by knobs/levers either side, dead bolt operated by turn from inside or by emergency release outside. Available with messaging indicator. Please specify.

MA441 F32

**Classroom Security Lock**

Latch bolt operated by knob/lever from either side except when outside knob/lever is locked from inside or outside by key. When outside knob/lever is locked, latch bolt is retracted by key from inside or outside or by operating inside knob/lever. Auxiliary dead latch. Inside knob/lever is always free for immediate egress. Available with messaging indicator. Please specify.

MA521 F04

**Entry/Office Lock**

Latch bolt operated by knob/lever from either side except when outside knob/lever is made inoperative by buttons in face. When outside knob/lever is locked, latch bolt is retracted by key from outside or by operating inside knob/lever. Auxiliary dead latch. Inside knob/lever is always free for immediate egress.

MA531 F20

**Apartment Corridor Door Lock**

Latch bolt operated by knob/lever from either side, except when outside knob/lever is made inoperative by buttons in face. Dead bolt operated by key outside or turn inside. Key outside operates both bolts. Operating inside knob/lever retracts both bolts and outside remains locked. Latch bolt is deadlocked when outside knob/lever is made inoperative or when the dead bolt is projected. When dead bolt is retracted, knob/lever is unlocked by buttons in face. Inside knob/lever is always free for immediate egress.

Mortise

FALCON ANSI

MA561 F05

**Classroom Lock**

Latchbolt operated by knob/lever from either side except when outside knob/lever is locked by key. When outside knob/lever is locked, latchbolt is retracted by key from outside or by operating inside knob/lever. Auxiliary latch deadlocks latchbolt when door is closed. Inside knob/lever is always free for immediate egress.

MA571 F13

**Dormitory or Exit Lock**

Latch bolt operated by knob/lever from either side. Dead bolt projected by key from outside and turn from inside. Operating inside knob/lever retracts both bolts and unlocks outside. Inside knob/lever is always free for immediate egress. Available with messaging indicator. Please specify.


MA581 F07





**Storeroom Lock**

Latch bolt operated by key from outside or by operating inside knob/lever. Outside knob/lever is always inoperative. Auxiliary dead latch. Inside knob/lever is always free for immediate egress.

MA-Series - Complete Locks

Grade 1 Mortise Locks with Cast/Forged or Heavy Wrought Trim
ANSI-A156.13, SERIES 1000, GRADE 1


DG (Dane-Gala)

AG (Avalon-Gala)

QG (Quantum-Gala*)

LTG (Latitude-Gala*)

BRG (Broadway-Gala)

LGG (Longitude-Gala)

BOG (Boardwalk-Gala)
MA Lever/Rose Styles

Function	Description	Designs and Finishes			
		DG, AG, QG, LTG, BRG, LGG, BOG			
		626	643E	619	622 625 630*
Single Cylinder Functions					
MA521P	Entry/Office	\$724.00		\$736.00	
MA561P	Classroom				
MA571P	Dormitory Exit				
MA581P	Storeroom				
MA531P	Apartment Corridor	747.00		759.00	
Double Cylinder Functions					
MA441P	Classroom Security	796.00		808.00	
CAUTION: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.					
Non-Keyed Functions					
MA101	Passage	\$565.00		\$577.00	
MA301	Privacy	651.00		663.00	

Note: 1) Specify 12 or 24VDC. Default is 12V.


Power supply PS902 will be sufficient to operate an individual lock for multiple lock installation - see Power Supply section.

* Latitude, Longitude, Broadway and Boardwalk levers not available in 630 finish.




MA-Series • Complete Locks


Grade 1 Mortise Locks with Cast/Forged or Heavy Wrought Trim ANSI-A156.13, SERIES 1000, GRADE 1




AN (Avalon-Napa)




DN (Dane-Napa)




LTN (Latitude-Napa*)




BRN (Broadway-Napa*)



QN (Quantum-Napa)



LGN (Longitude-Napa*)



BON (Boardwalk-Napa*)


MA Lever Escutcheon Styles

MA 2500 Series Styles		Designs and Finishes	
Function	Description	DN, AN, QN, LTN, BRN, LGN, BON	
		626 643E	619 622 625 630*
Single Cylinder Functions			
MA521P	Entry/Office	\$774.00	\$786.00
MA561P	Classroom		
MA571P	Dormitory Exit		
MA581P	Storeroom		
MA531P	Apartment Corridor	797.00	809.00
Double Cylinder Functions			
MA441P	Classroom Security	\$846.00	\$858.00
CAUTION: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.			
Non-Keyed Functions			
MA101	Passage	\$615.00	\$627.00
MA301	Privacy	701.00	713.00

Note: 1) Specify 12 or 24VDC. Default is 12V.

Power supply PS902 will be sufficient to operate an individual lock for multiple lock installation - see Power Supply section.

* Latitude, Longitude, Broadway and Boardwalk levers not available in 630 finish.

T Series • Introduction
Product Identification


SFIC = Small Format (Best® Style) Interchangeable Core

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze

Standard Features - Furnished unless otherwise specified


Certification	ANSI A156.2, Series 4000, Grade 1, UL Listed for 3-Hour fire door
Latch	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1/2" throw, 2 3/4" backset
Strike	1 1/4" x 4 7/8", ANSI, Square corner, no box
Cylinder	6-Pin, Solid brass, Keyed 5-Pin, Falcon G keyway, Keyed different (KD)
Door Range	1 3/4" - 2 1/8" standard
Keys	Two, Nickel silver cut keys per lock, Falcon G keyway

T Series • Functions

ANSI A156.2 Series 4000 Grade 1

Key-In-Lever Locks

FALCON ANSI

T101 F75


**Passage/Closet Latchset**

Latch bolt by levers at all times.

Key-In-Lever Locks

FALCON ANSI

T561 F84

**Classroom Lock**

Deadlocking latch bolt by levers. Outside lever is locked by key in outside lever. Inside lever is always free.

T301 F76

**Privacy Lock**

Latch bolt by levers. Outside lever locked by push button in inside lever. Rotating inside lever or closing door releases push button. Emergency release in outside lever unlocks door.

T581 F86

**Storeroom Lock**

Deadlocking latch bolt by lever inside or key outside. Outside lever is inoperable. Inside lever always free.

T381 F88

**Classroom Security Lock**

Latchbolt operated by lever from either side except when key from inside lever locks outside lever. When outside lever is locked, latchbolt retracted by key in outside lever or by turning inside lever.

T12

**Dummy Trim**

Single Trim-surface mounted rigid lever.

T511 F109






**Entry/Office Lock**

Turn/push button locking. Pushing and turning button locks outside lever requiring use of key until button is manually unlocked. Push button locking. Pushing button locks outside lever until unlocked by key or by rotating inside lever. Inside lever always free. Deadlocking latch bolt.

*** Caution:** Double cylinder locks on residences and any door, in any structure, which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.

T Series • Complete Locks

Grade 1 Extra Heavy Duty Cylindrical Locksets
ANSI-A156.2, SERIES 4000, GRADE 1


D (Dane-Gala)

A (Avalon-Gala)

Q (Quantum-Gala)

LAT (Latitude-Gala)

BRW (Broadway-Gala)


Key-In-Lever

Function	Description	Designs and Finishes	
		D, A, Q, LAT, BRW	
		626 643E	619 622 625
Single Cylinder Functions			
T351PD	Closet	\$504.00	\$516.00
T511PD	Entry/Office		
T561PD	Classroom		
T581PD	Storeroom		
Double Cylinder Functions			
T381PD	Exit Security	589.00	601.00
CAUTION: Double cylinder locks on residences and any door in any structure which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.			
Non-Keyed Functions			
T101S	Passage	\$360.00	\$372.00
T301S	Privacy	452.00	464.00
Dummy Trim			
T12	Half Dummy	\$160.00	\$166.00

Notes: 1) 24V is standard. Power supply PS902 will be sufficient to operate an individual lock for multiple lock installation - see Power Supply section.

W Series - Introduction

Product Identification



SFIC = Small Format (Best® Style) Interchangeable Core

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze

Standard Features - Furnished unless otherwise specified



Certification	ANSI A156.2, Series 4000, Grade 2, UL Listed for 3-Hour fire door
Latch	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1/2" throw, 2 3/4" backset
Strike	1 1/4" x 4 7/8", ANSI, Square corner, no box
Cylinder	6-Pin, Solid brass, keyed 5-pin, Falcon G keyway, Keyed different (KD)
Door Range	1 3/8" - 1 3/4" standard
Keys	Two, Nickel silver cut keys per lock, Falcon G keyway

W Series • Functions
ANSI A156.2, Series 4000 Grade 2
Key-In-Lever Locks

FALCON ANSI &
Function

W101 F75

Passage Latchset

Latch bolt by levers at all times.



W161 F111

Communicating/Exit Latch

Deadlocking latch bolt by inside lever.
Non-removable blank plate outside.



W301 F76

Privacy Lock

Latch bolt by levers. Outside lever is locked
by push button in inside lever. Rotating inside
lever or closing door release push button and
frees outside lever. Inside lever is always free.
Emergency release in outside lever unlocks
door.



W511 F109

Entry/Office Lock

Deadlocking latch bolt by levers. Turn/push
button locking. Pushing and turning button
locks outside lever, requiring use of a key for
unlocking the door until button is manually
unlocked. Pushing button locks outside lever
until unlocked by key or by rotating inside
lever. Inside lever is always free.


Key-In-Lever Locks

FALCON ANSI &
Function

W561 F84

Classroom Lock

Deadlocking latch bolt by levers. Outside lever
is locked by key in outside lever. Inside lever is
always free.



W581 F86

Storeroom Lock

Deadlocking latch bolt by lever inside or key
outside. Outside lever is always locked. Inside
lever is always free.



W12/W18*

Dummy Trim

Single or double available.
Single (W12)
Double (W18)



* Functions are not available for small rose option


W Series - Complete Locks

Grade 2 Cylindrical Lockset

ANSI-A156.2, SERIES 4000, GRADE 2




D (Dane)



A (Avalon)



Q (Quantum)



LAT (Latitude)



BRW (Broadway)




Key-In-Lever Large Rose 3 3/8" Rose

Key in Level Large Rose 3 3/8" Rose		Designs and Finishes	
		D, A, Q, LAT, BRW	
		626 643E	619 622 625
Function	Description		
Single Cylinder Functions			
W501PD	Entry	\$134.00	\$146.00
W511PD	Entry/Office		
W561PD	Classroom		
W571PD	Dormitory/Corridor		
W581PD	Storeroom		
W711PD	Apartment Entry		
Non-Keyed Functions			
W101S	Passage	121.00	133.00
W161D	Communicating/Exit	122.00	134.00
W201D	Patio		
W301S	Privacy		
Dummy Trim			
W12	Half Dummy	\$72.00	\$78.00
W18	Two Sided Dummy	142.00	154.00

Note: 1) New Finishes (643E, 619, 622) & New Levers (AVA, LAT, LON, BRW, BRK) are not available on W18 function.



ELI (Elite)







HAN (Hana)

Key-In-Knob

Function	Description	Designs and Finishes				
		E H				
		626	605	606	613	625
Single Cylinder Functions						
W511PD	Entry/Office	\$77.00	\$89.00			
W561PD	Classroom					
W571PD	Corridor					
W581PD	Storeroom					
W711PD	Apartment Entry					
Non-Keyed Functions						
W101S	Passage	\$64.00	\$76.00			
W301S	Privacy	65.00	77.00			
Dummy Trim						
W12	Half Dummy	\$47.00	\$53.00			

Note: 2) Not available with a small rose. Small rose option is for levers only.

W-Series Small Rose • Levers Complete Locks

SRD (Dane)

SRA (Avalon)

SRQ (Quantum)

SRLA (Latitude)

SRBR (Broadway)
Small Rose 2 9/16" (65mm)


Function	Description	Designs and Finishes	
		SRD, SRA, SRQ, SRLAT, SRBR	
		626 643E	619 622 625
Single Cylinder Functions			
W511	Entry/Office	\$160.00	\$172.00
W561	Classroom		
W581	Storeroom		
Non-Keyed Functions			
W101	Passage	131.00	143.00
W161	Communicating/Exit	134.00	146.00
W301	Privacy		
Dummy Trim			
W12	Single Dummy	76.00	82.00

How to Order the Small Rose Option
Small Rose 2 9/16" (65mm)

Function	Cylinder	Trim	Finish
W511	PD	SRD	626

D200 Series • Introduction

Product Identification



SFIC = Small Format (Best® Style) Interchangeable Core

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze

Standard Features - Furnished unless otherwise specified

Certification	BHMA - ANSI A156.5, 2001, Grade 2 auxiliary lock, Available UL Listed for 3-Hour fire door
Deadbolt	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1" throw
Strike	1 1/8" x 2 3/4", lipless, with box
Cylinder	6-Pin, Solid brass, Keyed 5-Pin, Falcon G keyway, Keyed different (KD)
Door Range	1 3/8" - 2 1/4" standard cylinder or thumbturn only; 1 5/8" - 2" interchangeable core cylinder
Keys	Two, Nickel silver cut keys per lock, Falcon G keyway
Reinforcement	Metal dust box reinforcer with three - 3" screws
Trim Ring	1" Wrought brass or bronze, reinforced with security insert
Backset	2 3/8" and 2 3/4" adjustable


BHMA
CERTIFIED

D200 Series • Functions

BHMA / ANSI A156.5, 2001, Grade 2 Bored Deadbolt Locks

FALCON ANSI &
Function


D211P E0172



Classroom Function

Deadbolt thrown or retracted by key from outside. Inside turn will only retract bolt. Bolt automatically deadlocks when fully thrown.

D241P E0152



Single Cylinder x Turn

Deadbolt thrown or retracted by key or by turn. Bolt automatically deadlocks when fully thrown.

D261 E0192



Thumbturn, Inside Only

Deadbolt thrown or retracted by turn unit only. No outside trim. Bolt automatically deadlocks when fully thrown.

BHMA / ANSI A156.5, 2001, Grade 2 Bored Deadbolt Locks

FALCON ANSI &
Function


D261M E01112



Thumbturn, Inside x Rose

Deadbolt thrown or retracted by turn unit only. Outside blank rose. Bolt automatically deadlocks when fully thrown.

D271




Thumbturn x Occupancy Indicator

Deadbolt thrown or retracted by turn unit only. Occupancy indicator on outside (reads either in use or vacant with color coding). Bolt automatically deadlocks when fully thrown.


Note: This function is not UL Listed.

*** Caution:** Double cylinder locks on residences and any door, in any structure, which is used for egress are a life safety hazard in times of emergency and their use is not recommended. Installation should be in accordance with existing codes only.


D200-Series • Complete Locks



Outside Cylinder Trim



Inside Cylinder Trim




Rose and Turn



D-200 Series

Function	Description	Designs and Finishes					
		626	619	622	613	625	643e
Keyless							
D261	Turn, Inside Only	\$65.00	\$71.00				
D261M	Turn , Inside x Rose						
D271	Turn, Inside x Occupancy Indicator	66.00	72.00				
Single Cylinder Functions							
D211P	Classroom Function	\$87.00	\$93.00				
D241P	Single Cylinder x Turn	84.00	90.00				

Notes: 1) Split finishes are priced at the highest finish price.
 2) D271 Occupancy Indicator deadbolt is shipped with emergency key (61-509) and instructions.
 3) 'F' Suffix must be added for UL product

H2 Series • Introduction
Product Identification

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
625	(US26)	Bright Chrome
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze

Standard Features



Certification:	ANSI/BHMA Certified A156.12-2013, Grade 2, UL listed for 3-hour fire door With SFIC interchangeable core cylinders: Grade 3 Security
Deadbolt:	1 X 2 1/4", dual option faceplate, (square corner standard, round corner included in package), 1" housing diameter, 1" throw
Latch	1" x 2 1/4" dual option faceplate (square corner standard, round corner included in package). 1" edge bore required
Strikes:	1 1/8" x 2 3/4", Square corner (deadbolt) and 1 5/8" x 2 1/4", Square corner, T-strike, box, 1 1/8" x 2 3/4" (Deadlatch)
Backset:	Adjustable backset, fits 2 3/8" or 2 3/4"
Cylinders:	6-pin, solid brass, keyed 6-pin, G keyway, keyed different (KD)
Door Range:	1 3/4" to 2" standard (1 3/8" available, must be specified)
Keys:	Nickel silver cut keys, 6-pin, G keyway
Center to Center:	Fits 4" or 5 1/2" (factory default) center to center door preps

H2 Series • Functions

BHMA / ANSI A156.5, 2001, Grade 2
Bored Deadbolt Locks

FALCON ANSI


H2101 F95

**Entrance Lock**

Deadbolt operated by key from outside or by turn unit from inside. Bolt automatically deadlocks when fully thrown. Latch retracted by lever from either side. Turning inside lever retracts deadbolt and latch simultaneously for immediate exit.


FALCON ANSI

H2171

**Public Restroom Lock with Occupancy Indicator**

Latchbolt retracted by lever from either side. Deadbolt thrown or retracted by turn inside or retracted by emergency key outside. Rotating turn from inside extends deadbolt and changes visual message on outside from vacant to occupied. Inside lever simultaneously retracts deadbolt and latch.

H2 Series • Complete Locks




Dane (DAN)



Avalon (AVA)




Quantum (QUA)




Latitude (LAT)



Broadway (BRW)



Boardwalk (BRK)



Longitude (LON)

Function	Description	Design and Finishes			
Keyed, Single Cylinder		DAN, AVA, QUA, LAT, LON, BRW, BRK			
		626	643E	619	622 625
H2101	Entrance Lock - Deadbolt Single Cylinder	\$342.00		\$354.00	
H2171	Public Restroom with Occupancy Indicator - No Cylinder (Interior Locking Only)	452.00		464.00	

Specify both outside and inside designs if split.

Cylinders

Finish Codes and Descriptions

Code		Description
619	(US15)	Satin Nickel
622	(US19)	Matte Black
626	(US26D)	Satin Chrome
643E	(US11)	Aged Bronze

Standard Features - Furnished unless otherwise specified




Standard Cylinder Solid Brass housings and plugs. Standard Keyway is Falcon G keyway. Keyed different furnished unless otherwise specified (additional charges may apply, See page 140 for keying charges) with 2 nickel silver keys. Mortise cylinder standard lengths are 1 1/8" for conventional cylinders and 1 3/8" for small format interchangeable core housings.


SFIC Furnished in A keyway unless otherwise specified. Combined cores are provided with 2 keys.

Restricted Keyways Falcon has a varied selection of restricted keyways for conventional and SFIC cylinders based on geographic restrictions for usage. Minimum cylinder purchase required. See your Security and Safety Consultant for more information or availability.

Conventional Cylinders



951
Available in:
619, 622, 626, 643e



985
Available in:
619, 622, 626, 643e




Non-IC Products

MA and M Series Conventional Rim and Mortise Cylinders

Pins	Length	Description	Number	626 643e	619, 622
5 or 6	1 1/8	Mortise	985	\$71.00	\$75.00
	1 1/4		986		
5, 6, or 7	–	Rim	951	71.00	75.00

Notes: 1) MA cam (5622-STD) provided.
 2) Mortise and rim cylinders are not available in any competitor keyway, except Schlage C.
 3) Conventional mortise cylinder with Schlage C keyway are available with 985, 986 and 951.

Interchangeable Cores



C607
Available in:
605, 606, 613, 625, 622, 626, 643e



IC Products

Regular Core (suffix keyway to number)

Description	Uncombined			Combined		
	6-Pin	7-Pin	Price	6-Pin	7-Pin	Price
Standard	C646	C647	\$37.00	C606	C607	\$50.00
Best style capping	CB846	CB847		CB806	CB807	
No logo	C648	C649	37.00	C608	C609	
No logo, Best capping	CB848	CB849		CB808	CB809	

Notes: 1) For restricted keyways add \$12.30 per core. See page iv for restricted keyway policies.
2) For temporary construction cores and policy. See page MF-59.
3) For 605, 613 and 625 add \$3.00 per core. Minimum 250 pieces.
4) Keying must be specified on combined cores.

Pricing: Uncombined cores have no pins, springs or keys. Combined core prices include master keying.


Finishes: 606 and 626 standard.

Packaging: Uncombined cores are packed 20 per box.


Keyways: The "A" keyway is standard for IC products and will be supplied unless otherwise specified.
A, B, C, D, DD, E, F, G, H, J, K, L, M, N, Q, R, TB and TD are equivalent to Best and Arrow IC keyways of the same letter designations. All other keyways are restricted. Add \$12.30 list for all restricted keyways.

Logo: Cores and keys are supplied with the Falcon logo standard.
Combined cores supplied without logo are furnished with plain (non-embossed) keys.

IC Cylinders



Rim
Available in:
619, 622, 626, 643e



Mortise
Available in:
619, 622, 626, 643e





IC Products

All prices are less core. Not available with C997.

Small Format Interchangeable Rim and Mortise Core Housings Only

Cat. Number	Length	Pins	Description	626 643e	619, 622, 625
C987	1-3/8"	6 or 7	Mortise	\$42.00	\$44.00
C988	1-1/2"	6 or 7	Mortise		
C953	N/A	6 or 7	Rim	45.00	47.00

Notes: 1) All mortise cylinders will be furnished with cam 5622-IC.
2) When ordering cylinders with construction cores, include the suffix -7 CCA or -6 CCA added to the part number. i.e. C987-6 CCA 626 for a 6 pin small format construction core included with a C987 cylinder in 626 finish

Conventional Keys and Blanks**Standard****Plain**
(non-embossed)**Large Bow****Non-IC Products****Key Blanks**

(Specify keyway and order in multiples of 50 except where specified)




Part. Number	Description	Qty./Wt.	Each
KB573	Standard 5-pin	50/1	\$2.80
KB577	Standard 6-pin		
KB581	Standard 7-pin	35/1	3.20
KB751	Plain 5-pin (non-embossed)	50/1	2.90
KB761	Plain 6-pin (non-embossed)		
KB771	Plain 7-pin (non-embossed)	35/1	3.20
KB544	Large bow - 5-pin	25/1	6.10
KB590	Large bow - 6-pin	25/1	7.20
Q330-215	6 Pin Schlage C Blank	1	3.70

Cut Keys

Part. Number	Description	Each
KB574	Standard 5 Pin	\$8.40
KB578	Standard 6 Pin	
KB582	Standard 7 Pin	
KB794	Plain 5-pin (non-embossed)	
KB797	Plain 6-pin (non-embossed)	
KB799	Plain 7-pin (non-embossed)	9.20
KB545	Large bow - 5-pin (When furnished with lock - 2 keys) additional per lock	
KB545	Large bow - 5-pin	10.90
KB591	Large bow - 6-pin (When furnished with lock - 2 keys) additional per lock	
KB591	Large bow - 6-pin	8.20
330055	Schlage C - 6 pin	
Q330-276	Schlage Split Key 6-pin	10.90

* Specify key section to key (blank) numbers.

Note: 1) Prices listed for key blanks and cut keys are for E, G and H sections only. For all other key sections add \$.80 list per key to prices shown. Letter of authorization required for restricted sections; not available to stock; shipped directly to the end user.

IC Keys and Key Blanks, Disposable Construction Core

Standard

Plain
(non-embossed)

Standard
Key Tip

IC Core Key Blanks

	Standard	Plain Both Sides	Price
Standard	KB628	KB718	\$3.00
Stamped CONTROL	KB608	KB744	5.60

IC Core Cut Keys

	Standard		Plain Both Sides		Price
	6-Pin	7-Pin	6-Pin	7-pin	
Standard	KB632-1	KB632-2	KB673-1	KB673-2	\$8.40
CONTROL	KB609-1	KB609-2	KB778-1	KB778-2	10.80

- Notes:** 1) Specify keyway
2) Order standard blanks in multiples of 50.
3) Prices for key blanks and/or cut keys are for single key sections only. Key blanks 50 min. Cut keys no minimum quantity
4) For double milled key (e.g. DE, EF, FG) add \$3.30 each to prices shown, minimum order quantity of 50 keys.
5) Triple and quadruple milled keys add \$3.80 each to price shown, minimum order quantity of 50 keys.
6) Letter of authorization required for restricted sections; not available to stock; shipped directly to the end user.

Best® Style SFIC Core Key Blanks

	Standard	Plain Both Sides	Price
Standard	KB800*	KB801*	\$3.20

* KB 800 & 801 are not available in multi milled keyways.

Best® Style SFIC Core Cut Keys

	Standard	Plain Both Sides	Price
Standard 6-Pin	KB807-1	KB809-1	\$8.90
Stamped Control 6-Pin	KB811-1	KB813-1	11.60
Standard 7-Pin	KB807-2	KB809-2	13.40
Standard Control 7-Pin	KB811-2	KB813-2	20.70


Best Key

Keys & Keying Construction Core Program

Construction Core Program

Keyed construction cores may be ordered with interchangeable core locks and cylinders. These cores may also be ordered separately. All keyed construction cores are assessed a non-refundable handling charge (50-231). Standard payment terms apply. Features:

- 6-pin A keyway.
- 7-pin A keyway.
- Construction cores are a flat black finish on the face. Other colors may be provided. Contact Customer Service for available colors.
- Construction cores are furnished with no keys (NCK). Cut keys must be ordered separately.
- A control key is required to install and remove construction cores. Control keys must be ordered separately.
- Construction cores may be returned for credit in working condition. Credit is issued upon receipt of cores at our factory.

A Return Material Authorization (RMA) must be issued, in order for cores to be returned.

Construction Core Program

Part Number	Description	Specify	Price
C606CCA	Construction core 6-pin	Specify "H" suffix when ordering with Locks, Specify CCA when ordering with Mortise and Rim Cylinders	\$50.00
C607CCA	Construction core 7-pin		
KB632-1CCA	Cut key for construction core 6-pin		8.90
KB632-2CCA	Cut key for construction core 7-pin		
KB609-1CCA	Cut control key 6-pin (order separately)		11.60
KB609-2CCA	Cut control key 7-pin (order separately)		
1408	Disposable construction core	Specify "BDC" suffix when ordering	6.40
50-231F	Non-refundable handling charge per core		8.70


Notes: 1) Keyed and temporary construction cores will be installed in locks and cylinders automatically unless otherwise specified on orders.
 2) Construction cores for a given project are keyed alike to one of a limited number of combinations nationwide. Different Falcon projects in the same area using the same or different contractors may use the same key. Where a higher degree of security is desired, order a set of cores in 626 finish keyed alike to a random combination. Specify "KSI." Such cores are not returnable to Falcon but may be reused for other projects.
 3) Temporary construction cores are an inexpensive alternative to interior keyed construction cores. This temporary is intended for use on interior door applications or where security on-site is not a concern.

Temporary Construction Core Program (Disposable)


Temporary construction cores may be ordered with interchangeable core locks and cylinders. These cores may also be ordered separately. Standard payment terms apply.

Features:

- Conveniently fits both 6 & 7-pin SFIC applications.
- No keys need to be issued.
- Disposable construction cores are not returnable.
- The disposable core is inserted in the lever or knob and is operated by a thumbturn, which retracts the latch bolt.



C607CCA



1408

Exits
Von Duprin 22 Series

- UL listed for Panic Exit Hardware
- Devices are ANSI A156.3, 2001 Grade 1 Certified
- Two finishes available: **SP28** = Powder-coated aluminum **SP313** = Powder-coated dark bronze

22 Rim Panic Device

Trim Function	Handing	Finish	Series	3'	4'
				List Price	
Exit Only	-	SP28	22-EO-SP28	\$576.00	\$599.00
Exit Only	-	SP313	22-EO-SP313	576.00	599.00

22-F Rim Fire Exit Hardware

Trim Function	Handing	Finish	Series	3'	4'
				List Price	
Exit Only	-	SP28	22-EO-F SP28	\$726.00	\$749.00
Exit Only	-	SP313	22-EO-F-SP313	726.00	749.00

2227 Surface Vertical Rod Panic Device

Trim Function	Handing	Finish	Series	Door Height	3'	4'
					List Price	
Exit Only	-	SP28	2227-EO-SP28	7'	\$992.00	\$1,015.00
Exit Only	-	SP313	2227-EO-SP313	7'	992.00	1015.00

2227-F Surface Vertical Rod Fire Exit Hardware

Trim Function	Handing	Finish	Series	Door Height	3'	4'
					List Price	
Exit Only	-	SP28	2227-EO-F-SP28	7'	\$1,296.00	\$1,319.00
Exit Only	-	SP313	2227-EO-F-SP313	7'	1,296.00	1,319.00

Trim**Von Duprin Series 22 Trim**

■ Finishes available:

SP28 = Powder-coated aluminum**SP313** = Powder-coated dark bronze**22 Series Trim**

Series	Lever	Handing	Finish	List Price
210-DT	-	-	SP28	\$66.00
210-DT	-	-	SP313	66.00
210-NL	-	-	SP28	76.00
210-NL	-	-	SP313	76.00
230-L	06	LHR	SP28	291.00
230-L	06	RHR	SP28	291.00
230-L	06	LHR	SP313	291.00
230-L	06	RHR	SP313	291.00
230-NL	-	-	SP28	148.00
230-NL	-	-	SP313	148.00
230-DT	-	-	SP28	133.00
230-DT	-	-	SP313	133.00

Auxiliary Parts
Cylinders

Model No.	Description	Compatible Trim Series	Finish	List Price
3215	Mortise 1 1/4"	230L	US26D	\$114.00
3216	Rim Cylinder	210NL, 230NL	US26D	114.00

Extension Rods

Model No.	Description	Finish	List Price
ER-36	36" Extension Rod for 2227	SP28	\$37.00
ER-36	36" Extension Rod for 2227	SP313	37.00

Sex Bolts

Model No.	Description	Finish	List Price
325	325 Sex Bolt 1/4 - 20 (pkg of 2)		\$34.00
425	425 Sex Bolt 10-24 (Pkg of 2)		34.00

Electronics e-Strike

Electronics e-Strike

Description	Finish	Price Each
4211-US32D-12/24VDC-FSA/FSE	630	\$246.00
4212-US32D-12/24VDC-FSA/FSE	630	296.00
6111 US32D 24VDC FSE	630	1,105.00
6112 US32D 24VDC FSE	630	1,034.00
6210 US32D 24VDC FSE	630	1,007.00
6210 US32D 12VDC FSE	630	1,007.00
6210 US32D 24VDC FSE DS	630	1,258.00
6210 US32D 24VDC FS	630	1,058.00
6211 FSE (MORT/CYL) 24VDC 630	630	948.00
6211 FSE 12VDC ELEC STRIKE	630	948.00
6211 FSE DS (MORT/CYL) 630	630	1,199.00
6211 US32D 24VDC FS	630	999.00
6211 US32D 24VDC FSE	630	948.00
6211AL US32D 24VDC FSE	630	986.00
6211WF US32D 24VDC FSE	630	959.00
6212 US32D 24VDC FSE	630	1,122.00
6223 FSE 24VDC ELEC STRIKE	630	1,057.00
5100 3FP 689 24VDC	689	319.00
6300 US32D 12/24VDC FSE	630	950.00
6400 US32D 12/24VDC FSE	630	670.00

Von Duprin Exit Devices
98 Series

- 3' Devices are priced complete with standard trim and strike(s).
- 4' add \$23 list.

		US26D	US26	US15	643E	315
EXIT HARDWARE						
98EO	Rim Device	\$1,769.00	\$2,099.00	\$2,099.00	\$2,099.00	\$2,585.00
9827EO	Surface Vertical Rod Device	2,575.00	2,970.00	2,970.00	2,970.00	3,388.00
9849EO	Concealed Vertical Cable Device	2,691.00	3,005.00	3,005.00	3,005.00	3,494.00

FIRE EXIT HARDWARE

98EO-F	Rim Device	\$2,024.00	\$2,354.00	\$2,354.00	\$2,354.00	\$2,840.00
9827EO-F	Surface Vertical Rod Device	2,951.00	3,346.00	3,346.00	3,346.00	3,764.00
9849EO-F	Concealed Vertical Cable Device	2,957.00	3,271.00	3,271.00	3,271.00	3,760.00

Von Duprin 35A Series

- 3' Devices are priced complete with standard trim and strike(s).
- 4' add \$23 list.

		US26D	US26	US15	643E	315
EXIT HARDWARE						
35A-EO	Rim Device	\$2,179.00	\$2,281.00	\$2,281.00	\$2,281.00	\$2,728.00
3549A-EO	Concealed Vertical Cable Device	3,096.00	3,208.00	3,208.00	3,208.00	3,769.00

FIRE EXIT HARDWARE

35A-EO-F	Rim Device	\$2,211.00	\$2,313.00	\$2,313.00	\$2,313.00	\$2,760.00
3549A-EO-F	Concealed Vertical Cable Device	3,227.00	3,339.00	3,339.00	3,339.00	3,900.00

Concealed Vertical Cable (CVC) Reference:
Nominal Door Opening Height

72"-82"	6' - 6'10"
* >82"-96"	* >6'10" - 8'
>96"-110"	>8' - 9'2"
>110"-120"	>9'2"-10'

* Default Door Opening Height. Specify height if other than default.

Device Options

Dogging Option

Prefix		List Add
LD	Less Dogging	N/C

Weep Holes

Suffix		List Add
WH	Drainage (Weep) Holes in Mechanism Case	\$114.00
	3' device will have 5 holes - 6" spacing, 4' device will have 7 holes - 6" spacing	

Switches

Prefix		List Add
RX	Request to Exit - available on all 35A and 98 Series Devices	\$316.00

Electric Latch Retraction

Prefix		List Add
QEL	Quiet Electric Latch Retraction - available on all 35A and 98 Series Devices	\$1,089.00

Electric Unlocking

		List Add
E996	Electric Unlocking of outside E996 Trim - for 98 devices	\$793.00
	Available with L or LBE functions only. Specify handing.	
	Specify FAIL SECURE (FSE) or FAIL SAFE (FS).	

Motorized Electric Unlocking

		List Add
M996	Motorized Electronic Unlocking for outside M996 Trim - for 98 devices	\$793.00
	Available with L or LBE functions only. Specify Handing.	
	Ships FAIL SAFE (FS), but can be field converted to FAIL SECURE (FSE) with dip switch.	

Allegion Connect

Suffix		List Add
CON	Cross-category solution using common interconnect components for electrified options. Available with RX switches, QEL, and E996.	N/C

NOTE: For wire harness options refer to Power Supply and Electronic Component Section.

Device Accessories

Dummy Touch Bars

- 3' Devices are priced complete with sex bolts.
- 4' add \$23 list.

Model No.	Description	US26D	US26	US15	643E	315
350	35A/98 series device dummy touch bar	\$1,010.00	\$1,010.00	\$1,010.00	\$1,010.00	\$1,812.00

98 Series Trim

Specify device type when ordering (example: 996L-R)

Model No.	Description	Device Type	US26D	US26	US15	643E	SPLBLK
110MD-NL	Night Latch Cyl. Assy, MD Dr	–	\$167.00	\$167.00	\$167.00	\$167.00	\$167.00
996L	Lever	R&V	737.00	834.00	834.00	834.00	764.00
996L-BE	Lever, Blank Escutcheon	R&V	737.00	834.00	834.00	834.00	764.00
996L-NL	Lever, Night Latch	R&V	587.00	684.00	684.00	684.00	614.00

Lever Designs

Model No.	Description
Standard	06 Lever Design - furnished standard.
	Optional Lever Designs - Latitude (LAT), 17, 07
Handing	Field reversible and furnished RHR if not specified

35A Series Trim


Model No.	Description	US26D	US26	US15	643E	315
388 (NL-OP)	Night Latch Cylinder Trim	\$386.00	\$386.00	\$386.00	\$386.00	-

Power Transfer

Model No.	Description	SP28
EPT10	Ten 24 guage wires	\$637.00
EPT10 CON	Ten 24 guage wires with connectors	651.00

24-R Device Series

3' Devices are priced with standard trim and strikes, 4' add \$23 list.
Cylinders are not included in the price.

**EXIT HARDWARE****Rim Devices**

(Includes 299 Strike)

	Trim/Control	US19* US26D	US26	643E* US15*
* 24-R-EO		1726	1792	1950
* 24-R-NL-OP (Supplied as NL less trim)		1726	1792	1950
Delta Trim (handed and field reversible)				
24-R-DT	717DT	2050	2116	2274
24-R-DT	718DT	2074	2140	2298
* 24-R-NL	718NL*	2050	2116	2274
* 24-R-C	718C*	1974	2040	2198
Knob Control (handed and field reversible)				
24-R-K	711K	2113	2179	2337
24-R-K-BE	711K-BE	2113	2179	2337
24-R-K-NL	711K-NL	2113	2179	2337
Dane Lever Control (handed and field reversible)				
* 24-R-L	712L*	2201	2267	2425
* 24-R-L-BE	712L-BE*	2201	2267	2425
* 24-R-L-NL	712L-NL*	2201	2267	2425
* 24-R-L-DT	712L-DT*	2201	2267	2425

* These devices and 712L, 712L-BE, 712L-NL, 712L-DT, 718C, 718NL trims are available in 643E, US15 and US19 finishes.

24 Series ordered in 313AN will be supplied with trims in SP313.

Handing: Trims are furnished RHR when handing is not specified.

24 Rim, comes with dead latching as a standard effective April 3, 2017.

Sex Bolts:

Optional Sex Bolts are recommended for center case mounting when device is used with hollow core wood, composite or light gauge hollow metal doors. See chart below for quantities and list prices.

Application	Sex Bolt 325 (Optional)	Sex Bolt 425 (Optional)	List Add
Hollow core wood, composite or light gauge hollow metal doors - EO (exit only device)	2	4	102.00
Hollow core wood, composite or light gauge hollow metal doors - Device with Trim	Not Required	4	68.00

F-24-R Device Series

3' Devices are priced with standard trim and strikes, 4' add \$23 list.

Cylinders are not included in the price.

EXIT HARDWARE
Rim Devices

(Includes 299F Strike)

	Trim/Control	US19* US26D	US26	643E* US15*
* F-24-R-EO		1981	2047	2205
* F-24-R-NL-OP (Supplied as NL less trim)		1981	2047	2205
Delta Trim (handed and field reversible)				
F-24-R-DT	717DT	2305	2371	2529
F-24-R-DT	718DT	2329	2395	2553
* F-24-R-NL	718NL*	2305	2371	2529
* F-24-R-C	718C*	2229	2295	2453
Knob Control (handed and field reversible)				
F-24-R-K	711K	2368	2434	2592
F-24-R-K-BE	711K-BE	2368	2434	2592
F-24-R-K-NL	711K-NL	2368	2434	2592
Dane Lever Control (handed and field reversible)				
* F-24-R-L	712L*	2456	2522	2680
* F-24-R-L-BE	712L-BE*	2456	2522	2680
* F-24-R-L-NL	712L-NL*	2456	2522	2680
* F-24-R-L-DT	712L-DT*	2456	2522	2680

* These devices and 712L, 712L-BE, 712L-NL, 712L-DT, 718C, 718NL trims are available in 643E, US15 and US19 finishes.

24 Series ordered in 313AN will be supplied with trims in SP313.

Handing: Trims are furnished RHR when handing is not specified.

Sex Bolts:

Sex Bolts are supplied for center case mounting when device is used with wood, composite or non-reinforced hollow metal doors.

Application	Sex Bolt 325 (Optional)	Sex Bolt 425 (Optional)
Wood, composite or non-reinforced hollow metal doors - EO (exit only device)	2	4
Wood, composite or non-reinforced hollow metal doors - Device with Trim	Not Required	4

24-V Device Series**3' Devices are priced with standard trim and strikes, 4' add \$23 2' add \$140 list.****Cylinders are not included in the price.****EXIT HARDWARE****Surface Vertical Rod Devices**

(Includes 3788 and 2130 Strikes)

	Trim/Control	US19* US26D	US26	643E* US15*
* 24-V-EO		2265	2351	2536
* 24-V-NL-OP (Supplied as NL less trim)		2265	2351	2536
Delta Trim (handed and field reversible)				
24-V-DT	717DT	2589	2675	2860
24-V-DT	718DT	2613	2699	2884
* 24-V-NL	718NL*	2589	2675	2860
* 24-V-C	718C*	2513	2599	2784
Knob Control (handed and field reversible)				
24-V-K	711K	2652	2738	2923
24-V-K-BE	711K-BE	2652	2738	2923
24-V-K-NL	711K-NL	2652	2738	2923
Dane Lever Control (handed and field reversible)				
* 24-V-L	712L*	2740	2826	3011
* 24-V-L-BE	712L-BE*	2740	2826	3011
* 24-V-L-NL	712L-NL*	2740	2826	3011
* 24-V-L-DT	712L-DT*	2740	2826	3011

* These devices and 712L, 712L-BE, 712L-NL, 712L-DT, 718C, 718NL trims are available in 643E, US15 and US19 finishes.

Handing: 24-V devices and noted Trims are handed and field reversible. The Device and Trims are furnished RHR when handing is not specified.**Extension Rods:** For door heights over 7'0" up to 8'0", 12" extension rods are furnished at no additional charge at the time of device order. For door heights over 8'0" up to 10'0" extension rods are furnished at prices shown in parts section with the device at the time of order.

MUST specify door height on order line.

Sex Bolts:

Optional Sex Bolts are recommended for center case and latch mounting when device is used with hollow core wood, composite or light gauge hollow metal doors. See chart below for quantities and list prices.

Application	Latches Sex Bolt 2729 (Optional)	Device Sex Bolt 425 (Optional)	Device Sex Bolt 325 (Optional)	List Add
Hollow core wood, composite or light gauge hollow metal doors - EO (exit only device)	6	2	2	\$152.00
Hollow core wood, composite or light gauge hollow metal doors - Device with Trim	6	2	Not Required	118.00
Hollow core wood, composite or light gauge hollow metal doors - EO (exit only device) LBR	3	2	2	110.00
Hollow core wood, composite or light gauge hollow metal doors - Device with Trim LBR	3	2	Not Required	76.00

F-24-V Device Series

3' Devices are priced with standard trim and strikes, 4' add \$23, 2' add \$140 list.

Cylinders are not included in the price.

FIRE EXIT HARDWARE
Surface Vertical Rod Devices

(Includes 3788 and 2130 Strikes)

Trim/Control		US19* US26D	US26	643E* US15*
* F-24-V-EO		2502	2588	2773
* F-24-V-NL-OP (Supplied as NL less trim)		2502	2588	2773
Delta Trim (handed and field reversible)				
F-24-V-DT	717DT	2826	2912	3097
F-24-V-DT	718DT	2850	2936	3121
* F-24-V-NL	718NL*	2826	2912	3097
* F-24-V-C	718C*	2750	2836	3021
Knob Control (handed and field reversible)				
F-24-V-K	711K	2889	2975	3160
F-24-V-K-BE	711K-BE	2889	2975	3160
F-24-V-K-NL	711K-NL	2889	2975	3160
Dane Lever Control (handed and field reversible)				
* F-24-V-L	712L*	2977	3063	3248
* F-24-V-L-BE	712L-BE*	2977	3063	3248
* F-24-V-L-NL	712L-NL*	2977	3063	3248
* F-24-V-L-DT	712L-DT*	2977	3063	3248

* These devices and 712L, 712L-BE, 712L-NL, 712L-DT, 718C, 718NL trims are available in 643E, US15 and US19 finishes.

Extension Rods: For door heights over 7'0" up to 8'0", 12" extension rods are furnished at no additional charge at the time of device order.

For door heights over 8'0" up to 10'0" extension rods are furnished at prices shown in parts section with the device at the time of order.

MUST specify door height on order line.

Sex Bolts:

One 4122 Sex Bolt is supplied standard no charge for hinge side mounting. Sex Bolts are supplied for center case and latch mounting when device is used with wood, composite or non-reinforced hollow metal doors.

Application	Latches Sex Bolt 2729 (Supplied)	Device Sex Bolt 425 (Supplied)	Device Sex Bolt 325 (Supplied)
Wood, composite or non-reinforced hollow metal doors - EO (exit only device)	6	2	2
Wood, composite or non-reinforced hollow metal doors - Device with Trim	6	2	Not Required
Wood, composite or non-reinforced hollow metal doors - EO (exit only device) LBR	3	2	2
Wood, composite or non-reinforced hollow metal doors - Device with Trim LBR	3	2	Not Required

24 Device Options

Cylinder Dogging

Not for use with Fire Exit Hardware

Prefix		List Add
CD	Cylinder Dogging available on all 24 series Panic Devices.	79
LD	Less Dogging available on all 24 series Panic Devices.	N/C

Less Bottom Rod

Suffix		List Add
LBR	Less Bottom Rod available with UL Fire Label at no additional charge on F-24-V and F-24-C devices. Fire rated LBR devices must be ordered in pairs of Vertical Rod Devices. For Fire Rated Devices specify one device LBR and second device LBR-AFL. Second device provided with a Fire Pin.	N/C

Electric Latch Retraction

Prefix		List Add
EL	Electric Latch Retraction - Available on all 24 series Panic and Fire Devices. Electrical Latch cannot be used in combination with CD, EA or KOR options.	914
MEL	Motorized Electric Latch Retraction - Available on all 24 series Panic and Fire Devices. Motorized Electric Latch Retraction cannot be used in combination with AX, HD, CD, EA, or KOR options.	839

REFERENCE NOTE:

PS914 is required for EL operation. See Power Supply section for more detail.

Device Monitoring

Prefix		List Add
RX	Touch Bar Request to Exit Switch available on all 24 series devices. RX device monitoring switch can be used in combination with a DM or LM switch (except for 24-R panic and fire).	253
KOR	Key Override - Override device monitoring on a door by use of a keyed cylinder. KOR must be used in combination with a device monitoring switch.	71

Exit Alarm

Prefix		List Add
EA	Exit Alarm available on 24-R and 24-V Panic and Fire Devices. Price includes switch - "RX" is standard, "LM" is optional at no charge. To order "Less Switch", Deduct \$253 list.	629

Allegion Connect

Suffix		List Add
CON	Cross-category solution using common interconnect components for electrified options. Available with EL, MEL, EA, RX, EL-RX, MEL-RX options.	N/C

NOTE: For wire harness options refer to Power Supply and Electronic Component Section.

24 Series Trim

Cylinders are not included in price unless noted.

Athena Trim

Model No.	Device Type	Description	US15	US26 US26D
715DT	R, V	Dummy Trim	286	286

Control Trim

Model No.	Device Type	Description	US15	US26 US26D
711K	R, V	Knob, Key Locks or Unlocks	387	387
711K	C	Knob, Key Locks or Unlocks	387	387
711K-BE	R, V	Knob, Blank Escutcheon	387	387
711K-BE	C	Knob, Blank Escutcheon	387	387
711K-NL	R, V	Knob, Night Latch	387	387
711K-NL	C	Knob, Night Latch	387	387

711 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

Delta Controls

Model No.	Device Type	Description	US15	US26 US26D
717DT	R, V	Dummy Trim	324	324
717DT	C	Dummy Trim	324	324

717 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

Delta Controls

Model No.	Device Type	Description	US15	643E* US19*, US26 US26D
718DT	C	Dummy Trim	348	348
718NL*	R, V	Night Latch	324	324
718NL*	C	Night Latch	324	324
718C*	R, V	Night Latch Less Pull	248	248
718C*	C	Night Latch Less Pull	248	248

* Available in 643E and US19.

718 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

Control Lever Trims

Model No.	Device Type	Description	US15	643E* US19*, US26 US26D
712L*	R, V	Dane Lever, Key Locks or Unlocks	475	475
712L*	C	Dane Lever, Key Locks or Unlocks	475	475
712L-BE*	R, V	Dane Lever, Blank Escutcheon	475	475
712L-BE*	C	Dane Lever, Blank Escutcheon	475	475
712L-NL*	R, V	Dane Lever, Night Latch	475	475
712L-NL*	C	Dane Lever, Night Latch	475	475
712L-DT*	R, V	Dane Lever, Dummy Trim	475	475
712L-DT*	C	Dane Lever, Dummy Trim	475	475

* Available in 643E and US19.

712 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.


The Dane Lever is furnished standard. Optional lever designs Sutro, Quantum and Avalon are available at no additional charge.

24 Series ordered in US32D will be supplied with trims in US15.

25 Device Series

3' Devices are priced with standard trim and strike, 4' add \$23 list.

Cylinders are not included in the price.

**EXIT HARDWARE****Rim Devices**

(Price includes 299 Strike)

	Trim/Control	US19* US26D	US26	643E* US15*
* 25-R-EO		1339	1393	1567
* 25-R-NL-OP (Supplied as NL less trim)		1339	1393	1567
Lever - Dane (handed and field reversible)				
* 25-R-L	510L*	1822	1885	2059
* 25-R-L-BE	510L-BE*	1822	1885	2059
* 25-R-L-NL	510L-NL*	1726	1844	2018
* 25-R-L-DT	510L-DT*	1726	1844	2018
VR Lever (handed and field reversible)				
* 25-R-L	511L*	1891	1955	2129
Thumbpiece (non-handed)				
25-R-TP	512TP	1743	1867	2041
25-R-TP-BE	512TP-BE	1743	1867	2041
* 25-R-NL	512-NL*	1663	1775	1949
Knob (non-handed)				
25-R-K	513K	1701	1817	1991
25-R-K-BE	513K-BE	1701	1817	1991
25-R-K-NL	513K-NL	1701	1817	1991
25-R-K-DT	513K-DT	1701	1817	1991
DT Pull (717 handed and field reversible, 512 non-handed)				
25-R-DT	717DT	1663	1717	1891
25-R-DT	512DT	1591	1775	1949

* These devices and 510L, 510L-BE, 510L-NL, 510L-DT, 511L, 512NL trims are available in 643E, US15, and US19 finishes.

Handing: 25-R Device is non-handed. Trims are furnished RHR when handing is not specified.**Sex Bolts:**

Optional Sex Bolts are recommended for center case mounting when device is used with hollow core wood, composite or light gauge hollow metal doors. See chart below for quantities and list prices.

Application	Sex Bolt 425 (Optional)	List Add
Hollow core wood, composite, or light gauge hollow metal doors - EO (exit only device)	8	\$136.00
Hollow core wood, composite, or light gauge hollow metal doors - Device x Trim	4	68.00

Device Series F-25-R
3' Devices are priced with standard trim and strike, 4' add \$23 list.
Cylinders are not included in the price.
FIRE EXIT HARDWARE
Rim Devices

(Price includes 299F Strike)

	Trim/Control	US19* US26D	US26	643E* US15*
* F-25-R-EO		1595	1649	1823
* F-25-R-NL-OP (Supplied as NL less trim)		1595	1649	1823
Lever - Dane (handed and field reversible)				
* F-25-R-L	510L*	2078	2141	2315
* F-25-R-L-BE	510L-BE*	2078	2141	2315
* F-25-R-L-NL	510L-NL*	1982	2100	2274
* F-25-R-L-DT	510L-DT*	1982	2100	2274
VR Lever (handed and field reversible)				
* F-25-R-L	511L*	2147	2211	2385
Thumbpiece (non-handed)				
F-25-R-TP	512TP	1999	2123	2297
F-25-R-TP-BE	512TP-BE	1999	2123	2297
* F-25-R-NL	512-NL*	1919	2031	2205
Knob (non-handed)				
F-25-R-K	513K	1957	2073	2247
F-25-R-K-BE	513K-BE	1957	2073	2247
F-25-R-K-NL	513K-NL	1957	2073	2247
F-25-R-K-DT	513K-DT	1957	2073	2247
DT Pull (717 handed and field reversible, 512 non-handed)				
F-25-R-DT	717DT	1919	1973	2147
F-25-R-DT	512DT	1847	2031	2205

* These devices and 510L, 510L-BE, 510L-NL, 510L-DT, 511L, 512NL trims are available in 643E, US15, and US19 finishes.
 Handing: F-25-R Device is non-handed. Trims are furnished RHR when handing is not specified.

Sex Bolts:

Sex Bolts are supplied for center case mounting when device is used with wood, composite or non-reinforced hollow metal doors. See chart below for quantities.

Application	Sex Bolt 425 (Supplied)
Wood, composite or non-reinforced hollow metal doors - EO (exit only device)	8
Wood, composite or non-reinforced hollow metal doors - Device x Trim	4

25-V Device Series

3' Devices are priced with standard trim and strikes, 4' add \$23 list and 2' add \$140 list.

Cylinders are not included in the price.

EXIT HARDWARE**Surface Vertical Rod Devices**

(Includes 3788 & 2130 Strikes)

	Trim/Control	US19* US26D	US26	643E* US15*
* 25-V-EO		1947	2030	2186
* 25-V-NL-OP (Supplied as NL less trim)		1947	2030	2186
Lever - Dane (handed and field reversible)				
* 25-V-L	510L*	2430	2522	2678
* 25-V-L-BE	510L-BE*	2430	2522	2678
* 25-V-L-NL	510L-NL*	2334	2481	2637
* 25-V-L-DT	510L-DT*	2334	2481	2637
VR Lever (handed and field reversible)				
* 25-V-L	511L*	2499	2592	2748
Thumbpiece (non-handed)				
25-V-TP	512TP	2351	2504	2660
25-V-TP-BE	512TP-BE	2351	2504	2660
* 25-V-NL	512-NL*	2271	2412	2568
Knob (non-handed)				
25-V-K	513K	2309	2454	2610
25-V-K-BE	513K-BE	2309	2454	2610
25-V-K-NL	513K-NL	2309	2454	2610
25-V-K-DT	513K-DT	2309	2454	2610
DT Pull (717 handed and field reversible, 512 non-handed)				
25-V-DT	717DT	2271	2354	2510
25-V-DT	512DT	2199	2412	2568

*** These devices and 510L, 510L-BE, 510L-NL, 510L-DT, 511L, 512NL trims are available in 643E, US15, and US19 finishes.**

Handing: The 25-V Device is handed and field reversible. Trims are furnished RHR when handing is not specified.

Extension Rods: For door heights over 7'0" up to 8'0", 12" extension rods are furnished at no additional charge at the time of device order.

For door heights over 8'0" up to 10'0" extension rods are furnished at prices shown in parts section with the device at the time of order.

MUST specify door height on order line.

Sex Bolts:

Optional Sex Bolts are recommended for center case and latch mounting when device is used with hollow core wood, composite or light gauge hollow metal doors. See chart below for quantities and list prices.

Application	Latches Sex Bolt 2729 (Optional)	Device Sex Bolt 425 (Optional)	List Add
Hollow core wood, composite or light gauge hollow metal doors - EO (exit only device)	6	6	\$186.00
Hollow core wood, composite or light gauge hollow metal doors - Device x Trim	6	2	118.00
Hollow core wood, composite or light gauge hollow metal doors - EO (exit only device) LBR	3	6	144.00
Hollow core wood, composite or light gauge hollow metal doors - Device x Trim LBR	3	2	76.00

F-25-V Device Series

3' Devices are priced with standard trim and strikes, 4' add \$23 list and 2' add \$140 list.

Cylinders are not included in the price.

FIRE EXIT HARDWARE
Surface Vertical Rod Devices

(Includes 3788 & 2130 Strikes)

	Trim/Control	US19* US26D	US26	643E* US15*
* F-25-V-EO		2185	2268	2424
* F-25-V-NL-OP (Supplied as NL less trim)		2185	2268	2424
Lever - Dane (handed and field reversible)				
* F-25-V-L	510L*	2668	2760	2916
* F-25-V-L-BE	510L-BE*	2668	2760	2916
* F-25-V-L-NL	510L-NL*	2572	2719	2875
* F-25-V-L-DT	510L-DT*	2572	2719	2875
VR Lever (handed and field reversible)				
* F-25-V-L	511L*	2737	2830	2986
Thumbpiece (non-handed)				
F-25-V-TP	512TP	2589	2742	2898
F-25-V-TP-BE	512TP-BE	2589	2742	2898
* F-25-V-NL	512-NL*	2509	2650	2806
Knob (non-handed)				
F-25-V-K	513K	2547	2692	2848
F-25-V-K-BE	513K-BE	2547	2692	2848
F-25-V-K-NL	513K-NL	2547	2692	2848
F-25-V-K-DT	513K-DT	2547	2692	2848
DT Pull (717 handed and field reversible, 512 non-handed)				
F-25-V-DT	717DT	2509	2592	2748
F-25-V-DT	512DT	2437	2650	2806

* These devices and 510L, 510L-BE, 510L-NL, 510L-DT, 511L, 512NL trims are available in 643E, US15, and US19 finishes.

Handing: The F-25-V Device is handed and field reversible. Trims are furnished RHR when handing is not specified.

Extension Rods: For door heights over 7'0" up to 8'0", 12" extension rods are furnished at no additional charge at the time of device order. For door heights over 8'0" up to 10'0" extension rods are furnished at prices shown in parts section with the device at the time of order. MUST specify door height on order line.

Sex Bolts:

Sex Bolts are supplied for center case mounting and latch mounting when device is used with wood, composite or non-reinforced hollow metal doors. See chart below for quantities.

Application	Latches Sex Bolt 2729 (Supplied)	Device Sex Bolt 425 (Supplied)
Wood, composite or non-reinforced hollow metal doors - EO (exit only device)	6	6
Wood, composite or non-reinforced hollow metal doors - Device x Trim	6	2
Wood, composite or non-reinforced hollow metal doors - EO (exit only device) LBR	3	6
Wood, composite or non-reinforced hollow metal doors - Device x Trim LBR	3	2

25 Device Options

Cylinder Dogging Not for use with Fire Exit Hardware

Prefix	List Add
CD Cylinder Dogging available on all 25 series Panic Devices.	79
LD Less Dogging available on all 25 series Panic Devices.	N/C

Less Bottom Rod

Suffix	List Add
LBR Less Bottom Rod available with UL Fire Label at no additional charge on F-25-V and F-25-C devices. Fire rated LBR devices must be ordered in pairs of Vertical Rod Devices. For Fire Rated Devices specify one device LBR and second device LBR-AFL. Second device provided with a Fire Pin.	N/C

Accessible Device

Suffix	List Add
AX Accessible device compliant with the California Building Code (Section 11B-309.4) requirement for 5 lb. maximum operational force. Available on 3' and 4' AX-25-R, AX-F-25-R, AX-25-V, AX-F-25-V, AX-25-V-LBR, AX-F-25-V-LBR/LBR-AFL, AX-25-C, AX-F-25-C, AX-25-C-LBR, AX-F-25-C-LBR/LBR-AFL. Trim functions available EO, DT, NL, L, L-BE, L-NL, L-DT, NL-OP, and C. Other device and trim options compatible with AX25 devices: EL, RX, DM, LM, CON, EA, FSA/FSE, CD, LD.	31

Hurricane Device Meets all FBC Hurricane Listings. Consult factory for specific Applications.

Prefix	List Add
HH Hurricane option available on 25-R, F-25-R, 25-V, F-25-V. Prefix device "HH". Note: HH25-V-EO and HH-F-25-V-EO, will be supplied with twelve sexbolts. Add \$186.00 LIST. Other device functions will be supplied with eight sexbolts. Add \$118.00 LIST. *HH-25-R requires 299F strike; Strike 299F will be provided/charged in place of 299 Strike.	36
Standard Devices 25-C, F-25-C, 25-M, F-25-M meet all FBC Hurricane listing requirements. Consult factory for specific applications. Prefix "HH" is not required on these devices.	N/C

Electric Latch Retraction

Prefix	List Add
EL Electric Latch Retraction - Available on all 25 series Panic and Fire Devices. Electric Latch cannot be used in combination with CD, EA or KOR options.	914
MEL Motorized Electric Latch Retraction - Available on all 25 series Panic and Fire Devices except for 25-M and F-25-M. Motorized Electric Latch Retraction cannot be used in combination with AX, HD, CD, EA, or KOR options	839

REFERENCE NOTE: PS914 is required for EL operation. See Power Supply section for more detail.

Device Monitoring

Prefix	List Add
RX Touch Bar Request to Exit Switch available on all 25 series devices. RX dogging monitoring switch can be used in combination with a DM or LM switch.	253
DM Latch Bolt Monitor Switch (provide signal when latch bolt is fully extended) available on all 25 series devices. DM device monitoring switch can be used in combination with a RX switch, but is not available in combination with a LM switch.	266
LM Latch Bolt Monitoring Switch (provide signal when latch bolt is fully retracted) available on all 25 series devices. LM device monitoring switch can be used in combination with a RX switch, but is not available in combination with a DM switch.	253
KOR Key Override - Override device monitoring on a door by use of a keyed cylinder. KOR must be used in combination with a device monitoring switch.	71

Allegion Connect

Suffix	List Add
CON Cross-category solution using common interconnect components for electrified options. Available with EL, MEL, EA, RX, EL-RX, MEL-RX options.	N/C

NOTE: For wire harness options refer to Power Supply and Electronic Component Section.

Exit Alarm

Prefix	List Add
EA Exit Alarm available on 25-R and 25-V Panic and Fire Devices. Price includes switch - "RX" is standard, "LM" is optional at no charge. To order "Less Switch", Deduct \$207 list. For vertical rod tampering monitoring on Surface Vertical Devices, specify device with DM (Latch Bolt Monitor Switch). Add \$216 list. 9 volt battery included.	629

Electric Lock or Unlock of Trims

Prefix	List Add
FSA Electric Lock/Unlock Trim, Fail Safe (unlocks when power is interrupted).	370
FSE Electric Lock/Unlock Trim, Fail Secure (locks when power is interrupted).	370

REFERENCE NOTES:

FSA/FSE available on all 25 series devices. Available with TP, K, or L functions only. Can be used in combination with EL, EA, or any device monitoring switch. Power supply PS902 is the recommended power supply for use with FSA/FSE trim. If paired with an EL device, PS914 is required. See the power supply section for more information.

25 Series Trims

Cylinders are not included in price.

Lever Trim

Model No.	Lever Style	Device Type	Description	US19* US26D	643E* US15* US26 US32
510L	Dane	R,V,M,C	Lever, Key Locks or Unlocks	483	492
510L-NL	Dane	R,V,M,C	Lever, Night Latch	387	451
510L-DT	Dane	R,V,M,C	Lever, Dummy Trim	387	451
510L-BE	Dane	R,V,M,C	Lever, Blank Escutcheon	483	492

* 643E, US15, US19 are available on the lever trim type listed above except Sutro.

510 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

The Dane Lever is furnished standard. Optional lever designs Broadway, Boardwalk, Danish, Latitude, Longitude, Sutro, Quantum and Avalon are available at no additional charge.

Electric Lock or Unlock option is available on 510L function only.

Suffix FSA for Fail Safe operation, or **FSE** for Fail Secure operation, **add \$370 List**.

Knurling on Dane lever, **add \$80 List**. Contact factory for lead times.

Vandal Resistant Trim

Model No.	Lever Style	Device Type	Description	US32D US19* US26D	US3 643E* US15* US26 US32
511L*	Dane	R,V,M,C	Lever, Key Locks or Unlocks	552	562

* 643E, US15, US19 are available on the lever trim type listed above except Sutro.

511 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

The Dane Lever is furnished standard. Optional lever designs Broadway, Boardwalk, Danish, Latitude, Longitude, Sutro, Quantum and Avalon are available at no additional charge.

Electric Lock or Unlock option is available on 511L.

Suffix FSA for Fail Safe operation, or **FSE** for Fail Secure operation, **add \$370 List**.

Night Latch and Thumbpiece Trim

Model No.	Device Type	Description	US32D US19* US26D	US3 643E* US15* US26 US32
512NL*	R,V,M,C	Night Latch	324	382
512TP	R,V,M,C	Thumbpiece, Key Locks or Unlocks	404	474
512TP-BE	R,V,M,C	Thumbpiece, Blank Escutcheon	404	474

* Available in 643E, US15, US19 on all Falcon Exit levers except for Sutro.

Electric Lock or Unlock option is available on 512TP function only.

Suffix FSA for Fail Safe operation, or **FSE** for Fail Secure operation, **add \$370 List**.

Knob Trim

Model No.	Device Type	Description	US32D US26D	US3 US26 US32
513K	R,V,M,C	Knob, Key Locks or Unlocks	362	424
513K-NL	R,V,M,C	Knob, Night Latch	362	424
513K-DT	R,V,M,C	Knob, Dummy Trim	362	424
513K-BE	R,V,M,C	Knob, Blank Escutcheon	362	424

Electric Lock or Unlock option is available on 513K function only.

Suffix FSA for Fail Safe operation, or **FSE** for Fail Secure operation, **add \$370 List**.

Pull Trim

Model No.	Device Type	Description	US32D US26D	US3 US26 US32
512DT	R,V,M,C	Dummy Trim	252	382

Delta Trim

Model No.	Device Type	Description	SP313	US19* US15 US26D US3 643E* US26 US32
717DT	R,V,M,C	Dummy Trim	278	324
718C*	C	Night Latch Less Pull	226	248

* Available in 643E and US19.

717 and 718 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

19-R Device Series

3' Devices are priced with standard trim and strikes, 4' add \$23 list.

Cylinders are not included in price unless noted.

**EXIT HARDWARE****Rim Devices** (Includes F570 Strike)

		SP28 SP313	US32D
Trim/Control			
19-R-EO		351	618
Trident Trim (must specify handing)			
19-R-DT	920DT	397	664
19-R-NL	920NL	433	700
Centron Trim (non-handed)			
19-R-EO	930EO	392	659
19-R-DT	930DT	397	664
19-R-NL	930NL	416	683
19-R-C	930C	408	675
19-R-DT	917DT	388	655
Control Trim (non-handed)			
19-R-DT	918DT	486	866
19-R-NL	918NL	486	866
Knob Control (handed and field reversible)			
19-R-K	911K	486	866
19-R-K-BE	911K-BE	486	866
19-R-K-NL	911K-NL	486	866
Dane Lever Control (handed and field reversible)			
19-R-L	912L	540	907
19-R-L-BE	912L-BE	540	907
19-R-L-NL	912L-NL	540	907
19-R-L-DT	912L-DT	540	907
Key in Lever (handed and field reversible)			
19-R-KIL	914-KIL-KD W/CYL	578	845
19-R-KIL-NL	914-KIL-NL-KD W/CYL	578	845
19-R-KIL-BE	914-KIL-BE	578	845
19-R-KIL-IC	914-KIL-IC W/CYL	631	898

REFERENCE NOTE:

930 series trim is available in SP313 and US32D finish only. 19 series devices order in SP28 paired with 930 trim are supplied with US32D finish trim.

Sex Bolts:

Three 4122 Sex Bolts are supplied standard no charge, one for hinge side mounting and two for center case mounting.

F-19-R Device Series

3' Devices are priced with standard trim and strike, 4' add \$23 list.
Cylinders are not included in the price unless noted.

FIRE EXIT HARDWARE

Rim Devices (Includes F570 Strike)

		SP28 SP313	US32D
Trim/Control			
F-19-R-EO		440	721
Trident Trim (must specify handing)			
F-19-R-DT	920DT	486	767
F-19-R-NL	920NL	522	803
Centron Trim (non-handed)			
F-19-R-EO	930EO	481	762
F-19-R-DT	930DT	486	767
F-19-R-NL	930NL	505	786
F-19-R-C	930C	497	778
F-19-R-DT	917DT	477	758
Control Trim (non-handed)			
F-19-R-DT	918DT	575	969
F-19-R-NL	918NL	575	969
Knob Control (handed and field reversible)			
F-19-R-K	911K	575	969
F-19-R-K-BE	911K-BE	575	969
F-19-R-K-NL	911K-NL	575	969
Dane Lever Control (handed and field reversible)			
F-19-R-L	912L	629	1010
F-19-R-L-BE	912L-BE	629	1010
F-19-R-L-NL	912L-NL	629	1010
F-19-R-L-DT	912L-DT	629	1010
Key in Lever (handed and field reversible)			
F-19-R-KIL	914-KIL-KD W/CYL	667	948
F-19-R-KIL-NL	914-KIL-NL-KD W/CYL	667	948
F-19-R-KIL-BE	914-KIL-BE	667	948
F-19-R-KIL-IC	914-KIL-IC W/CYL	720	1001

REFERENCE NOTE:

930 series trim is available in SP313 and US32D finish only. 19 series devices order in SP28 paired with 930 trim are supplied with US32D finish trim.

Sex Bolts:

Three 4122 Sex Bolts are supplied standard, one for hinge side mounting and two for center case mounting.
 Two 2729 Sex bolts are supplied for additional center case mounting when device is used with wood, composite or non-reinforced hollow metal doors.

Application	Sex Bolt 2729 (Supplied)
Wood, composite or non-reinforced hollow metal doors	2

19-V Device Series**3' Devices are priced with standard trim and strikes, 4' add \$23 list.****Cylinders are not included in the price unless noted.****EXIT HARDWARE****Surface Vertical Rod Devices**

(Includes 3788 and 2130 Strikes)

		SP28 SP313	US32D
Trim/Control			
19-V-EO		550	1035
Trident Trim (must specify handing)			
19-V-DT	920DT	596	1081
19-V-NL	920NL	632	1117
Centron Trim (non-handed)			
19-V-EO	930EO	591	1076
19-V-DT	930DT	596	1081
19-V-NL	930NL	615	1100
19-V-C	930C	607	1092
19-V-DT	917DT	587	1072
Control Trim (non-handed)			
19-V-DT	918DT	685	1283
19-V-NL	918NL	685	1283
Knob Control (handed and field reversible)			
19-V-K	911K	685	1283
19-V-K-BE	911K-BE	685	1283
19-V-K-NL	911K-NL	685	1283
Dane Lever Control (handed and field reversible)			
19-V-L	912L	739	1324
19-V-L-BE	912L-BE	739	1324
19-V-L-NL	912L-NL	739	1324
19-V-L-DT	912L-DT	739	1324
Key in Lever (handed and field reversible)			
19-V-KIL	914-KIL-KD W/CYL	777	1262
19-V-KIL-NL	914-KIL-NL-KD W/CYL	777	1262
19-V-KIL-BE	914-KIL-BE	777	1262
19-V-KIL-IC	914-KIL-IC W/CYL	830	1315

REFERENCE NOTES:**Handing:** 19-V devices are handed and field reversible. Devices and Trims are furnished RHR when handing is not specified.**Extension Rods:** For door heights over 7'0" up to 8'0", 12" extension rods are furnished at no additional charge at the time of device order.

For door heights over 8'0" up to 10'0" extension rods are furnished at prices shown in parts section with the device at the time of order.

MUST specify door height on order line.

930 series trim is available in SP313 and US32D finish only. 19 series devices order in SP28 paired with 930 trim are supplied with US32D finish trim.**Sex Bolts:**

Three 4122 Sex Bolts are supplied standard no charge, one for hinge side mounting and two for center case mounting.

Six 2729 Sex Bolts are recommended for latch mounting when device is used with hollow core, composite or light gauge hollow metal doors. See chart below for quantities and list prices.

Application	Sex Bolt 2729 (Optional)	List Add
Hollow core, composite or light gauge hollow metal doors	6	84

F-19-V Device Series
3' Devices are priced with standard trim and strikes, 4' add \$23 list.
Cylinders are not included in the price unless noted.
FIRE EXIT HARDWARE
Surface Vertical Rod Devices

(Includes 3788 and 2130 Strikes)

	Trim/Control	SP28 SP313	US32D
F-19-V-EO		688	1164
Trident Trim (must specify handing)			
F-19-V-DT	920DT	734	1210
F-19-V-NL	920NL	770	1246
Centron Trim (non-handed)			
F-19-V-EO	930EO	729	1205
F-19-V-DT	930DT	734	1210
F-19-V-NL	930NL	753	1229
F-19-V-C	930C	745	1221
F-19-V-DT	917DT	725	1201
Control Trim (non-handed)			
F-19-V-DT	918DT	823	1412
F-19-V-NL	918NL	823	1412
Knob Control (handed and field reversible)			
F-19-V-K	911K	823	1412
F-19-V-K-BE	911K-BE	823	1412
F-19-V-K-NL	911K-NL	823	1412
Dane Lever Control (handed and field reversible)			
F-19-V-L	912L	877	1453
F-19-V-L-BE	912L-BE	877	1453
F-19-V-L-NL	912L-NL	877	1453
F-19-V-L-DT	912L-DT	877	1453
Key in Lever (handed and field reversible)			
F-19-V-KIL	914-KIL-KD W/CYL	915	1391
F-19-V-KIL-NL	914-KIL-NL-KD W/CYL	915	1391
F-19-V-KIL-BE	914-KIL-BE	915	1391
F-19-V-KIL-IC	914-KIL-IC W/CYL	968	1444

REFERENCE NOTES:
Handing: F-19-V devices are handed and field reversible. Devices and Trims are furnished RHR when handing is not specified.

Extension Rods: For door heights over 7'0" up to 8'0", 12" extension rods are furnished at no additional charge at the time of device order.

For door heights over 8'0" up to 10'0" extension rods are furnished at prices shown in parts section with the device at the time of order.

MUST specify door height on order line.

930 series trim is available in SP313 and US32D finish only. 19 series devices order in SP28 paired with 930 trim are supplied with US32D finish trim.

Sex Bolts:

Three 4122 Sex Bolts are supplied standard no charge, one for hinge side mounting and two for center case mounting.

Six 2729 are supplied for additional latch case mounting when device is used with wood, composite or non-reinforced hollow metal doors.

Application	Sex Bolt 2729 (Supplied)
Wood, composite or non-reinforced hollow metal doors	6

19 Device Options

Cylinder Dogging

Not for use with Fire Exit Hardware

Prefix		List Add
CD	Cylinder Dogging available on all 19 series Panic Devices.	79
LD	Less Dogging available on all 19 series Panic Devices	N/C

Less Bottom Rod

Suffix		List Add
LBR	Less Bottom Rod available with UL Fire Label at no additional charge on F-19-V devices. Fire rated LBR devices must be ordered in pairs of Vertical Rod Devices. For Fire Rated Devices specify one device LBR and second device LBR-AFL. Second device provided with a Fire Pin. For panic devices, deduct \$66	N/C

* The 19-Series Exit Alarm option has been eliminated. Consult Customer Care for availability and warranty claims.

Accessible Device

Suffix		List Add
AX	Accessible device compliant with the California Building Code (Section 11B-309.4) requirement for 5 lb. maximum operational force. Available on 3' and 4' AX-19-R, AX-F-19-R, AX-19-V, AX-F-19-V, AX-19-V-LBR, AX-F-19-V-LBR/LBR-AFL. Trim functions available EO, DT, NL, L, L-BE, L-NL, L-DT, C, KIL, KIL-BE, KIL-NL, and KIL-IC.	31

19 Series Trims

Cylinders are not included in price unless noted.

Trident Trim

Model No.	Lever Style	Description	SP28, SP313	US32D
920DT	-	Dummy Trim	46	-
920NL	-	Night Latch	82	-

920 series trim are handed and not field reversible, specify RHR or LHR.

Centron Trim

Model No.	Lever Style	Description	SP28	US32D, SP313
917DT	-	Dummy Trim	37	37
930EO	-	Exit Only	-	41
930DT	-	Dummy Trim	-	46
930NL	-	Night Latch	-	65
930C	-	Night Latch Less Pull	-	57

930 series trim are available in SP313 and US32D finish only.

Control Trim

Model No.	Lever Style	Description	SP28, SP313	US15
918DT	-	Dummy Trim	135	248
918NL	-	Night Latch	135	248
911K	-	Knob, Key Locks or Unlocks	135	248
911K-BE	-	Knob, Blank Escutcheon	135	248
911K-NL	-	Knob, Night Latch	135	248

911 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

Lever Trim

Model No.	Lever Style	Description	SP28, SP313	US15
912L	Dane	Lever, Key Locks or Unlocks	189	289
912L-BE	Dane	Lever, Blank Escutcheon	189	289
912L-NL	Dane	Lever, Night Latch	189	289
912L-DT	Dane	Lever, Dummy Trim	189	289

Optional lever designs Quantum and Sutor are available at no additional charge.

912 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

Key In Lever Trims

Model No.	Lever Style	Description	US32D, SP313
914KIL-KD	Dane	Key in Lever, with Keyed Different Cylinder	227
914KIL-BE	Dane	Key in Lever, Blank Escutcheon	227
914KIL-NL-KD	Dane	Key in Lever, Night Latch with Cylinder	227
914KIL-IC	Dane	Key in Lever with IC Core Cylinder	280

914 series trim are handed and field reversible. Trims are furnished RHR when handing is not specified.

914 KIL-KD, KIL-NL-KD come standard with a C keyway and 914 KIL-IC come standard with a A keyway.

Consult factory if other keyways are desired to order separately.


1690 Concealed Vertical Rod Pushpad Exit Devices

Devices are priced for 30", 36" x 7',

Aluminum or Hollow Metal Doors.

Hex Bottom Latch furnished standard.

(Price includes PB48 Strike)



Model No.	US26	US26D	Standard Trim
1690EO	774	743	–
1691DT	1251	1220	9970 Pull
1692NL-OP/HB-OP	924	893	169CA w/Rim Cylinder
1694NL-P/HB-P	1401	1370	9970 Pull 169CA w/Rim Cylinder

REFERENCE NOTES:

Devices are supplied 36" x 7' standard, if not specified.

Rim cylinder supplied standard with NL and HB options is C keyway.

Extra Length	List Add
42"	23.00
48"	32.00

Optional Latches

Suffix		List Add
RL	Rod Bottom Latch	36.00
PL	Pullman Bottom Latch	36.00
ES	Top Latch for use with Electric Strikes Device Furnished LBR (Less Bottom Rod and Less Strike) deduct \$31	40.00
Less Rods	For retrofit of 1990 crossbar device, deduct \$57	List

Door Heights over 7'	List Add
Up to 8'	81.00
Up to 9'	103.00
Up to 10'	119.00

Device Options		List Add
RX Switch	Base Exit Device unit modified Request to Exit Switch monitoring pushpad. Prefix device "RX".	265.00
Electric Latch Retraction	Base Exit Device unit modified with Electric Latch Retraction. Prefix device "EL". The EL option is not field replaceable on this model.	670.00
(One PS914 x 900-2RS is the minimum requirement to power one or two EL devices. See Power Supply Section for requirements and options.)		
Electric Dogging	Base Exit Device unit modified with Electric Dogging Prefix device "ED".	710.00
HH	Hurricane device. Available up to 8' device only. Prefix device "HH". HH is for a Hurricane device for all door manufactures other than YKK.	141.00
HHYKK	Hurricane device. Available up to 8' device only. Prefix device "HHYKK". HHYKK is for a Hurricane device for door manufacture YKK.	141.00


REFERENCE NOTES:

For EL1690 Door widths other than the standard size (30", 36", 42" or 48"), please specify exact door width. For non-standard widths, the price of the next widest standard size will apply.

HH (Hurricane) 1690 devices are hurricane rated by specific door manufacturers. Consult your device manufacturer to assure the HH1690 is hurricane rated with their door solution.

1790 Series Rim Type Pushpad Exit Devices
Devices are priced for 30" and 36",
Aluminum or Hollow Metal Doors.

(Price includes TD35 Strike)



Model No.	US26	US26D	Standard Trim
1790EO	720	694	—
1791DT	1197	1171	9970 Pull
1792NL-OP/HB-OP	870	844	179CA w/Rim Cylinder
1794NL-P/HB-P	1347	1321	9970 Pull 179CA w/Rim Cylinder

REFERENCE NOTES:

Devices are supplied 36" x 7" standard, if not specified.

Rim cylinder supplied standard with NL and HB options is C keyway.

Extra Length	List Add
42"	23.00
48"	32.00

Device Options	List Add
RX Switch	Base Exit Device unit modified Request to Exit Switch monitoring pushpad. Prefix device "RX". 265.00
Electric Latch Retraction	Base Exit Device unit modified with Electric Latch Retraction. Prefix device "EL". 670.00 The EL option is not field replaceable on this model.
(One PS914 x 900-2RS is the minimum requirement to power one or two EL devices. See Power Supply Section for requirements and options.)	
Electric Dogging	Base Exit Device unit modified with Electric Dogging Prefix device "ED". 710.00

REFERENCE NOTES:

For EL1790 Door widths other than the standard size (30", 36", 42" or 48"), please specify exact door width.

For non-standard widths, the price of the next widest standard size will apply.

Lever Control

		P28 P13 P35	US15
179L	Lever Control	414	461
179L-BE	Lever Control, Blank Escutcheon	414	461
179L-NL	Lever Control, Night Latch	414	461

REFERENCE NOTES:

Lever Controls are Handed. Specify handing RHR or LHR.

179L Trims are field retrofittable with all 1790 Series Devices.

For initial installation requiring lever trim, the 1790EO is the suggested device to order with the 179L trims.

179L and L-NL require a 1 1/8" mortise cylinder with straight cam, sold separately.


1990 Concealed Vertical Rod Crossbar Exit Devices

Devices are priced for 3'8" x 7',

Aluminum or Hollow Metal Doors.

Hex Bottom Latch furnished standard.

(Price includes PB48 Strike)



Model No.	US26D	Standard Trim
1990EO	1557	—
1991DT	2034	9970 Pull
1992NL-OP/HB-OP	1671	Rim Cylinder only
1993NL/HB	2148	9970 w/Rim Cylinder

REFERENCE NOTES:

Rim cylinder supplied standard with NL and HB options is C keyway.

Optional Latches

Suffix		List Add
RL	Rod Bottom Latch	36.00
PL	Pullman Bottom Latch	36.00
ES	Top Latch for use with Electric Strikes	40.00
	Device Furnished LBR (Less Bottom Rod and Less Strike) deduct \$31.00 List	

Door Heights over 7'

	List Add
Up to 8'	81.00
Up to 9'	103.00
Up to 10'	119.00

Crossbar

Crossbar furnished 41" standard - Easily Cut for Job Fitting	List Add
Extra Length Crossbar - 48" (Fits Door Width up to 51") - P28, P13, P35 finishes	25.00
Extra Length Crossbar - 48" (Fits Door Width up to 51") - Architectural finishes	36.00
Less Crossbar, deduct \$148 List	


REFERENCE NOTES:

Specify if Door Material other than Aluminum. Not recommended for use on wood doors.

2090 Rim Type Crossbar Exit Devices

**Devices are priced for 3'8",
Aluminum or Hollow Metal Doors.**

(Price includes SD36 Strike)



Model No.	US26D	Standard Trim
2090EO	1443	—
2091DT	1920	9970 Pull
2092NL-OP/HB-OP	1557	Rim Cylinder only
2093NL/HB	2034	9970 w/Rim Cylinder

REFERENCE NOTES:

Rim cylinder supplied standard with NL and HB options is C keyway.

Crossbar

Crossbar furnished 41" standard - Easily Cut for Job Fitting	List Add
Extra Length Crossbar - 48" (Fits Door Width up to 51") - P28, P13, P35 finishes	25.00
Extra Length Crossbar - 48" (Fits Door Width up to 51") - Architectural finishes	36.00
Less Crossbar, deduct \$148 List	


REFERENCE NOTES:

Specify if Door Material other than Aluminum. Specify Handing RHR or LHR. Not Reversible.

Surface Door Closers

1250 Series Surface Door Closers


- Light duty cast aluminum door closer
- Adjustable sizes 1-5
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series		Arms	Finish	Handing	Cylinder Assembly	Cover	Price Ea.
1250	⌚	Rw/PA	AL	-	Std	None	\$262.00
1250	⌚	Rw/PA	AL	-	Std	Slim	280.00
1250	⌚	Hw/PA	AL	-	Std	None	298.00
1250	⌚	Hw/PA	AL	-	Std	Slim	316.00
1250	⌚	Rw/PA	DKBRZ	-	Std	None	262.00
1250	⌚	Rw/PA	DKBRZ	-	Std	Slim	280.00
1250	⌚	Hw/PA	DKBRZ	-	Std	None	298.00
1250	⌚	Hw/PA	DKBRZ	-	Std	Slim	316.00

1260 Series Surface Door Closers


- Light-medium duty cast iron door closer
- Adjustable sizes 1-5
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series		Arms	Finish	Handing	Cylinder Assembly	Cover	Price Ea.
1261	⌚	Rw/PA	AL	-	Std	None	\$365.00
1261	⌚	Hw/PA	AL	-	Std	None	402.00
1261	⌚	Rw/PA	DKBRZ	-	Std	None	365.00
1261	⌚	Hw/PA	DKBRZ	-	Std	None	402.00

1450 Series Surface Door Closers

- Medium duty cast aluminum door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated




Series		Arms	Finish	Handing	Cylinder Assembly	Cover	Price Ea.
1450	⌚	Rw/PA	AL	-	Std	Slim	\$347.00
1450	⌚	Rw/PA	AL	-	Std	Full	360.00
1450	⌚	Hw/PA	AL	-	Std	Slim	383.00
1450	⌚	Hw/PA	AL	-	Std	Full	396.00
1450	⌚	Rw/PA	DKBRZ	-	Std	Slim	347.00
1450	⌚	Rw/PA	DKBRZ	-	Std	Full	360.00
1450	⌚	Hw/PA	DKBRZ	-	Std	Slim	383.00
1450	⌚	Hw/PA	DKBRZ	-	Std	Full	396.00

Notes: **AL** = Aluminum finish (689); **DKBRZ** = Dark bronze finish (695); **Rw/PA** = Regular arm with parallel arm bracket
Hw/PA = Hold open arm with parallel arm bracket (Please note hold open arm configurations are not UL listed.)

Surface Door Closers (continued)

1460 Series Surface Door Closers


- Medium duty cast iron door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series		Arms	Finish	Handing	Cylinder Assembly	Cover	Price Ea.
1461	☺	Rw/PA	AL	-	Std	Slim	\$458.00
1461	☹	Rw/PA	AL	-	Std	Full	471.00
1461	☺	Hw/PA	AL	-	Std	Slim	495.00
1461	☹	Hw/PA	AL	-	Std	Full	508.00
1461	☺	Rw/PA	DKBRZ	-	Std	Slim	458.00
1461	☹	Rw/PA	DKBRZ	-	Std	Full	471.00
1461	☺	Hw/PA	DKBRZ	-	Std	Slim	495.00
1461	☹	Hw/PA	DKBRZ	-	Std	Full	508.00

4040XP Series Surface Door Closers


- Heavy duty cast iron door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series		Arms	Finish	Handing	Cylinder Assembly	Cover	Price Ea.
4040XP	☺	Rw/PA	AL	-	Std	Full	\$650.00
4040XP	☹	Hw/PA	AL	-	Std	Full	730.00
4040XP	☺	EDA	AL	-	Std	Full	699.00
4040XP	☹	Cush	AL	-	Std	Full	736.00
4040XP	☺	SCUSH	AL	-	Std	Full	829.00
4040XP	☹	Rw/PA	DKBRZ	-	Std	Full	650.00
4040XP	☺	Hw/PA	DKBRZ	-	Std	Full	730.00
4040XP	☹	EDA	DKBRZ	-	Std	Full	699.00
4040XP	☺	Cush	DKBRZ	-	Std	Full	736.00
4040XP	☹	SCUSH	DKBRZ	-	Std	Full	829.00

4050A Series Surface Door Closers

- Heavy duty cast aluminum door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series		Arms	Finish	Handing	Cylinder Assembly	Cover	Price Ea.
4050A	☺	Rw/PA	AL	-	Std	Full	\$541.00
4050A	☹	Hw/PA	AL	-	Std	Full	621.00
4050A	☺	EDA	AL	-	Std	Full	589.00
4050A	☹	Cush	AL	-	Std	Full	626.00
4050A	☺	SCUSH	AL	-	Std	Full	716.00
4050A	☹	Rw/PA	DKBRZ	-	Std	Full	541.00
4050A	☺	Hw/PA	DKBRZ	-	Std	Full	621.00
4050A	☹	EDA	DKBRZ	-	Std	Full	589.00
4050A	☺	Cush	DKBRZ	-	Std	Full	626.00
4050A	☹	SCUSH	DKBRZ	-	Std	Full	716.00

Notes: **ALUM** = Aluminum painted finish (689); **DKBRZ** = Dark bronze finish (695); **Rw/PA** = Regular arm with parallel arm bracket
Hw/PA = Hold open arm with parallel arm bracket (Please note hold open arm configurations are not UL listed.)
EDA = Extra Duty Parallel Arm; **CUSH** = Cush-n-stop; **SCUSH** = Spring cush-n-stop

Parts and Components

Series	Number	Product Description	Finish	List Price
1250	18	Drop Plate	ALUM	\$72.00
1250	18PA	Drop Plate - PA	ALUM	72.00
1250	18	Drop Plate	DKBRZ	72.00
1250	18PA	Drop Plate - PA	DKBRZ	72.00
1260	18	Drop Plate	ALUM	73.00
1260	18PA	Drop Plate - PA	ALUM	73.00
1260	18	Drop Plate	DKBRZ	73.00
1260	18PA	Drop Plate - PA	DKBRZ	73.00
1450	18	Drop Plate	ALUM	72.00
1450	18PA	Drop Plate - PA	ALUM	72.00
1450	18FC	Drop Plate (for Full Cover)	ALUM	72.00
1450	18PAFC	Drop Plate - PA (for Full Cover)	ALUM	72.00
1450	18	Drop Plate	DKBRZ	72.00
1450	18PA	Drop Plate - PA	DKBRZ	72.00
1450	18FC	Drop Plate (for Full Cover)	DKBRZ	72.00
1450	18PAFC	Drop Plate - PA (for Full Cover)	DKBRZ	72.00
1460	18	Drop Plate	ALUM	73.00
1460	18PA	Drop Plate - PA	ALUM	73.00
1460	18FC	Drop Plate (for Full Cover)	ALUM	73.00
1460	18PAFC	Drop Plate - PA (for Full Cover)	ALUM	73.00
1460	18	Drop Plate	DKBRZ	73.00
1460	18PA	Drop Plate - PA	DKBRZ	73.00
1460	18FC	Drop Plate (for Full Cover)	DKBRZ	73.00
1460	18PAFC	Drop Plate - PA (for Full Cover)	DKBRZ	73.00
4050A	18	Drop Plate	ALUM	72.00
4050A	18PA	Drop Plate PA	ALUM	72.00
4050A	18	Drop Plate	DKBRZ	72.00
4050A	18PA	Drop Plate PA	DKBRZ	72.00

Notes: **AL** = Aluminum finish (689); **DKBRZ** = Dark bronze finish (695)

Automatic Operators

4600 Series Auto Equalizer

- Heavy duty electro hydraulic automatic operator
- Used when door is operated manually most of the time with occasional automatic opening
- ANSI/BHMA 156.19, UL 10C, UL 325

Series	Mounting	Arms	Finish	Handing	Cylinder Assembly	Cover	List Price
4630		Track	AL	-	Std	Metal	\$7,218.00
4630		Track	DKBRZ	-	Std	Metal	7218.00
4642		Reg	AL	-	Std	Metal	7125.00
4642		Reg	DKBRZ	-	Std	Metal	7125.00

9100 Series Benchmark

- Medium duty electromechanical automatic operator
- Used when door is operated electronically most of the time
- ANSI/BHMA 156.19, UL 325

Series	Mounting	Arms	Finish	Handing	Cylinder Assembly	Cover	List Price
9130		Track	AL	-	Std	Metal	\$4,344.00
9130		Track	DKBRZ	-	Std	Metal	4,344.00
9140		Std	AL	-	Std	Metal	4,261.00
9140		Std	DKBRZ	-	Std	Metal	4,261.00

9500 Series Senior Swing

- Heavy duty electromechanical automatic operator
- Used when door is operated electronically most of the time
- ANSI/BHMA 156.19, UL 325, UL 10C

Series	Mounting	Arms	Finish	Handing	Cylinder Assembly	Cover	List Price
9530		Track	AL	RH	Std	Metal	\$6,114.00
9530		Track	AL	LH	Std	Metal	6,114.00
9530		Track	DKBRZ	RH	Std	Metal	6,114.00
9530		Track	DKBRZ	LH	Std	Metal	6,114.00
9540		Std	AL	RH	Std	Metal	6,009.00
9540		Std	AL	LH	Std	Metal	6,009.00
9540		Std	DKBRZ	RH	Std	Metal	6,009.00
9540		Std	DKBRZ	LH	Std	Metal	6,009.00

General Closer Information

Surface Mount SC Series

Certifications and Listings

1. SC60A, SC70A and SC80A Series Closers are certified to meet the requirements of ANSI Standard A156.4, Grade 1.
2. SC90A Series Closers are certified to meet the requirements of ANSI Standard A156.4, Grade 3.
3. SC60A, SC70A, SC80A, and SC90A Series Closers without hold-open arms are UL10C fire rated.
4. SC61A, SC71A, SC81A, and SC91A Series are designed to meet the American Disabilities Act (ADA) and ANSI A117.1.
5. SC93A (spring size 3) and SC94A (spring size 4) Series do not meet ADA force requirements.

Covers and Hardware:

1. SC80A Series Closers ship with a standard SLIM cover unless an optional FULL (FC) cover is added to the order line.
2. SC60A Series Closers ship as LESS cover unless an optional SLIM cover is added to the order line.
3. SC90A Series Closers ship LESS cover unless an option SLIM cover is added to order line.
4. ALL SC60A/70A/80A/93A/94A closer series are furnished with TBWMS and Self-Reaming and Tapping Screws.

Master Cartons

1. SC60A and SC80A RWPA are packed with six (6) identical closers per master carton. SC60A and SC80A HWP, DS, DSHO, HD, SS, and SSHO arms are packed 4 per master carton.
2. SC70A Series Closers are packed with four (4) identical closers per master carton.

Closer Finishes

Finish Code	BHMA	Finish Color Description
MTBK	622	Matte Black
AL	689	Silver Painted (Resembles Aluminum Finish)
DKB	695	Dark Bronze Painted (Spray Duranodic)

Surface Closer (SC) Options

Falcon has several options to meet your unique application and/or installation needs. See the options section on each series page in the Falcon Closer price list for available options by series. Please contact **Falcon Closer Customer Care at (877) 671-7011** for additional information. As always, we appreciate your business!

Cylinder Options

- **STD – Standard Cylinder.** Cylinder will provide consistent door control throughout the opening & closing cycle. Independent backcheck, main speed and latch speed are field adjustable regulation valves and incorporated into the cylinder.
- **DEL – Delay Action Cylinder.** Cylinder will provide consistent door control throughout the opening & closing cycle but includes an extra regulation valve that allows the door to slowly close (delay) as it begins to send the door back to latch (approximately 70°). Independent backcheck, main speed and latch speed are field adjustable regulation valves and incorporated into the cylinder.


Cover Options

- **STD – Standard Cover.** Cover will enclose the cylinder body with the exception of the unused pinion shaft. A shaft cover will be included to cover the unused pinion shaft.
- **SLIM – Slim Cover.** Cover will enclose the cylinder body with the exception of the unused pinion shaft. A shaft cover will be included to cover the unused pinion shaft.
- **FULL – Full Cover.** Cover will enclose the entire cylinder body, including the unused pinion shaft.

Arm Options

- **Rw/PA – Regular Arm with Parallel Arm Bracket.** Includes adjustable forearm assembly to accommodate a variety of door types and frame conditions. Parallel Arm (PA) bracket allows closer to be installed on the 'push' side of the door in a parallel arm type configuration.
- **Hw/PA – Hold Open Arm with Parallel Arm Bracket.** Includes adjustable forearm assembly to accommodate a variety of door types and frame conditions. Parallel Arm (PA) bracket allows closer to be installed on the 'push' side of the door in a parallel arm type configuration. Hold open function adjustable at the arm shoe.
- **HD/PA – Heavy Duty Arm with Parallel Arm Bracket.** Includes a stamped steel main arm and forearm for added durability in potentially high traffic and/or abusive applications. Parallel Arm (PA) bracket is a permanent feature, installation on 'push' side of the door in a parallel arm type configuration is required.

- **FA – Forged Arm.** Extra heavy duty arm with parallel arm bracket. Includes a forged steel main arm and forearm for maximum durability in high traffic and/or abusive applications. Parallel Arm (PA) bracket is a permanent feature, installation on 'push' side of the door in a parallel arm type configuration is required.
- **FA/HO – Forged Arm with Hold Open.** Extra heavy duty arm with parallel arm bracket that incorporates a hold open feature. Includes a forged steel main arm and forearm for maximum durability in high traffic and/or abusive applications. Parallel Arm (PA) bracket is a permanent feature, installation on 'push' side of the door in a parallel arm type configuration is required.
- **DS – Dead Stop Arm.** Heavy duty arm with parallel arm bracket that incorporates a positive mechanical stop. Includes a stamped steel main arm and forearm for added durability in potentially high traffic and/or abusive applications. Parallel Arm (PA) bracket is a permanent feature, installation on 'push' side of the door in a parallel arm type configuration is required.
- **DS/HO – Dead Stop Arm with Hold Open.** Heavy duty arm with parallel arm bracket that incorporates a positive mechanical stop and hold open feature. Includes a stamped steel main arm and forearm for added durability in potentially high traffic and/or abusive applications. Parallel Arm (PA) bracket is a permanent feature, installation on 'push' side of the door in a parallel arm type configuration is required. Hold open function is manually selected with a 'thumb turn' feature built into the main portion of the arm.
- **SS – Spring-n-Stop Arm.** Extra heavy duty arm with parallel arm bracket that incorporates an integral spring stop. Includes a forged steel main arm and forearm for maximum durability in high traffic and/or abusive applications. Parallel Arm (PA) bracket is a permanent feature, installation on 'push' side of the door in a parallel arm type configuration is required.
- **SS/HO – Spring-n-Stop Arm with Hold Open.** Extra heavy duty arm with parallel arm bracket that incorporates an integral spring stop and hold open feature. Includes a forged steel main arm and forearm for maximum durability in high traffic and/or abusive applications. Parallel Arm (PA) bracket is a permanent feature, installation on 'push' side of the door in a parallel arm type configuration is required.



Fastener Pack Option

- **TBWS – Through Bolt, Wood & Machine Screws.** Fasteners for installation on wood, hollow metal or aluminum store front type doors. Through bolts for installations on 1¾" thick, hollow core doors are included. SC60A/SC70A/SC80A/SC93A/SC94A faster pack will contain TBWS and Self-Reaming and Tapping Screws

ADA Accessibility Requirements

- **Product Information – Closers are preset for standard spring power or can be adjusted in the field to generate the 5lbs. of opening force (36" wide, interior door) requirements for ADA (Sections 4.13.10 and/or 4.13.11) and the ANSI Standard A117.1 (Sections 4.13.10 and/or 4.13.11).**

SC60A Series Closers

SC60A Series


Light-Medium Duty

Model	Arm Type	Shipping Weight	AL (689) DKB (695) MTBK (622)
SC61A	RwPA	7	\$210.00
SC61A	HwPA	7	240.00
SC61A	HDPa	7	240.00
SC61A	DS	9	265.00
SC61A	DSHO	9	293.00
SC61A	SS	9	349.00
SC61A	SSHO	9	370.00

REFERENCE NOTES:

1) SC61A ships standard as LESS cover.

2) SC61A is fully adjustable 1-5



60A Series

Closer Options


Suffix	Description	List Adder
SLIM	SLIM Cover	\$18.00

Closer Parts and Accessories


Model	Description	Shipping Weight	List
SC61A-3071	Standard Cylinder	9	\$130.00
SC60A-72	Slim Cover	1	18.00
SC60A-3077/PA	Regular Arm w/ PA Bracket	3	81.00
SC60A-3049/PA	Hold Open Arm w/ PA Bracket	3	111.00
SC60A-3077HD	Heavy Duty Parallel Arm	3	111.00
SC60A-3077DS	Dead Stop Parallel Arm	5	133.00
SC60A-3049DS	Hold Open Dead Stop Parallel Arm ¹	5	163.00
SC60A-3077SS	Spring N Stop Arm	5	218.00
SC60A-3049SS	Hold Open Spring N Stop Arm	5	243.00
SC60A-18	Mounting Plate - Top Jamb	2	41.00
SC60A-18PA	Mounting Plate - Push Side	2	41.00
SC60A-30	Cush Shoe Support	1	27.00
SC60A-61	Blade Stop Spacer	1	31.00
SSC60A-62A	Offset Auxiliary Shoe	1	36.00

REFERENCE NOTES:


1) Matte Black and Dark Bronze Closers share the same screw finish.



SC60A-18



SC60A-18PA



SC60A-62A

SC70A Series Closers


SC70A Series

Heavy Duty

Model	Arm Type	Shipping Weight	AL (689) DKB (695) MTBK (622)
SC71A	RwPA	10	\$414.00
SC71A	HwPA	10	442.00
SC71A	HDPA	11	442.00
SC71A	FA	11	463.00
SC71A	FAHO	11	495.00
SC71A	DS	11	465.00
SC71A	DSHO	12	497.00
SC71A	SS	12	552.00
SC71A	SSHO	12	575.00

REFERENCE NOTES:

- 1) SC71A ships standard with a FULL Cover.
- 2) SC71A is fully adjustable 1-6





SC70A Series

Closer Parts and Accessories

Model	Description	Shipping Weight	List
SC71A-3071	Standard Cylinder	12	\$310.00
SC71A-3071DEL	Delay Cylinder ¹	12	354.00
SC70A-72	FULL Cover	1	23.00
SC70A-3077/PA	Regular Arm w/ PA Bracket	3	81.00
SC70A-3049/PA	Hold Open Arm w/ PA Bracket	3	111.00
SC70A-3077HD	Heavy Duty Parallel Arm	3	111.00
SC70A-3077FA	Forged Parallel Arm	3	131.00
SC70A-3049FA	Hold Open Forged Parallel Arm	3	160.00
SC70A-3077DS	Dead Stop Parallel Arm	5	133.00
SC70A-3049DS	Hold Open Dead Stop Parallel Arm	5	163.00
SC70A-3077SS	Spring N Stop Arm	5	218.00
SC70A-3049SS	Hold Open Spring N Stop Arm	5	243.00
SC70A-18	Narrow Frame Back Plate	3	71.00
SC70A-18PA	Narrow Top Rail Drop Plate	4	71.00
SC70A-30	Cush Shoe Support	1	27.00
SC70A-61	Blade Stop Spacer	1	31.00
SC70A-62A	Offset Auxiliary Shoe	1	36.00

REFERENCE NOTE:

- 1) SC71A Delay Cylinder is not available in matte black.
- 2) Matte Black and Dark Bronze Closers share the same screw finish.


SC70A-18

SC70A-18PA

SC70A-62A

SC80A Series Closers


SC80A Series

Medium Duty

Model	Arm Type	Shipping Weight	AL (689) DKB (695) MTBK (622)
SC81A	RwPA	8	\$265.00
SC81A	HwPA	8	292.00
SC81A	HDPa	10	292.00
SC81A	DS	10	318.00
SC81A	DSHO	10	346.00
SC81A	SS	10	403.00
SC81A	SSHO	10	424.00

REFERENCE NOTES:

- 1) SC81A ships standard with a SLIM Cover.
2) SC81A is fully adjustable 1-6



SC80A
(w/ full cover shown)

Closer Options


Suffix	Description	List Adder
FC	FULL Cover	\$9.00

Closer Parts and Accessories


Model	Description	Shipping Weight	List
SC81A-307I	Standard Cylinder	10	\$170.00
SC80A-72	Slim Cover	1	14.00
SC81A-72FC	FULL Cover	1	23.00
SC81A-3077/PA	Regular Arm w/ PA Bracket	3	81.00
SC81A-3049/PA	Hold Open Arm w/ PA Bracket	3	111.00
SC81A-3077HD	Heavy Duty Parallel Arm	3	111.00
SC81A-3077DS	Dead Stop Parallel Arm	5	133.00
SC81A-3049DS	Hold Open Dead Stop Parallel Arm	5	163.00
SC81A-3077SS	Spring N Stop Arm	5	218.00
SC81A-3049SS	Hold Open Spring N Stop Arm	5	243.00
SC81A-18	Mounting Plate - Top Jamb	2	41.00
SC81A-18FC	Mounting Plate - Top Jamb for FULL Cover	2	41.00
SC81A-18PA	Mounting Plate - PA	2	41.00
SC81A-18PAFC	Mounting Plate - PA for FULL Cover	2	41.00
SC81A-30	Cush Shoe Support	1	27.00
SC81A-61	Blade Stop Spacer	1	31.00
SC81A-62A	Offset Auxiliary Shoe	1	36.00

REFERENCE NOTE:


- 1) Matte Black and Dark Bronze Closers share the same screw finish.



SC80A-18



SC80A-18PA



SC80 A-62A


SC90A Series Closers
SC90A Series

Light- Residential Duty

Model	Arm Type	Size	Shipping Weight	AL (689) DKB (695)
SC91A	RwPA	1	5	\$154.00
SC91A	HwPA	1	5	183.00
SC93A	RwPA	3	5	154.00
SC93A	HwPA	3	5	183.00
SC94A	RwPA	4	5	154.00
SC94A	HwPA	4	5	183.00

REFERENCE NOTES:



- 1) SC90 series ship standard as LESS Cover.
 2) *Brass will not be available with SC91A/SC93A/SC94A.


SC90A Series
Closer Options


Suffix	Description	List Adder
STD	Standard Cover (Only fits 93 and 94 models)	\$22.00

Closer Parts and Accessories

Model	Description	Shipping Weight	List
SC90A-18	Mounting Plate - Top Jamb	2	\$41.00
SC90A-18PA	Mounting Plate - Push Side	2	41.00


SC90A-18
(SC93A/94A only)

SC90A-18PA
(SC93A/94A only)

Architectural Door Hinges







3CB1

Architectural Hinges

Number	Description	Finish	Price Each
3CB1 4.5x4.5	3 Knuckle Plain Bearing	US26D (652)	\$18.60
3CB1 4.5x4.5	3 Knuckle Concealed Bearing	US32D (630)	84.10
3CB1 4.5x4.5 NRP	3 Knuckle Concealed Bearing NRP	US26D (652)	24.60
3CB1 4.5x4.5 NRP	3 Knuckle Concealed Bearing NRP	US32D (630)	90.10
3CB1 HW 4.5x4.5	3 Knuckle Concealed Bearing Heavy Wt.	US26D (652)	61.00
3CB1 HW 4.5x4.5 NRP	3 Knuckle Concealed Bearing Heavy Wt. NRP	US26D (652)	67.00
3CB1 HW 4.5x4.5 NRP	3 Knuckle Concealed Bearing Heavy Wt. NRP	US32D (630)	135.00
3CB1 HW 5x4.5	3 Knuckle Concealed Bearing Heavy Wt.	US26D (652)	76.40
3SP1 4.5x4.5	3 Knuckle Spring	US26D (652)	33.20
5PB1 4.5x4.5	5 Knuckle Plain Bearing	US26D (652)	11.70
5PB1 4.5x4.5 NRP	5 Knuckle Plain Bearing NRP	US26D (652)	17.70
5BB1 4.5x4	5 Knuckle Ball Bearing	US26D (652)	21.90
5BB1 4.5x4 NRP	5 Knuckle Ball Bearing NRP	US26D (652)	33.90
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US26D (652)	16.30
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US32D (630)	59.70
5BB1 4.5x4.5	5 Knuckle Ball Bearing	USP (600)	15.80
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US10B (613)	82.50
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US15 (619)	75.00
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US3 (632)	25.40
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US4 (633)	20.00
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US10 (639)	22.20
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US10B (640)	31.80
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US15 (646)	30.30
5BB1 4.5x4.5	5 Knuckle Ball Bearing	US26 (651)	25.40
5BB1 4.5x4.5 NRP	5 Knuckle Ball Bearing NRP	US26D (652)	22.30
5BB1 4.5x4.5 NRP	5 Knuckle Ball Bearing NRP	US32D (630)	65.70
5BB1 4.5x4.5 NRP	5 Knuckle Ball Bearing NRP	USP (600)	21.80
5BB1 4.5x4.5 NRP	5 Knuckle Ball Bearing NRP	US10B (613)	94.50
5BB1 4.5x4.5 NRP	5 Knuckle Ball Bearing NRP	US15 (619)	87.00
5BB1 4.5x4.5 NRP	5 Knuckle Ball Bearing NRP	US10B (640)	37.80
5BB1 4.5x4.5 NRP	5 Knuckle Ball Bearing NRP	US15 (646)	36.30
5BB1 5x4.5	5 Knuckle Ball Bearing	US26D (652)	34.50
5BB1 5x4.5 NRP	5 Knuckle Ball Bearing NRP	US26D (652)	46.50
5BB1 5x4.5 NRP	5 Knuckle Ball Bearing NRP	US32D (630)	88.00
5BB1 HW 4.5x4.5	5 Knuckle Ball Bearing Heavy Wt.	US26D (652)	47.30
5BB1 HW 4.5x4.5	5 Knuckle Ball Bearing Heavy Wt.	US32D (630)	97.80
5BB1 HW 4.5x4.5 NRP	5 Knuckle Ball Bearing Heavy Wt. NRP	US26D (652)	53.30
5BB1 HW 4.5x4.5 NRP	5 Knuckle Ball Bearing Heavy Wt. NRP	US32D (630)	103.80
5BB1 HW 4.5x4.5 NRP	5 Knuckle Ball Bearing Heavy Wt. NRP	US10B (613)	149.20
5BB1 HW 4.5x4.5 NRP	5 Knuckle Ball Bearing Heavy Wt. NRP	US15 (619)	127.30
5BB1 HW 5x4.5	5 Knuckle Ball Bearing Heavy Wt.	US26D (652)	54.40
5BB1 HW 5x4.5	5 Knuckle Ball Bearing Heavy Wt.	US32D (630)	114.40
5BB1 HW 5x4.5 NRP	5 Knuckle Ball Bearing Heavy Wt. NRP	US26D (652)	66.40
5BB1 HW 5x4.5 NRP	5 Knuckle Ball Bearing Heavy Wt. NRP	US32D (630)	126.40
5BB1 SC 4.5	5 Knuckle Ball Bearing Swing Clear	US26D (652)	92.90
5BB1 HW BSC 4.5	5 Knuckle Ball Bearing Heavy Wt. Beveled Swing Clear Heavy Wt.	US26D (652)	112.60
5BB1 HW BSC 5	5 Knuckle Ball Bearing Heavy Wt. Beveled Swing Clear Heavy Wt.	US26D (652)	112.60

Continuous Hinges

Number	Description	Finish	Price Each
112HD 83"	Continuous Geared, Heavy Duty 83" Length	US28	239.30
224HD 83"	Continuous Geared with Edge Protector, Heavy Duty, 83"	US28	255.30
700 83"	Continuous Pin & Barrel, 83"	US32D	743.50
700 95"	Continuous Pin & Barrel, 95"	US32D	860.80
705 83"	Continuous Pin & Barrel, Full Wrap, 83"	US32D	970.10

Pivots

7253

7255

7215-7226-7227 INT

91105F
Pivot Set

Number	Description	Handing	Finish	Price Each
7215 SET RH	3/4" Offset Pivot Set, 500 lb	RH	US26D	\$570.90
7215 SET LH	3/4" Offset Pivot Set, 500 lb	LH	US26D	570.90
7226 SET	3/4" Offset Pivot Set, 600 lb	-	US26D	545.90
7230F SET	3/4" Offset Pivot Set, 1000 lb, Fire Rated	-	US32D	1,019.30
7253 SET	Center Hung Pivot Set, 300 lb	-	US26D	452.00
7255 SET	Center Hung Pivot Set, 500 lb	-	US26D	498.30

Note: Set includes top-and-bottom pivots.

Intermediate Pivots

Number	Description	Handing	Finish	Price Each
7215-7226-7227 INT RH	3/4" Offset Intermediate Pivot for 7215, 7226 and 7227	RH	US26D	\$308.60
7215-7226-7227 INT LH	3/4" Offset Intermediate Pivot for 7215, 7226 and 7227	LH	US26D	308.60
7230F-7237F INT RH	3/4" Offset Intermediate Pivot for 7230F and 7237F, Fire Rated	RH	US32D	570.90
7230F-7237F INT LH	3/4" Offset Intermediate Pivot for 7230F and 7237F, Fire Rated	LH	US32D	570.90

Pocket Pivot

Number	Description	Finish	Price Each
91105F	Pocket Pivot, Fire Rated	US32D	\$611.00

Note: Pocket pivots are sold individually.

Floor Stops



FS436



FS185



FS440



FS441



FS444



FS446



FS452



FS544



FS1153



FS1154

Floor Stops, Dome Stops and Kick Downs


Number	Description	Finish	Price Each
FS13	Dome Stop	US26D	\$11.60
FS436	Dome Stop	US26D	8.00
FS436	Dome Stop	US3	9.60
FS436	Dome Stop	US10B	11.00
FS436	Dome Stop	US15	11.00
FS436	Dome Stop	US26	9.90
FS436	Dome Stop	US28	7.30
FS438	Dome Stop for use with Thresholds	US26D	9.00
FS438	Dome Stop for use with Thresholds	US10B	13.00
FS438	Dome Stop for use with Thresholds	US15	16.40
FS438	Dome Stop for use with Thresholds	US26	12.20
FS438	Dome Stop for use with Thresholds	US28	8.90
R435-1/2	1/2" Riser for FS436 Dome Stop	US27	9.10
FS18L	Security Floor Stop, 3 1/2" Bumper	-	23.70
FS18S	Security Floor Stop, 1 1/2" Bumper	-	16.60
FS434	Floor Stop, Angle	US2C	13.00
FS441	Floor Stop	US26D	32.30
FS441	Floor Stop	US10B	35.50
FS441	Floor Stop	US15	45.80
FS444	Floor Stop, Heavy-Duty, Masonry	US26D	38.00
FS444	Floor Stop, Heavy-Duty, Masonry	US10B	46.40
FS444	Floor Stop, Heavy-Duty, Masonry	US15	50.40
FS448	Floor Stop, Heavy-Duty, Drywall/Wood	US26D	44.30
FS448	Floor Stop, Heavy-Duty, Drywall/Wood	US10B	42.80
FS440	Floor Stop w/ Automatic Holder, 1/2" Door to Floor Clearance	US26D	89.00
FS446	Floor Stop w/ Manual Holder, Heavy-Duty, Masonry	US26D	55.50
FS446	Floor Stop w/ Manual Holder, Heavy-Duty, Masonry	US10B	69.40
FS446	Floor Stop w/ Manual Holder, Heavy-Duty, Masonry	US15	72.10
FS450	Floor Stop w/ Manual Holder, Heavy-Duty, Drywall/Wood	US26D	60.40
FS452-4"	Kick Down Holder, 4"	US26D	41.10
FS452-4"	Kick Down Holder, 4"	US15	58.50
FS452-5"	Kick Down Holder, 5"	US26D	51.00
FS452-5"	Kick Down Holder, 5"	US10B	59.10
FS452-5"	Kick Down Holder, 5"	US15	66.60
FS455-4"	Kick Down Holder, 4"	US26D	55.70
FS455-4"	Kick Down Holder, 4"	US3	46.40
FS455-4"	Kick Down Holder, 4"	US10B	55.70
FS455-4"	Kick Down Holder, 4"	US27	11.70
FS455-4"	Kick Down Holder, 4"	US3AL	11.70
FS544-4"	Kick Down Holder, 4"	SP28	17.10
FS544-4"	Kick Down Holder, 4"	SP4	17.10
FS555-5"	Kick Down Holder, 5"	SP28	18.40
FS544/555	Kick Down Holder - Rubber w/ Screw (Use P/N FSPART.1074 when ordering)		4.30
FS1153	Plunger-Type Door Holder — 1 5/8" Throw	US28	69.40
FS1154	Plunger-Type Door Holder — 1 1/4" Throw	US10	125.10

Wall Stops

Wall Stops

Number	Description	Screw Pkg.	Finish	Price Each
060F26D	Residential, Flexible Door Stop, 3"		F26D	1.80
060F10B	Residential, Flexible Door Stop, 3"		F10B	1.80
060F14	Residential, Flexible Door Stop, 3"		F14	1.80
060F15	Residential, Flexible Door Stop, 3"		F15	1.80
63F619E	Residential, Flexible Door Stop, 3"		63F619E	1.40
63F643E/716E	Residential, Flexible Door Stop, 3"		F643E/716E	1.40
60A92	Residential, Solid Door Stop, 3 3/4"		A92	5.10
61A92	Residential, Solid Door Stop, 3 1/8"		A92	5.10
61A10B	Residential, Solid Door Stop, 3 1/8"		A10B	5.10
61A14	Residential, Solid Door Stop, 3 1/8"		A14	5.10
61A15	Residential, Solid Door Stop, 3 1/8"		A15	5.10
61A-W	Residential, Solid Door Stop, 3 1/8"		A-W	5.50
61B15	Residential, Solid Door Stop, 3 1/8"		B15	23.80
60-5/062/70/430	Replacement Rubber Tips for 60, 61, 70 Stops (100/PKG)			118.80
69F14	Hinge Pin Door Stop (70-100 Degree Adjustment)		F14	6.40
69F15	Hinge Pin Door Stop (70-100 Degree Adjustment)		F15	6.40
70A92	Hinge Pin Door Stop (85-125 Degree Adjustment)		A92	3.30
70A-643E/716	Hinge Pin Door Stop (85-125 Degree Adjustment)		A-643E/716	3.90
70A10B	Hinge Pin Door Stop (85-125 Degree Adjustment)		A10B	3.90
70A15	Hinge Pin Door Stop (85-125 Degree Adjustment)		A15	3.90
70B10B	Hinge Pin Door Stop (85-125 Degree Adjustment)		B10B	21.20
70B15	Hinge Pin Door Stop (85-125 Degree Adjustment)		B15	21.20
WS401/402CCV	Wall Bumper, Cast, Concave	Drywall & Wood	US26D	27.90
WS401/402CVX	Wall Bumper, Cast, Convex	Drywall & Wood	US26D	27.90
WS404CVX	Wall Bumper, Compact, Convex	Drywall & Wood	US26D	9.90
WS406/407-CCV	Wall Bumper, Concave	Drywall & Wood	US32D	4.50
WS406/407-CCV	Wall Bumper, Concave	Drywall & Wood	US3	5.70
WS406/407-CCV	Wall Bumper, Concave	Drywall & Wood	US10	6.50
WS406/407-CCV	Wall Bumper, Concave	Drywall & Wood	US10B	6.50
WS406/407-CVX	Wall Bumper, Convex	Drywall & Wood	US32D	4.50
WS406/407-CVX	Wall Bumper, Convex	Drywall & Wood	US10B	6.50
WS406/407-CVX	Wall Bumper, Convex	Drywall & Wood	US15	6.50
411R-W	Wall Bumper, Adhesive Back		R-W	4.20
WS33	Wall Stop	Drywall & Wood	US26D	75.50
WS447	Wall Stop, Heavy-Duty	Drywall & Wood	US26D	56.40
WS445	Wall Stop w/ Manual Holder, Heavy-Duty	Masonry	US26D	98.30
WS40	Wall Stop w/ Automatic Holder	Universal	US26D	149.90
WS45	Wall Stop w/ Automatic Holder	Universal	US26D	208.50
FS495	Wall Stop w/ Automatic Holder		US26D	121.20
CS115-20	Crash Stop	---	US26D	70.20

Pulls and Protection Plates



Kick Plates

Number	Size	Finish	Price Each
8400	8" x 34" B-CS	US32D	68.90
8400	10" x 34" B-CS	US32D	86.30
8400	10" x 35" B-CS	US32D	91.30

Push Plates

Number	Size	Finish	Price Each
8200	Push Plate 3.5x15	US32D	\$25.40
8200	Push Plate 3.5x15	US10B	95.00
8200	Push Plate 3.5x15	US15	54.30
8200	Push Plate 3.5x15	US28	20.60
8200	Push Plate 4x16	US32D	29.60
8200	Push Plate 4x16	US10B	107.50
8200	Push Plate 4x16	US15	61.30
8200	Push Plate 4x16	US26D	59.10
8200	Push Plate 4x16	US28	19.40
8200	Push Plate 6x16	US32D	40.40
8200	Push Plate 8x16	US32D	56.40

Pull Plates

Number	Size	Center to Center	Finish	Price Each
8302-6	8102 6" Pull and Plate 4x16 1 3/4"	6"	US32D	\$91.60
8302-8	8102 8" Pull and Plate 3.5x15 1 3/4"	8"	US32D	95.70
8302-8	8102 8" Pull and Plate 4x16 1 3/4"	8"	US32D	99.50
8302-0	8102 10" Pull and Plate 3.5x15 1 3/4"	10"	US32D	107.10
8302-0	8102 10" Pull and Plate 4x16 1 3/4"	10"	US32D	110.70
8303-8	8103 8" Pull and Plate 4x16 1 3/4"	8"	US32D	148.50
8303-0	8103 10" Pull and Plate 4x16 1 3/4"	10"	US32D	162.40

Pulls

Number	Size	Finish	Price Each
221B26D	Flush Pull, Large Circle	B26D	\$6.40
221B10B	Flush Pull, Large Circle	B10B	6.40
221B15	Flush Pull, Large Circle	B15	6.20
222B26D	Flush Pull, Rectangular	B26D	35.70
223B26D	Flush Pull, Oval	B26D	10.70
227B26D	Flush Pull, Deep Well	B26D	16.50
230B26D	Sliding Door Edge Pull	B26D	23.10
990B-613	Sliding Door Pull	B-613	19.40
990B-619	Sliding Door Pull	B-619	19.40
991B-613	Sliding Door Pull - Locking	B-613	27.10
991B-619	Sliding Door Pull - Locking	B-619	27.10
991B-716	Sliding Door Pull - Locking	B-716	27.10
8103HD-0	Straight 10" Pull, Heavy Duty, 1" Diameter	US32D	89.50
8103EZHD-0	Straight 10" Pull, ADA Compliant, Heavy Duty, 1" Diameter	32D-316	123.80

Offset Door Pulls

Number	Size	Center to Center	Finish	Price Each
8190HD-0	90 Degree Offset 10" Pull, Heavy Duty, 1 3/4"	10"	US32D	\$120.90
8190HD-0	90 Degree Offset 10" Pull, Heavy Duty, 1 3/4"	10"	US10B	244.30
8190HD-0	90 Degree Offset 10" Pull, Heavy Duty, 1 3/4"	10"	US15	192.70
8190HD-2	90 Degree Offset 12" Pull, Heavy Duty, 1 3/4"	12"	US32D	130.40
8190HD-0	90 Degree Offset 10" Pull, Heavy Duty, 1 3/4" (Dec. Thru-Bolt)	10"	US32D	160.90
8190HD-2	90 Degree Offset 12" Pull, Heavy Duty, 1 3/4" (Dec. Thru-Bolt)	12"	US32D	170.40
9190HD-33-0	33" Pushbar/90 Degree Offset 10" Pull, Heavy Duty, 1 3/4"	33", 10"	US32D	449.50

Vandal Resistant Trim

Vandal Resistant Trim

Number	Description	Finish	Price Each
VR910NL	Vandal Resistant Trim 98/99 Rim or Vertical Rod, Horizontal Keyway	US32D	\$402.50
VR910-DT	Vandal Resistant Trim 98/99 Rim or Vertical Rod, Blank Trim	US32D	402.50


Flush Bolts & Strikes


FB358

FB458

FB31P

FB61P

DP1

DP2


Flush Bolts

Number	Description	Door Type	Finish	Price Each
FB358	Manual Flush Bolt, Single Door	Wood	US26D	\$53.80
FB358	Manual Flush Bolt, Single Door	Wood	US10B	53.80
FB358	Manual Flush Bolt, Single Door	Wood	US15	53.80
FB457	Manual Flush Bolt, Single Door	Metal	US26D	40.00
FB458	Manual Flush Bolt, Single Door	Metal	US26D	31.40
FB458	Manual Flush Bolt, Single Door	Metal	US3	33.80
FB458	Manual Flush Bolt, Single Door	Metal	US15	33.80
FB31P	Automatic Flush Bolt, Pair	Metal	US32D	277.00
FB41P	Automatic Flush Bolt, Pair	Wood	US32D	289.80
FB51P	Constant Latching Flush Bolt, Pair	Metal	US32D	277.00
FB61P	Constant Latching Flush Bolt, Pair	Wood	US32D	292.50
262B26D	Manual Flush Bolt		B26D	48.20
262B3	Manual Flush Bolt		B3	41.80
262B10B	Manual Flush Bolt		B10B	48.20
262B	Manual Flush Bolt		B15	48.20
FB256/7/8/457/8/0458-18"	Manual Flush Bolt Rod - 18" (Use P/N 09-161 when ordering)			8.90
FB256/7/8/457/8/0458-24"	Manual Flush Bolt Rod - 24" (Use P/N 09-162 when ordering)			8.90
FB256/7/8/457/8/0458-36"	Manual Flush Bolt Rod - 36" (Use P/N 09-172 when ordering)			8.90

Dust-Proof Strikes

Number	Description	Finish	Price Each
DP1	Dust-Proof Strike — Threshold Only	US26D	\$39.20
DP2	Dust-Proof Strike — Floor and/or Threshold	US26D	49.20
DP2	Dust-Proof Strike — Floor and/or Threshold	US10B	49.20


Coordinators, Lock Guards, & Surface Bolts




CB1




LG1




LG10



LG13



SB453



SB1630B

Coordinators and Accessories








Number	Description	Finish	Price Each
COR52w/FL 20	Coordinator Bar, 52" Overall Length w/ 20" Filler Bar	US28	\$241.80
COR52	Coordinator Bar, 52" Overall Length	US28	221.00
FL20	Filler Bar, 20" Overall Length	US28	20.80
MB1	Mounting Bracket — Stops over 2 1/2"	SP28	42.70
MB1	Mounting Bracket — Stops over 2 1/2"	USP	30.00
MB2	Mounting Bracket — Stops up to 2 1/2"	SP 28	48.20
MB2	Mounting Bracket — Stops up to 2 1/2"	USP	35.10
CB1	Carry Bar	USP	49.10

Lock Guards

Number	Description	Finish	Price Each
LG1	Lock Guard with Security Pin	US32D	\$66.40
LG1	Lock Guard with Security Pin	US2G	28.80
LG10	Lock Guard	US32D	61.90
LG12	Lock Guard	US32D	57.50
LG13	Lock Guard	US32D	55.30
LG14	Lock Guard	US32D	90.60

Surface Bolts

Number	Description	Finish	Price Each
40-4 B26D	4" Decorative Surface Bolt, Light Duty	B26D	\$25.10
054B26D	Dutch Door Bolt	B26D	65.70
SB360-12"	12" Surface Bolt, Heavy Duty, Universal Strike	US2C	159.20
SB453-8"-TB	8" Surface Bolt, Top and Bottom Strikes	US2C	58.00
SB1630B	8" Surface Bolt, Bottom Strike	US2G	59.70
SB1630T	8" Surface Bolt, Top Strike	US2G	66.50
SB1630TB	8" Surface Bolt, Top and Bottom Strikes	US2G	78.70

Latches & Catches

CL11

CL14

CL21A

RL30

RL36

RL38

RL1152

SR64
Roller Latches, Invisible Latches, and Ball-Type or Cabinet Catch

Number	Description	Finish	Price Each
RL30	Roller Latch, High traffic	US26D	\$97.30
RL32	Roller Latch, Light-Duty, Mortise	US26D	131.50
RL36	Roller Latch, Light-Duty, Mortise	US32D	74.20
RL38	Roller Latch, Light-Duty, Surface Mounted	US32D	70.00
RL1152	Roller Latch with Angle Stop	US26D	193.90
CL11	Invisible Latch, 7/16" x 1 1/4" x 1 7/8"	US26D	50.00
CL12	Invisible Latch, 9/16" x 1 1/4" x 2 1/4"	US26D	61.00
CL14	Invisible Latch Auxiliary Pusher	US26D	53.00
CL21A	Ball Catch, Four-Way, Full Size Doors	US26D	49.20
CL22	Ball Catch, Three-Way, Smaller Doors	US26D	33.20
325A92	Magnetic Catch, Light Duty, Single Magnet	A92	4.30
326A92	Magnetic Catch, Heavy Duty, Two Magnet	A92	12.30
327A92	Magnetic Catch, Heavy Duty, Four Magnet	A92	21.00
335B10B	Roller Catch, Adjustable	B10B	25.10
336B15	Roller Catch Adjustable	B15	25.10
347B26D	Ball Catch, Square Corners	B26D	20.70
347B10B	Ball Catch, Square Corners	B10B	20.70
347B15	Ball Catch, Square Corners	B15	19.70
347B26	Ball Catch, Square Corners	B26	20.70
349B26D	Ball Catch, Round Corners	B26D	21.70
349B3	Ball Catch, Round Corners	B3	18.40
349B15	Ball Catch, Round Corners	B26	22.50
2A92	Cabinet Catch, Elbow	A92	5.70
2A3	Cabinet Catch, Elbow	A3	5.70
42B10B	Pocket Door Bolt	B10B	23.00
42B15	Pocket Door Bolt	B15	22.10
42B26	Pocket Door Bolt	B26	23.00

Door Silencers

Number	Description		Finish	Price Each
SR64	Door Silencers for Metal Frames, Bag of 100	Metal	Gray	\$47.30
SR65	Door Silencer for Wood Frames, Bag of 100	Wood	Gray	47.30

Miscellaneous Hardware

Hooks

Number	Description	Finish	Price Each
405	Coat & Hat Hook	A92	\$3.60
571	Coat & Hat Hook	A92	1.80
571	Coat & Hat Hook	A3	1.80
571	Coat & Hat Hook	B10B	13.70
571	Coat & Hat Hook	B15	14.50
572	Coat & Hat Hook	B26D	19.00
580	Ceiling Hook	A92	4.00
581	Wardrobe Hook	A92	2.40
582	Double Wardrobe Hook	A92	2.60
582	Double Wardrobe Hook	B26D	12.40

Viewer

Number	Description	Finish	Price Each
U696B26D	One Way Viewer, UL Listed	B26D	\$22.80
698	One Way Viewer, Wide Angle	B26D	26.90
U698B26D	One Way Viewer, Wide Angle, UL Listed	B26D	32.10
U698B3	One Way Viewer, Wide Angle, UL Listed	B3	32.10
700B26D	One Way Viewer, Narrow Angle	B26D	11.70
U700B26D	One Way Viewer, Narrow Angle, UL Listed	B26D	15.70

Door Guard

Number	Description	Finish	Price Each
482	Door Guard, Solid Bar	B26D	\$49.20

Window Lock

Number	Description	Finish	Price Each
07B3	Window Lock	B3	\$23.20
07B15	Window Lock	US15	29.50

Handrail Bracket

Number	Description	Finish	Price Each
059A92	Handrail Bracket	A92	\$5.30
059A-BLK	Handrail Bracket	A-BLK	6.90
059A-W	Handrail Bracket	A-W	6.90
59A3	Handrail Bracket	A3	5.40
59A15	Handrail Bracket	A15	6.80
59B15	Handrail Bracket	B15	36.60
59A716	Handrail Bracket	A716	6.80
HB159	Handrail Bracket	US27	23.90

Schlage Residential Barn Door Hardware



J-Strap

Description	Finish	Track Length	SKU	Price	Special Order
SD10-6.6 619 JSTP N N SL, Satin Nickel J-Strap	619	6ft 6in	043156002634	\$321.00	
SD10-6.6 622 JSTP N N SL, Black J-Strap	622	6ft 6in	043156002641	203.00	
SD10-6.6 630 JSTP N N SL, Stainless Steel J-Strap	630	6ft 6in	043156002658	405.00	
SD10-6.6 716 JSTP N N SL, Aged Bronze J-Strap	716	6ft 6in	043156002672	313.00	
SD10-8.0 619 JSTP N N SL, Satin Nickel J-Strap	619	8ft	043156002832	330.00	
SD10-8.0 622 JSTP N N SL, Black J-Strap	622	8ft	043156002849	208.00	
SD10-8.0 630 JSTP N N SL, Stainless Steel J-Strap	630	8ft	043156002856	414.00	
SD10-8.0 716 JSTP N N SL, Aged Bronze J-Strap	716	8ft	043156002870	310.00	

Top Mount

Description	Finish	Track Length	SKU	Price	Special Order
SD10-6.6 619 TMNT N N SL, Satin Nickel Top Mount	619	6ft 6in	043156002788	\$321.00	
SD10-6.6 622 TMNT N N SL, Black Top Mount	622	6ft 6in	043156002795	203.00	
SD10-6.6 630 TMNT N N SL, Stainless Steel Top Mount	630	6ft 6in	043156002801	405.00	
SD10-6.6 716 TMNT N N SL, Aged Bronze Top Mount	716	6ft 6in	043156002825	313.00	
SD10-8.0 619 TMNT N N SL, Satin Nickel Top Mount	619	8ft	043156002986	330.00	
SD10-8.0 622 TMNT N N SL, Black Top Mount	622	8ft	043156002993	208.00	
SD10-8.0 630 TMNT N N SL, Stainless Steel Top Mount	630	8ft	043156003006	414.00	
SD10-8.0 716 TMNT N N SL, Aged Bronze Top Mount	716	8ft	043156003020	310.00	


Schlage Residential Sliding Door Hardware (continued)



Track Adapter

Description	Finish	SKU	Price	Special Order
SD10 619 ADPTR N N SL, Satin Nickel Track Adapter	619	043156003051	\$16.70	
SD10 622 ADPTR N N SL, Black Track Adapter	622	043156003068	14.50	
SD10 630 ADPTR N N SL, Stainless Steel Track Adapter	630	043156003075	17.60	
SD10 716 ADPTR N N SL, Aged Bronze Track Adapter	716	043156003099	16.70	

Overhead Stops and Holders



70 Series

70 Series	Description	Function	Finish	Price Each
704H	70 Series Stop and Holder, Size 4	Hold-Open	US26D	\$326.00
704S	70 Series Stop, Size 4	Stop-Only	US26D	326.00


81 Series

81 Series	Description	Function	Finish	Price Each
814H	81 Series Stop and Holder, Size 4	Hold-Open	US32D	\$455.00
814S	81 Series Stop, Size 4	Stop-Only	US32D	397.00


90 Series

90 Series	Description	Function	Finish	Price Each
903H	90 Series Stop and Holder, Size 3	Hold Open	US32D	\$447.00
904H	90 Series Stop and Holder, Size 4	Hold Open	US32D	447.00
905H	90 Series Stop and Holder, Size 5	Hold Open	US32D	447.00
906H	90 Series Stop and Holder, Size 6	Hold Open	US32D	447.00
903S	90 Series Stop, Size 3	Stop Only	US32D	447.00
904S	90 Series Stop, Size 4	Stop Only	US32D	447.00
905S	90 Series Stop, Size 5	Stop Only	US32D	447.00
906S	90 Series Stop, Size 6	Stop Only	US32D	447.00
AJK90	Angle Jamb Bracket Kit	—	US26D	63.00


Overhead Stops and Holders (continued)



100 Series



410 Series



450 Series

100 Series

100 Series	Description	Function	Finish	Price Each
104H	100 Series Stop and Holder, Size 4	Hold Open	US32D	\$435.00
105H	100 Series Stop and Holder, Size 5	Hold Open	US32D	435.00
102S	100 Series Stop, Size 2	Stop Only	US32D	435.00
103S	100 Series Stop, Size 3	Stop Only	US32D	435.00
104S	100 Series Stop, Size 4	Stop Only	US32D	435.00
104S	100 Series Stop, Size 4	Stop Only	US10B	458.00
104S ADJ	100 Series Stop, Size 4 w/ ADJ	Stop Only	US32D	522.00
105S	100 Series Stop, Size 5	Stop Only	US32D	435.00
106S	100 Series Stop, Size 6	Stop Only	US32D	435.00

410 Series

410 Series	Description	Function	Finish	Price Each
414H	410 Series Stop and Holder, Size 4	Hold Open	US32D	\$161.00
413S	410 Series Stop, Size 3	Stop Only	US32D	161.00
414S	410 Series Stop, Size 4	Stop Only	US32D	161.00
414S	410 Series Stop, Size 4	Stop Only	652	135.00

450 Series

450 Series	Description	Function	Finish	Price Each
454H	450 Series Stop and Holder, Size 4	Hold Open	US32D	\$199.00
454H	450 Series Stop and Holder, Size 4	Hold Open	652	153.00
451S	450 Series Stop, Size 1	Stop Only	US32D	199.00
451S	450 Series Stop, Size 1	Stop Only	652	153.00
452S	450 Series Stop, Size 2	Stop Only	US32D	199.00
452S	450 Series Stop, Size 2	Stop Only	652	153.00
453S	450 Series Stop, Size 3	Stop Only	US32D	199.00
453S	450 Series Stop, Size 3	Stop Only	652	153.00
454S	450 Series Stop, Size 4	Stop Only	US32D	199.00
454S	450 Series Stop, Size 4	Stop Only	652	153.00
454S	450 Series Stop, Size 4	Stop Only	US10B	219.00
454S	450 Series Stop, Size 4	Stop Only	SP28	131.00
455S	450 Series Stop, Size 5	Stop Only	US32D	199.00
455S	450 Series Stop, Size 5	Stop Only	652	131.00

Overhead Stops and Holders (continued)

**The 510 Series and the 550 Series are no longer available for sale.
Please, contact your local representative for further details.**

Schlage Residential: How to Order

Thank you for your order and continuing business. In order to expedite order processing, please include the following information on purchase orders:

- Schlage account number
- Product UPC numbers (if available)
- Quote number (if applicable)
- Specific keying requirements

Note: Line quantities of keyed products must be divisible by KA quantities.

Example: 20 locks ordered KA4 results in 5 groups of 4 locks keyed alike, however, 20 locks ordered KA3 is not divisible and results in order processing delays as Schlage seeks clarification


· Door handing

How to identify door handing:

Handing of all doors is determined from the exterior of the room's entrance.

- If the hinge is on the left side of the door, the door is "left hand" (LH)
- If the hinge is on the right side of the door, the door is "right hand" (RH)
- To order a handed product, please specify LH or RH
- To order a handleset, handing is still determined from the exterior of the door
- We will use that information to determine the handing for the inside of the door

Lever Handing Diagram




Schlage Commercial: How To Order

To order Schlage products, descriptive data should be in the same sequence as shown:


LINE ITEM	QTY	PRODUCT	OUTSIDE		INSIDE		HAND	LATCH	DR STRIKE	THK	EXT	DIM	ADDITIONAL DETAILS
			DES	FIN	DES	FIN							
1	2	3	4	5	6	7	8	9	10	11	12	13	14

- LINE ITEM:** Line item number
- QTY:** Quantity
- PRODUCT:** Complete lock product or part number
- OUTSIDE DES:** Outside design code
- OUTSIDE FIN:** Outside finish code
- INSIDE DES:** Inside design code. Leave blank if same as outside design code.
- INSIDE FIN:** Inside finish code. Leave blank if same as outside finish code.
- HAND:** Hand of door. Only one hand allowed per line item.
Example: RH=Right Hand, LH=Left Hand, RR=Right Reverse, LR=Left Reverse.

How to Determine Hand of Door



How to Determine Hand of Parts (Handed Levers)



- LATCH:** Latch. Leave blank for standard or specify part number if non-standard latch is required. LLL=Less Latch.
- STRIKE:** Strike. Leave blank for standard or specify part number if non-standard strike is required. LLL=Less Strike.
- DR THK:** Door Thickness. Enter door thickness if non-standard. Example: 138=1 3/8", 214=2 1/4", 212=2 1/2".
- EXT:** Extension. Enter one of the following when doors 2" thick or greater are specified:
EE = Extended Equally
EI = Extended Inside
EO = Extended Outside
ED = Extended Differently

EI or EO assumes the latch will be centered on a 1 3/4" door, to which material has been added.

- DIM:** Enter dimension for non-standard strike lip length and mortise cylinder or blocking ring length.

012 = 1/8"	118 = 1 1/8"
018 = 3/16"	114 = 1 1/4"
025 = 1/4"	138 = 1 3/8"
031 = 5/16"	112 = 1 1/2"
037 = 3/8"	158 = 1 5/8"
050 = 1/2"	134 = 1 3/4"
078 = 7/8"	200 = 2"
100 = 1"	400 = 4"

- ADDITIONAL DETAILS:** Enter detail for keying information and for special requirements.

LE - How to Order

Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 ¾"
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	Engineering specials are denoted by a part number beginning with "X" and are not subject to standard discounting.
5.	⌚ denotes a lock or part that requires an extended lead time.
6.	👉 denotes a handed product and requires handing to be specified.
7.	For all restricted keyways (Everest B, D, 29R, and 29T, also, Quad, Numbered, and Reversed) add \$16.00. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
8.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
9.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA (keyed alike), KD (keyed different) and 0-bitted product and S145 for factory managed masterkey systems.
10.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
11.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
12.	Locks specified with "C" keyway and KD or 0-bitted will receive 6-pin cylinders (keyed 5) with 5-pin keys.
13.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
14.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
15.	Available plug face finishes are 622, 626, and 643e. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

LE - How to Order

		REQUIRED FIELDS					FACTORY DEFAULT AND OPTIONS												
		LE	BMS	GRW	P	03	626	00A	-	-	612	-	-	LH	10-136	-	134	S123	-
1. Series:																			
2. Chassis/Function:																			
BMS	Mobile enabled mortise with LED Indicator																		
BMB	Mobile enabled mortise with push button and LED																		
BMD	Mobile enabled mortise deadbolt with LED																		
MS	Mortise with LED indicator																		
MB	Mortise with push button and LED																		
MD	Mortise Deadbolt with LED																		
3. Style:																			
GRW	Greenwich sectional with rose																		
ADD	Addison escutcheon																		
4. Cylinder Type:																			
P	Mortise cylinder, Schlage 6-pin																		
For all options see LE ordering pages																			
5. Outside Lever:*																			
06	Suites with Rhodes																		
07	Suites with Athens																		
17	Suites with Sparta																		
BRW	Broadway																		
BRK	Boardwalk																		
LAT	Latitude																		
LON	Longitude																		
For all options see SES Price Book																			
*To add tactile warning, use prefix 8. Example: 806																			
6. Outside Finish:																			
626	Satin Chrome																		
619	Satin Nickel																		
622	Matte Black																		
625	Bright Chrome																		
643e	Aged Bronze																		
7. Outside Rose: Specify only for Greenwich Trim																			
00A	2 1/8" (54 mm) diameter (Standard)																		
00B	2 9/16" (65 mm) diameter																		
00C	2 5/8" (66 mm) diameter with bevel																		
8. Inside Lever: Specify only if different from outside lever																			
3	Suites with Tubular style																		
LAT	Latitude																		
For all options see LE ordering pages																			
9. Inside Finish: Specify only if different from outside finish																			
See options under 6 above																			
10. Inside Rose: Specify only for Greenwich Trim and only if different from Outside Rose																			
See options under 7 above																			
11. Handing:																			
RH	Right Handed (Standard)																		
LH	Left Handed																		
RHR	Right Handed Reverse																		
LHR	Left Handed Reverse																		
12. Strike Plate Lip Length:																			
10-136	1 3/16" lip length (Standard for MS/MB)																		
10-136-112	1 1/2" lip length																		
For all options see LE ordering pages																			
13. Door Thickness																			
134	1 3/4" (Standard)																		
Options available up to 2-1/4" thickness - see LE ordering pages																			
14. Keyway Type																			
S123	Everest 29 S (Standard)																		
For all options see LE ordering pages																			
15. Additional Options																			

NDE - How to Order

Standard Features

Certification	ANSI/BHMA Certified A156.25-2013, A156.2-2011, Series 4000, Grade 1, UL 294, UL 10C
Latch	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1/2" throw
Strike	1 1/4" x 4 7/8", ANSI Square corner, with DPS magnets, no box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	Comes set for 1 3/4" thick doors. Can be field adjusted for doors 1 5/8"-2" thick.
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4"
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	Engineering specials are denoted by a part number beginning with "X" and are not subject to standard discounting.
5.	⌚ denotes a lock or part that requires an extended lead time.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$16.00. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and O-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or O-bitted will receive 6 pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If O-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied O-bitted. If 1-bitted is selected, the order will be entered as O-bitted.
14.	Available plug face finishes are 622, 626, and 643e. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.

NDE - How to Order

	REQUIRED FIELDS					FACTORY DEFAULT AND OPTIONS																		
	NDE	-	80	-	PD	-	ATH	-	626	-	SPA	-	-	-	13-047	-	10-130	-	138	-	S123	-	-	
1. Series:																								
2. Function: 80 Storeroom with Vandlgard																								
3. Cylinder Type: PD Schlage 6-pin Full Cylinder For options see NDE ordering pages																								
4. Outside Lever:* LLL Less interior and exterior levers SPA Sparta RHO Rhodes ATH Athens LAT Latitude LON Longitude BRW Broadway BRK Boardwalk *To add tactile warning, use prefix 8. Example: 8SPA																								
5. Outside Finish: 626 Satin Chrome 619 Satin Nickel 622 Matte Black 625 Bright Chrome 643e Aged Bronze																								
6. Inside Lever:* Specify only if different from outside lever SPA Sparta RHO Rhodes ATH Athens LAT Latitude LON Longitude BRW Broadway BRK Boardwalk *To add tactile warning, use prefix 8. Example: 8SPA																								
7. Inside Finish: Specify only if different from outside finish 626 Satin Chrome 619 Satin Nickel 625 Bright Chrome 643e Aged Bronze																								
8. Backset and Latchbolt: 13-047 2 3/4" Backset, Deadlatch, Square Corner, 1 1/8" x 2 1/4" (Standard) For options see individual Class/Chassis page																								
9. Strike Plate: 10-130 1 3/16" Lip, ANSI, DPS magnets, no box, 1 1/4" x 4 7/8" (Standard) For options see individual Class/Chassis page																								
10. Strike Lip Dimension: Specify only if different from options 10-130 or 10-132 dimensions 138 1 3/8" lip length option available on 10-130 and 10-131 strike plates (normally 1 3/16") 112 1 1/2" lip length option available on 10-132 strike plate (normally 1 1/8")																								
11. Keyway Type: S123 Everest 29 S (Standard) For options see individual Class/Chassis page																								
12. Additional Options																								

CTE Series - How to Order:

		REQUIRED FIELDS		Options		
		CTE	-	MTB15	-	B
1. CTE						
2. Reader Type						
MTB11	Mobile Enabled Multi-Technology Mullion Mount					
MTB15	Mobile Enabled Multi-Technology Single Gang Wall Mount					
3. Cover Color (optional)						
B	Black - default					
C	Cream					

1-2. Select CTE Kit Reader Option

CTE-MT11-485 CTE with Multi-Technology Mullion Reader Kit
 CTE-MT15-485..... CTE with Multi-Technology Single Reader Kit

3. Select Color

BBlack – Default
 CCream

ND Series

Ordering Procedures

Standard Features

Certification	ANSI/BHMA Certified A156.2-2011, Series 4000, Grade 1, UL Listed for 3-hour fire door.
Latch	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1/2" throw
Strike	1 1/4" x 4 7/8", ANSI Square corner, no box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	1 5/8" – 2 1/8" for all functions except ND85; 1 3/4" – 2" for ND85
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	ND53PD	RHO	622	OME	–	–	13-247	10-025	214	EE	138	KA

Line Item: Line item number

Qty: Quantity

Product: Product function + Cylinder code

Outside Des: Outside lever design

Outside Fin: Outside finish

Inside Des: Inside lever design: Specify only if different from the outside lever design

Inside Fin: Inside lever finish: Specify only if different from the outside finish

Hand: Hand of door: N/A for ND lock

Latch: Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.

Strike: Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.

Dr Thk: Door thickness: Enter door thickness if non-standard. Example: 138=1 3/8", 214=2 1/4"

Ext: Extension: Enter for doors 2 1/8" or greater. Example: EE=extended equally, EI=extended inside, EO=extended outside, ED=extended differently

Dim: Dimension: Enter only for non-standard strike lip length

Additional Details: Enter additional detail for keying information or special requirements

Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	⌚ denotes a lock or part that requires an extended lead time.
5.	👤 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$22.00. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6 pin cylinders.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606, 622, 626, 643e.
15.	Locks and cylinders will be furnished with 2 keys each as standard. Additional keys will be charge at the additional cut keys charge appropriate for the cylinder/key type

Multi-family How to Order - Locks

L Series

Ordering Procedures

Standard Features

Certifications	L/LV9000: ANSI/BHMA Certified A156.13-2012, Series 1000, Grade 1 Operational, Grade 1 Security, UL Listed for 3-hour fire door (except L9076 and L9077). With FSIC Interchangeable Core Cylinders: Grade 2 Security. With SFIC Interchangeable Core Cylinders: Grade 3 Security. L400: ANSI/BHMA Certified A156.36-2010, Grade 1, UL Listed for 3-hour fire door.
Case Size	L/LV9000: 4 7/16" x 6 1/16" x 1"; L400: 4 7/16" x 3 5/8" x 1"
Armor Front	L/LV9000: 1 1/4" x 8"; L400: 1 1/4" x 5 9/16"
Deadbolt	1" Throw stainless steel
Latchbolt	3/4" Throw stainless steel with anti-friction tongue
Strike	L/LV9000: 1 1/4" x 4 7/8" Square corner, 1-3/16" lip, box; L400: 1 1/8" x 3 5/8" square corner, box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	1 3/4"
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	L9050P	12A	626	06B	613	RH	09-669	10-072	2	EE	134	KA

Line Item: Line item number

Qty: Quantity

Product: Product function + cylinder code

Outside Des: Outside lever design + rose/escutcheon code

Outside Fin: Outside finish

Inside Des: Inside lever design + rose/escutcheon code, specify only if different from the outside lever design

Inside Fin: Inside lever finish, specify only if different from the outside finish

Hand: Hand of door, specify only for handed lever designs or for LM9300 MultiPoint lock

Latch: Product armor front, leave blank for standard armor or specify part number if non-standard armor is required.
LLL = less armor front

Strike: Product strike, leave blank for standard strike or specify part number if non-standard strike is required. LLL = less strike

Dr Thk: Door thickness, leave blank for standard thickness (1 3/4") or specify if non-standard. Example: 138 = 1 3/8", 214 = 2 1/4"

Ext: Extension, enter one of the following when door thicknesses 2" or greater are specified: EE = Extended Equally, EI = Extended Inside, EO = Extended Outside

Dim: Dimension; for locks enter only for non-standard strike lip length, for parts enter for non-standard strike lip length, mortise cylinder or blocking ring length

Additional Details: Enter additional detail for keying information or special requirements

Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	⌚ denotes a lock or part that requires an extended lead time.
5.	👤 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$22.00. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and O-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or O-bitted will receive 6 pin cylinders.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If O-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied O-bitted. If 1-bitted is selected, the order will be entered as O-bitted.
14.	Available plug face finishes are 606 and 626. For brass or bronze finish colors, the plug face finish is 606. For chrome, nickel or stainless steel finish colors, the plug face finish is 626.
15.	Locks and cylinders will be furnished with 2 keys each as standard. Additional keys will be charge at the additional cut keys charge appropriate for the cylinder/key type

ALX Series

Ordering Procedures

Standard Features

Certification	ANSI/BHMA Certified A156.2-2011, Series 4000, Grade 2, UL Listed for 3-hour fire door.
Latch	1 1/8" x 2 1/4", Square corner faceplate, 1" housing diameter, 1/2" throw
Strike	1 1/4" x 4 7/8", ANSI, Square corner, no box
Backset	2 3/4"
Cylinder	6-Pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)
Door Range	1 3/8" – 1 7/8"
Keys	Two nickel silver cut keys per lock, 6-pin, S123 section



Indicates products that have EPD documentation available and meet LEED v4.

To order Schlage products, descriptive data should be in the same sequence as shown below.

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	10	ALX53PD	SAT	626	NEP	619	-	11-096	10-025	200	EE	-	-

Line Item: Line item number

Qty: Quantity

Product: Product function + Cylinder code

Outside Des: Outside lever design

Outside Fin: Outside finish

Inside Des: Inside lever design: Specify only if different from the outside lever design

Inside Fin: Inside lever finish: Specify only if different from the outside finish

Hand: Hand of door: N/A for ALX lock

Latch: Product latch: Leave blank for standard latch or specify part number if non-standard latch is required.

Strike: Product strike: Leave blank for standard strike or specify part number if non-standard strike is required.

Dr Thk: 1-3/8" through 1-3/4"

Dim: Dimension: Enter only for non-standard strike lip length

Additional Details: Enter additional detail for keying information or special requirements

Common Pricing Information

1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1 3/4" unless otherwise specified.
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	⌘ denotes a lock or part that requires an extended lead time.
5.	👤 denotes a handed product and requires handing to be specified.
6.	For all restricted keyways (Everest D, Everest 29 T, Quad, Numbered, Reversed) add \$22.00. This does not apply to Primus cylinders. See Terms and Conditions for ordering information and requirements.
7.	Locks, keys and cylinders containing restricted keyways require additional documentation to order. Please see Terms and Conditions for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD and O-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or O-bitted will receive 6 pin cylinders.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If O-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied O-bitted. If 1-bitted is selected, the order will be entered as O-bitted.
14.	Available plug face finishes are 606, 622, 626, 643e.
15.	Locks and cylinders will be furnished with 2 keys each as standard. Additional keys will be charge at the additional cut keys charge appropriate for the cylinder/key type

Multi-family How to Order - Exits

Von Duprin: How to Order

Sequence Example

				EL	98	27	L	F	—	US26D	3'	RHR	LBR	US26D	996/ US26D	299F/ 06	SNB	HM
Prefixes																		
None	Standard																	
AX	Accessible Device	RX	Request to Exit															
CD	Cylinder Dogging - Panic Only	RX2	Double Request to Exit															
CX	Chexit	SD	Special Dogging - Panic Only															
E	Electric Locking Mortise/Lever	SS	Signal Switch															
EL	Electric Latch Retraction	WS	Windstorm (FEMA rated)															
HH	Hurricane Device		Surface Vertical Rod Exit Device															
LX	Latch Bolt Monitoring	XP	Heavy Protection - Rim															
PL	Pullman Latch																	
PN	Pneumatic Latch Retraction																	
QEL	Quiet Electric Latch Retraction																	
Device Series																		
22	Push Bar Device	88	Cross Bar Device															
33A/35A	Push Bar Device	94/95	Recessed Device															
55	Cross Bar Device	98/99	Push Bar Device															
Device Type																		
None	Rim Device																	
27	Surface Mounted Vertical Rod Device																	
47	Concealed Vertical Rod Device																	
47WDC	Concealed Vertical Rod Wood Door Device																	
48	Concealed Vertical Rod Device																	
49	Concealed Vertical Cable Device (see CVC how to order form)																	
50WDC	Concealed Vertical Cable Wood Door Device																	
57	Three-Point Latch Device																	
75	Mortise Lock Device																	
Trim Functions																		
XX	AD Trim (to come from client)	L-NL	Lever, Rigid - Night Latch															
DT	Dummy Trim	NL	Night Latch															
EO	Exit Only	NL-OP	Night Latch Cylinder Assembly, Optional Pull															
HL	Hospital Pull Trim	TL	Turn Lever															
K	Knob	TL-BE	Turn Lever - Blank Escutcheon															
K-BE	Knob - Blank Escutcheon	TP	Thumbpiece															
K-DT	Knob, Rigid - Dummy Trim	TP-BE	Thumbpiece - Blank Escutcheon															
K-NL	Knob, Rigid - Night Latch																	
L	Lever (Classroom)																	
L-BE	Lever - Blank Escutcheon																	
L-DT	Lever, Rigid - Dummy Trim																	
Rating																		
F	Fire Exit hardware	Blank	Panic Exit Hardware															
Suffix																		
-2	Double Cylinder	-2SI	Double Cylinder with Security Indicator															
Finish																		
US3, US4, US10, US15, US26, US26D, US26D-AM, US28, US32D, US32D-AM, 313, 315																		
Door Width																		
3'	Standard Default	Door Thickness																
4'		1 3/4"	Standard															
2'		2 1/4"	Optional															
Handing																		
RHR	Right Hand Reverse	LHR	Left Hand Reverse															
Less Bottom Rod/Cable																		
LBR	Less Bottom Rod	LBR-AFL	LBR with Fire Pin															
LBL	Less Bottom Cable	LBL-AFL	LBL with Fire Pin															
Trim Options/Finish																		
See trim options/finish for each series																		
Trim Options/Finish																		
See trim options for each series																		
Lever Style																		
06	Standard Default																	
Optional Levers available																		
Accessories																		
CYL	Cylinder	SEC	Security Screws															
GBK	Glass Bead Kit	SLM	SLM Blocking															
SNB	Sex Bolts																	
Other Information																		
Touchbar Options																		
BRAILLE (Vision impaired touchpad, Raised letter, and Braille), PUSH (Touchbar trim embossed "PUSH")																		
RSS (Red silk-screened lettered touchbar trim), KN (Knurled Touchbar), SG (Safety Glow)																		
Miscellaneous																		
CE (CE Labeled), LCP (Less Cover Plate), 10WDA (#10WDA Cover Plate), RAT REL (Ratchet Release Assy), WH (Weep Holes)																		
Door Material																		
AL (Aluminum Door), HM (Hollow Metal), WD (Wood Door), CP (Composite Door)																		
INS2 (Insulclad - 1/2"), INS4 (Insulclad - 1/4"), SC (Steelcraft, HH Device Only)																		
Door Application																		
D (Double Egress), P (Pair of Doors), S (Single Door)																		

Note: Not all options are listed. Not all options are available on all series. See the specific series pages for complete options available. Please contact customer care for questions.

Falcon: Exit Device - How to Order

How to Order Sequence Example

		EL	F	25	V	L-DANE	US3	3'	LHR	LBR	SNB	WD
Prefixes												
AX	Accessible Device (25 and 19 Series Only)											
CD	Cylinder Dogging											
LD	Less Dogging											
RX	Touchbar Request to Exit											
DM	Latchbolt Monitor Switch - when fully extended											
LM	Latchbolt Monitor Switch - when fully retracted											
KOR	Key Bypass Switch											
EL	Electric Latch Retraction											
FSA	Electric Lock or Unlock Trim-Fail Safe (25 Series Only)											
FSE	Electric Lock or Unlock Trim-Fail Secure (25 Series Only)											
EA	Exit Alarm											
Rating												
F	Fire Exit Hardware											
Blank	Panic Exit Hardware											
Device Series												
19	Touch Bar Device, Narrow Stile											
24	Touch Bar Device, Narrow Stile											
25	Touch Bar Device											
XX	Crossbar Device											
Device Type												
R	Rim											
V	Surface Vertical Rod											
M	Mortise											
					C							
					C-WDC							
Trim Function (see Trim pages for all functions)												
EO	Exit Only											
DT	Dummy Trim											
NL	Night Latch											
C	Cylinder Trim Plate											
TP	Thumbpiece											
					K							
					L							
					TL							
					NL-OP							
					KIL							
Latch Option												
DL	Dead Locking											
Finish												
US3	US10	US15*	US26	US32	SP28							
US4	US11*	US19*	US26D	US32D	SP313	313AN						
Door Width												
3'	Standard Default											
4'												
2'												
Door Thickness												
					1 3/4"	Standard						
					2 1/4"	Optional						
Handing												
RHR	Right Hand Reverse											
LHR	Left Hand Reverse											
Less Bottom Rod												
LBR	Less Bottom Rod											
LBR-AFL	LBR w/Auxiliary Fire Pin											
Accessories												
CYL	Cylinder				SNB	Sex Bolts			AMS	All Machine Screws		
SK	Shim Kit				SLM	SLM Blocking						
Other Miscellaneous Door Information												
HMD	Hollow Metal Door				SCDC	Steel Channel Door Construction			-	Door Label (20 min, 45 min, 90 min 1-1/2 hr)		
HMF	Hollow Metal Frame				-	Specify other Door or Frame			-	Stile Width		
WD	Wood Door				-	Material information			-	Frame Stop Height		
WDF	Wood Frame				-	Door Height			SGL	Single Door		
ALD	Aluminum Door				-	Door Thickness			PR	Pair of Doors Swinging Same Direction		
ALF	Aluminum Frame				-	Door Undercut			DE	Double Egress Doors		
CPD	Composite Door				-				CON	Allegion Connect		

Falcon: Trim - How to Order

How to Order Sequence Example

			510	L - R	US26D	LHR	SUTRO	FSE	CYL							
Trim Series																
D24 Series	D25 Series	19 Series														
711	510	911														
712	511	912														
715	512	914														
717	513	917														
718	717	918														
	718	920														
		930														
Trim Function (see Trim pages for all functions)																
EO	Exit Only															
DT	Dummy Trim															
NL	Night Latch															
C	Cylinder Trim Less Pull															
TP	Thumbpiece															
K	Knob															
L	Lever (Dane Standard)															
KIL	Key in Lever															
TL	Thumb Lever															
Device Type																
R	Rim															
V	Surface Vertical Rod															
M	Mortise															
C	Concealed Vertical Rod (includes WDC)															
Finish																
US3	US10	US11*								US19*	US26D	SP313	US32D			
US4	US10B	US15*								US26	SP28	US32				
Handing																
RHR	Right Hand Reverse															
LHR	Left Hand Reverse															
Lever Style																
DANE	(DAN)	supplied standard if not specified	BROADWAY	(BRW)* (available on 24 and 25 Series only)												
SUTRO	(SUT)		DANISH	(DSH)* (available on 24 and 25 Series only)												
QUANTUM	(QUA)		LATITUDE	(LAT)* (available on 24 and 25 Series only)												
AVALON	(AVA)	(available on 24, 25 and xx Series only)	LONGITUDE	(LON)* (available on 24 and 25 Series only)												
BOARDWALK	(BRK)*	(available on 24 and 25 Series only)														
Trim Options																
FSA	Electric Lock or Unlock-Fail Safe (FSA device required)															
FSE	Electric Lock or Unlock-Fail Secure (FSE device required)															
CON	Allegion Connect															
Other Information or Accessories																
CYL	Include Cylinder with Trim															
KD	Cylinder Keyed Different															
Door Thickness																
Specify door thickness other than 1 3/4"																

*New finishes and levers are available on select 24 and 25 Series.

HOW TO ORDER CLOSERS, COMPONENTS, PARTS & ACCESSORIES

1. **Identify** the closer series; 1460, 2030, 4040XP, 4210T, 4310ME, 4640, 6030, etc.
2. Determine if any **additional information** is required, such as: handing, finish, spring size, voltage, etc.
3. Order the material using suffix number with the description and include all necessary information.
Examples: 4111 Closer x RH x CUSH x AL or 4040SE Closer x 24v x DKBRZ
4. For additional information on how to order specific closers, please see the 'How to Order' page in each individual closer section of the **LCN General Catalog** or call **LCN Customer Care**.


SPECIAL NOTES

1. All **RAL** custom finishes will be powder coated and metal covers (**list add \$10 for most series, list add \$30 for 1450 and 4050 series**) will be substituted for standard covers for all closers except the 1460 series. 1460 series closers may be custom finished but a **DS** cover (**list add \$30**) must be selected.
2. **LCN** offers more than 180 **RAL** custom finishes. There is a list add of (**\$35**) per closer for an **RAL** finish. Most series require a metal cover (**MC**) (**\$10 add**). **LCN** also offers a Brite Metallic (**MTLPC**) powder coat finish. There is a list add of (**\$60**) per closer for the **MTLPC** finish. Most series require a metal cover (**MC**) (**\$10 add**).
3. **LCN** plated list prices already include -72MC (1460 includes -72DS). Disregard the additional list add for metal cover (**MC**).
4. **LCN** powder finishes exceed **ANSI/BHMA standard A156.4** for corrosion resistance by at least a factor of four. **LCN** powder coat finishes combined with the **LCN** Special Rust Inhibitor (**SRI**) pre-treatment exceed this standard even further.
5. Special Rust Inhibitor (**SRI**) is a pretreatment that is applied prior to the **LCN** powder coat finish and greatly exceeds ANSI/BHMA Standard A156.4 for corrosion resistance. **LCN** requires an additional (**list add \$40**) charge per closer, component or part.
6. **LCN** plated finishes exceed **ANSI/BHMA standard A156.4** for corrosion resistance.
7. Optional **TORX** security screw packs can be substituted for standard screw packs on most closers. See '**Add for TORX Screw Pack**' for additional charge. In some cases, not all fasteners can be provided as **TORX**, consult factory for details.
8. **LCN** can mark individual closer boxes with door or opening #'s. Please specify 'itemized' when ordering. Markings (e.g., door number, stock reference numbers) on individual product cartons will be provided with no charge.
9. Special Template (**ST**) pricing is available by contacting **LCN Technical/Product Support** or **LCN Customer Care**.
10. All closers conform to standards **UL10C** and **UBC 7-2** (1997).
11. If an item or price is not listed in the **LCN August 12, 2017 Price List**, consult factory for availability & pricing.
12. Prices listed in the **LCN August 12, 2017 Price List** are subject to change without notice. The current '**Terms of Sale**' applies. All prices listed in the **LCN August 12, 2017** are in US dollars.

To order Falcon products, descriptive data should be in the same sequence as shown:

Line Item	Qty	Product	Outside		Inside		Hand	Latch	Strike	Dr. Thk	Ext	DIM	Additional Details
			DES	FIN	DES	FIN							
1	2	3	4	5	6	7	8	9	10	11	12	13	14

- LINE ITEM:** Line item number
- QTY:** Quantity
- PRODUCT:** Complete lock product or part number
- OUTSIDE DES:** Outside design code
- OUTSIDE FIN:** Outside finish code
- INSIDE DES:** Inside design code. Leave blank if same as outside design code.
- INSIDE FIN:** Inside finish code. Leave blank if same as outside finish code.
- HAND:** Hand of door. Only one hand allowed per line item.
Example: RH = Right Hand, LH = Left Hand, RHR = Right Reverse, LHR = Left Reverse.



- LATCH:** Latch. Leave blank for standard or specify part number if non-standard latch is required. LLL = Less Latch.
- STRIKE:** Strike. Leave blank for standard or specify part number if non-standard strike is required. LLL = Less Strike.
- DR THK:** Door Thickness. Enter door thickness if non-standard. Example: 138 = 1 3/8", 214 = 2 1/4", 212 = 2 1/2".
- EXT:** Extension. Enter one of the following when doors 2" thick or greater are specified:
EE = Extended Equally
EI = Extended Inside
EO = Extended Outside
ED = Extended Differently
EI or EO assumes the latch will be centered on a 1 3/4" door, to which material has been added.
- DIM:** Enter dimension for non-standard strike lip length and mortise cylinder or blocking ring length.
012 = 1/8" 118 = 1 1/8"
018 = 3/16" 114 = 1 1/4"
025 = 1/4" 138 = 1 3/8"
031 = 5/16" 112 = 1 1/2"
037 = 3/8" 158 = 1 5/8"
050 = 1/2" 134 = 1 3/4"
078 = 7/8" 200 = 2"
100 = 1" 400 = 4"
- ADDITIONAL DETAILS:** Enter detail for keying information and for special requirements.

Multi-family How to Order - Closers

SC70A Series

		Cylinder	Cover	Arm	Finish	Accessories
STD**	SC71A Standard					
DEL	SC71A Delay					
Full cover	SC70A-72					
RW/PA**	Regular with parallel arm shoe					
HW/PA**	Hold open with parallel arm shoe					
HD**	Heavy duty arm					
DS**	Dead stop arm					
DS/HO	Dead stop hold open arm					
SS	Spring stop arm					
SS/HO	Spring stop hold open arm					
FA	Forged arm					
FA/HO	Forged arm with hold open					
Matte black**	622					
Aluminum	689					
Dark bronze	695					
Brass*	696					
Soffit shoe support	SC70A-30					
Blade stop spacer	SC70A-61					
Auxiliary shoe	SC70A-62A					
Top jamb plate	SC70A-18					
PA Plate	SC70A-18PA					
Full cover	SC70A-72					

*Contact customer service at 1-877-671-7011 for lead time information.

**Matte Black (622) is only available on standard cylinders and RW/PA, HW/PA, DS and HD.

Note: SC71A models are adjustable sizes 1-6

SC80A Series

		Cylinder	Cover	Arm	Finish	Accessories
STD**	SC81A Standard					
DEL	SC81A Delay					
Slim cover	SC80A-72					
Full cover	SC80A-72FC (optional, please specify)					
RW/PA**	Regular with parallel arm shoe					
HW/PA**	Hold open with parallel arm shoe					
HD	Heavy duty arm					
DS**	Dead stop arm					
DS/HO	Dead stop hold open arm					
SS	Spring stop arm					
SS/HO	Spring stop hold open arm					
Matte black **	622					
Aluminum	689					
Dark bronze	695					
Brass*	696					
Soffit shoe support	SC80A-30					
Blade stop spacer	SC80A-61					
Auxiliary shoe	SC80A-62A					
Top jamb plate	SC80A-18					
Top jamb plate - full cover	SC80A-18FC					
PA Plate	SC80A-18PA					
PA Plate - full cover	SC80A-18PAFC					
Slim cover	SC80A-72					
Full cover	SC80A-72FC					

* Contact customer service at 1-877-671-7011 for lead time information.

** Matte Black (622) is only available on standard cylinders and RW/PA, HW/PA, and DS.

Note: SC81A models have adjustable sizes 1-6

SC60A Series

		Cylinder	Cover	Arm	Finish	Accessories
STD**	SC61A Standard					
Slim cover	SC60A-72 (optional, available with SC61A only, please specify)					
RW/PA**	Regular with parallel arm shoe					
HW/PA**	Hold open with parallel arm shoe					
HD	Heavy duty arm					
DS**	Dead stop arm					
DS/HO	Dead stop hold open arm					
SS	Spring stop arm					
SS/HO	Spring stop hold open arm					
Matte black**	622					
Aluminum	689					
Dark bronze	695					
Brass	696					
Soffit shoe support	SC60A-30					
Blade stop spacer	SC60A-61					
Auxiliary shoe	SC60A-62A					
Top jamb plate	SC60A-18					
PA Plate	SC60A-18PA					
Slim cover	SC60A-72					

**Matte Black (622) is only available on standard cylinders and RW/PA, HW/PA, and DS arms.

Note: SC60A Series comes standard with less cover and all models have adjustable sizes 1-5.

SC90A Series

		Cylinder	Size	Cover	Arm	Finish	Accessories
STD*	Standard						
LBC	Less backcheck option						
1	SC91A						
3	SC93A						
4	SC94A						
Slim cover	SC90A-72 (only available on SC93A/94A)						
RW/PA	Regular with parallel arm shoe						
HW/PA	Hold open with parallel arm shoe (only available on SC91A)						
Soffit shoe support	SC90A-30						
Blade stop spacer	SC90A-61						
Auxiliary shoe	SC90A-62A						
Aluminum	689						
Dark bronze	695						
Plate	SC90A-18 (available with SC93A/94A only)						
Plate PA	SC90A-18PA (available with SC93A/94A only)						
Slim cover	SC90A-72 (available with SC93A/94A only)						

*STD comes with less cover and adjustable backcheck.

Glynn-Johnson: Overhead Holders and Stops – How to Order**Example:**

	70	2	H	-	US26D	-	J
Overhead series (70, 79, 81, 90, 10, 41, 45)							
Size (1, 2, 3, 4, 5, or 6)*							
Function (H, F, HP, S or SE) For description of functions, refer to chart above.*							
Finish (US3, US4, US10, US10B, US26, US26D, US32, US32D, 652, SP4, SP10, SP28, SP313, SPBLK)							
Option (ADJ, CJ, J, SHIM, SNB, SOC)*							

****Please refer to individual Overhead Series price book pages for availability of finish, size, function and options.***

About Allegion

Allegion (NYSE: ALLE) creates peace of mind by pioneering safety and security. As a \$2 billion provider of security solutions for homes and businesses, Allegion employs more than 7,800 people and sells products in more than 120 countries across the world. Allegion comprises 23 global brands, including strategic brands CISA®, Interflex®, LCN®, Schlage® and Von Duprin®.

For more, visit www.allegion.com

KRYPTONITE ■ LCN ■  ■ STEELCRAFT ■ VON DUPRIN